





ABU GARCIA LIFESTYLE

Forward-thinking design. Precision engineering. Trusted reliability. It's what we do. For generations, anglers across the globe have put their trust in Abu Garcia. Decades of experience and an unrelenting pursuit to develop the world's most advanced fishing gear are what drive us.

Setting the standard in lightweight, compact design, Abu Garcia low profile reels are engineered to deliver superior performance on the water. Whether you are a weekend warrior or a seasoned pro, our lineup of low profile reels are built to excel.





ROCKET FAST RETRIEVE WITH SMOOTH PERFORMANCE

A continued tradition of precision engineering and powerful performance. The Revo® Rocket low profile reel packs a punch of Speed, Strength, and Power. This 10.1:1 gear ratio and 41 IPT and Power Stack Carbon Matrix Drag System™ make this reel perfect for fast techniques and heavy cover.

THE ABU ADVANTAGE:

- 10 stainless steel HPCR™ bearings + 1 roller bearing
- Rocket gear ratio
- X2-Craftic™ alloy frame and sideplate
- Power Stack Carbon Matrix Drag System™
- D2 Gear Design™
- Duragear™ brass gear
- DuraClutch design
- Infini™ brake system
- Infini II™ spool
- Gull Wing sideplate design
- Lube port



INFINI™ BRAKE SYSTEM

Provides a dual braking system for casting control



D2 GEAR DESIGN™

Provides a more efficient gear system while improving gear durability



POWER STACK CARBON MATRIX DRAG SYSTEM

The unique keyed cartridge drag system provides extreme drag pressures combined with unparalleled smoothness



GULL WING™ SIDEPLATE

Sideplate design allows for quick and easy access to braking systems and the spool



10.1:1 ROCKET GEAR RATIO

High Speed gear ratio for fast line pickup

NEW

MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REV04 ROCKET	1475709 Box	12 lb/145 yd	30 lb/140 yd	18 lb	10.1:1	41	7.34 oz	11	Right
REV04 ROCKET-L	1475703 Box	12 lb/145 yd	30 lb/140 yd	18 lb	10.1:1	41	7.34 oz	11	Left

RAISING THE BAR ON HIGH PERFORMANCE AND DURABILITY

For all of your heavy-duty applications, the Abu Garcia® Revo® Beast delivers high performance features specifically engineered for casting larger baits and fighting hard pulling fish. The X2-Craftic™ alloy frame and sideplates provide a compact lightweight design while the Power Stack Carbon Matrix Drag System™ gives you the drag power to target those stronger fish.

THE ABU ADVANTAGE:

- 7 stainless steel HPCR™ bearings + 1 roller bearing
- X2-Craftic™ alloy frame and sideplates
- Power Stack Carbon Matrix Drag System™
- Duragear™ brass gear
- D2 Gear Design™
- DuraClutch design
- Extended bent handle with power knobs
- Infini™ brake system
- Ti coated line guide
- Infini II™ spool design
- Lube port



INFINI™ BRAKE SYSTEM

Provides a dual braking system for casting control



D2 GEAR DESIGN™

Provides a more efficient gear system while improving gear durability



POWER STACK CARBON MATRIX DRAG SYSTEM™

The unique keyed cartridge drag system provides extreme drag pressures combined with unparalleled smoothness

OVERSIZED EVA HANDLE KNOBS

Increased knob size gives more leverage and comfort



30 LB MAX DRAG
For maximum stopping power

NEW

MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REV04 BEAST 40	1479946 Box	14 lb/205 yd	30 lb/235 yd	30 lb	5.8:1	27	9.52 oz	8	Right
REV04 BEAST 41	1479947 Box	14 lb/205 yd	30 lb/235 yd	30 lb	5.8:1	27	9.52 oz	8	Left
REV04 BEAST 40 HS	1485121 Box	14 lb/205 yd	30 lb/235 yd	30 lb	7.3:1	34	9.52 oz	8	Right
REV04 BEAST 41 HS	1485122 Box	14 lb/205 yd	30 lb/235 yd	30 lb	7.3:1	34	9.52 oz	8	Left

IKE DESIGNED, IKE APPROVED

The Abu Garcia Revo® IKE series is designed by Mike Iaconelli to include the power, comfort, speed, and action that he demands out of his fishing tackle. In addition to features, the attitude and personality that Ike is known for shows through the unmistakable cosmetics that make going Ike possible for the average angler.

THE ABU ADVANTAGE:

- 10 stainless steel ball bearings + 1 roller bearing
- X2-Cräftic™ alloy frame
- C6 carbon palm sideplate and aluminum handle sideplate
- Power Stack Carbon Matrix Drag System™
- Duragear™ brass gear
- D2 Gear Design™
- Everslik™ coated pinion shaft and pawl
- DuraClutch design
- IVCB-6L braking system
- Gull Wing sideplate design
- Infini II™ spool design
- Compact bent handle and star
- Ti coated line guide
- Lube port
- Round EVA Knob

**X2-CRÄFTIC™ ALLOY FRAME**

This material provides exceptional corrosion resistance and rigidity for excellent gear alignment

**D2 GEAR DESIGN™**

Provides a more efficient gear system while improving gear durability

**POWER STACK CARBON MATRIX DRAG SYSTEM**

The unique keyed cartridge drag system provides extreme drag pressures combined with unparalleled smoothness

**GULL WING™ SIDEPLATE**

Sideplate design allows for quick and easy access to braking systems and the spool

IKE DESIGNED EVA HANDLE KNOBS

Super strong lightweight carbon fiber handles



NEW

MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REV04IKE	1475704 Box	12 lb/145 yd	30 lb/140 yd	24 lb	6.6:1	27	7.58 oz	11	Right
REV04IKE-L	1475705 Box	12 lb/145 yd	30 lb/140 yd	24 lb	6.6:1	27	7.58 oz	11	Left
REV04IKE-SHS	1475706 Box	12 lb/145 yd	30 lb/140 yd	24 lb	8.0:1	33	7.58 oz	11	Right
REV04IKE-SHS-L	1475707 Box	12 lb/145 yd	30 lb/140 yd	24 lb	8.0:1	33	7.58 oz	11	Left

PRECISION ENGINEERING AT ITS FINEST

Revo® premium performance is taken to the next level with the fourth generation of the Revo® Premier low profiles. Our top of the line Revo® low profile is packed with leading features like the all new Power Stack Carbon Matrix Drag System™ and the improved IVCB-6L™ (Infinitely Variable Centrifugal Brake) braking system. This system offers complete control for any situation and even more adjustment and castability with additional locking brake modules. Premier power, precision engineering and performance all in the palm of your hand.

THE ABU ADVANTAGE:

- 10 stainless steel HPCR® bearings + 1 roller bearing
- X2-Craft™ alloy frame
- C6 carbon sideplates
- Power Stack Carbon Matrix Drag System™
- D2 Gear Design™
- Everslik™ coated pinion shaft and pawl
- DuraClutch™ design
- IVCB-6L™ braking system
- Gull Wing™ sideplate design
- Infini II™ spool design
- Compact bent carbon handle
- Flat EVA knobs
- Ti coated line guide
- Lube port



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO4 PRM	1429086 Box	12 lb/145 yd	30 lb/140 yd	24 lb	6.6:1	27	6.1 oz	11	Right
REVO4 PRM-L	1430420 Box	12 lb/145 yd	30 lb/140 yd	24 lb	6.6:1	27	6.1 oz	11	Left
REVO4 PRM-HS	1430421 Box	12 lb/145 yd	30 lb/140 yd	24 lb	7.3:1	30	6.1 oz	11	Right

SUPERIOR CASTING CONTROL AND PRECISION

A continued tradition of precision engineering and powerful performance, the Revo® STX is loaded with features that provide on the water advantages day in and out. A new Gull Wing™ sideplate design allows for quick and easy access to the almost limitless IVCB-6L™ (Infinitely Variable Centrifugal Brake) brake system. A more durable Duragear™ brass gear featuring the D2 Gear Design™ makes for one of the strongest yet most efficient gear systems.

THE ABU ADVANTAGE:

- 10 stainless steel ball bearings + 1 roller bearing
- X2-Craftic™ alloy frame
- Aluminum handle sideplate combined with C6 carbon palm sideplate
- Power Stack Carbon Matrix Drag System™
- Duragear™ brass gear
- D2 Gear Design™
- Everstik™ coated pinion shaft and pawl
- DuraClutch™
- IVCB-6L™ braking system
- Gull Wing™ sideplate design
- Infini II™ spool design
- Compact bent handle and star
- Ti coated line guide
- Lube port



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO4 STX-SHS	1430422 Box	12 lb/145 yd	30 lb/140 yd	24 lb	8.0:1	33	7.0 oz	11	Right
REVO4 STX-HS	1430423 Box	12 lb/145 yd	30 lb/140 yd	24 lb	7.3:1	30	7.0 oz	11	Right
REVO4 STX-HS-L	1430424 Box	12 lb/145 yd	30 lb/140 yd	24 lb	7.3:1	30	7.0 oz	11	Left
REVO4 STX	1430425 Box	12 lb/145 yd	30 lb/140 yd	24 lb	6.6:1	27	7.0 oz	11	Right
REVO4 STX-L	1430426 Box	12 lb/145 yd	30 lb/140 yd	24 lb	6.6:1	27	7.0 oz	11	Left

CUTTING EDGE DESIGN WITH ADVANCED PERFORMANCE

Precision engineered from the ground up to deliver power and performance. The fourth generation of Revo® SX delivers the most powerful, durable and high performance SX yet. The improved DuraClutch™ design along with an upgraded Infini™ brake system result in smooth engagement along with effortless casting performance. The D2 Gear Design™ paired with a brass main gear delivers the ultimate in durability and efficiency resulting in less effort and more power. Revo® SX is topped off with the keyed Power Stack Carbon Matrix Drag System™.

THE ABU ADVANTAGE:

- 9 stainless steel ball bearings + 1 roller
- X2-Craftic™ alloy frame
- C6 carbon sideplates
- Power Stack Carbon Matrix Drag System™
- Duragear™ brass gear
- D2 Gear Design™
- Everslik™ coated pinion shaft and pawl
- DuraClutch™ design
- Infini™ brake system
- Infini II™ spool design
- Compact bent handle and star
- Ti coated line guide
- Lube port



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REV04 SX	1430427 Box	12 lb/145 yd	30 lb/140 yd	24 lb	6.6:1	27	7.7 oz	10	Right
REV04 SX-L	1430428 Box	12 lb/145 yd	30 lb/140 yd	24 lb	6.6:1	27	7.7 oz	10	Left
REV04 SX-HS	1430429 Box	12 lb/145 yd	30 lb/140 yd	24 lb	7.3:1	30	7.7 oz	10	Right
REV04 SX-HS-L	1430430 Box	12 lb/145 yd	30 lb/140 yd	24 lb	7.3:1	30	7.7 oz	10	Left

THE NEXT GENERATION OF LOW PROFILE DESIGN

Introducing the refined, iconic Revo[®] S low profile. The tradition of cutting edge design and dependability continues with the fourth generation of Revo S. The easy to adjust MagTrax™ brake system allows anglers to quickly fine tune to any bail. The improved DuraClutch™ design is immediately noticeable with smooth casting and engagement. Revo S is bolstered by the efficient yet durable Duragear™ brass gear and X2-Craftic™ alloy frame.

THE ABU ADVANTAGE:

- 8 stainless steel ball bearings + 1 roller bearing
- X2-Craftic™ alloy frame
- Carbon Matrix™ drag system
- Duragear™ brass gear
- D2 Gear Design™
- DuraClutch™ design
- MagTrax™ brake system
- Compact bent handle and star
- Lube port



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO4 S	1430431 Box	12 lb/145 yd	30 lb/140 yd	20 lb	6.6:1	27	7.9 oz	9	Right
REVO4 S-L	1430432 Box	12 lb/145 yd	30 lb/140 yd	20 lb	6.6:1	27	7.9 oz	9	Left
REVO4 S-HS	1430433 Box	12 lb/145 yd	30 lb/140 yd	20 lb	7.3:1	30	7.9 oz	9	Right
REVO4 S-HS-L	1430434 Box	12 lb/145 yd	30 lb/140 yd	20 lb	7.3:1	30	7.9 oz	9	Left

THE PERFECT BLEND OF PERFORMANCE AND STYLE

Revo® trusted reliability and performance. Welcome the X to the lineup of the fourth generation of Revo® low profiles. Featuring the same forward-thinking design, durability and performance, the Revo® X starts with an X2-Cräftic™ alloy frame for a lightweight yet rigid and corrosion resistant frame. Consistent brake pressure is delivered by the MagTrax™ brake system while the Carbon Matrix™ hybrid drag system provides super smooth reliable drag performance.

THE ABU ADVANTAGE:

- 7 stainless steel ball bearings + 1 roller bearing
- X2-Cräftic™ alloy frame
- Carbon Matrix™ hybrid drag system
- Duragear™ brass gear
- D2 Gear Design™
- DuraClutch™ design
- MagTrax™ brake system
- Compact bent handle and star
- Lube port



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REV04 X	1430435 Box	12 lb/145 yd	30 lb/140 yd	18 lb	6.6:1	27	7.8 oz	8	Right
REV04 X-L	1430436 Box	12 lb/145 yd	30 lb/140 yd	18 lb	6.6:1	27	7.8 oz	8	Left
REV04 X-HS	1430437 Box	12 lb/145 yd	30 lb/140 yd	18 lb	7.3:1	30	7.8 oz	8	Right
REV04 X-HS-L	1430438 Box	12 lb/145 yd	30 lb/140 yd	18 lb	7.3:1	30	7.8 oz	8	Left
REV04 X-W	1430439 Box	12 lb/180 yd	30 lb/180 yd	18 lb	5.4:1	22	7.8 oz	8	Right
REV04 X-W-L	1430440 Box	12 lb/180 yd	30 lb/180 yd	18 lb	5.4:1	22	7.8 oz	8	Left

BUILT FOR SALTWATER PERFORMANCE

Revo® trusted reliability and performance. Welcome the X-Inshore to the lineup of the fourth generation of Revo® low profiles. Featuring the same forward-thinking design, durability and performance, the Revo® X-Inshore starts with an X2-Craftic™ alloy frame for a lightweight yet rigid and corrosion resistant frame. Consistent brake pressure is delivered by the MagTrax™ brake system while the Carbon Matrix™ hybrid drag system provides super smooth reliable drag performance. With 3 HPCR™ bearings and a 95 mm handle the Abu Garcia® Revo® X-Inshore is ready for your saltwater needs.

THE ABU ADVANTAGE:

- 6 stainless steel ball bearings + 1 roller bearing
- 3 HPCR™ bearings in key locations
- X2-Craftic™ alloy frame
- Carbon Matrix™ hybrid drag system
- Duragear™ brass gear
- D2 Gear Design™
- DuraClutch design
- MagTrax™ brake system
- 95mm Aluminum handle
- Lube port


NEW

MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO4 X INS	1479948 Box	12 lb/145 yd	30 lb/140 yd	18 lb	6.6:1	27	8.32 oz	7	Right
REVO4 X INS-L	1479949 Box	12 lb/145 yd	30 lb/140 yd	18 lb	6.6:1	27	8.32 oz	7	Left

LIGHTWEIGHT, POWERFUL, SALTWATER APPROVED

Designed with the inshore angler in mind, the Revo[®] Inshore low profile baitcast reel features an X2-Cräftic™ frame and High Performance Corrosion Resistant (HPCR[®]) bearings that provide protection under the harshest conditions. Dual anti-reverse gives you additional back up for those high pressure situations and the improved IVCB-6L™ (Infinitely Variable Centrifugal Brake) braking system offers easy adjustment and castability with additional locking brake modules. Featuring an extended handle with large EVA knobs and the upgraded Power Stack Carbon Matrix Drag System™, the Revo Inshore fishing reel provides the leverage and drag pressures needed to fight large inshore fish species.

THE ABU ADVANTAGE:

- 6 stainless steel HPCR[®] bearings + 1 roller bearing
- X2-Cräftic™ alloy frame
- C6 carbon palm sideplate
- Power Stack Carbon Matrix Drag System™
- Duragear™ brass gear
- D2 Gear Design™
- Everslik™ coated pinion shaft and pawl
- DuraClutch™ design
- IVCB-6L™ (Infinitely Variable Centrifugal Brake) braking system
- Gull Wing™ sideplate design
- Infini II™ spool design
- Extended bent handle
- Flat EVA knobs
- Ti coated line guide
- Lube port



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO4 INS	1430441 Box	12 lb/180 yd	30 lb/180 yd	24 lb	7.3:1	.30	7.7 oz	7	Right
REVO4 INS-L	1430442 Box	12 lb/180 yd	30 lb/180 yd	24 lb	7.3:1	.30	7.7 oz	7	Left

SUPERIOR CRANKING POWER FOR HIGH RESISTANCE BAITS

Whether you find yourself on Clear Lake, Lake of the Woods or Lake El Salto, big baits are a necessary evil and finding a reel that can handle the stress of throwing these baits can be exhausting. Built for crankbait fishing and other high resistance baits, the Revo[™] Winch low profile baitcast reel is designed with a low 5.4:1 gear ratio for added cranking power. The improved, more efficient and powerful D2 Gear Design[™] combined with the extended throw handle and oversized knobs allows for effortless hours of cranking power.

THE ABU ADVANTAGE:

- 8 stainless steel ball bearings + 1 roller bearing
- Winch gear ratio allows for a slower presentation
- X2-Craftic[™] alloy frame
- Aluminum handle sideplate combined with C6 carbon palm sideplate
- Power Stack Carbon Matrix Drag System[™]
- Duragear[™] brass gear
- D2 Gear Design[™]
- Everslik[™] coated pinion shaft and pawl
- DuraClutch[™] design
- Infini[™] brake system
- Gull Wing[™] sideplate design
- Extended bent handle
- Large EVA knobs
- Ti coated line guide
- Lube port


5.4:1 WINCH GEAR RATIO

Slower gear ratio for controlled presentation

MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO4 WINCH	1430443 Box	12 lb/180 yd	30 lb/180 yd	24 lb	5.4:1	22	7.5 oz	9	Right
REVO4 WINCH-L	1430444 Box	12 lb/180 yd	30 lb/180 yd	24 lb	5.4:1	22	7.5 oz	9	Left

THE MGX JUST WENT EXTREME

Setting the standard in lightweight, compact design, the MGXtreme continues to push the boundaries of low profile design with the lightest Revo[®] yet weighing in at just 4.5 ounces. The MGXtreme combines the new SLC spool concept with hybrid ceramic bearings, resulting in a reel with first class casting performance in a package that weighs almost nothing in the hand.

THE ABU ADVANTAGE:

- 8 stainless steel HPCR™ bearings + 1 roller bearing
- 2 additional CeramiLite Spool Bearings
- One piece X-Mag™ alloy frame
- Carbon Matrix™ drag system
- C6 carbon sideplates
- IVCB-4™ braking system
- Infini II™ spool design
- Compact bent carbon handle
- Round cork knobs
- Aircraft grade aluminum main gear
- Ti coated line guide reduces friction and improves durability
- Recessed reel foot
- Lube port
- Super lightweight concept (SLC™) spool design
- Custom lightweight handle design
- Carbon star drag design



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO MGXTREME2	1400519 Box	12 lb/120 yd	30 lb/115 yd	12 lb	8.0:1	32	4.5 oz	11	Right
REVO MGXTREME2-L	1400520 Box	12 lb/120 yd	30 lb/115 yd	12 lb	8.0:1	32	4.5 oz	11	Left

SUPER LIGHT, EXTREMELY STRONG

After years of defining lightweight performance and forward-thinking design, the Revo® MGX® low profile sets the standard again in compact, lightweight performance. The IVCB-4™ braking system allows almost limitless adjustments in casting control while the ground-breaking one piece X-Mag™ alloy frame along with C6 carbon side plates deliver significant weight reduction without sacrificing strength and durability.

THE ABU ADVANTAGE:

- 9 stainless steel HPCR™ bearings + 1 roller bearing
- One piece X-Mag™ alloy frame
- Carbon Matrix™ drag system
- C6 carbon sideplates
- IVCB-4™ braking system
- Infini II™ spool design
- Compact bent carbon handle
- Flat EVA knobs
- Aircraft grade aluminum main gear
- Ti coated line guide
- Recessed reel foot
- Lube port



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO MGX2	1400521 Box	12 lb/120 yd	30 lb/115 yd	17 lb	6.4:1	25	5.0 oz	11	Right
REVO MGX2-L	1400522 Box	12 lb/120 yd	30 lb/115 yd	17 lb	6.4:1	25	5.0 oz	11	Left
REVO MGX2-HS	1400523 Box	12 lb/120 yd	30 lb/115 yd	17 lb	8.0:1	32	5.0 oz	11	Right
REVO MGX2-HS-L	1400524 Box	12 lb/120 yd	30 lb/115 yd	17 lb	8.0:1	32	5.0 oz	11	Left

LIGHTWEIGHT, COMPACT, POWER

Engineered to give anglers the compact performance of the MGX along with the versatility of a heavy-duty fishing reel, the Revo® AL-F low profile reel features an aluminum frame for added strength while the C6 carbon side plates and aluminum main gear allow for maximum weight optimization. Easily adjustable and ultra compact, the AL-F is suited to throw baits from lightweight finesse baits all the way through to heavy jigs.

THE ABU ADVANTAGE:

- 8 stainless steel HPCR™ bearings + 1 roller bearing
- X2-Cräftic™ alloy frame
- Carbon Matrix™ drag system
- Infini II™ spool design
- Infini™ brake system
- Compact bent handle and star
- Flat EVA knobs
- Aircraft grade aluminum main gear
- Ti coated line guide
- Recessed reel foot
- Lube port

**INFINI™ BRAKE SYSTEM**

Provides a dual braking system for casting control

**X2-CRÄFTIC™ ALLOY FRAME**

This material provides exceptional corrosion resistance and rigidity for excellent gear alignment.

**CARBON MATRIX™ DRAG**

Provides smooth, consistent drag pressure across the entire drag range

**INFINI II SPOOL DESIGN**

Gives extended castability and handles extreme loads



NEW

MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVOAL-F	1490623 Box	12 lb/120 yd	30 lb/115 yd	17 lb	6.4:1	25	5.47 oz	9	Right
REVOAL-F-L	1490624 Box	12 lb/120 yd	30 lb/115 yd	17 lb	6.4:1	25	5.47 oz	9	Left
REVOAL-F-HS	1490625 Box	12 lb/120 yd	30 lb/115 yd	17 lb	8.0:1	32	5.47 oz	9	Right
REVOAL-F-HS-L	1490626 Box	12 lb/120 yd	30 lb/115 yd	17 lb	8.0:1	32	5.47 oz	9	Left

REVO TORO BEAST

RAISING THE BAR ON HIGH PERFORMANCE POWER

Engineered for brute strength and unrelenting performance, the Revo® Toro® Beast low profile baitcast reel delivers a unique platform designed for hard pulling species. Cranking power and high line capacity give anglers the upper hand on a variety of fresh and saltwater fish. An aggressive body design creates a more ergonomic feel while adding power and high gear efficiency. Three different power handles are included with each model in the Toro® Beast series, giving anglers a wide variety of customization options. The Toro® Beast low profile reel delivers impressive power and durability in a surprisingly compact package.

THE ABU ADVANTAGE:

- 7 stainless steel HPCR™ bearings + 1 roller bearing
- Power Stack Carbon Matrix Drag System™
- Active response drag mechanism
- X2-Craft™ alloy frame and sideplate
- Duragear™ Heavy Duty
- InfiniMax braking system™
- Aircraft grade aluminum spool
- Extended bent handle
- Large EVA knobs
- Ti coated line guide
- Also includes Power Handle and Casting Power Handle



INFINIMAX BRAKE DESIGN™

Combines a magnetic brake and sealed centrifugal brake, which allows an almost limitless adjustment to suit any fishing situation. The centrifugal brake will control the first half of the cast, when the spool is rotating at its maximum speed. Once the spool slows, the magnetic brake then acts on the spool to keep it under control during the last half of the cast.

POWER STACK CARBON MATRIX DRAG SYSTEM

The unique keyed cartridge drag system provides extreme drag pressures combined with unparalleled smoothness

MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO T2 BST50	1365380 Box	14 lb/210 yd	30 lb/235 yd	25 lb	4.9:1	24	13.58 oz	8	Right
REVO T2 BST51	1365381 Box	14 lb/210 yd	30 lb/235 yd	25 lb	4.9:1	24	13.58 oz	8	Left
REVO T2 BST50-HS	1365382 Box	14 lb/210 yd	30 lb/235 yd	25 lb	6.2:1	31	13.58 oz	8	Right
REVO T2 BST51-HS	1365383 Box	14 lb/210 yd	30 lb/235 yd	25 lb	6.2:1	31	13.58 oz	8	Left
REVO T2 BST60	1365384 Box	14 lb/250 yd	30 lb/285 yd	25 lb	4.9:1	27	13.83 oz	8	Right
REVO T2 BST61	1365385 Box	14 lb/250 yd	30 lb/285 yd	25 lb	4.9:1	27	13.83 oz	8	Left
REVO T2 BST60-HS	1365386 Box	14 lb/250 yd	30 lb/285 yd	25 lb	6.2:1	34	13.83 oz	8	Right
REVO T2 BST61-HS	1365387 Box	14 lb/250 yd	30 lb/285 yd	25 lb	6.2:1	34	13.83 oz	8	Left

RAISING THE BAR ON SPEED AND POWER

The Revo Toro® Rocket dials up the speed factor with a high speed 7.6:1 gear ratio. Bringing in 42" of line per turn, the Toro® Rocket allows you to burn large baits faster than ever before. Whether fishing a vertical jig through the water column or burning a blade for Muskie, the Revo Toro® Rocket has the speed needed to get those reaction strikes.

THE ABU ADVANTAGE:

- 7 stainless steel HPCR™ bearings + 1 roller bearing
- Rocket Gear Ratio
- Power Stack Carbon Matrix Drag System™
- Active response drag mechanism
- X2-Craftic™ alloy frame and sideplate
- Duragear™ Heavy Duty
- InfiniMax braking system™
- Aircraft grade aluminum spool
- Ti coated line guide
- Extended bent handle
- Large EVA knobs
- Also Includes **Power Handle** and **Casting Power Handle**



7.6:1 ROCKET GEAR RATIO

High Speed gear ratio for fast line pickup

POWER STACK CARBON MATRIX DRAG SYSTEM

The unique keyed cartridge drag system provides extreme drag pressures combined with unparalleled smoothness.

Limited Availability

MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO T2 RCKT60	1400540 Box	14 lb/250 yd	30 lb/285 yd	25 lb	7.6:1	42	14.6 oz	8	Right

THE NEXT GENERATION OF POWER AND DURABILITY

Built for reliability and performance, the Revo® Toro® S low profile baitcaster has been constructed to handle a wide variety of freshwater fishing or saltwater fishing conditions. The new ergonomic design delivers high line capacity, high max drag and the ability to fish larger baits. A heavy duty gear system coupled with features like a counter balanced power handle and a robust, externally adjustable magnetic casting brake make this fishing reel the perfect choice for hard fighting species.

THE ABU ADVANTAGE:

- 4 stainless steel HPCR™ bearings + 1 roller bearing
- Power Stack Carbon Matrix Drag System™
- X2-Cräftic™ alloy frame
- Duragear™ Heavy Duty
- MagTrax™ brake system
- Aircraft grade aluminum spool
- Extended bent handle (50 size)
- Large PVC knobs provide greater grip
- Casting Power Handle (60 size)



DURAGEAR™ HEAVY DUTY

By using a specialized hard brass material, Duragear HD allows for increased fighting power and extended gear life.



POWER STACK CARBON MATRIX DRAG SYSTEM

The unique keyed cartridge drag system provides extreme drag pressures combined with unparalleled smoothness.

MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO T2 S50	1365388 Box	14 lb/210 yd	30 lb/235 yd	25 lb	5.3:1	26	13.50 oz	5	Right
REVO T2 S51	1365389 Box	14 lb/210 yd	30 lb/235 yd	25 lb	5.3:1	26	13.50 oz	5	Left
REVO T2 S60	1365390 Box	14 lb/250 yd	30 lb/285 yd	25 lb	5.3:1	29	13.97 oz	5	Right
REVO T2 S61	1365391 Box	14 lb/250 yd	30 lb/285 yd	25 lb	5.3:1	29	13.97 oz	5	Left

THE PERFECT COMBINATION OF POWER AND DEPENDABILITY

For all of your heavy-duty applications, the MaxToro delivers high performance features specifically engineered for casting larger baits and fighting hard pulling fish. A one piece graphite frame construction allows for a surprisingly compact lightweight design, while still incorporating the Power Stack Carbon Matrix Dray System™.

THE ABU ADVANTAGE:

- 4 stainless steel HPCR™ bearings + 1 roller bearing
- Duragear™ Heavy Duty
- Power Stack Carbon Matrix Dray System™
- MagTrax™ brake system
- Extended bent handle
- Large PVC knobs


DURAGEAR™ HEAVY DUTY

By using a specialized hard brass material, Duragear HD allows for increased fighting power and extended gear life.

MAGTRAX™ BRAKE SYSTEM

A turn of the dial moves the magnetic braking system closer to the spool which allows for additional cast control and braking force.

MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
MAXTORO50	1400538 Box	14 lb/210 yd	30 lb/235 yd	25 lb	5.3:1	26	12.35 oz	5	Right
MAXTORO51	1400539 Box	14 lb/210 yd	30 lb/235 yd	25 lb	5.3:1	26	12.35 oz	5	Left

MAXIMUM PERFORMANCE, PROFESSIONAL RESULTS

Taking design cues from the Revo® lineups, the Pro Max™ reel delivers first-rate performance in an exceptionally smooth package. The externally adjustable MagTrax™ casting brake ensures efficient casting control while the 7+1 stainless steel bearing system delivers a remarkably smooth retrieve. The result is a lightweight, compact reel that is engineered to take the abuse day in and day out.

THE ABU ADVANTAGE:

- 7 stainless steel ball bearings + 1 roller bearing
- Machined double anodized aluminum spool
- Power Disk™ drag system
- Duragear™ brass gear
- MagTrax™ brake system
- Compact bent handle and star
- Recessed reel foot
- One piece graphite frame
- Graphite sideplates



MAGTRAX™ BRAKE SYSTEM

A turn of the dial moves the magnetic braking system closer to the spool which allows for additional cast control and braking force.



POWER DISK™ DRAG

This proven system gives anglers smooth reliable drag performance throughout the drag range.

MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
PMAX3	1365359 Box / 1365360 Clam	12 lb/145 yd	30 lb/140 yd	18 lb	7.1:1	29	7.3 oz.	8	Right
PMAX3-L	1365361 Box	12 lb/145 yd	30 lb/140 yd	18 lb	7.1:1	29	7.3 oz.	8	Left

PERFORMANCE AND TOUGHNESS IN A LOW PROFILE REEL

- 5 stainless steel ball bearings + 1 roller bearing
- Machined aluminum spool
- Power Disk™ drag system
- Duragear™ brass gear
- MagTrax™ brake system
- Compact bent handle and star
- Recessed reel foot
- One piece graphite frame
- Graphite sideplates
- Rocket Clutch



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
SMAX3	1365362 Box / 1365363 Clam	12 lb/145 yd	30 lb/140 yd	18 lb	6.4:1	26	7.3 oz	6	Right
SMAX3-L	1365364 Box / 1365365 Clam	12 lb/145 yd	30 lb/140 yd	18 lb	6.4:1	26	7.3 oz	6	Left

MAXIMUM PERFORMANCE AND VALUE

- 4 stainless steel ball bearings + 1 roller bearing
- Machined aluminum spool
- Power Disk™ drag system
- Duragear™ brass gear
- MagTrax™ brake system
- Compact bent handle and star
- Recessed reel foot
- One piece graphite frame
- Graphite sideplates



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
BMAX3	1365366 Box / 1365367 Clam	12 lb/145 yd	30 lb/140 yd	18 lb	6.4:1	26	7.3 oz	5	Right
BMAX3-L	1365368 Box / 1365369 Clam	12 lb/145 yd	30 lb/140 yd	18 lb	6.4:1	26	7.3 oz	5	Left

SPINNING LIFESTYLE

Precision engineering, sleek design and cutting edge performance only begin to describe the spinning lineup from Abu Garcia. New gear ratio advancements featured in the 7.0:1 Revo® Rocket spinning reels and the 4.7:1 Revo® Winch spinning reel exemplify our commitment to functionality and style.





Abu Garcia® MGXtreme 30

Salt
Shield

12 BEARINGS

Revo

REVO2MGXTREME30

THE MGX JUST WENT EXTREME

Abu Garcia's[®] lightest, most compact spinning reels. MGXtreme spinning reels feature the CMg carbon rotor and one-piece X-Mag[™] alloy gear box to reduce weight to 5.6 ounces. The high performance, durable AMGearing system is combined with HPCR[™] and Salt Shield[™] bearings for both freshwater and saltwater use. This extremely lightweight, versatile reel is also equipped with an innovative removable sinker keeper that eliminates tangling when using a drop shot.

THE ABU ADVANTAGE:

- 11 stainless steel HPCR[™] bearings (Salt Shield[™] ball bearings for pinion gear and line roller) + 1 roller bearing
- CMg rotor
- AMGearing system
- Carbon Matrix[™] drag system
- One piece X-Mag[™] alloy gear box
- C6 carbon body
- Rocket Line Management System
- Compact bent carbon handle arm with cork knob
- Always on, instant anti reverse
- Attached sinker keeper



NEW

MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO2MGXTRSP20	1484878 Box	8 lb/130 yd	8 lb/190 yd	6.2 lb	6.2:1	31.4	5.6 oz	12	Right/Left
REVO2MGXTRSP30	1484919 Box	8 lb/175 yd	10 lb/180 yd	8.0 lb	6.2:1	33.7	5.9 oz	12	Right/Left



CARBON MATRIX™ DRAG SYSTEM

Provides smooth consistent drag pressure throughout the drag setting



AMGearing™ SYSTEM

Precision machined aluminum gear design for unparalleled smoothness and durability



CMg ROTOR

Carbon Magnesium Hybrid Rotor



ROCKET LINE MANAGEMENT SYSTEM™

Combines the spool design, oscillation system and bail angle to provide better control for all types of line

SINKER KEEPER

Designed for drop shot rigs



C6 CARBON BODY

Provides a lightweight body design without sacrificing strength

X-MAG™ GEAR BOX

Super lightweight gear box design houses gears for perfect alignment.



Additional Components

- Protective case with interior pocket
- Shallow spool for finesse techniques
- Standard dust cap included
- EVA handle knob

SUPER LIGHT, EXTREMELY STRONG

Lightweight, compact design built for the discerning angler. The MGX legacy continues with the addition of the MGX spinning platform. When only the best will do, look no further than the Revo[®] MGX spinning platform.

THE ABU ADVANTAGE:

- 11 stainless steel HPCR™ bearings + 1 roller bearing
- AMGearing™ system
- Computer optimized gear design
- Carbon Matrix™ drag system
- One piece X-Mag™ alloy one piece
- C6 carbon body
- C6 carbon rotor
- Rocket Line Management System™
- Rocket Spool Lip Design™
- Compact bent carbon handle
- K-Clutch™ anti reverse
- Flat EVA knob
- Machined aluminum braid ready spool
- Aircraft grade aluminum main shaft
- Everlast™ bail system
- Slow Oscillation
- Includes spare spool



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO2MGX20	1365337 Box	8 lb/120 yd	8 lb/175 yd	11 lb	6.2:1	33	6.2 oz	12	Right/Left
REVO2MGX30	1365338 Box	8 lb/175 yd	10 lb/180 yd	11 lb	6.2:1	35	6.8 oz	12	Right/Left

IKE DESIGNED, IKE APPROVED

The Abu Garcia Revo® IKE series is designed by Mike Iaconelli to include the power, comfort, speed, and action that he demands out of his fishing tackle. In addition to features, the attitude and personality that Ike is known for shows through the unmistakable cosmetics that make going Ike possible for the average angler.

THE ABU ADVANTAGE:

- 9 stainless steel HPCR™ bearings + 1 roller bearing
- Integrated Drop Shot Keeper
- AMGearing™ system
- Carbon Matrix™ drag system
- IM-C6™ body design
- C6 carbon rotor
- Rocket Line Management System™ and Rocket Spool Lip Design™
- K-Clutch™ anti reverse
- IKE designed EVA knob


NEW

MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO2IKESP20	1475708 Box	8 lb/120 yd	8 lb/175 yd	11 lb	6.2:1	33	6.8 oz	10	Right/Left
REVO2IKESP30	1475809 Box	8 lb/175 yd	10 lb/180 yd	11 lb	6.2:1	35	7.6 oz	10	Right/Left

PRECISION ENGINEERING AT ITS FINEST

It starts with our advanced aluminum machined gear system that gives anglers ultra-smooth gear feel and performance. To reduce weight, the Premier uses high-end components including an IM-C6 body design, a C6 integrated rotor, a carbon fiber handle and an EVA knob. Casting efficiency is maximized by the Rocket Line management system that improves casting distance while reducing wind knots.

THE ABU ADVANTAGE:

- 11 stainless steel HPCR™ bearings + 1 roller bearing
- AMGearing™ system
- Computer optimized gear design
- Carbon Matrix™ drag system
- IM-C6™ body design
- C6 carbon rotor
- Rocket Line Management System™
- Rocket Spool Lip Design™
- Compact bent carbon handle
- K-Clutch™ anti reverse
- Flat EVA knob
- Machined aluminum braid ready spool
- Aircraft grade aluminum main shaft
- Titanium main shaft (40 size only)
- Everlast™ bail system
- Slow Oscillation



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO2PRM10	1365339 Box	6 lb/110 yd	6 lb/150 yd	10 lb	6.2:1	30	6.4 oz	12	Right/Left
REVO2PRM20	1365340 Box	8 lb/120 yd	8 lb/175 yd	11 lb	6.2:1	33	6.5 oz	12	Right/Left
REVO2PRM30	1365341 Box	8 lb/175 yd	10 lb/180 yd	11 lb	6.2:1	35	7.2 oz	12	Right/Left
REVO2PRM40	1365342 Box	10 lb/230 yd	14 lb/250 yd	17 lb	6.2:1	40	8.4 oz	12	Right/Left

RAISING THE BAR ON HIGH SPEED PERFORMANCE

The Revo[®] Rocket spinning reel is designed to offer blazing fast retrieves allowing anglers to pick-up large amounts of line very quickly. Perfect for techniques where anglers need to present baits fast, or pick up large amounts of slack line.

THE ABU ADVANTAGE:

- 9 stainless steel HPCR™ bearings + 1 roller bearing
- AMGearing system™
- Computer optimized gear design
- Rocket Gear Ratio
- Rocket Line Management System™
- Rocket Spool Lip Design™
- Carbon Matrix™ drag system
- C6 carbon rotor
- IM-C6™ body design
- Compact bent carbon handle
- K-Clutch™ anti reverse
- Flat EVA knob
- Machined aluminum braid ready spool
- Aircraft grade aluminum main shaft
- Titanium main shaft (35 size only)
- Everlast™ bail system
- Slow Oscillation

7.0:1 ROCKET GEAR RATIO

High Speed gear ratio for fast line pickup



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO2RCKT20	1400529 Box	8 lb/120 yd	8 lb/175 yd	11 lb	7.0:1	37	6.9 oz	10	Right/Left
REVO2RCKT30	1400530 Box	8 lb/175 yd	10 lb/180 yd	11 lb	7.0:1	40	7.7 oz	10	Right/Left
REVO2RCKT35	1400531 Box	10 lb/190 yd	14 lb/190 yd	11 lb	7.0:1	44	8.1 oz	10	Right/Left

SUPERIOR CASTING CONTROL AND PRECISION

Like its low profile counterpart, the Revo[®] STX spinning reel is built on a foundation of high quality components and lightweight design. At its core is a machined aluminum main gear design that delivers superior gear feel and performance. Engineered to outperform.

THE ABU ADVANTAGE:

- 9 stainless steel HPCR™ bearings + 1 roller bearing
- AMGearing™ system
- Computer optimized gear design
- Carbon Matrix™ drag system
- IM-C6™ body design
- C6 carbon rotor
- Rocket Line Management System™
- Rocket Spool Lip Design™
- K-Clutch™ anti reverse
- Flat EVA knob
- Machined aluminum braid ready spool
- Aircraft grade aluminum main shaft
- Titanium main shaft (40 size only)
- Everlast™ bail system
- Slow Oscillation



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO2STX10	1365343 Box	6 lb/110 yd	6 lb/150 yd	10 lb	6.2:1	30	6.7 oz	10	Right/Left
REVO2STX20	1365344 Box	8 lb/120 yd	8 lb/175 yd	11 lb	6.2:1	33	6.8 oz	10	Right/Left
REVO2STX30	1365345 Box	8 lb/175 yd	10 lb/180 yd	11 lb	6.2:1	35	7.6 oz	10	Right/Left
REVO2STX40	1365346 Box	10 lb/230 yd	14 lb/250 yd	17 lb	6.2:1	40	8.8 oz	10	Right/Left

CUTTING EDGE DESIGN WITH ADVANCED PERFORMANCE

The Revo® SX takes cutting edge design to the next level. By utilizing an Insert Molded C6 (IM-C6) carbon body design that incorporates a one piece aluminum gear box, the latest Revo® SX is lighter than the previous generation while maintaining excellent rigidity.

THE ABU ADVANTAGE:

- 8 stainless steel HPCR™ bearings + 1 roller bearing
- AMGearing™ system
- Computer optimized gear design
- Carbon Matrix™ hybrid drag system
- IM-C6™ body design
- Lightweight graphite rotor
- Rocket Line Management System™
- Rocket Spool Lip Design™
- K- Clutch™ anti reverse
- Flat EVA knob
- Machined aluminum braid ready spool
- Stainless steel main shaft and components
- Everlast™ ball system
- Slow Oscillation provides



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO2SX10	1365347 Box	6 lb/110 yd	6 lb/150 yd	10 lb	6.2:1	30	7.2 oz.	9	Right/Left
REVO2SX20	1365348 Box	8 lb/120 yd	8 lb/175 yd	11 lb	6.2:1	33	7.3 oz.	9	Right/Left
REVO2SX30	1365349 Box	8 lb/175 yd	10 lb/180 yd	11 lb	6.2:1	35	7.9 oz.	9	Right/Left
REVO2SX40	1365350 Box	10 lb/230 yd	14 lb/250 yd	17 lb	6.2:1	40	9.2 oz.	9	Right/Left

THE NEXT GENERATION OF SPINNING DESIGN

Smooth performance meets unique design in the updated Revo® S spinning platform. Class-leading features such as the Insert Moulded C6 (IM-C6) carbon body design, a Carbon Matrix™ drag system and HPCR™ (High Performance Corrosion Resistant) bearings make this Revo a fierce contender. A compact and lightweight design deliver all-day comfort on the water while the bold white cosmetics are sure to turn heads.

THE ABU ADVANTAGE:

- 7 stainless steel HPCR™ bearings + 1 roller bearing
- Carbon Matrix™ hybrid drag system
- IM-C6™ body design
- Lightweight graphite rotor
- Rocket Line Management System™
- Rocket Spool Lip Design™
- Large PVC knob
- Machined aluminum braid ready spool
- Stainless steel main shaft and components
- Everlast™ bail system
- Slow Oscillation



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO2S10	1365351 Box	6 lb/110 yd	6 lb/150 yd	10 lb	6.2:1	30	7.4 oz	8	Right/Left
REVO2S20	1365352 Box	8 lb/120 yd	8 lb/175 yd	11 lb	6.2:1	33	7.5 oz	8	Right/Left
REVO2S30	1365353 Box	8 lb/175 yd	10 lb/180 yd	11 lb	6.2:1	35	8.2 oz	8	Right/Left
REVO2S40	1365354 Box	10 lb/230 yd	14 lb/250 yd	17 lb	6.2:1	40	9.5 oz	8	Right/Left

THE PERFECT BLEND OF PERFORMANCE AND STYLE

Revo® trusted reliability and performance. Welcome the X to the lineup of Revo® spinning reels. Featuring the same forward-thinking design, durability and performance, the Revo® X starts with a compact Insert Molded C6 (IM-C6™) carbon body design for all-day comfort. Casting efficiency is maximized by the Rocket Line Management System™ that allows anglers to fish mono, braid or even difficult to manage fluorocarbon.

THE ABU ADVANTAGE:

- 6 stainless steel HPCR™ bearings + 1 roller bearing
- Carbon Matrix™ hybrid drag system
- IM-C6 body design
- Lightweight graphite rotor
- Rocket Line Management System™
- Rocket Spool Lip Design™
- Large PVC knobs
- Machined aluminum braid ready spool
- Stainless steel main shaft and components
- Everfast™ bail system
- Slow Oscillation



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO2X10	1430445 Box	6 lb/110 yd	6 lb/150 yd	10 lb	6.2:1	30	7.5 oz.	7	Right/Left
REVO2X20	1430446 Box	8 lb/120 yd	8 lb/175 yd	11 lb	6.2:1	33	7.7 oz.	7	Right/Left
REVO2X30	1430447 Box	8 lb/175 yd	10 lb/180 yd	11 lb	6.2:1	35	8.3 oz.	7	Right/Left
REVO2X40	1430448 Box	10 lb/230 yd	14 lb/250 yd	13 lb	6.2:1	40	9.1 oz.	7	Right/Left

PRECISION PERFORMANCE, SUPERIOR CONTROL

The Revo® Winch spinning reel offers an ideal gear ratio for presentations requiring a more controlled, slower presentation. Even difficult to manage fluorocarbon lines are easily managed with its Rocket Line Management System™. So whether you're throwing smaller crankbaits in cold-water conditions, swimbaits or spybaits, the Winch spinning reel is ideal for a variety of techniques.

THE ABU ADVANTAGE:

- 8 stainless steel HPCR™ bearings + 1 roller bearing
- Winch gear ratio
- AMGearing™ system
- Computer optimized gear design
- Carbon Matrix™ drag system
- IM-C6 body design
- C6 carbon rotor
- Rocket Line Management System™
- Rocket spool lip design™
- K-Clutch™ anti reverse
- Flat EVA knob
- Machined aluminum braid ready spool
- Stainless steel main shaft and components
- Everlast™ bail system
- Slow Oscillation

**4.7:1 WINCH GEAR RATIO**

Slower gear ratio for controlled presentation

MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO2W30	1431398 Box	8 lb/175 yd	10 lb/180 yd	11 lb	4.7:1	25	8 oz.	9	Right/Left

LIGHTWEIGHT, POWERFUL, SALTWATER APPROVED

Hard fighting inshore species have met their match. The Revo[®] Inshore has been specifically engineered to handle the abuse of hard pulling fish as well as corrosive saltwater environments.

THE ABU ADVANTAGE:

- 6 stainless steel HPCR™ bearings + 1 roller bearing
- AMGearing™ system
- Computer optimized gear design
- Carbon Matrix™ drag system
- C6 carbon rotor
- Lightweight aluminum rotor (60 size)
- IM-C6™ (30-35 sizes)
- X- Cräftic™ alloy body (40-60 size)
- Rocket Line Management System™
- Rocket Spool Lip Design™
- K-Clutch™ anti reverse (30-40)
- Large EVA knobs
- Machined aluminum braid ready spool allows braid to be tied directly to the spool without any slip
- Stainless steel main shaft and components
- Everlast™ bail system
- Slow Oscillation
- Designed for saltwater applications



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
REVO2INS30	1365355 Box	8 lb/175 yd	10 lb/180 yd	11 lb	6.2:1	35	7.7 oz.	7	Right/Left
REVO2INS35	1365356 Box	10 lb/190 yd	14 lb/190 yd	11 lb	6.2:1	39	8.1 oz.	7	Right/Left
REVO2INS40	1365357 Box	10 lb/230 yd	14 lb/250 yd	17 lb	6.2:1	40	9.4 oz.	7	Right/Left
REVO2INS60	1365358 Box	14 lb/295 yd	20 lb/200 yd	24 lb	5.6:1	35	14 oz.	7	Right/Left

SLEEK DESIGN, SUPERIOR PERFORMANCE

The Elite Max™ series of spinning reels exemplifies sleek reel design and performance in a compact package. Precision engineered with an IM-C6 one-piece gear box that houses computer optimized gearing, the Elite Max™ provides a gear system that is smooth and highly efficient for controlled presentations.

THE ABU ADVANTAGE:

- 6 stainless steel HPCR™ bearings + one roller bearing
- IM-C6™ (insert molded C6) body
- Rocket Line Management System™
- Rocket Spool Lip Design™
- Machined aluminum braid ready spool
- Slow Oscillation
- Carbon Matrix™ hybrid drag system
- Everlast™ ball system
- Stainless steel main shaft and components



NEW

MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
EMAXSP10	1475745 Box	6 lb/110 yd	6 lb/150 yd	14 lb	6.2:1	28.2	7.9 oz	7	Right/Left
EMAXSP20	1475746 Box	8 lb/130 yd	8 lb/190 yd	14 lb	6.2:1	31.3	8.1 oz	7	Right/Left
EMAXSP30	1475747 Box	8 lb/175 yd	10 lb/180 yd	14 lb	6.2:1	33.5	8.5 oz	7	Right/Left
EMAXSP30-C	1479945 Clam	8 lb/175 yd	10 lb/180 yd	14 lb	6.2:1	33.5	9.5 oz	7	Right/Left
EMAXSP40	1475748 Box	12 lb/180 yd	14 lb/210 yd	14 lb	6.2:1	38.1	9.5 oz	7	Right/Left
EMAXSP60	1475819 Box	14 lb/205 yd	20 lb/200 yd	18 lb	5.6:1	35	13.3 oz	7	Right/Left

MAXIMUM PERFORMANCE, PROFESSIONAL RESULTS

Taking design cues from the Revo® lineups, the Pro Max™ spinning reel boasts the same exceptionally smooth package as its low profile counterpart with a lightweight graphite frame and seven bearing system. The Pro Max™ also features our Rocket Line Management System™ to maximize casting distance while reducing wind knots.

THE ABU ADVANTAGE:

- 6 ball bearings + 1 roller bearing
- Lightweight graphite body and rotor
- Machined aluminum spool
- Everlast™ bail system
- Slow Oscillation
- Rocket Line Management System™
- Rocket Spool Lip Design™



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
PMA5SP5	1398034 Box	4 lb/100 yd	4 lb/160 yd	6.4 lb	5.2:1	20.5	6.4 oz	7	Right/Left
PMA5SP10	1398035 Box / 1410510 Clam	6 lb/110 yd	6 lb/150 yd	6.5 lb	5.2:1	21	7.1 oz	7	Right/Left
PMA5SP20	1398036 Box / 1410511 Clam	8 lb/130 yd	8 lb/190 yd	14 lb	5.1:1	27	9.0 oz	7	Right/Left
PMA5SP30	1398037 Box / 1398038 Clam	8 lb/175 yd	10 lb/180 yd	14 lb	5.1:1	29	9.2 oz	7	Right/Left
PMA5SP40	1398059 Box	12 lb/180 yd	14 lb/210 yd	14 lb	5.1:1	29	9.7 oz	7	Right/Left
PMA5SP60-C	1417723 Clam	14 lb/205 yd	20 lb/200 yd	20 lb	4.8:1	30	13.4 oz	7	Right/Left

PERFORMANCE AND TOUGHNESS IN A SPINNING REEL

Offering serious performance with cutting edge design, the Silver Max™ spinning reel features the latest in design advancements with its Rocket Line Management System™. It features five bearings along with an additional instant anti-reverse bearing and an Everlast™ bail system.

THE ABU ADVANTAGE:

- 5 ball bearings + 1 roller bearing
- Lightweight graphite body and rotor
- Machined aluminum spool
- Everlast™ bail system
- Slow Oscillation
- Rocket Line Management System™
- Rocket Spool Lip Design™



MODEL #	SAP #		MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
SMAXSP5	1398060 Box / 1398061	Clam	4 lb/100 yd	4 lb/160 yd	6.4 lb	5.2:1	20.5	6.4 oz	6	Right/Left
SMAXSP10	1398062 Box / 1398063	Clam	6 lb/110 yd	6 lb/150 yd	6.5 lb	5.2:1	21	7.1 oz	6	Right/Left
SMAXSP20	1398064 Box / 1398065	Clam	8 lb/130 yd	8 lb/190 yd	14 lb	5.1:1	27	9.0 oz	6	Right/Left
SMAXSP30	1398066 Box / 1398067	Clam	8 lb/175 yd	10 lb/180 yd	14 lb	5.1:1	29	9.2 oz	6	Right/Left
SMAXSP40	1398068 Box / 1398069	Clam	12 lb/180 yd	14 lb/210 yd	14 lb	5.1:1	29	9.7 oz	6	Right/Left

MAXIMUM PERFORMANCE AND VALUE

Black Max™ proven value and reliability now in a spinning reel. Featuring the Rocket Line Management System™, in addition to the smooth four bearing system, the lightweight graphite frame and rotor delivers serious performance at a great value.

THE ABU ADVANTAGE:

- 3 ball bearings + 1 roller bearing
- Lightweight graphite body and rotor
- Machined aluminum spool
- Everlast™ bail system
- Slow Oscillation
- Rocket Line Management System™
- Rocket Spool Lip Design™



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
BMAXSP5	1398071 Box / 1398072 Clam	4 lb/100 yd	4 lb/160 yd	6.4 lb	5.2:1	20.5	6.4 oz	4	Right/Left
BMAXSP10	1398073 Box / 1398074 Clam	6 lb/110 yd	6 lb/150 yd	6.5 lb	5.2:1	21	7.0 oz	4	Right/Left
BMAXSP20	1398075 Box / 1398076 Clam	8 lb/130 yd	8 lb/190 yd	14 lb	5.1:1	27	8.9 oz	4	Right/Left
BMAXSP30	1398077 Box / 1398078 Clam	8 lb/175 yd	10 lb/180 yd	14 lb	5.1:1	29	9.2 oz	4	Right/Left
BMAXSP40	1398089 Box / 1398090 Clam	12 lb/180 yd	14 lb/210 yd	14 lb	5.1:1	29	9.6 oz	4	Right/Left
BMAXSP60	1398091 Box / 1398092 Clam	14 lb/205 yd	20 lb/200 yd	20 lb	4.8:1	30	13.3 oz	4	Right/Left



ROUND REEL LIFESTYLE

Abu Garcia round reels — where it all started. From their debut in 1941, to the Abu Garcia round reels of today, one thing has remained unchanged: our commitment to quality, performance and durability. With upgraded performance and refined style, the current round reel lineup is designed to give anglers an edge.





AMBASSADEUR BEAST

WHERE POWER AND PRECISION MEET SWEDISH DESIGN

The Swedish made ambassadeur® Beast™ round reel delivers rock-solid construction and smooth performance. Designed for big baits and hard pulling fish, the ambassadeur® Beast utilizes a machined aluminum frame and sideplate for strength. The legendary Carbon Matrix™ drag system ensures consistent pressure across the entire drag range.

THE ABU ADVANTAGE:

- 6 stainless steel HPCR™ bearings + 1 roller bearing
- Carbon Matrix™ drag system
- Machined aluminum frame
- Aluminum side plate
- Large EVA knobs
- Anti Distortion Spool™ design
- Precision machined Duragear™ brass gears
- 4 pin centrifugal brake
- Synchronized level wind system



MACHINED ALUMINUM FRAME

Machined aluminum frame provides exceptional strength and rigidity in a lightweight design



ADS SPOOL

Designed to handle extreme loads



CARBON MATRIX™ DRAG

The Carbon Matrix drag provides smooth, consistent drag pressure throughout the entire drag setting



LARGE EVA KNOBS

EVA knobs provide greater comfort and durability.





MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
AMB-6500 BEAST	1371164 Box	14 lb/275 yd	30 lb/ 310 yd	15 lb	5.1:1	24	11.6 oz	7	Right

PRECISION CASTING AND CONTROL IN THE ULTIMATE ROUND REEL

Not just any reel has what it takes to bear the Mörrum[®] name - introducing the new Mörrum[®] ZX. From its machined aluminum frame and sideplates to bent carbon handle and flat EVA knobs, no detail was spared in designing the ultimate round reel. Compact design coupled with the renowned IVCB-IV[™] (Infinitely Variable Centrifugal Brake) system enables anglers to cast ultra-lightweight lures with precision, accuracy and control.

THE ABU ADVANTAGE:

- 10 stainless steel HPCR[™] bearings + 1 roller bearing
- Machined aluminum frame and sideplates
- Carbon Matrix[™] drag system
- IVCB-IV[™] brake system
- Infini II[™] spool design
- Compact bent carbon handle.
- Flat EVA knobs
- Titanium coated line guide
- Recessed reel foot.
- Made in Sweden



MACHINED ALUMINUM FRAME AND SIDEPLATES

Machined aluminum frame and sideplates provide exceptional strength and rigidity in a lightweight design.

IVCB-IV[™] BRAKE SYSTEM

The IVCB-IV is externally adjustable so you can quickly fine tune on the water.

CARBON MATRIX[™] DRAG

The Carbon Matrix drag provides smooth, consistent drag pressure throughout the entire drag setting.

MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
MÖRRUMZX-3600	1292537 Box	12 lb/135 yd	30 lb/135yd	15 lb	6.3:1	28	7.34 oz.	11	Right
MÖRRUMZX-3601	1292538 Box	12 lb/135 yd	30 lb/135yd	15 lb	6.3:1	28	7.34 oz.	11	Left

ROCK-SOLID DURABILITY AND STYLE ENGINEERED FOR LONG DISTANCE CASTING

A continued tradition of Swedish craftsmanship and design, ambassador® Black edition round baitcast reel is now available in additional sizes. Featuring a six pin centrifugal braking system and a robust aluminum construction, the international best seller delivers superior casting performance and rock-solid durability.

THE ABU ADVANTAGE:

- 4 stainless steel ball bearings + 1 roller bearing
- Carbon Matrix™ drag system
- 6 pin centrifugal brake
- Synchronized level wind system
- Extended bent handle
- Made in Sweden



CARBON MATRIX™ DRAG

The Carbon Matrix drag provides smooth, consistent drag pressure throughout the entire drag setting.



6 PIN CENTRIFUGAL BRAKE

6 pin centrifugal brake gives consistent brake pressure throughout the cast.



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
PR-5500BE	1403379 Box	12 lb/240 yd	30 lb/235 yd	15 lb.	5.3:1	26	10.41 oz	5	Right
PR-5500LBE	1403380 Box	12 lb/240 yd	30 lb/235 yd	15 lb.	5.3:1	26	10.41 oz	5	Left
PR-6500BE	1403381 Box	12 lb/320 yd	30 lb/310 yd	15 lb.	5.3:1	26	11.46 oz	5	Right
PR-6500LBE	1403382 Box	12 lb/320 yd	30 lb/310 yd	15 lb.	5.3:1	26	11.46 oz	5	Left

SMOOTH PERFORMANCE, RENOWNED DURABILITY

The tradition continues. With silky-smooth operation and power to spare, the new line of C4 round reels embodies trusted durability and engineering that generations of anglers have come to expect.

THE ABU ADVANTAGE:

- 4 stainless steel ball bearings + 1 roller bearing
- Carbon Matrix™ drag system
- Compact bent handle and star
- 6 pin centrifugal brake
- Synchronized level wind system
- Duragear 2 gear system
- Made in Sweden



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
C4-4600	1292713 Box	12 lb/160 yd	30 lb/155 yd	15 lb	6.3:1	30	9.3 oz	5	Right
C4-5600	1292714 Box	12 lb/240 yd	30 lb/235 yd	15 lb	6.3:1	30	10.0 oz	5	Right
C4-5601	1292715 Box	12 lb/240 yd	30 lb/235 yd	15 lb	6.3:1	30	10.0 oz	5	Left
C4-6600	1292716 Box	12 lb/320 yd	30 lb/310 yd	15 lb	6.3:1	30	10.9 oz	5	Right
C4-6601	1292717 Box	12 lb/320 yd	30 lb/310 yd	15 lb	6.3:1	30	10.9 oz	5	Left

BRUTE STRENGTH MEETS REFINED STYLE

Upgraded performance and styling merge with proven strength and engineering. The heritage continues with the new C3, designed to meet the demands of the most hardcore angler.

THE ABU ADVANTAGE:

- 3 stainless steel ball bearings + 1 roller bearing
- Carbon Matrix™ drag system
- Compact bent handle and star
- 6 pin centrifugal brake
- Synchronized level wind system
- Made in Sweden



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
C3-4600	1292718 Box	12 lb/160 yd	30 lb/155 yd	15 lb	5.3:1	26	9.2 oz	4	Right
C3-4601	1292719 Box	12 lb/160 yd	30 lb/155 yd	15 lb	5.3:1	26	9.2 oz	4	Left
C3-5500	1292720 Box	12 lb/240 yd	30 lb/235 yd	15 lb	5.3:1	26	9.9 oz	4	Right
C3-5501	1292721 Box	12 lb/240 yd	30 lb/235 yd	15 lb	5.3:1	26	9.9 oz	4	Left
C3-6500	1292722 Box	12 lb/320 yd	30 lb/310 yd	15 lb	5.3:1	26	10.7 oz	4	Right
C3-6501	1292723 Box	12 lb/320 yd	30 lb/310 yd	15 lb	5.3:1	26	10.7 oz	4	Left

CUSTOM DESIGN FROM SWEDEN

Born from the Swedish round reel platform, the ambassador® Striper Special reel offers anglers a unique package backed with proven components. Performance features include 3 stainless steel ball bearings + 1 roller bearing + 1 roller bearing and a smooth and consistent Carbon Matrix™ drag system.

THE ABU ADVANTAGE:

- 3 stainless steel ball bearings + 1 roller bearing
- Carbon Matrix™ drag system
- Extended bent handle
- 6 pin centrifugal brake
- Synchronized level wind system
- Made in Sweden



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
C3-6500STSPC	1324559 Box	14 lb/275 yd	30 lb/310 yd	15 lb	5.3:1	26	11.6 oz	4	Right

LINE COUNTER

PALM-ABLE LINE COUNTER THAT COUNTS IN FEET

The palm-able Line Counter fishing reel features our synchronized levelwind system as well as the smooth pulling Carbon Matrix™ drag system.

THE ABU ADVANTAGE:

- 2 stainless steel ball bearings + 1 roller bearing
- Carbon Matrix™ drag system
- Power handle
- Counts in feet
- Line out alarm
- Made in Sweden



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
5500LC	1120893 Box	12 lb/205 yd	30 lb/630 yd	15 lb	5.3:1	25.5	11.3 oz	3	Right
6500LC	1120894 Box	14 lb/245 yd	30 lb/630 yd	15 lb	5.3:1	25.5	13.1 oz	3	Right

C3 CATFISH SPECIAL

CUSTOM DESIGN, RENOWNED RELIABILITY

Born from the C3 round reel platform, the ambassador® Catfish Special fishing reel offers anglers a unique package backed with proven components designed specifically for catfish fishing. Performance starts with a 3 stainless steel ball bearings + 1 roller bearing (6500 size) and consistent Carbon Matrix™ drag system. The 6 pin centrifugal brake delivers controlled casting while the extended bent handle with power knob gives anglers additional torque and power for hard pulling fish. The synchronized level wind system ensures even line lay and a smooth retrieve.

Custom color and graphics.

THE ABU ADVANTAGE:

- 3 stainless steel ball bearings + 1 roller bearing (6500 size)
- 2 stainless steel ball bearings + 1 roller bearing (7000 size)
- Carbon Matrix™ drag system
- Extended bent handle
- 6 pin centrifugal brake
- Synchronized level wind system
- 6500 Size is Made in Sweden



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
C3-6500CATSPC	1365392 Box	12 lb/320 yd	30 lb/310 yd	15 lb	5.3:1	26	11.6 oz	4	Right
C3-7000CATSPC	1365393 Box	20 lb/250 yd	40 lb/420 yd	20 lb	4.1:1	22	21.5 oz	3	Right

INTERNATIONAL LONG CASTING LEGEND

This round baitcaster is an international long casting legend and features an open CT frame for easy line access and 2 stainless steel ball bearings + 1 roller bearing that provide smooth and dependable operation. On-the-fly casting control is achieved with an externally adjustable MagTrax™ brake system that delivers consistent brake pressure throughout the cast.

THE ABU ADVANTAGE:

- 2 stainless steel ball bearings + 1 roller bearing
- Duragear™ brass gear
- Carbon Matrix™ drag system
- MagTrax™ brake system
- Extended bent handle with power knobs
- Open CT frame
- Corrosion resistant instant anti reverse bearing
- **6500 Size is Made in Sweden**



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
BY-6500	1324534 Box	14 lb/275 yd	30 lb/310 yd	15 lb	6.3:1	30	12.2 oz	3	Right
BY-7000	1324535 Box	20 lb/250 yd	30 lb/630 yd	20 lb	5.3:1	28	19.5 oz	3	Right

AMBASSADEUR STX

PROGRESSIVE DESIGN, ENGINEERED PERFORMANCE

- 4 stainless steel ball bearings + 1 roller bearing
- Multi disc drag system
- Compact bent handle and star
- 6 pin centrifugal brake
- Synchronized level wind system



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
AMBSTX-5600	1292724 Box	14 lb/230 yd	30 lb/265 yd	12 lb	5.9:1	28	10.8 oz	5	Right
AMBSTX-5601	1292725 Box	14 lb/230 yd	30 lb/265 yd	12 lb	5.9:1	28	10.8 oz	5	Left
AMBSTX-6600	1292726 Box	17 lb/255 yd	30 lb/350 yd	12 lb	5.9:1	28	11.6 oz	5	Right
AMBSTX-6601	1292727 Box	17 lb/255 yd	30 lb/350 yd	12 lb	5.9:1	28	11.6 oz	5	Left

AMBASSADEUR SX

RELIABLE POWER FOR A VARIETY OF SPECIES

- 3 stainless steel ball bearings + 1 roller bearing
- Multi disc drag system
- Compact bent handle and star
- 6 pin centrifugal brake
- Synchronized level wind system



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
AMBSX-5600	1292728 Box / 1314558 Clam	14 lb/230 yd	30 lb/265 yd	12.5 lb	5.3:1	26	10.6 oz	4	Right
AMBSX-5601	1292729 Box	14 lb/230 yd	30 lb/265 yd	12.5 lb	5.3:1	26	10.6 oz	4	Left
AMBSX-6600	1292730 Box / 1314579 Clam	17 lb/255 yd	30 lb/350 yd	12.5 lb	5.3:1	26	11.3 oz	4	Right
AMBSX-6601	1292731 Box	17 lb/255 yd	30 lb/350 yd	12.5 lb	5.3:1	26	11.3 oz	4	Left

VALUE-PACKED POWER AND PERFORMANCE

- 2 stainless steel ball bearings
- Multi disc drag system
- Compact bent handle and star
- 4 pin centrifugal brake
- Synchronized level wind system



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
AMBS-5500	1292732 Box / 1292733 Clam	14 lb/230 yd	30 lb/265 yd	11 lb	5.1:1	25	10.5 oz	2	Right
AMBS-5501	1292734 Box	14 lb/230 yd	30 lb/265 yd	11 lb	5.1:1	25	10.5 oz	2	Left
AMBS-6500	1292736 Box / 1292737 Clam	17 lb/255 yd	30 lb/350 yd	11 lb	5.1:1	25	11.1 oz	2	Right
AMBS-6501	1292738 Box	17 lb/255 yd	30 lb/350 yd	11 lb	5.1:1	25	11.1 oz	2	Left

AMBASSADEUR S LINE COUNTER

DIGITAL ACCURACY

- Lighted digital line-counter
- 2 stainless steel ball bearings
- Power Disk™ drag system
- Compact bent handle and star
- 4 pin centrifugal brake
- Synchronized level wind system



LIGHTED DIGITAL LINE COUNTER

Provides greater accuracy with line diameter adjustability

MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
AMBS-5500LC	1400534 Box / 1400535 Clam	14 lb/230 yd	30 lb/265 yd	11 lb	5.1:1	25	11.2 oz	2	Right
AMBS-5501LC	1405407 Box	14 lb/230 yd	30 lb/265 yd	11 lb	5.1:1	25	11.2 oz	2	Left
AMBS-6500LC	1400536 Box / 1400537 Clam	17 lb/255 yd	30 lb/350 yd	11 lb	5.1:1	25	11.9 oz	2	Right
AMBS-6501LC	1405408 Box	17 lb/255 yd	30 lb/350 yd	11 lb	5.1:1	25	11.9 oz	2	Left

AN INTERNATIONAL BEST SELLER

The ambassador® CS Pro Rocket round baitcast reel is an international best seller. Engineered for super long castability, this model also features a synchronized level wind system for even line lay. The Carbon Matrix™ drag system included in this reel is our strongest and most durable drag system available. The updated extended bent handle with power knob gives anglers an edge by increasing torque and aligning the cranking hand closer to the reel for more efficient fighting power. Durable components including 2 stainless steel ball bearings + 1 roller bearing, a Duragear™ brass gear and a corrosion resistant instant anti-reverse bearing ensure dependability for the long haul.

THE ABU ADVANTAGE:

- 2 stainless steel ball bearings + 1 roller bearing
- Duragear™ brass gear
- Carbon Matrix™ drag system
- 4 pin centrifugal brake
- Extended bent handle with power knobs
- Synchronized level wind system
- Corrosion resistant instant anti reverse bearing



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
CS-7000	1324530 Box	20 lb/250 yd.	30 lb/630 yd.	20 lb	4.1:1	22	21.5 oz	3	Right

THE ULTIMATE IN BIG WATER POWER

- 2 stainless steel ball bearings + 1 roller bearing
- Duragear™ brass gear
- Carbon Matrix™ drag system
- 6 pin centrifugal brake
- Extended bent handle with power knobs
- Synchronized level wind system
- Corrosion resistant instant anti reverse bearing



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
C3-7000	1324531 Box	20 lb/250 yd	30 lb/630 yd	20 lb	4.1:1	22	21.5 oz	3	Right

AS BIG ON PERFORMANCE AS THEY ARE ON DURABILITY

- Corrosion resistant instant anti reverse bearing
- Multi disc drag system
- Duragear™ brass gear
- 6 pin centrifugal brake
- Extended bent handle with power knobs
- Synchronized level wind system



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
C-7000	1324532 Box	20 lb/250 yd	30 lb/630 yd	20 lb	4.1:1	22	21.5 oz	2	Right
C-7001	1324533 Box	20 lb/250 yd	30 lb/630 yd	20 lb	4.1:1	22	21.5 oz	2	Left

ALTUM™ DIGITAL LINE COUNTER

PRECISION LINE MANAGEMENT HAS NEVER BEEN EASIER

In addition to a lighted digital line counter that can be adjusted dependent on line type, the Altum™ Syncro conventional reel incorporates a highly adjustable Syncro™ drag system. By cranking the handle 1/3 of a turn in a counterclockwise motion, a 50% decrease in drag pressure is achieved. This feature is especially useful when fishing with downriggers as it allows baits to be dropped easily without having to disengage the reel.

THE ABU ADVANTAGE:

- Lighted digital line counter
- 2 stainless steel ball bearings
- Graphite frame and sideplates
- Carbon Matrix™ drag
- Syncro™ drag
- Machined aluminum spool
- Extended throw paddle handle
- Duragear™ brass gear



DIGITAL LINE COUNTER

provides greater accuracy with line diameter adjustability



MODEL #	SAP #	MONO CAPACITY	BRAID CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
ALTUMDLSYN-12	1430450 Box	12 lb/320 yd.	30 lb/310 yd	12 lb	5.1:1	25	13.76 oz	2	Right
ALTUMDLSYN-16	1430451 Box	15 lb/370 yd	40 lb/415 yd	17 lb	4.7:1	29	17.99 oz	2	Right
ALTUMDLSYN-16L	1430452 Box	15 lb/370 yd	40 lb/415 yd	17 lb	4.7:1	29	17.99 oz	2	Left
ALTUMDLSYN-20	1430453 Box	17 lb/430 yd	40 lb/555 yd	17 lb	4.7:1	29	18.55 oz	2	Right
ALTUMDLSYN-20L	1430454 Box	17 lb/430 yd	40 lb/555 yd	17 lb	4.7:1	29	18.55 oz	2	Left

PRECISION MACHINED, PROFESSIONAL PERFORMANCE

Rock-solid construction and a steady drag are hallmarks of the Diplomat® Mooching Reel. The Diplomat® is built to last in harsh environments with a fully machined frame and spool combined with a hard anodized surface finish. An On/Off Anti-Reverse switch allows for on the fly depth adjustments while a Power Disk™ drag system supplies smooth performance without line creep.

THE ABU ADVANTAGE:

- Fully machined frame and spool
- Hard anodized surface finish
- Large arbor spool design
- 2 stainless steel HPCR™ bearings
- On/Off anti-reverse switch
- Power Disk™ drag system



MODEL #	SAP #	MONO CAPACITY	MAX DRAG	GEAR RATIO	WEIGHT	BEARINGS	HAND RETRIEVE
DIPLOMAT	1430449 Box	30 lb/350 yd	15 lb	1:1	17.6 oz	2	Right

ABUMATIC[®] 170

CLASSIC DEPENDABILITY WITH MODERN PERFORMANCE

- 3 ball bearings
- Instant anti reverse bearing
- Duragear[™] brass gear
- Aluminum diecast and machined body and front cone
- Carbon Matrix[™] drag system
- Pre-spooled with Berkley Trilene XL



MODEL #	SAP #	MONO CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
ABUM170	1365370 Box / 1365371 Clam	12 lb/140 yd	10 lb	3.9:1	25	12.5 oz	4	Right

ABUMATIC[®] STX

PRECISION ENGINEERED FOR THE PERFECT CAST

- Aluminum body and cone
- S-Matic[™] Casting Design
- QuadCam Pickup System
- 4 Bearing System
- Ultra smooth drag system
- Pre-spooled with Berkley Trilene XL



MODEL #	SAP #	MONO CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
ABUMSTX10	1365372 Box / 1365373 Clam	8 lb / 110 yd	8 lb	3.6:1	23	9.9 oz	4	Right/Left

WHERE PERFORMANCE MEETS DEPENDABILITY

- S-Matic™ Casting Design
- QuadCam Pickup System
- 3 Bearing System
- Ultra smooth drag system
- Pre-spooled with Berkley Trilene XL



MODEL #	SAP #	MONO CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
ABUMSX10	1365374 Box / 1365375 Clam	8 lb /110 yd	8 lb	3.6:1	23	8.4 oz	3	Right/Left

THE NEXT GENERATION OF SPINCAST DESIGN

- QuadCam Pickup System
- 2 Bearing System
- Ultra smooth drag system
- Pre-spooled with Berkley Trilene XL



MODEL #	SAP #	MONO CAPACITY	MAX DRAG	GEAR RATIO	INCHES PER TURN	WEIGHT	BEARINGS	HAND RETRIEVE
ABUMS10	1365377 Box / 1365376 Clam	8 lb /110 yd	8 lb	4.3:1	22	8.8 oz	2	Right/Left
ABUMS15	1365379 Box / 1365378 Clam	12 lb /100 yd	10 lb	4.3:1	28	10.5 oz	2	Right/Left



ROD LIFESTYLE

Dominate the water with style. Lightweight, balanced rod design coupled with advanced materials and precise actions deliver unmatched performance. The result — significant strength increases, lighter weight, and improved sensitivity.





VERITAS

EXTREME SENSITIVITY AND LIGHTWEIGHT PERFORMANCE

Introducing the next generation of sleek design and high performance rods with the Fantasista Premier. Featuring premium carbon blanks and our 3M Powerlux® 500 resin system, Fantasista Premier rods deliver powerful ultra-light blanks with higher break strengths and improved impact and fracture resistance. The Abu Garcia® custom Fuji® soft touch reel seats along with Premium grade cork handles make the Fantasista Premier one of our most comfortable and ergonomic rods.

THE ABU ADVANTAGE:

- 3M Powerlux® 500 resin system allows a thin, ultra-light blank construction with superior impact and fracture resistance
- Tetra axial carbon construction provides an increase in strength and durability
- Abu Garcia custom Fuji® soft touch reel seats for superior comfort
- Premium grade cork handles for added comfort
- Titanium alloy guides with ultra light Zirconium inserts allow for a lightweight balanced rod
- ROCS™ (Robotically Optimized Casting System) Guide train for maximized casting distance with lighter lures
- Limited 5 year warranty



	MODEL #	SAP #	LENGTH	PIECES	ACTION	POWER	LURE WEIGHT	LINE WEIGHT	ROD WEIGHT	HANDLES	
CASTING	FNPC610-4	1400496	6'10"	1	F	ML	1/8-1/2 oz	6-12 lb	4.3 oz	A	
	FNPC610-6	1400497	6'10"	1	F	MH	1/4-3/4 oz	12-20 lb	5.1 oz	B	
	FNPC70-5	1400498	7'0"	1	F	M	1/4-5/8 oz	8-17 lb	4.7 oz	B	
	FNPC70-6	1400509	7'0"	1	XF	MH	1/4-1 oz	12-20 lb	5.1 oz	B	
	FNPC73-6	1400510	7'3"	1	XF	MH	1/4-1 oz	12-20 lb	5 oz	B	
	FNPC73-7	1400511	7'3"	1	F	H	3/8-1 1/2 oz	12-25 lb	5.4 oz	B	
	FNPC76-6	1400512	7'6"	1	F	MH	1/4-1 oz	12-20 lb	5.1 oz	C	
	FNPC76-7	1400513	7'6"	1	F	H	3/8-1 1/2 oz	12-25 lb	5.5 oz	C	
	SPINNING	FNPS610-4	1400514	6'10"	1	F	ML	1/8-1/2 oz	6-10 lb	4.1 oz	D
		FNPS68-5	1400515	6'8"	1	F	M	3/16-5/8 oz	8-14 lb	4.2 oz	D
FNPS70-5		1400516	7'0"	1	F	M	3/16-5/8 oz	8-14 lb	4.5 oz	E	
FNPS70-6		1400517	7'0"	1	F	MH	1/4-3/4 oz	10-17 lb	4.8 oz	E	
FNPS76-5		1400518	7'6"	1	F	M	3/16-5/8 oz	8-14 lb	4.7 oz	F	
FNPS63-5		1423776	6'3"	1	XF	M	3/16-5/8 oz	8-14 lb	3.9 oz	D	
FNPS66-5		1423777	6'6"	1	XF	M	3/16-5/8 oz	8-14 lb	4.0 oz	D	





ABU GARCIA CUSTOM REEL SEAT
Fuji® soft touch reel seats for superior comfort

**3M Powerlux®
500**

**3M POWERLUX®
500 RESIN SYSTEM**

Allows a thin, ultra-light blank construction with superior impact and fracture resistance.



TITANIUM ALLOY GUIDES

with ultra light Zirconium inserts allow for a lightweight balanced rod

FANTASISTA BEAST™

CUSTOM DESIGNED FOR THE POWER ANGLER

Whether you are targeting inshore species like redfish, trout and stripers, or larger freshwater species like muskie, the premium Fantasista Beast™ series of rods is built for precision power and long term durability. Our engineers utilize premium components and technique-specific actions to make this series of rods lightweight, ultra-sensitive and powerful.

THE ABU ADVANTAGE:

- Tetra axial carbon construction provides an increase in strength and durability
- Integrated Ferrule Design (IFD™) allows for 2 piece construction with the strength of a one piece blank
- Fuji® Alconite guide system
- Fuji® reel seat for greater comfort
- Limited 5 year warranty



	MODEL #	SAP #	LENGTH	PIECES	ACTION	POWER	LURE WEIGHT	LINE WEIGHT	ROD WEIGHT	HANDLES
CASTING	FB79-6	1365438	7'9"	1	F	MH	1-4 oz	25-50 lb	7.7 oz	B
	FB711-7	1365439	7'11"	1	F	H	3/8-1 1/2 oz	12-25 lb	7.2 oz	A
	FB82-7	1365440	8'2"	2	F	H	4-10 oz	40-60 lb	12.0 oz	C
	FB88-7	1365441	8'8"	2	F	H	4-10 oz	40-60 lb	12.3 oz	C
	FB88-8	1365442	8'8"	2	F	XH	6-16 oz	50-100 lb	12.7 oz	C
	FB91-9	1365443	9'1"	2	F	XXH	8-18 oz	60-100 lb	13.4 oz	C
	FB97-8	1365444	9'7"	2	F	XH	6-16 oz	50-100 lb	13.8 oz	C
	FB101-9	1377778	10'1"	2	F	XXH	8-18 oz	60-100 lb	15.6 oz	C





TETRA AXIAL CARBON CONSTRUCTION

This unique process provides incredible strength and sensitivity in a lightweight design.



FUJI® ALCONITE GUIDES

Premium & strong featuringalconite® inserts

THE PERFECT COMBINATION OF POWER, SENSITIVITY AND DESIGN

Quality construction, increased sensitivity and first-rate components; the new Villain™ 2.0 series of rods gives serious anglers an edge. It starts with our premium 40 Ton high modulus graphite blanks. For added strength, we utilize our carbon V-wrap™ process that adds a distinctive look while increasing strength. Strong titanium frame micro guides ensure excellent performance and balance. The addition of high quality Fuji® reel seats rounds out the list of pro features on this well refined, lightweight fishing rod series.

THE ABU ADVANTAGE:

- 40 Ton graphite for a lightweight balanced design and increased sensitivity
- V Wrap™ carbon construction provides an increase in strength and durability
- Fuji® reel seat for greater comfort
- Titanium alloy guides with zirconium inserts allow for a lightweight balanced rod
- Limited 3 year warranty



	MODEL #	SAP #	LENGTH	PIECES	ACTION	POWER	LURE WEIGHT	LINE WEIGHT	ROD WEIGHT	HANDLES
CASTING	VC66-6	1365394	6'6"	1	F	MH	1/4-1/2 oz	12-20 lb	4.2 oz	A
	VC610-4	1365395	6'10"	1	XF	ML	1/8-1/2 oz	6-12 lb	4.2 oz	A
	VC70-5	1365396	7'0"	1	F	M	1/4-5/8 oz	8-17 lb	4.5 oz	B
	VC70-6	1365397	7'0"	1	F	MH	1/4-1/2 oz	12-20 lb	4.7 oz	B
	VC73-6	1365398	7'3"	1	F	MH	1/4-1/2 oz	12-20 lb	4.9 oz	C
	VC76-6	1365399	7'6"	1	F	MH	3/8-1 1/2 oz	12-20 lb	5.3 oz	C
	VC76-7	1365400	7'6"	1	F	H	1/2-2 oz	12-25 lb	5.3 oz	C
	VC711-8	1365401	7'11"	1	F	XH	3/4-3 oz	14-30 lb	5.7 oz	C
SPINNING	VS63-4XFT	1365402	6'3"	1	XF	ML	1/8-1/2 oz	6-10 lb	3.9 oz	D
	VS66-5	1365403	6'6"	1	F	M	3/16-5/8 oz	8-14 lb	3.8 oz	D
	VS68-5XFT	1365404	6'8"	1	XF	M	3/16-5/8 oz	8-14 lb	3.9 oz	D
	VS610-4	1365405	6'10"	1	F	ML	1/8-1/2 oz	6-10 lb	3.9 oz	E
	VS70-4XFT	1365406	7'0"	1	XF	ML	1/8-1/2 oz	6-10 lb	4.0 oz	E
	VS70-5	1365407	7'0"	1	F	M	3/16-5/8 oz	8-14 lb	4.1 oz	F
	VS70-6	1365408	7'0"	1	F	MH	1/4-3/4 oz	8-14 lb	4.1 oz	F
	VS73-5FT	1365409	7'3"	1	F	M	3/16-5/8 oz	8-14 lb	4.3 oz	F





40 TON
Graphite

V WRAP™ CARBON CONSTRUCTION

This unique process provides incredible strength and sensitivity in a lightweight design.



TITANIUM FRAME MICRO GUIDES

Premium, lightweight & strong featuring zirconium inserts

EXTREME SENSITIVITY COMBINED WITH PERFECT BALANCE

The Venerate™ series is engineered for anglers looking for rods with the fastest actions with the lightest tips. Constructed from 36 Ton graphite and the highest grade cork handles, this series delivers exceptional comfort and sensitivity. Fast and Extra Fast actions have a Midwest focus and are suitable for a variety of walleye fishing techniques as well as other finesse applications. Other high end refinements include a carbon locking hood design and Titanium alloy guides with Zirconium inserts.

THE ABU ADVANTAGE:

- 36 Ton graphite for a lightweight balanced design and increased sensitivity
- Titanium alloy guides with ultra light Zirconium inserts allow for a lightweight balanced rod
- Premium grade cork handles for added comfort
- Limited 3 year warranty



	MODEL #	SAP #	LENGTH	PIECES	ACTION	POWER	LURE WEIGHT	LINE WEIGHT	ROD WEIGHT	HANDLES	
SPINNING	VNRTS63-4	1365424	6'3"	1	F	ML	1/16-1/2 oz	4-10 lb	3.6 oz	E	
	VNRTS63-5	1365425	6'3"	1	F	M	1/8-5/8 oz	6-12 lb	3.8 oz	E	
	VNRTS662-4	1365426	6'6"	2	XF	ML	1/16-1/2 oz	4-10 lb	3.7 oz	E	
	VNRTS66-5	1365427	6'6"	1	XF	M	1/8-5/8 oz	6-12 lb	4.0 oz	E	
	VNRTS662-5	1365428	6'6"	2	XF	M	1/8-5/8 oz	6-12 lb	4.2 oz	E	
	VNRTS69-5	1365429	6'9"	1	F	M	1/8-5/8 oz	6-12 lb	4.0 oz	E	
	VNRTS70-4	1365430	7'0"	1	XF	ML	1/16-1/2 oz	4-10 lb	3.7 oz	D	
	VNRTS702-4	1365431	7'0"	2	XF	ML	1/16-1/2 oz	4-10 lb	4.0 oz	D	
	VNRTS70-5	1365432	7'0"	1	F	M	1/8-5/8 oz	6-12 lb	4.0 oz	D	
	VNRTS702-5	1365433	7'0"	2	F	M	1/8-5/8 oz	6-12 lb	4.1 oz	D	
	VNRTS76-5	1365434	7'6"	1	F	M	1/8-5/8 oz	6-12 lb	4.2 oz	C	
	VNRTS762-5	1365435	7'6"	2	F	M	1/8-5/8 oz	6-12 lb	4.2 oz	C	
	CASTING	VNRTC70-5	1365436	7'0"	1	XF	M	1/4-5/8 oz	8-17 lb	4.7 oz	B
		VNRTC76-5	1365437	7'6"	1	XF	M	1/4-5/8 oz	8-17 lb	5.0 oz	A





36 TON GRAPHITE

Engineered for anglers looking for the fastest actions with the lightest tips



TITANIUM ALLOY GUIDES

Premium, lightweight & strong featuring zirconium inserts

IKE DESIGNED, IKE APPROVED

The Ike Signature Series of rods is the result of over 5 years of intensive research and development with Elite Series Pro Mike Iaconelli. We worked directly with Mike to design and dial in specific actions that cater to his fishing style. For the Power series of casting rods, and Finesse series of spinning rods, the blank construction consists of 36 ton high modulus graphite. For the Delay series of casting rods, the blank construction consists of unique high strain glass (HSG) ideal for crankbait fishing. Fuji reels seats, stainless steel guides and Mike's unmistakable cosmetics set these rods apart from the competition. With a full assortment of 21 different models, Ike's Signature Series offers the right rod for every fishing situation.

THE ABU ADVANTAGE:

- 36 Ton graphite for a lightweight balanced design and increased sensitivity
- HSG Construction creates a parabolic action that is ideal for crankbait fishing (Delay Series)
- Fuji® reel seat for greater comfort
- Stainless steel guides with Zirconium inserts
- Mike Iaconelli designed actions
- Limited 3 year warranty



NEW

	MODEL #	SAP #	LENGTH	PIECES	ACTION	POWER	LURE WEIGHT	LINE WEIGHT	HANDLES
DELAY SERIES (WINCH)	MIKECW64-5	1475111	6'4"	1	M	M	1/4-5/8 oz	6-14 lb	A
	MIKECW66-6	1475112	6'6"	1	M	MH	3/8-1 oz	12-20 lb	B
	MIKECW68-5	1475113	6'8"	1	M	M	1/4-5/8 oz	6-14 lb	A
	MIKECW70-5	1475114	7'	1	M	M	1/4-5/8 oz	10-20 lb	B
	MIKECW73-5	1475115	7'3"	1	M	M	1/4-3/4 oz	12-20 lb	B
	MIKECW76-5	1475116	7'6"	1	M	M	1/4-5/8 oz	10-20 lb	B
	MIKECW710-6	1475117	7'10"	1	M	MH	1/4-1 oz	8-20 lb	C
POWER SERIES (CASTING)	MIKEC70-5	1475118	7'	1	F	M	1/4-3/4 oz	10-17 lb	B
	MIKEC70-6	1475119	7'	1	F	MH	3/8-1 oz	12-20 lb	B
	MIKEC72-6	1475120	7'2"	1	F	MH	3/8-1 oz	12-20 lb	B
	MIKEC74-6	1475121	7'4"	1	F	MH	5/16-1 oz	12-20 lb	B
	MIKEC76-6	1475122	7'6"	1	F	MH	1/4-1 oz	12-20 lb	B
	MIKEC710-6	1475123	7'10"	1	F	MH	5/16-1 oz	12-20 lb	E
	MIKEC80-7	1475124	8'	1	MF	H	1/2-2 oz	15-25 lb	D
FINESSE SERIES (SPINNING)	MIKES66-6	1475104	6'6"	1	F	MH	1/8-5/8 oz	6-14 lb	F
	MIKES10-4	1475105	6'10"	1	MF	ML	3/32-1/2 oz	4-10 lb	G
	MIKES70-5	1475108	7'	1	F	M	1/16-1/2 oz	6-12 lb	G
	MIKES72-5	1475109	7'2"	1	F	M	1/16-1/2 oz	6-12 lb	G
	MIKES74-4	1475106	7'4"	1	MF	ML	3/32-1/2 oz	4-10 lb	G
	MIKES76-6	1475110	7'6"	1	F	MH	1/8-5/8 oz	6-14 lb	G
	MIKES78-5	1475107	7'8"	1	F	M	1/16-1/2 oz	6-12 lb	G





36 TON
Graphite

HSG High Strain Glass

Mike Sacorelli

Each rod falls under Ike's classification system that includes the Delay Series, Finesse Series and Power Series. Available in 21 different models, the Ike Signature Series offers the right rod for every technique.

Casting (Delay Series)

MIKECW64-5	Twitching Rod: 6'4" Medium, 60% Backbone/40% Tip
MIKECW66-6	Deflection Rod: 6'6" Medium Heavy, 60% Backbone/40% Tip
MIKECW70-5	All Purpose Delay: 7' Medium, 50% Backbone/50% Tip
MIKECW73-5	Plug and Lipless Special: 7'3" Medium, 50% Backbone/50% Tip
MIKECW710-6	Long Cast Delay: 7'10" Medium Heavy, 60% Backbone/40% Tip
MIKECW68-5	Twichin/Topwater: 6'8" Medium, 60% Backbone/40% Tip
MIKECW710-6	Grass Cranking: 7'6" Medium, 60% Backbone/40% Tip

Casting (Power Series)

MIKEC70-5	Spinnerbait/Buzzbait/Vibration Jig: 7' Medium 70% Backbone/30% Tip
MIKEC72-6	Texas Rig/Jig: 7'2" Medium Heavy 80% Backbone/20% Tip
MIKEC74-6	Frog/Toad: 7'4" Medium Heavy 80% Backbone/20% Tip
MIKEC76-6	Carolina Rig/Swimbait: 7'6" Medium Heavy 80% Backbone/20% Tip
MIKEC80-7	Flipping/Mat Special: 8' Heavy 90% Backbone/10% Tip
MIKEC70-6	All Purpose: 7' Medium Heavy, 80% Backbone/20% Tip
MIKEC710-6	Swimbait: 7'10" Medium Heavy, 80% Backbone/20% Tip

Spinning (Finesse Series)

MIKES66-6	Jig Head/Skipping Rod: 6'6" Medium Heavy, 80% Backbone/20% Tip
MIKES610-4	Drop Shot/Light Wacky: 6'10" Medium Light, 60% Backbone/40% Tip
MIKES70-5	All Purpose Finesse: 7' Medium 70% Backbone/30% Tip
MIKES72-5	Minnow/Soft Stick Baits: 7'2" Medium 70% Backbone/30% Tip
MIKES76-6	Long Cast Special: 7'6" Medium Heavy 80% Backbone/20% Tip
MIKES74-4	Long Drop Shot: 7'4" Medium Light, 60% Backbone/40% Tip
MIKES78-5	Punch Shot/Neko Rig: 7'8" Medium, 70% Backbone/30% Tip



THE NEXT LEVEL OF STRENGTH AND SENSITIVITY

Our most renowned rod series now with increased comfort and improved weight and balance. Veritas® rods combine a 30 ton construction with SubLayer Armor™ with uncompromising strength and sensitivity in a lightweight, balanced design. Our Abu designed up locking micro click reel seat offers a secure connection between the rod and reel for ultimate comfort.

THE ABU ADVANTAGE:

- 30 ton graphite for a lightweight balanced design
- SubLayer Armor™ with high strength fibers for exceptional durability and hoop strength
- Up locking ratcheting reel seat for a comfortable and secure fit
- ROCS™ (Robotically Optimized Casting System) Guide train for maximized casting distance with lighter lures
- Titanium alloy guides with ultra light Zirconium inserts allow for a lightweight balanced rod
- High density EVA gives greater sensitivity and durability
- Abu designed hook keeper for all bait applications
- Limited 3 year warranty



ABU GARCIA DESIGNED REEL SEAT

Exposed blank reel seat provides complete contact to the rod for ultimate sensitivity while an up locking hood design provides a secure and comfortable connection between the rod and reel.





30 TON
Graphite

	MODEL #	SAP #	LENGTH	PIECES	ACTION	POWER	LURE WEIGHT	LINE WEIGHT	ROD WEIGHT	HANDLES
CASTING	VTSC66-5	1430479	6'6"	1	F	M	1/4-5/8 oz	8-17 lb	4.2 oz	A
	VTSC66-5	1430480	6'6"	2	F	M	1/4-5/8 oz	8-17 lb	4.7 oz	A
	VTSC66-6	1430481	6'6"	1	MF	MH	1/4-1 oz	12-20 lb	4.6 oz	A
	VTSC69-6	1430482	6'9"	1	F	MH	1/4-1 oz	12-20 lb	5.2 oz	B
	VTSC69-6	1430483	6'9"	2	F	MH	1/4-1 oz	12-20 lb	5.0 oz	B
	VTSC610-4	1430484	6'10"	1	F	ML	1/8-1/2 oz	6-12 lb	4.7 oz	A
	VTSC610-6	1430485	6'10"	1	F	MH	1/4-1 oz	12-20 lb	5.4 oz	A
	VTSC70-5	1430486	7'0"	1	F	M	1/4-5/8 oz	8-17 lb	5.1 oz	B
	VTSC70-6	1430487	7'0"	1	F	MH	1/4-1 oz	12-20 lb	5.6 oz	B
	VTSC71-6	1430489	7'1"	1	MF	MH	1/4-1 oz	12-20 lb	5.4 oz	B
	VTSC70-7	1430488	7'0"	1	XF	H	3/8-1 1/2 oz	12-25 lb	5.3 oz	B
	VTSC73-6	1430490	7'3"	1	F	MH	1/4-1 oz	12-20 lb	5.4 oz	B
	VTSC73-7	1430491	7'3"	1	F	H	3/8-1 1/2 oz	12-25 lb	5.4 oz	B
	VTSC76-6	1430492	7'6"	1	F	MH	3/8-1 1/4 oz	12-25 lb	5.6 oz	C
	VTSCF76-6	1430493	7'6"	1	MF	MH	3/8-1 1/4 oz	12-25 lb	5.8 oz	C
	VTSC79-7	1430494	7'9"	1	F	H	5/8-3 oz	12-25 lb	6.1 oz	D
	VTSC711-7	1430495	7'11"	1	F	H	3/8-1 1/2 oz	12-25 lb	6.2 oz	C
	VTSC83T-6	1434976	8'3"	2	F	MH	3/8-1 1/4 oz	12-25 lb	6.7 oz	F
	VTSC89T-7	1434977	8'6"	2	F	H	3/8-1 1/2 oz	12-25 lb	8.1 oz	F
	VTSC90T-7	1434978	9'0"	2	MF	H	3/8-1 1/2 oz	12-25 lb	10.7 oz	G
SPINNING	VTSS63-5	1430469	6'3"	1	F	M	1/8-1/2 oz	6-12 lb	4.6 oz	J
	VTSS66-5	1430470	6'6"	1	F	M	1/8-1/2 oz	6-12 lb	4.8 oz	J
	VTSS66Z-5	1430471	6'6"	2	F	M	1/8-1/2 oz	6-12 lb	4.4 oz	J
	VTSS66-6	1430472	6'6"	1	MF	MH	1/4-3/4 oz	8-14 lb	4.7 oz	J
	VTSS66Z-6	1430473	6'6"	2	MF	MH	1/4-3/4 oz	8-14 lb	4.6 oz	J
	VTSS69-4	1430474	6'9"	1	F	ML	1/8-1/2 oz	6-10 lb	4.4 oz	K
	VTSS70-4	1430475	7'0"	1	XF	ML	1/16-1/2 oz	4-10 lb	4.5 oz	K
	VTSS70-5	1430476	7'0"	1	F	M	3/16-5/8 oz	6-12 lb	4.9 oz	K
	VTSS70Z-5	1430477	7'0"	2	F	M	3/16-5/8 oz	6-12 lb	4.7 oz	K
	VTSSW70-5	1430496	7'0"	1	M	M	1/4-5/8 oz	8-17 lb	4.4 oz	K
	VTSS70-6	1430478	7'0"	1	F	MH	1/4-3/4 oz	8-14 lb	5.1 oz	K
	VTSS83T-5	1435009	8'3"	2	F	M	3/16-5/8 oz	6-12 lb	6.2 oz	L
	VTSS96T-4	1435010	9'6"	2	MF	ML	1/8-1/2 oz	6-10 lb	7.8 oz	M



VERITAS™

WINCH SERIES



The Winch Series has been specially designed for crankbait fishing. A more parabolic action allows fish to be able to take the bait and not throw the bait as easily once hooked. These rods are a perfect match to the Revo and Orra Winch series of reels.

FROG SERIES



As the name suggests, the Veritas Frog Series has been specifically engineered to fish lightweight frog baits. The soft tip allows anglers to effectively cast and work these baits with ease, while the strong backbone delivers plenty of power to pull large fish from heavy cover.

VERITAS™ TORO SERIES



TORO SERIES

The Veritas® Toro Series of fishing rods has been engineered for heavy duty use including inshore and muskie applications. These casting rods are a perfect match for our Toro series of low profile reels as well as round reels and built to take the abuse of large, hard pulling species.

THE ABU ADVANTAGE:

- 30 ton graphite for a lightweight balanced design
- Sublayer Armor™ with high strength fibers for exceptional durability and hoop strength
- Fuji® reel seat for greater comfort
- High density EVA gives greater sensitivity and durability
- Stainless steel guides with zirconium inserts
- Limited 3 year warranty.



MODEL #	SAP #	LENGTH	PIECES	ACTION	POWER	LURE WEIGHT	LINE WEIGHT	ROD WEIGHT	HANDLES
VTSCW70-5	1430497	7'0"	1	M	M	1/4-5/8 oz	8-17 lb	4.7 oz	B
VTSCW70-6	1430498	7'0"	1	M	MH	1/2-1 oz	8-17 lb	6.5 oz	B
VTSCW76-6	1430499	7'6"	1	M	MH	1/2-1 3/8 oz	10-20 lb	5.4 oz	C
VTSCW711-7	1430500	7'11"	1	M	H	3/8-1 1/4 oz	12-25 lb	6.1 oz	E
VTSCW711-8	1430501	7'11"	1	M	XH	3/4-2 1/2 oz	14-30 lb	6.1 oz	E
VTSCW90T-6	1434974	9'0"	2	M	MH	1/2-1 3/8 oz	10-20 lb	8.3 oz	G
VTSCW90T-8	1434975	9'0"	2	M	XH	3/4-2 1/2 oz	14-30 lb	9.0 oz	G



MODEL #	SAP #	LENGTH	PIECES	ACTION	POWER	LURE WEIGHT	LINE WEIGHT	ROD WEIGHT	HANDLES
VTSCF76-6	1430493	7'6"	1	MF	MH	3/8-1 1/4 oz	12-25 lb	5.6 oz	C



MODEL #	SAP #	LENGTH	PIECES	ACTION	POWER	LURE WEIGHT	LINE WEIGHT	ROD WEIGHT	HANDLES
VTSCMU79-6	1430502	7'9"	1	F	MH	1-4 oz	25-50 lb	8.1 oz	H
VTSCMU80-7	1430503	8'0"	1	F	H	4-10 oz	40-60 lb	9.0 oz	I
VTSCMU86-8	1430504	8'6"	1	F	XH	6-16 oz	50-100 lb	10.4 oz	I





INTRACARBON TECHNOLOGY, ADVANCED PERFORMANCE

With a continued tradition of advanced design and precision performance, the Venetta fishing rod series features a construction that delivers on the water every time. 30 ton graphite paired with Intracarbon™ multidirectional carbon fibers allow for a lightweight blank with the ability to stand up to intense loads. The new Micro click reel seat hood allows for a secure connection while the new Contour Curve handle design maximizes comfort.

THE ABU ADVANTAGE:

- 30 Ton graphite for a lightweight balanced design
- Intracarbon™ technology provides a lightweight barrier to improve durability without adding weight
- High density EVA gives greater sensitivity and durability
- Contour Curve Handle Design
- Stainless steel guides with Zirconium inserts
- Abu designed extreme exposure reel seat for increased blank contact and sensitivity
- Micro click reel seat hood design allows for improved reel fit



VENGEANCE™



OPTIMUM PERFORMANCE, GREAT VALUE

The updated Vengeance™ series of rods delivers on-the-water performance and style in a balanced, lightweight design. Construction starts with a 24 Ton high modulus graphite blank that is paired up with stainless steel guides. Split grip high density EVA handles ensure comfort and durability for the long haul. The Vengeance™ series delivers excellent performance at a great value.

THE ABU ADVANTAGE:

- 24 Ton graphite construction for a lightweight and balanced design
- Stainless steel guides with Titanium Oxide inserts
- High density EVA handles are more durable and comfortable
- Texas-rigged hook keeper for all bait applications





30 TON
Graphite

	MODEL #	SAP #	LENGTH	PIECES	ACTION	POWER	LURE WEIGHT	LINE WEIGHT	ROD WEIGHT	HANDLES
CASTING	VDT63-5	1398294	6'3"	1	F	M	1/4-5/8 oz	8-17 lb	4.6 oz	A
	VDT66-5	1398295	6'6"	1	F	M	1/4-5/8 oz	8-17 lb	4.2 oz	B
	VDT66-6	1398296	6'6"	1	F	MH	1/4-1 oz	12-20 lb	4.4 oz	B
	VDT662-6	1398297	6'6"	2	F	MH	1/4-1 oz	12-20 lb	4.6 oz	B
	VDT69-6	1398298	6'9"	1	F	MH	1/4-1 oz	12-20 lb	4.6 oz	C
	VDT70-5	1398299	7'	1	F	M	1/4-5/8 oz	8-17 lb	4.7 oz	C
	VDT70-6	1398300	7'	1	F	MH	1/4-1 oz	12-20 lb	4.7 oz	C
	VDT73-6	1398301	7'3"	1	F	MH	1/4-1 oz	12-20 lb	5.7 oz	D
	VDT73-7	1398302	7'3"	1	F	H	3/8-1 1/2 oz	14-30 lb	5.8 oz	D
	VDT76-6	1398303	7'6"	1	F	MH	3/8-1 1/4 oz	12-20 lb	5.4 oz	D
	VDT76-7	1398304	7'6"	1	F	H	3/8-1 1/2 oz	14-30 lb	5.7 oz	D
	VDTCW70-5	1398305	7'	1	M	M	1/4-5/8 oz	8-17 lb	4.6 oz	C
	VDTCW74-6	1398306	7'4"	1	M	MH	1/2-1 3/8 oz	10-20 lb	4.9 oz	D
	SPINNING	VDS63-5	1398093	6'3"	1	MF	M	1/8-1/2 oz	6-12 lb	4 oz
VDS66-5		1398094	6'6"	1	F	M	1/8-1/2 oz	6-12 lb	4.6 oz	F
VDS662-5		1398095	6'6"	2	F	M	1/8-1/2 oz	6-12 lb	4.7 oz	F
VDS66-6		1398096	6'6"	1	F	MH	1/4-3/4 oz	8-14 lb	4.4 oz	F
VDS662-6		1398097	6'6"	2	F	MH	1/4-3/4 oz	8-14 lb	4.8 oz	F
VDS69-4		1398098	6'9"	1	F	ML	1/8-1/2 oz	6-10 lb	4.4 oz	F
VDS692-4		1398289	6'9"	2	MF	ML	1/8-1/2 oz	6-10 lb	4.1 oz	F
VDS70-5		1398290	7'	1	F	M	3/16-5/8 oz	6-12 lb	4.6 oz	G
VDS702-5		1398291	7'	2	F	M	3/16-5/8 oz	6-12 lb	4.9 oz	G
VDS70-6		1398292	7'	1	F	MH	1/4-3/4 oz	8-14 lb	4.8 oz	G
VDS74-5		1398293	7'4"	1	F	M	3/16-5/8 oz	8-14 lb	4.7 oz	G



24 TON
Graphite

	MODEL #	SAP #	LENGTH	PIECES	ACTION	POWER	LURE WEIGHT	LINE WEIGHT	ROD WEIGHT	HANDLES
CASTING	VENG66-5	1365410	6'6"	1	F	M	1/4-5/8 oz	8-17 lb	4.0 oz	A
	VENG66-6	1365411	6'6"	1	F	MH	3/8-1 oz	12-20 lb	4.7 oz	A
	VENG69-6	1365412	6'9"	1	F	MH	3/8-1 oz	12-20 lb	4.8 oz	B
	VENG70-5	1365413	7'0"	1	F	M	1/4-5/8 oz	8-17 lb	4.8 oz	B
	VENG70-6	1365414	7'0"	1	F	MH	3/8-1 oz	12-20 lb	4.9 oz	B
	VENG76-7	1365415	7'6"	1	MF	H	1/2-2 oz	14-30 lb	5.8 oz	C
	SPINNING	VENG662-4	1365416	6'6"	2	F	ML	1/8-1/2 oz	6-10 lb	4.4 oz
VENG662-5		1365418	6'6"	2	F	M	1/4-5/8 oz	6-12 lb	4.9 oz	D
VENG662-6		1365420	6'6"	2	F	MH	3/8-3/4 oz	8-14 lb	5.1 oz	D
VENG66-6		1365417	6'6"	1	F	M	1/4-5/8 oz	6-12 lb	4.6 oz	D
VENG66-6		1365419	6'6"	1	F	MH	3/8-3/4 oz	8-14 lb	4.7 oz	D
VENG702-5		1365422	7'0"	2	F	M	1/4-5/8 oz	6-12 lb	4.8 oz	E
VENG70-5		1365421	7'0"	1	F	M	1/4-5/8 oz	6-12 lb	5.0 oz	E
VENG70-6		1365423	7'0"	1	F	MH	1/4-3/4 oz	8-14 lb	5.0 oz	E



CUSTOM DESIGNED FOR THE TROLLING ANGLER

Designed with the troling angler in mind, the Altum™ series of rods matches perfectly with the Altum™ DLC Syncro family of fishing reels. With actions specifically engineered for the troling crowd, the Altum™ LC family offers incredible performance and design.

THE ABU ADVANTAGE:

- HSC construction creates a lightweight yet durable blank that performs well under extreme loads
- Stainless steel guides with Zirconium inserts
- Under wrapped stainless steel guide frames for added durability
- Rubber shrink tube EVA handles for a non-slip grip
- Limited 3 year warranty



DIPLMAT



CUSTOM DESIGNED FOR THE MOOCHING ANGLER

Engineered to perform in extreme conditions, the Diplomat® Mooching series features HSC blank construction designed to handle high pressure troling situations. Under wrapped Fujii® Alconite™ guides are ideal for a variety of line types and provide crucial durability. A full cork foregrip provides comfort and leverage while the slick carbon rear grip makes for an easy transition from the rod holder.

THE ABU ADVANTAGE:

- HSC construction creates a lightweight yet durable blank that performs well under extreme loads
- Fujii® Alconite™ guide system
- Under wrapped stainless steel guide frames for added durability.
- Full cork foregrip for added comfort
- Limited 3 year warranty





	MODEL #	SAP #	LENGTH	PIECES	ACTION	POWER	LURE WEIGHT	LINE WEIGHT	ROD WEIGHT	HANDLES
TROLLING	ALTMW710T-5	1430457	7'10"	2	MF	M	3/8-1 1/2 oz	10-20 lb	9.9 oz	A
	ALTMW86T-5	1430458	8'6"	2	MF	M	3/8-1 1/2 oz	10-20 lb	10.2 oz	A
	ALTMCD862-5	1430459	8'6"	2	M	M	1-4 oz	12-20 lb	10.2 oz	B
	ALTMCD902-6	1430460	9'0"	2	M	MH	1-6 oz	14-30 lb	10.6 oz	B
	ALTMCD102-6	1430461	10'0"	2	M	MH	1-6 oz	14-30 lb	12.2 oz	C
	ALTMGL832-3	1430462	8'3"	2	M	L	1/2-1 oz	8-15 lb	9.1 oz	C
	ALTMGL902-4	1430463	9'0"	2	M	ML	3/8-2 oz	10-17 lb	9.6 oz	C
	ALTMGLDD102-6	1430464	10'0"	2	M	MH	3/4-4 oz	12-25 lb	14.1 oz	C
	ALTMW902-8	1430465	9'0"	2	MF	XH	2-10 oz	20-65 lb	12.7 oz	C
	ALTMW102-6	1430466	10'0"	2	M	MH	3/4-4 oz	12-25 lb	13.2 oz	C
	ALTMW1062-6	1430467	10'6"	2	M	MH	1-6 oz	14-30 lb	11.5 oz	C
	ALTMWDR8-7	1430468	8'0"	1	M	H	1-4 oz	12-30 lb	10.6 oz	C



	MODEL #	SAP #	LENGTH	PIECES	ACTION	POWER	LURE WEIGHT	LINE WEIGHT	ROD WEIGHT	HANDLES
	DIPLOMAT902-5	1430455	9'0"	2	MF	M	3/8-1 oz	10-20 lb	11 oz	A
	DIPLOMAT1062-6	1430456	10'6"	2	M	M	1/2-2 oz	15-30 lb	12.7 oz	B

THE PERFECT COMBINATION OF POWER AND DEPENDABILITY

- 4 stainless steel HPCR™ bearings + 1 roller bearing
- Duragear™ Heavy Duty
- Carbon Matrix™ drag system
- MagTrax™ brake system
- Extended bent handle
- Large PVC knobs
- 24 Ton graphite
- Stainless Steel guides with Aluminum Oxide Inserts.
- Lightweight cork grips



MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY	GEAR RATIO
MAXTORO50/701MH	1403383	MH	7'0"	1	MAXTORO50	14 lb/210 yd	5.3:1
MAXTORO50/76H	1400558	H	7'6"	1	MAXTORO50	14 lb/210 yd	5.3:1
MAXTORO50/862M	1400559	M	8'6"	2	MAXTORO50	14 lb/210 yd	5.3:1

REVO™ X COMBO**THE PERFECT BLEND OF PERFORMANCE AND STYLE**

- 7 stainless steel ball bearings + 1 roller bearing
- X2-Craftic™ alloy frame
- Carbon Matrix™ hybrid drag system
- Duragear™ brass gear
- D2 Gear Design™
- DuraClutch™ design
- MagTrax™ brake system
- Compact bent handle and star
- 30 ton graphite
- High density EVA
- Stainless steel guides with zirconium inserts
- Abu designed extreme exposure reel seat



MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY	GEAR RATIO
REVO4XLP/701MH	1430505	MH	7'0"	1	REVO4XLP	12 lb/145yd	6.6:1
*REVO4XLP/701MW	1430506	M	7'0"	1	REVO4XLP	12 lb/180yd	5.4:1

MAXIMUM PERFORMANCE, PROFESSIONAL RESULTS

- 7 stainless steel ball bearings + 1 roller bearing
- Machined double anodized aluminum spool
- Power Disk™ drag system
- Duragear™ brass gear
- MagTrax™ brake system
- Compact bent handle
- Recessed reel foot
- One piece graphite frame
- Graphite sideplates
- 24 Ton graphite construction
- High density EVA handles



MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY	GEAR RATIO
PMAX3/661M	1365448	M	6'6"	1	PMAX3	12 lb/145 yd	7.1:1
PMAX3/701MH	1365449	MH	7'0"	1	PMAX3	12 lb/145 yd	7.1:1
PMAX3-L/701MH	1383192	MH	7'0"	1	PMAX3	12 lb/145 yd	7.1:1

SILVER MAX™ COMBO

PERFORMANCE AND TOUGHNESS IN A LOW PROFILE REEL

- 5 stainless steel ball bearings + 1 roller bearing
- Machined aluminum spool
- Power Disk™ drag system
- Duragear™ brass gear
- MagTrax™ brake system
- Compact bent handle and star
- Recessed reel foot
- One piece graphite frame
- Graphite sideplates
- Rocket Clutch
- 24 Ton graphite construction
- High density EVA handles



MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY	GEAR RATIO
SMAX3/661M	1365450	M	6'6"	1	SMAX3	12 lb/145 yd	6.4:1
SMAX3-L/661M	1365451	M	6'6"	1	SMAX3-L	12 lb/145 yd	6.4:1
SMAX3/701MH	1365452	MH	7'0"	1	SMAX3	12 lb/145 yd	6.4:1

BLACK MAX™ COMBO

MAXIMUM PERFORMANCE AND VALUE

- 4 stainless steel ball bearings + 1 roller bearing
- Machined aluminum spool
- Power Disk™ drag system
- Duragear™ brass gear
- MagTrax™ brake system
- Compact bent handle
- Recessed reel foot
- One piece graphite frame
- Graphite sideplates
- 24 Ton graphite construction
- High density EVA handles



MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY	GEAR RATIO
BMAX3/661M	1365453	M	6'6"	1	BMAX3	12 lb/145 yd	6.4:1
BMAX3/662M	1371162	M	6'6"	2	BMAX3	12 lb/145 yd	6.4:1
BMAX3/701MH	1365454	MH	7'0"	1	BMAX3	12 lb/145 yd	6.4:1

7000 COMBO

AS BIG ON PERFORMANCE AS THEY ARE ON DURABILITY

- Corrosion resistant instant anti reverse bearing provides greater protection
- Smooth and consistent multi disc drag system
- Duragear™ brass gear for extended gear life
- Extended bent handle with power knobs for increased cranking power
- Synchronized level wind system improves line lay and castability
- E-glass rod blank with EVA handle and aluminum oxide guides



MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY	GEAR RATIO	BEARINGS
7000/701MH	1324605	MH	7'0"	1	C-7000	20 lb/250 yd	4.1:1	2
7000/802MH	1324606	MH	8'0"	2	C-7000	20 lb/250 yd	4.1:1	2

AMBASSADEUR® S COMBO

PERFORMANCE AND RELIABILITY IN A VALUE-DRIVEN PACKAGE

- 2 stainless steel ball bearings
- Multi disc drag system
- Compact bent handle
- 4 pin centrifugal brake
- Synchronized level wind system



MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY
AMBS-5500/861M	1292763	M	6'6"	1	AMBS-5500	14 lb/230 yd
AMBS-6500/701MH	1292764	MH	7'0"	1	AMBS-6500	17 lb/255 yd
AMBS-6500/862M	1292765	M	8'6"	2	AMBS-6500	17 lb/255 yd
AMBS-6500/862MH	1292766	MH	8'6"	2	AMBS-6500	17 lb/255 yd
AMBS-6501/862MH	1317464	MH	8'6"	2	AMBS-6501	17 lb/255 yd

AMBASSADEUR® S LINE COUNTER COMBO

DIGITAL ACCURACY

- Lighted digital line-counter
- 2 stainless steel ball bearings
- Power Disk™ drag system
- Compact bent handle
- 6 pin centrifugal brake
- Synchronized level wind system
- High density EVA
- 24 Ton graphite
- Stainless Steel guides with stainless steel insert

MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY
AMBS-5500LC/601M	1400555	M	6'0"	1	AMBS-5500LC	14 lb/230 yd
AMBS-6500LC/7101TM	1400556	M	7'10"	1	AMBS-6500LC	17 lb/255 yd
AMBS-6500LC/861TM	1400557	M	8'6"	1	AMBS-6500LC	17 lb/255 yd



CUSTOM DESIGNED FOR THE CATFISH ANGLER

Introducing the Catfish Commando series, engineered for serious catfish anglers who demand unrelenting performance and power. Available in both spinning and baitcast options, this series features balanced 7' medium heavy rods that are designed for heavy duty applications. Other notable features include a compact bent handle and drag star and a synchronized level wind system. A durable composite rod features high density EVA handles and stainless steel guides for uncompromising performance.

CATFISH COMMANDO BAITCAST COMBO

- 2 stainless steel ball bearings
- Carbon Matrix™ hybrid drag system
- Compact bent handle
- 6 pin centrifugal bracket
- Synchronized level wind system
- High density EVA
- Durable composite blank construction



CATFISH COMMANDO SPINNING COMBO

- 3 ball bearings + 1 roller bearing
- Carbon Matrix™ hybrid drag system
- Lightweight graphite body and rotor
- Machined aluminum spool
- Everlast™ bail system
- Slow Oscillation
- High density EVA
- Durable composite blank construction



MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY	GEAR RATIO	BEARINGS
AMBCC-6500/701MH	1365465	MH	7'0"	1	AMBCC-6500	255/17	5.1:1	2
AMBCC-60SP/701MH	1365464	MH	7'0"	1	AMBCC-60SP	205/14	4.8:1	4

REVO™ X COMBO

THE PERFECT BLEND OF PERFORMANCE AND STYLE

- 6 stainless steel HPCR™ bearings + 1 roller bearing
- Carbon Matrix™ hybrid drag system
- IM-C6 (Insert molded C6) body design combines an X-craft™ gearbox design with a C6 carbon body
- Lightweight graphite rotor
- Rocket Line Management System™
- Rocket Spool Lip Design™
- Machined aluminum braid ready spool
- Stainless steel main shaft and components
- Everlast™ bail system

- 30 ton graphite for a lightweight balanced design
- High density EVA
- Stainless steel guides with zirconium inserts
- Abu designed extreme exposure reel seat

MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY	GEAR RATIO
REVO2X20/661M	1430507	M	6'6"	1	REVO2X20	8 lb/120 yd	6.2:1
REVO2X30/701M	1430508	M	7'0"	1	REVO2X30	8 lb/175 yd	6.2:1

ELITEMAX COMBO

SLEEK DESIGN, HIGH PERFORMANCE

- 6 stainless steel HPCR™ bearings + one roller bearing
- IM-C6™ Body construction
- Rocket line management™ system
- Rocket spool lip design™
- Machined aluminum braid ready spool
- Slow Oscillation
- Carbon Matrix™ hybrid drag system
- Everlast™ bail system
- 24 Ton graphite
- Stainless steel guides with Zirconium coated inserts
- High density EVA

NEW

MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY	GEAR RATIO
EMAXSP30/701M	1482331	M	7'	1	EMAXSP30	8lb/175 yd	6.2:1
EMAXSP20/662M	1480671	M	6'6"	2	EMAXSP20	8lb/130 yd	6.2:1

PRO MAX™ COMBO

MAXIMUM PERFORMANCE, PROFESSIONAL RESULTS

- 6 ball bearings + 1 roller bearing
- Lightweight graphite body and rotor
- Machined aluminum spool
- Everlast™ bail system
- Slow Oscillation
- Rocket Line Management System™
- Rocket Spool Lip Design™
- 24 Ton graphite
- High density EVA
- Texas rigged hook keeper for all bait applications

MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY	GEAR RATIO
PMAXSP30/662M	1400541	M	6'6"	2	PMAXSP30	8 lb/175 yd	5.1:1
PMAXSP30/701M	1400542	M	7'0"	1	PMAXSP30	8 lb/175 yd	5.1:1


PERFORMANCE AND TOUGHNESS IN A SPINNING REEL

- 5 stainless steel ball bearings + 1 roller bearing
- Machined aluminum spool
- Power Disk™ drag system
- Duragear™ brass gear
- MagTrax™ brake system
- Compact bent handle and star
- Recessed reel foot
- One piece graphite frame
- Graphite sideplates
- Rocket Clutch
- 24 Ton graphite construction
- High density EVA handles

MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY	GEAR RATIO
SMAXSP5/562L	1400543	L	5'6"	2	SMAXSP5	4 lb/100 yd	5.2:1
SMAXSP10/702L	1400544	L	7'0"	2	SMAXSP10	6 lb/110 yd	5.1:1
SMAXSP30/661M	1400545	M	6'6"	1	SMAXSP30	8 lb/175 yd	5.1:1
SMAXSP30/662M	1400546	M	6'6"	2	SMAXSP30	8 lb/175 yd	5.1:1
SMAXSP40/702MH	1400547	MH	7'0"	2	SMAXSP40	12 lb/180 yd	5.1:1


MAXIMUM PERFORMANCE AND VALUE

- 3 ball bearings + 1 roller bearing
- Lightweight graphite body and rotor
- Machined aluminum spool
- Everlast™ ball system
- Slow Oscillation
- Rocket line management™ system
- Rocket Spool Lip Design™
- 24 Ton graphite
- High density EVA
- Texas rigged hook keeper for all bait applications

MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY	GEAR RATIO
BMAXSP5/562L	1400548	L	5'6"	2	BMAXSP5	4 lb/100 yd	5.2:1
BMAXSP20/601M	1400549	M	6'0"	1	BMAXSP20	8 lb/130 yd	5.1:1
BMAXSP30/661M	1400550	M	6'6"	1	BMAXSP30	8 lb/175 yd	5.1:1
BMAXSP30/662M	1400551	M	6'6"	2	BMAXSP30	8 lb/175 yd	5.1:1


BRUISER TOUGH FOR BIG FISHING APPLICATIONS

- Durable saltwater size reel with 4 bearing drive
- Saltwater tough rod with EVA handle
- Prespooled with Berkley® Trilene®

MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY	GEAR RATIO
BRSB72/5	1130205	MH	7'0"	2	50	20 lb/170 yd	4.2:1
BRS82/5	1130206	MH	8'0"	2	50	20 lb/170 yd	4.2:1
BRS92/5	1130207	MH	9'0"	2	50	20 lb/170 yd	4.2:1






PRECISION FOR YOUNG ANGLERS, INSPIRED BY MIKE IACONELLI

With inspiration from Mike Iaconelli, the Ike Dude combos offer cutting edge design and precision performance for youth anglers. The Ike Dude platform features quality components paired with aggressive cosmetics and is available in both spinning and spincast options. Each 2 piece composite blank is fitted with high density EVA split grips for lightweight comfort and durability.



IKE DUDE SPINNING COMBO

- 2 ball bearings
- Lightweight graphite body and rotor
- Aluminum spool
- High density EVA
- Lightweight composite blank



IKE DUDE SPINCASTING COMBO

- Stainless steel cone and line guide
- Pre-spoiled with 6lb line
- High density EVA gives greater sensitivity and durability
- Lightweight composite blank



MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY	GEAR RATIO	BEARINGS
IKE2SC6/562M	1365463	M	5'6"	2	IKE2SC6	6 lb/90 yd	3.0:1	-
IKE2SP30/602M	1365462	M	6'0"	2	IKE2SP30	6 lb/145 yd	5.2:1	2

PRECISION ENGINEERED FOR THE PERFECT CAST

- S-Matic™ Casting Design
- QuadCam Pickup System
- 4 Bearing System
- Ultra smooth drag system
- Pre-spooled with Berkley Trilene XL
- High density EVA
- Stainless Steel guides with Titanium oxide inserts



MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY	GEAR RATIO	BEARINGS
ABUMSTX10/602M	1365458	M	6'0"	2	ABUMSTX10	8 lb/110 yd	3.6:1	4

WHERE PERFORMANCE MEETS DEPENDABILITY

- S-Matic™ Casting Design
- 3 Bearing System
- Ultra smooth drag system
- Pre-spooled with Berkley Trilene XL
- High density EVA
- Stainless Steel guides with Titanium oxide inserts



MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY	GEAR RATIO	BEARINGS
ABUMSX10/602M	1365459	M	6'0"	2	ABUMSX10	8 lb/110 yd	3.6:1	3

THE NEXT GENERATION OF SPINCAST DESIGN

- QuadCam Pickup System
- 2 Bearing System
- Ultra smooth drag system
- Pre-spooled with Berkley Trilene XL
- High density EVA
- Stainless Steel guides with stainless steel inserts



MODEL #	SAP #	POWER	LENGTH	PIECES	REEL	CAPACITY	GEAR RATIO	BEARINGS
ABUMS10/602M	1365460	M	6'0"	2	ABUMS10	8 lb/110 yd	4.3:1	2
ABUMS15/662MH	1365461	MH	6'6"	2	ABUMS15	12 lb/100 yd	4.3:1	2

ELITE PERFORMANCE GEAR LONG SLEEVE SHIRT

SUN PROTECTION WITH STYLE

Featuring the same commitment to quality, performance and durability as our world renowned reels and rods, Abu Garcia Elite Performance Gear, is designed to give anglers an edge in all fishing conditions.

- UPF 50 Sun Protection blocks 97% of UV rays
- Moisture wicking
- Scent Control treatment
- Made from 100% Polyester



Model #	SAP #	Color	Apparel Size	Material
LSPABUWHTM	1368779	White	M	Polyester/Cotton
LSPABUWHTL	1368780	White	L	Polyester/Cotton
LSPABUWHTXL	1368781	White	XL	Polyester/Cotton
LSPABUWHTXXL	1368782	White	XXL	Polyester/Cotton

ORIGINAL T-SHIRT

Whether you are heading out on the water or just around town, Abu Garcia's casual wear delivers the perfect combination of comfort and style for whatever adventure is next.



Model #	SAP #	Color	Apparel Size	Material
SSTABULGOBLKM	1368747	Black	M	Polyester/Cotton
SSTABULGOBLKL	1368748	Black	L	Polyester/Cotton
SSTABULGOBLKXL	1368749	Black	XL	Polyester/Cotton
SSTABULGOBLKXXL	1368750	Black	XXL	Polyester/Cotton
SSTABULGOGRYM	1368751	Grey	M	Polyester/Cotton
SSTABULGOGRYL	1368752	Grey	L	Polyester/Cotton
SSTABULGOGRYXL	1368753	Grey	XL	Polyester/Cotton
SSTABULGOGRYXXL	1368754	Grey	XXL	Polyester/Cotton


REVO® T-SHIRT

Model #	SAP #	Color	Apparel Size	Material
SSTREVOBLKM	1368755	Black	M	Polyester/Cotton
SSTREVOBLK	1368756	Black	L	Polyester/Cotton
SSTREVOBLKXL	1368757	Black	XL	Polyester/Cotton
SSTREVOBLKXXL	1368758	Black	XXL	Polyester/Cotton
SSTREVOGRYM	1368759	Grey	M	Polyester/Cotton
SSTREVOGRYL	1368760	Grey	L	Polyester/Cotton
SSTREVOGRYXL	1368761	Grey	XL	Polyester/Cotton
SSTREVOGRYXXL	1368762	Grey	XXL	Polyester/Cotton


SVANGSTA T-SHIRT

Model #	SAP #	Color	Apparel Size	Material
SSTABUSVGREDM	1368767	Red	M	Polyester/Cotton
SSTABUSVGREDL	1368768	Red	L	Polyester/Cotton
SSTABUSVGREDXL	1368769	Red	XL	Polyester/Cotton
SSTABUSVGREDXXL	1368770	Red	XXL	Polyester/Cotton
SSTABUSVGGRYM	1368763	Grey	M	Polyester/Cotton
SSTABUSVGGRYL	1368764	Grey	L	Polyester/Cotton
SSTABUSVGGRYXL	1368765	Grey	XL	Polyester/Cotton
SSTABUSVGGRYXXL	1368766	Grey	XXL	Polyester/Cotton


REVO BEAST™ T-SHIRT

Model #	SAP #	Color	Apparel Size	Material
SSTABUBEASTM	1368775	Black	M	Polyester/Cotton
SSTABUBEASTL	1368776	Black	L	Polyester/Cotton
SSTABUBEASTXL	1368777	Black	XL	Polyester/Cotton
SSTABUBEASTXXL	1368778	Black	XXL	Polyester/Cotton


REVO® FITTED HAT

Model #	SAP #	Color	Apparel Size	Material
FHTABURVOBLKS/M	1368738	Black	S/M	Polyester/Spandex
FHTABURVOBLK/LXL	1368739	Black	L/XL	Polyester/Spandex


ORIGINAL FITTED HAT

Model #	SAP #	Color	Apparel Size	Material
FHTABUWHTS/M	1368740	White	S/M	Polyester/Spandex
FHTABUWHTL/XL	1368741	White	L/XL	Polyester/Spandex


ICON FLAT BILL

Model #	SAP #	Color	Apparel Size	Material
FHTABUFLBLKS/M	1368742	Black	S/M	Polyester
FHTABUFLBLK/LXL	1368743	Black	L/XL	Polyester


ELITE PERFORMANCE GEAR SOLAR SHADE

Model #	SAP #	Color	Apparel Size	Material
SOLARSHDABUCAMO	1368745	Camo	One Size Fits Most	Polyester
SOLARSHDABULOGO	1368746	White	One Size Fits Most	Polyester



ORIGINAL HAT

Model #	SAP #	Color	Apparel Size	Material
HATABULK	1368734	Black	One Size Fits Most	Polyester



ORIGINAL TRUCKER HAT

Model #	SAP #	Color	Apparel Size	Material
HATRCKRABULGO	1370596	Black	One Size Fits Most	Polyester/Cotton



ICON CAMO TRUCKER HAT

Model #	SAP #	Color	Apparel Size	Material
HATRCKRABUCMO	1368736	Camo	One Size Fits Most	Polyester/Cotton



REVO BEAST™ TRUCKER HAT

Model #	SAP #	Color	Apparel Size	Material
HATRKRABUBEAST	1368737	Black	One Size Fits Most	Polyester/Cotton



REVERSIBLE

ORIGINAL BEANIE

Model #	SAP #	Color	Apparel Size	Material
BNEABULK	1368744	Black	One Size Fits Most	Cotton

MAINTENANCE KIT

The right series of products to properly service all of your Abu Garcia reels.

Includes:

- 10/11mm wrench
- Flat/Phillips head screw driver
- Precision oil
- Precision grease
- Precision degreaser
- Soft brush
- Soft cloth
- Soft case
- Services all reel types
- Easy to carry



MODEL #	SAP #
ABUMAINTKIT	1368791



REEL DEGREASER

- Cuts through old grease and oil without hard scrubbing
- Does not leave residue
- Use safely on all reel components

MODEL #	SAP #
ABUDGRSR	1368794



REEL OIL

- Perfect viscosity to improve overall reel performance
- Heat and cold resistant
- Protects against corrosion
- Perfect for all reel types

MODEL #	SAP #
ABUOIL	1368792



HIGH SPEED REEL OIL

- Perfect viscosity to improve overall reel performance
- Heat and cold resistant
- Protects against corrosion
- Perfect for all reel types

MODEL #	SAP #
ABUHSOIL	1368795



REEL GREASE

- Low viscosity formula
- Perfect for high performance parts
- Heat and cold resistant
- Protects against corrosion
- Perfect for baitcast reels

MODEL #	SAP #
ABUGRS	1368793

NEOPRENE CASE



MODEL #	SAP #	DESCRIPTION
ABU5000	1237139	Fits all 5000 Abu Garcia Ambassadeur round reels
ABU6000	1237140	Fits all 6000 Abu Garcia Ambassadeur round reels
ABU7000	1237141	Fits all 7000 Abu Garcia Ambassadeur round reels
ABULP	1237142	Fits all Abu Garcia Low Profile reels
ABUSPINMED	1237143	Fits all 10, 20, 30, 40 size Abu Garcia Spinning Reels
ABU50/60	1368796	Fits all 50 & 60 size Abu Garcia Baitcast Reels

NEOPRENE CASE

- 2mm neoprene cover
- Cover will fit while on rod

ACCESSORIES POWER HANDLE



MODEL #	SAP #	DESCRIPTION
PHA-B	1091026	Black Baitcast Handle
PHA-S	1091025	Silver Baitcast Handle