

AMERICAN
HUNTER[®]
OUTDOOR PRODUCTS BY **BOSS BUCK**

2020 PRODUCT CATALOG



FEEDER KITS

A NEW XD-PRO KIT

AH-XDPRO-KIT

- Twist Lock OR Flat Mounting
- Metal spin plate
- Metal Varmint guard with optional shocking circuit
- Rail mount for optional accessories
- Upgraded industrial grade motor
- Remote Activator optional add-on accessory
- Solar Panel accessory plug-in

B NEW XDE-PRO KIT

AH-XDEPRO-KIT

- Twist Lock OR Flat Mounting
- Simply spin plate
- Rail mount for optional accessories
- Upgraded Industrial Grade Motor
- Solar Panel accessory plug-in

New Timer Design with large LCD Display



- Q-Sets - 2 Preconfigured settings for easy setup
- 1-16 Custom Time Settings
- 0-60 second run time options
- Set days of the weeks
- Reverse Polarity Protection
- Jam Protection

3:49 **EZ-TOUCH**
DIGITAL TIMER



A



B

NEW ECON KIT

AH-ECON-KIT

- Compact and efficient design
- Twist Lock OR Flat Mounting
- Metal spin plate
- Varmint guard built in
- Rail mount for optional accessories
- Solar Panel accessory plug-in
- AA Battery Power

3:49 **EZ-TOUCH**
DIGITAL TIMER



New Timer Design

- 1-4 Custom Time Settings
- 1-30 second run time options
- Reverse Polarity Protection



NEW SUNSLINGER™ KIT

AH-SSLNG-KIT

- Integrated Solar Panel
- Fully enclosed varmint cage
- Rail mount for optional accessories
- Twist Lock OR Flat Mounting
- Metal spin plate
- Industrial grade motor
- Remote Activator optional add-on accessory

New Timer Design with large LCD Display

- Q-Sets - 2 Preconfigured settings for easy setup
- 1-16 Custom Time Settings
- 0-60 second run time options
- Set days of the weeks
- Reverse Polarity Protection
- Jam Protection



SOLAR PANEL BUILT-IN **3:49 EZ-TOUCH** DIGITAL TIMER

SPIN KIT

20558

- Heavy-duty metal control housing
- High torque industrial motor
- Heavy-duty "No Blow" slinger resists wind and grain trickle
- Metal downspout
- Fits most feed containers
- Easy to install
- Runs on 6V or 12V batteries (not included)
- For best results, use rechargeable batteries, DE-30008 6V recommended or DE-30020 12V

Timer Features

- Power indicator
- Memory preserves user settings for 30 minutes after power is out
- Feeds 1 to 8 different times per day
- Three spread speeds: 3000, 3300 and 3800 RPM
- Can feed various days of the week
- Adjustable feed rate (1-30 seconds)



PHOTOCELL KIT

AH-EKIT

- Feeds twice a day - dusk and dawn
- Adjustable feed rate 1-30 seconds
- Metal downspout powder coated black
- High torque motor
- Galvanized metal mounting bracket and slinger
- Photocell technology
- Requires 6V spring top SLA battery, recommended DE-30045 - not included



3 WAY GRAVITY TUBE

AH-GRAV-KIT

- Adjustable inner sleeve to control feed flow
- Three 8" feed tubes
- 3/4" Lip prevents feed spillage
- 3.5" Diameter tubes at a 9 degree angle
- Hooded overhang shields feed from the elements
- Twist lock or flat mounting options



TRIPOD FEEDERS

350LBS CAPACITY

- Heavy-duty steel hopper
- Quick release lid with lever lock
- Three 8-FT sectional heavy duty galvanized legs with metal leg mounts

A NEW XD-PRO KIT

R-350PROVB

- Digital timer with large LCD display
- Metal spin plate
- Q-Sets - 2 Preconfigured settings for easy setup
- Adjustable feed rate 1-60 seconds
- Feeds 1 to 16 times per day
- Metal Varmint guard with optional shocking circuit
- Pre-wired for Varmint Zapper Module AH-VZM, Solar Panel AH-SLR and Remote Activator AH-RMT
- Recommended DE-30045 battery - not included



BUILT-IN SOLAR PANEL

B UPDATED SUNSLINGER™ KIT

AH-SS350

- Metal spin plate
- 6V solar charger built-in
- Adjustable feed rate 1-30 seconds
- Feeds 1 to 16 times per day
- Can feed different days of the week
- Easy touch digital timer
- Pre-wired for Remote Activator AH-RMT
- Requires 6V rechargeable battery DE-30008 - not included



HEAVY-DUTY

C SPIN KIT

AH-350DB

- Heavy-duty metal control housing
- High torque industrial motor
- Includes powder coated "No Blow" slinger and downspout
- 3 spread speeds: 3000, 3300 and 3800 RPM
- Feeds 1-8 different times per day
- Adjustable feed rate 1-30 seconds
- Requires 6V or 12V battery DE-30045 recommended or DE-30020 12V rechargeable batteries - not included



TEXAS EDITION

350LBS CAPACITY

- Heavy-duty steel hopper
- Quick release lid with lever lock
- Three 8-FT sectional heavy duty galvanized legs with metal leg mounts

BUILT-IN SOLAR PANEL

A UPDATED SUNSLINGER™ KIT

AH-TX350SS6V

- Metal spin plate
- 6V solar charger built-in
- Adjustable feed rate 1-30 seconds
- Feeds 1 to 16 times per day
- Can feed different days of the week
- Easy touch digital timer
- Pre-wired for Remote Activator AH-RMT
- Requires 6V rechargeable battery DE-30008 - not included



HEAVY-DUTY

B SPIN KIT

AH-TX350D8

- Heavy-duty metal control housing
- High torque industrial motor
- Includes powder coated "No Blow" slinger and downspout
- 3 spread speeds: 3000, 3300 and 3800 RPM
- Feeds 1-8 different times per day
- Adjustable feed rate 1-30 seconds
- Requires 6V or 12V battery DE-30045 recommended or DE-30020 12V rechargeable batteries - not included



TRIPOD FEEDERS

NESTING HOPPER

NEW 30 GALLON CAPACITY

- Nesting Hopper
- Twist Lock Mounting Mechanism
- 12pcs locking pin to firmly hold top and bottom leg sections together
- Easy open lid

A XDE-PRO WITH HOPPER

AH-225XDE

- Digital timer with large LCD display
- Simply spin plate
- Q-Sets - 2 Preconfigured settings for easy setup
- Adjustable feed rate 1-60 seconds
- Feeds 1 to 16 times per day
- Pre-wired for Solar Panel AH-SLR
- Recommended DE-30045 battery - not included
- Three 8-FT sectional heavy duty metal leg

3:49 **EZ-TOUCH**
DIGITAL TIMER

B XD-PRO WITH HOPPER

AH-225XDPRO


- Digital timer with large LCD display
- Metal spin plate
- Q-Sets - 2 Preconfigured settings for easy setup
- Adjustable feed rate 1-60 seconds
- Feeds 1 to 16 times per day
- Metal Varmint guard with optional shocking circuit
- Pre-wired for Varmint Zapper Module AH-VZM, Solar Panel AH-SLR and Remote Activator AH-RMT
- Recommended DE-30045 battery - not included
- Three 8-FT sectional heavy duty metal leg

3:49 **EZ-TOUCH**
DIGITAL TIMER

C GRAVITY FEEDER

AH-225GRAV

- Three 8" Feed tubes
- 3.5" Diameter tubes at a 9 degree angle
- 3/4" Lip prevents feed spillage
- Hooded overhang shields feed from the elements
- No need to set timer
- No maintenance required
- No Electronic parts
- Three 6-FT sectional heavy duty metal leg



SPECIALTY FEEDERS

KD FEEDER

WITH DIGITAL TIMER KIT

DIGITAL TIMER FEATURES

- Large stand-alone "test" button
- 8 available daily feed times, 1 to 30 seconds per feeding
- Adjustable (low, med, high) motor speed control
- Battery charge level icon Includes in-line fuse protection to help guard against power supply overloads
- 12V motor
- 3 spread speeds: 3000, 3300 and 3800 RPM
- 1/4 drive shaft

HOPPER FEATURES


- Powder Coated galvanized metal
- Built in funnel
- Heavy Duty galvanized leg kit
- Built in windows to see corn levels
- Varmint Guard included
- Some assembly required
- 15 minute setup time
- Only Phillips head screwdriver needed for assembly

A 440LBS CAPACITY

AH-440KD

B 600LBS CAPACITY

AH-600KD



HANGING FEEDERS

50LBS CAPACITY

UPDATED 5 GALLON NESTING HOPPER

AH-NF-ECON

- Digital clock feeder
- NEW Econ Feeder Kit
- Can feed different days of the week
- Adjustable feed rate 1-30 seconds
- Feeds 1 to 16 times per day
- Folds down to less than 10"
- Powered by 4 AA batteries - not included



COLLAPSES DOWN TO LESS THAN 8" HIGH FOR COMPACT PORTABILITY

3:49 **EZ-TOUCH**
DIGITAL TIMER



40LBS CAPACITY

- Durable plastic hopper
- Requires 6V spring top SLA battery, recommended DE-30045 - not included

E-KIT

E-40PB

- E-Kit Photocell Technology
- Feeds twice a day - dusk and dawn
- Adjustable feed rate 1-30 seconds
- Galvanized metal slinger



50LBS CAPACITY

- Metal hopper with Realtree® AP Camo
- Requires 6V battery recommended DE-30045 - not included

E-KIT

AH-H50ERT

- E-Kit Photocell Technology
- Feeds twice a day - dusk and dawn
- Adjustable feed rate 1-30 seconds
- Galvanized metal slinger



XD PRO KIT

R-50PROAP

- Digital timer with large LCD display
- Metal spin plate
- Q-Sets - 2 Preconfigured settings for easy setup
- Adjustable feed rate 1-60 seconds
- Feeds 1 to 16 times per day
- Metal Varmint guard with optional shocking circuit
- Pre-wired for Varmint Zapper Module AH-VZM, Solar Panel AH-SLR and Remote Activator AH-RMT
- Recommended DE-30045 battery - not included

3:49 **EZ-TOUCH**
DIGITAL TIMER



SPECIALTY ITEMS

PREDATOR SNARE

AH-HPSNARE

- Once an animal applies pressure on the trigger plate, the steel cable snare releases and tightly secures around the predator's limb
- New improved design
- Heavy-duty 1/4" braided steel spring loaded snare
- Weather resistant housing
- Easy, no tool set-up



IDEAL FOR CATCHING



COYOTES

HOGS

BOBCATS

FOXES

PLUS OTHER NUISANCE ANIMALS

ROLLING

HOG FEEDER

AH-SWNLOG

- 30lbs capacity
- Modular system can connect multiple units for extended capacity
- Tough durable ARS plastic
- Includes auger ground screw
- 40" braided steel cable
- Expand up to 90lbs capacity



LED

HOG LIGHT

AH-HOGLITE

- Universal Mounting Plate
- CDS Light Sensor
- Fade ON/OFF Light Activation
- High: 100% / Medium: 60% / Low: 30% Light Power
- 180 Seconds of Light per Triggering
- Extreme Temperature Rated: -4°F - 140°F
- Weather Resistant ABS Housing
- Includes 4 Mounting Screws/Nuts and 3M VHB All Weather Permanent Mounting Tape
- Powered by 8 AA batteries - not included



COMPLETE 360° ILLUMINATION COVERAGE

36 SUPER BRIGHT GREEN LEDS

360° PASSIVE INFRARED MOTION SENSOR



ACCESSORIES

NEW FEEDER METER

AH-FMTR METER
AH-FMTR-ANT METER WITH ANTENNA

- Connect via Bluetooth 5.0
- Check how much feed remains in the feeder using the American Hunter APP
- IP53 rated
- Antenna version for use with metal hoppers



**TRACK THE REMAINING FEED
IN YOUR HOPPERS**

INTRODUCING THE FREE AMERICAN HUNTER MOBILE APP




The Feeder Meter measures feed using ultrasonic technology at a depth of up to 2 meters and a measurement resolution of 1 millimeter



OVERVIEW

- Feed measurements taken upon connection
- Estimates days of feed remaining for feeders even when offline
- Track multiple hoppers



SELECTED METER

- Displays feeder status
Green - ok
Yellow - low
Red - empty
- Displays feed and battery percentage remaining
- Estimates days of feed remaining



NEW REMOTE FEEDER ACTIVATOR

AH-RMT

- Activates wildlife feeder remotely up to 300 feet away
- Perfect for use from tree stand, truck or pier
- For use with XD-PRO and Sunslinger



POWDER COATED STEEL

BARREL ADAPTER KIT

R-LA1

- 2 brackets and hardware included
- Fits standard 30 gallon poly barrel and 180LBS, 225LBS and 270LBS feeders



POWDER COATED STEEL

LEG ADAPTER KIT

AH-LA55

- Holds up to 400LBS per set of 3 adapters
- Complete with back plate and bolts
- Set of 3 -7/8" square tube legs bent to proper angle for mounting 8-FT legs to a 55 gallon drum



GALVANIZED STEEL

FEEDER LEG KITS

T-EL8-B FOR 225LBS TRIPOD FEEDERS
30570 FOR 350LBS TRIPOD FEEDERS

- Standard 8-FT leg kit for tripod feeders



HEAVY-DUTY

FEEDER FUNNEL

41001

- Extended Tube 3-Way Head
- 3-way feed station system
- Adjustable feed delivery system

ONLY FOR USE WITH
55 GALLON FEEDERS

- Heavy-duty steel construction
- Simple 4 bolt mounting hardware - included



TRADITIONAL

FEEDER FUNNEL

T-F3055

- Fits most 30, 35 and 55 gallon barrels
- Using pre-punched holes and self tapping screws allows adjustment to the diameter of the funnel needed for your barrel



HEAVY-DUTY

EASY OPEN LID

AH-L55

- This lid solves two old problems:
 - eliminates water standing on the top of the lid
 - easy to open while maintaining secure hold on the side of feeder

ONLY FOR USE WITH
55 GALLON FEEDERS



ACCESSORIES

6V/12V DIGITAL TIMER

AH-UTM

- Digital Clock Timer controls when and for how long feed is dispensed
- 2 QSET and up to 16 custom settings for easy/quick set up
- Adjustable feed rate 1-30 seconds
- Feeds 1 to 16 times per day
- Can feed different days of the week
- Automatically detect input voltage as 6V or 12V



6V POWER SOLAR PANEL

AH-SLR

- Contains an internal rechargeable battery allowing the charger to be used as main power supply for your feeder or as an additional power source to extend battery life
- Includes both lid and leg adjustable mounting brackets that enable the Solar Panel to face any direction
- 6V Power Solar Panel shown with leg bracket
- Uses thumb screws for no-tool installation
- 5ft Conduit cable with rubber grommet creates water tight connection with feeders to prevent any unexpected damage



6V SOLAR PANEL

AH-6VSP

- Picatinny rail mount method
- Conduit cable to prevent any unexpected damage
- Rubber grommet creates water tight connection with feeders

(Compatible with XD-Pro, XDE-Pro and Econ feeder kits)



SOLAR CHARGERS

- BL-660-S** 6V
- BL-1260-S** 12V

- Converts sunlight into electric power for charging 6V or 12V rechargeable batteries
- Weatherproof, rust proof and corrosive resistant



SOLAR CHARGER

- BL-R680-S** 6V
- Pre-wired for Kits: 30590 and 30591

- Converts sunlight into electric power for charging 6V or 12V rechargeable batteries
- Weatherproof, rust proof and corrosive resistant



ECONOMY SOLAR CHARGERS

- BL-EC6** 6V
- BL-EC12** 12V

- Constant trickle charges your 6V or 12V feeder batteries
- Will not overcharge
- Includes convenient mounting brackets

VARMINT ZAPPER MODULE

AH-VZM

- Keep unwanted varmints away from the feed
- Mounts inside Varmint Buster compatible feeder kits
- Peak discharge voltage of 1000 ± 100 volts



55 GALLONS

VARMINT GUARD

20632

- Keep unwanted varmints from the feeder kit area - helps to STOP wasted feed
- Allows easy access to feeder kit
- 15.5" x 15.5" black power coated steel
- All mounting hardware included



RECHARGEABLE

BATTERIES

- Commonly used for game feeders, game calls, headlights and spotlights

6V 4.5 AMP HR F-TAB

- DE-30008** SINGLE PACKAGING ITEM
- DE-30052** CLAM PACKAGING ITEM



6V 4.5 AMP HR SPRING TOP

- DE-30045** SINGLE PACKAGING ITEM
- DE-30053** CLAM PACKAGING ITEM



12V 7 AMP HR TAB TOP

DE-30020 SINGLE PACKAGING ITEM



6V/12V BATTERY CHARGER

BL-C6/12

- This charger will charge most 6V and 12V rechargeable feeder batteries
- Plugs into 110V outlet
- DC output is 500mA



12V HIGH TORQUE MOTOR

20575

- 2753 RPM
- 1.12 AMPS
- .250" diameter shaft
- 1" shaft length
- 3.13" diameter motor housing
- Mounting bolts included

