



2017





- 1
- 2

- 3
- 4



TRIGGERTECH


Precise Trigger Control

FRICITIONLESS RELEASE TECHNOLOGY™ (FRT™) IS A PATENTED FREE FLOATING ROLLER THAT SITS BETWEEN THE SEAR AND THE LATCH



The patented TriggerTech ADF (anti-dry fire) trigger allows you to squeeze off shots with a pull of just 3 lbs. Its Frictionless Release Technology™ produces an incredibly responsive touch that generates smooth and repeatable shots every time.

U.S. Patent for Triggertech: 9,097,485



NEVER REST NEVER SETTLE



We started pioneering the modern crossbow movement over 60 years ago... and have never stopped. Barnett became the world's #1 producer of crossbows because we scrutinize every aspect of every crossbow. Focusing on precision, safety, and performance, we take care of the details so you can take care of business.



ANTI-DRY FIRE TRIGGER (ADF)

A spring loaded safety bar that remains in place until the arrow is seated properly to protect the user from shooting the weapon without an arrow in place.



STEP THRU RISER

Lengthens the power stroke of the bow without placing the cocking string beyond arms length. **U.S. Patent: 9,255,755**



CARBONLITE RISER

Removes nearly 43% of weight from the front end, shifting the balance point to the shoulder. Available on CarbonLite Series bows **U.S. Patent: 6,901,921**



METAL INJECTED MOLDED TRIGGER

Metal injected molded which allows for the tightest quality tolerance available.



INTEGRATED CRANK AVAILABLE

Remove the cheek piece and install your all new Crank Cocking Device. Not available on ROGUE

BARNETT CROSSBOWS COME MOSTLY ASSEMBLED
For final assembly, attach the riser with provided nose bolt. No other bolts needed.

1 CROSSWIRE® STRING & CABLE SYSTEM

6 PREMIUM ILLUMINATED SCOPE

2 CNC MACHINED ALUMINUM TRACK

7 CNC MACHINED PICATINNY SCOPE MOUNT

3 FINGER REMINDERS AND PASS-THROUGH FOREGRIP

8 BUTT PAD

4 HEADHUNTER™ ARROWS
Custom Carbon Arrows

9 SIDE MOUNT QUIVER

5 BRISTLE BRUSH RETAINER SYSTEM
U.S. Patent: 9,395,143

10 CNC MACHINED CAMS

11 CUSTOM COMPOSITE LAMINATED LIMBS







CARBONLITE CROSSBOWS

All that scouting is about to pay off. Barnett's™ Carbonlite Crossbows feature a full carbon riser to keep your weapon light when stalking in rugged terrain or patiently waiting for your shot to open up in the stand. The exceptional mobility and reliable performance will take your hunt to a whole new level.



INTEGRATED CRANK
AVAILABLE



METAL INJECTED
TRIGGER



ANTI-DRY FIRE
TRIGGER



STEP THRU RISER




CARBONLITE

GHOST 420™



420 FEET PER SECOND*



DRAW WEIGHT 185 LBS | KINETIC ENERGY 149 FT LBS | POWER STROKE 15.375"

OVERALL WEIGHT 76 LBS | AXLE TO AXLE 20" | DIMENSIONS 37.4"L X 22"W



- + 3LB. ZERO-CREEP RELEASE
- + ALL STAINLESS STEEL COMPONENTS
- + NOCK SENSOR & ADF ELIMINATE DRY FIRES

FEATURES

- + ULTRALIGHT CRT RISER
- + BRISTLE BRUSH RETAINER
- + ADF (ANTI-DRY FIRE) TRIGGER SYSTEM
- + MIM (METAL INJECTED MOLDED) TRIGGER
- + CNC MACHINED ALUMINUM FLIGHT TRACK
- + 7/8" PICATINNY RAILS
- + ALLOWS FOR THE INTEGRATION OF A CRANK COCKING DEVICE
- + STRING DAMPENERS
- + FINGER SAFETY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + 1.5 X 5 X32 SCOPE ILLUMINATED
- + ROPE COCKING DEVICE
- + SIDE MOUNT QUIVER WITH SIDE MOUNT ADAPTER
- + TWO 22" HEADHUNTER ARROWS
- + CROSSBOW TALON SLING
- + LUBEWAX
- + RUBBER BUTT PAD EXTENDER



MONOCHROME

#78501
4 2609 78501 8



MOSTLY ASSEMBLED

U.S. PATENT: 9,097,485; 9,255,755; 6,901,921; 9,395,143

*Speed test using 380 gr. arrow



BARNETT

GHOST 420

CAUTION

BARNETT

▶ CARBONLITE CROSSBOWS

RAZR ICE



INTEGRATED SKINNING KNIFE




FEATURES

- + ULTRALIGHT CRT RISER
- + BRISTLE BRUSH RETAINER
- + ADF (ANTI-DRY FIRE) TRIGGER SYSTEM
- + MIM (METAL INJECTED MOLDED) TRIGGER
- + CNC MACHINED ALUMINUM FLIGHT TRACK
- + 7/8" PICATINNY RAILS
- + ALLOWS FOR THE INTEGRATION OF A CRANK COCKING DEVICE
- + STRING DAMPENERS
- + FINGER SAFETY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + 1.5 X 5 X32 SCOPE ILLUMINATED
- + ROPE COCKING DEVICE
- + SIDEARM QUIVER
- + TWO 22" HEADHUNTER ARROWS
- + LUBEWAX



MOSSY OAK
freestand

#78500
0 42609 78500 1

390 FEET PER SECOND*



DRAW WEIGHT **185 LBS** | KINETIC ENERGY **128 FT LBS** | POWER STROKE **14.375"**

OVERALL WEIGHT **7.2 LBS** | AXLE TO AXLE **16.875"** | DIMENSIONS **35.5"L x 29"W**

TRIGGERTECH
Precise Trigger Control

- + 3LB. ZERO-CREEP RELEASE
- + ALL STAINLESS STEEL COMPONENTS
- + NOCK SENSOR & ADF ELIMINATE DRY FIRES

MOSTLY ASSEMBLED

U.S. PATENT: 9,097,485; 9,255,755; 6,901,921; 9,395,143

*Speed test using 380 gr. arrow

GHOST 375™



NEW



385 FEET PER SECOND*



DRAW WEIGHT **165 LBS** | KINETIC ENERGY **125 FT LBS** | POWER STROKE **14.125"**

OVERALL WEIGHT **7.1 LBS** | AXLE TO AXLE **20.25"** | DIMENSIONS **36.25" L x 22.5" W**




- + 3LB. ZERO-CREEP RELEASE
- + ALL STAINLESS STEEL COMPONENTS
- + NOCK SENSOR & ADF ELIMINATE DRY FIRES

FEATURES

- + ULTRALIGHT CRT RISER
- + BRISTLE BRUSH RETAINER
- + ANTI-VIBRATION TECHNOLOGY LIMBS
- + ADF (ANTI-DRY FIRE) TRIGGER SYSTEM
- + MIM (METAL INJECTED MOLDED) TRIGGER
- + 7/8" PICATINNY RAILS
- + ALLOWS FOR THE INTEGRATION OF A CRANK COCKING DEVICE
- + FINGER SAFETY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + 4 X 32 PUSH BUTTON SCOPE ILLUMINATED
- + ROPE COCKING DEVICE
- + SIDE MOUNT QUIVER
- + TWO 20" HEADHUNTER ARROWS
- + LUBEWAX



#78100
0 42609 78100 3

MOSTLY ASSEMBLED

U.S. PATENT: 9,097,485; 9,255,755; 6,901,921; 9,395,143

*Speed test using 380 gr. arrow





REVERSE DRAW CROSSBOWS

Take to the hunt with stealth precision. Barnett's™ new generation of crossbows provide compact and balanced design with extreme lethal power. The reverse-draw construction dramatically reduces the cam-to-cam width while moving weight back toward the stock for more balanced control. This innovation makes it easier for hunters to lock-in their shot and deliver deadly results.



INTEGRATED CRANK
AVAILABLE



ANTI-VIBRATION
FOOT STIRRUP



ANTI-DRY FIRE
TRIGGER



CARBONLITE

▶ REVERSE DRAW CROSSBOWS

REVENGEANCE




FEATURES

- + FULLY CAMO RISER
- + REVERSE DRAW TECHNOLOGY
- + BRISTLE BRUSH RETAINER
- + ADF (ANTI-DRY FIRE) TRIGGER SYSTEM
- + MIM (METAL INJECTED MOLDED) TRIGGER
- + CNC MACHINED ALUMINUM FLIGHT TRACK
- + 7/8" PICATINNY RAILS
- + ALLOWS FOR THE INTEGRATION OF A CRANK COCKING DEVICE
- + STRING DAMPENERS
- + FINGER SAFETY REMINDERS

INCLUDES

- + 4 X 32 ILLUMINATED SCOPE
- + ROPE COCKING DEVICE
- + SIDE MOUNT QUIVER
- + TWO 20" HEADHUNTER ARROWS
- + LUBEWAX



#78121
0 42609 78121 8

FULLY ASSEMBLED

U.S. PATENT: 9,097,485; 6,901,921; 9,395,143

*Speed test using 380 gr. arrow

NEW

400 FEET
PER
SECOND*



DRAW WEIGHT **145 LBS** | KINETIC ENERGY **135 FT LBS** | POWER STROKE **18"**

OVERALL WEIGHT **8.4 LBS** | AXLE TO AXLE **18"** | DIMENSIONS **33.8"L x 23.75"W**




- + 3LB. ZERO-CREEP RELEASE
- + ALL STAINLESS STEEL COMPONENTS
- + NOCK SENSOR & ADF ELIMINATE DRY FIRES

VICIOUS™



NEW

340 FEET PER SECOND*



DRAW WEIGHT **150 LBS** | KINETIC ENERGY **97.6 FT LBS** | POWER STROKE **15.375"**

OVERALL WEIGHT **6.4 LBS** | AXLE TO AXLE **16.75"** | DIMENSIONS **31.7" L x 20.1" W**




- + 3LB. ZERO-CREEP RELEASE
- + ALL STAINLESS STEEL COMPONENTS
- + NOCK SENSOR & ADF ELIMINATE DRY FIRES

FEATURES

- + ADJUSTABLE BUTT PAD
- + BRISTLE BRUSH RETAINER
- + CNC MACHINED ALUMINUM FLIGHT TRACK
- + LAMINATED LIMBS
- + CARBON RISER
- + REVERSE LIMB
- + STRING DAMPENERS
- + FINGER SAFETY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + 4 X 32 SCOPE
- + ROPE COCKING DEVICE
- + SIDE MOUNT QUIVER
- + TWO 20" HEADHUNTER ARROWS
- + LUBEWAX



#78122
0 42609 78122 5

FULLY ASSEMBLED

U.S. PATENT: 9,097,485; 6,901,921; 9,395,143

*Speed test using 380 gr. arrow





COMPOUND CROSSBOWS

For generations, hunters have looked to Barnett™ for durable and dependably engineered compound crossbows. Continuing this tradition, Barnett's 2017 flagship line features all-new innovative and versatile features like TriggerTech™ responsive triggers and advanced brush retainer to equip every hunter for success. Because for us, excellence is an expectation. And like our hunters, we settle for nothing less.



INTEGRATED CRANK
AVAILABLE



METAL INJECTED
TRIGGER



ANTI-VIBRATION
FOOT STIRRUP



ANTI-DRY FIRE
TRIGGER

► COMPOUND CROSSBOWS

WHITETAIL HUNTER PRO™



FEATURES

- + ADF (ANTI-DRY FIRE) TRIGGER SYSTEM
- + BRISTLE BRUSH RETAINER
- + CUSTOM COMPOSITE LAMINATED LIMBS
- + INLAID ALUMINUM RAIL
- + MIM (METAL INJECTED MOLDED) TRIGGER
- + 7/8" PICATINNY RAILS
- + ALLOWS FOR THE INTEGRATION OF A CRANK COCKING DEVICE
- + STRING DAMPENERS
- + FINGER SAFETY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + 4 X 32 SCOPE
- + ROPE COCKING DEVICE
- + SIDE MOUNT QUIVER
- + TWO 20" HEADHUNTER ARROWS
- + LUBEWAX



TRUBARK
HD

#78113
0 42609 78113 3

NEW

380 FEET
PER
SECOND*



DRAW WEIGHT **160 LBS** | KINETIC ENERGY **122 FT LBS** | POWER STROKE **12.5"**

OVERALL WEIGHT **6.4 LBS** | AXLE TO AXLE **16.125"** | DIMENSIONS **35.25" L x 17.75" W**

TRIGGERTECH
Precise Trigger Control

- + 3LB. ZERO-CREEP RELEASE
- + ALL STAINLESS STEEL COMPONENTS
- + NOCK SENSOR & ADF ELIMINATE DRY FIRES

MOSTLY ASSEMBLED

U.S. PATENT: 9,097,485; 9,395,143

*Speed test using 380 gr. arrow

WHITETAIL HUNTER II



350 FEET
PER
SECOND*

DRAW WEIGHT **150 LBS** | KINETIC ENERGY **103 FT LBS** | POWER STROKE **12.5"**

OVERALL WEIGHT **6.4 LBS** | AXLE TO AXLE **16.125"** | DIMENSIONS **34.25"L x 18.25"W**

FEATURES



- + 3LB. ZERO-CREEP RELEASE
- + ALL STAINLESS STEEL COMPONENTS
- + NOCK SENSOR & ADF ELIMINATE DRY FIRES

- + ADF (ANTI-DRY FIRE) TRIGGER SYSTEM
- + BRISTLE BRUSH RETAINER
- + MIM (METAL INJECTED MOLDED) TRIGGER
- + 7/8" PICATINNY RAILS
- + ALLOWS FOR THE INTEGRATION OF A CRANK COCKING DEVICE
- + FINGER SAFTEY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + 4 X 32 SCOPE
- + ROPE COCKING DEVICE
- + LIGHTWEIGHT QUIVER
- + TWO 20" HEADHUNTER ARROWS
- + LUBEWAX




#78128
0 42609 78128 7

MOSTLY ASSEMBLED

U.S. PATENT: 9,097,485; 9,395,143

*Speed test using 380 gr. arrow

LADY WHITETAIL HUNTERS



350 FEET
PER
SECOND*

DRAW WEIGHT **150 LBS** | KINETIC ENERGY **103 FT LBS** | POWER STROKE **12.5"**

OVERALL WEIGHT **6.4 LBS** | AXLE TO AXLE **16.125"** | DIMENSIONS **34.25"L x 18.25"W**

FEATURES



- + 3LB. ZERO-CREEP RELEASE
- + ALL STAINLESS STEEL COMPONENTS
- + NOCK SENSOR & ADF ELIMINATE DRY FIRES

- + ADF (ANTI-DRY FIRE) TRIGGER SYSTEM
- + BRISTLE BRUSH RETAINER
- + MIM (METAL INJECTED MOLDED) TRIGGER
- + 7/8" PICATINNY RAILS
- + ALLOWS FOR THE INTEGRATION OF A CRANK COCKING DEVICE
- + FINGER SAFTEY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + 4 X 32 SCOPE
- + ROPE COCKING DEVICE
- + LIGHTWEIGHT QUIVER
- + TWO 20" HEADHUNTER ARROWS
- + LUBEWAX



#78124
0 42609 78124 9

MOSTLY ASSEMBLED

U.S. PATENT: 9,097,485; 9,395,143

*Speed test using 380 gr. arrow



NEW



NEW



► COMPOUND CROSSBOWS

BLACKSPUR TT™




MADE IN THE USA

FEATURES

- + ADF (ANTI-DRY FIRE) TRIGGER SYSTEM
- + BRISTLE BRUSH RETAINER
- + MIM (METAL INJECTED MOLDED) TRIGGER
- + 7/8" PICATINNY RAILS
- + ALLOWS FOR THE INTEGRATION OF A CRANK COCKING DEVICE
- + FINGER SAFETY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + PREMIUM RED DOT SCOPE
- + ROPE COCKING DEVICE
- + LIGHTWEIGHT QUIVER
- + TWO 20" HEADHUNTER ARROWS
- + LUBEWAX



TURKEY CAMO

#78135
0 42609 78135 5

NEW



340 FEET PER SECOND*



DRAW WEIGHT 150 LBS | KINETIC ENERGY 97.6 FT LBS | POWER STROKE 12.5"

OVERALL WEIGHT 6.2 LBS | AXLE TO AXLE 16.125" | DIMENSIONS 34.25"L x 18.25"W



- + 3 LB. ZERO-CREEP RELEASE
- + ALL STAINLESS STEEL COMPONENTS
- + NOCK SENSOR & ADF ELIMINATE DRY FIRES

MOSTLY ASSEMBLED

SPRING SPECIAL BOW & NWTf SPECIAL ITEM

U.S. PATENT: 9,097,485; 9,395,143


*Speed test using 380 gr. arrow

DROPTINE XT



NEW

360 FEET PER SECOND*



DRAW WEIGHT **160 LBS** | KINETIC ENERGY **109 FT LBS** | POWER STROKE **13.5"**

OVERALL WEIGHT **7.0 LBS** | AXLE TO AXLE **19.5"** | DIMENSIONS **35.75" L x 21" W**




- + 3 LB. ZERO-CREEP RELEASE
- + ALL STAINLESS STEEL COMPONENTS
- + NOCK SENSOR & ADF ELIMINATE DRY FIRES

FEATURES

- + ADF (ANTI-DRY FIRE) TRIGGER SYSTEM
- + BRISTLE BRUSH RETAINER
- + CUSTOM COMPOSITE LAMINATED LIMBS
- + MIM (METAL INJECTED MOLDED) TRIGGER
- + 7/8" PICATINNY RAILS
- + ALLOWS FOR THE INTEGRATION OF A CRANK COCKING DEVICE
- + FINGER SAFETY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + 4 X 32 SCOPE
- + LIGHTWEIGHT QUIVER
- + TWO 20" HEADHUNTER ARROWS
- + 2PK OF ARROW TIPS
- + LUBEWAX



#78129
0 42609 78129 4

MOSTLY ASSEMBLED

U.S. PATENT: 9,097,485; 9,395,143
*Speed test using 380 gr. arrow

► COMPOUND CROSSBOWS

EDGE™



MADE IN THE USA

NEW



FEATURES

- + BRISTLE BRUSH RETAINER
- + MAGNESIUM RISER
- + CNC MACHINED ALUMINUM FLIGHT TRACK
- + FINGER SAFETY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + 4 X 32 SCOPE
- + ROPE COCKING DEVICE
- + SIDE MOUNT QUIVER
- + TWO 22" HEADHUNTER ARROWS
- + LUBEWAX



#78123
0 42609 78123 2

360 FEET PER SECOND*



DRAW WEIGHT **135 LBS** | KINETIC ENERGY **109 FT LBS** | POWER STROKE **14.675"**

OVERALL WEIGHT **8.0 LBS** | AXLE TO AXLE **19.875"** | DIMENSIONS **36.2"L x 21.88"W**



- + 3 LB. ZERO-CREEP RELEASE
- + ALL STAINLESS STEEL COMPONENTS
- + NOCK SENSOR & ADF ELIMINATE DRY FIRES

MOSTLY ASSEMBLED

DEALER ONLY

U.S. PATENT: 9,097,485; 9,395,143

*Speed test using 380 gr. arrow

WILDCAT C7™



NEW



330 FEET PER SECOND*



DRAW WEIGHT **125 LBS** | KINETIC ENERGY **91.9 FT LBS** | POWER STROKE **14.125"**

OVERALL WEIGHT **7.0 LBS** | AXLE TO AXLE **20.25"** | DIMENSIONS **35.75" L x 21.75" W**



- + 3 LB. ZERO-CREEP RELEASE
- + ALL STAINLESS STEEL COMPONENTS
- + NOCK SENSOR & ADF ELIMINATE DRY FIRES

FEATURES

- + MAGNESIUM RISER
- + BRISTLE BRUSH RETAINER
- + LIGHTWEIGHT COMPOSITE STOCK
- + FINGER SAFETY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + 4 X 32 SCOPE
- + ROPE COCKING DEVICE
- + LIGHTWEIGHT QUIVER
- + TWO 20" HEADHUNTER ARROWS
- + LUBEWAX



BLACK

#78131
0 42609 78131 7

MOSTLY ASSEMBLED

DEALER ONLY

U.S. PATENT: 9,097,485; 9,395,143
*Speed test using 380 gr. arrow

▶ COMPOUND CROSSBOWS

RAPTOR FX3 PRO



MADE IN THE USA

NEW



380 FEET PER SECOND*



DRAW WEIGHT 160 LBS | KINETIC ENERGY 122 FT LBS | POWER STROKE 12.5"

OVERALL WEIGHT 6.4 LBS | AXLE TO AXLE 16.125" | DIMENSIONS 35.25"L x 17.75"W




- + 3LB. ZERO-CREEP RELEASE
- + ALL STAINLESS STEEL COMPONENTS
- + NOCK SENSOR & ADF ELIMINATE DRY FIRES

FEATURES

- + ADF (ANTI-DRY FIRE) TRIGGER SYSTEM
- + BRISTLE BRUSH RETAINER
- + CUSTOM COMPOSITE LAMINATED LIMBS
- + INLAID ALUMINUM RAIL
- + MIM (METAL INJECTED MOLDED) TRIGGER
- + 7/8" PICATINNY RAILS
- + ALLOWS FOR THE INTEGRATION OF A CRANK COCKING DEVICE
- + STRING DAMPENERS
- + FINGER SAFETY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + 4 X 32 SCOPE
- + ROPE COCKING DEVICE
- + SIDE MOUNT QUIVER
- + TWO 20" HEADHUNTER ARROWS
- + LUBEWAX



#78127
0 42609 78127 0

MOSTLY ASSEMBLED

DEALER ONLY

U.S. PATENT: 9,097,485; 9,395,143

*Speed test using 380 gr. arrow

RAPTOR FX3



NEW

350 FEET PER SECOND*



DRAW WEIGHT 150 LBS | KINETIC ENERGY 103 FT LBS | POWER STROKE 12.5"

OVERALL WEIGHT 6.4 LBS | AXLE TO AXLE 16.125" | DIMENSIONS 34.25"L x 18.25"W




- + 3LB. ZERO-CREEP RELEASE
- + ALL STAINLESS STEEL COMPONENTS
- + NOCK SENSOR & ADF ELIMINATE DRY FIRES

FEATURES

- + ADF (ANTI-DRY FIRE) TRIGGER SYSTEM
- + BRISTLE BRUSH RETAINER
- + MIM (METAL INJECTED MOLDED) TRIGGER
- + 7/8" PICATINNY RAILS
- + ALLOWS FOR THE INTEGRATION OF A CRANK COCKING DEVICE
- + FINGER SAFETY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + 4 X 32 SCOPE
- + ROPE COCKING DEVICE
- + LIGHTWEIGHT QUIVER
- + TWO 20" HEADHUNTER ARROWS
- + LUBEWAX



#78132
0 42609 78132 4

MOSTLY ASSEMBLED

DEALER ONLY

U.S. PATENT: 9,097,485; 9,395,143
*Speed test using 380 gr. arrow

▶ COMPOUND CROSSBOWS

ROGUE

330 FEET
PER
SECOND*




DRAW WEIGHT **165 LBS** | KINETIC ENERGY **91.9 FT LBS** | POWER STROKE **11.375"**

OVERALL WEIGHT **7.5 LBS** | AXLE TO AXLE **18.875"** | DIMENSIONS **36" L x 21" W**

NEW

TRIGGERTECH
Precise Trigger Control

- + 3LB. ZERO-CREEP RELEASE
- + ALL STAINLESS STEEL COMPONENTS
- + NOCK SENSOR & ADF ELIMINATE DRY FIRES




FEATURES

- + ADF (ANTI-DRY FIRE) TRIGGER SYSTEM
- + BRISTLE BRUSH RETAINER
- + MIM (METAL INJECTED MOLDED) TRIGGER
- + LIGHT WEIGHT COMPOSITE STOCK
- + 7/8" PICATINNY RAILS
- + FINGER SAFETY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + 4 X 32 SCOPE
- + ROPE COCKING DEVICE
- + LIGHTWEIGHT QUIVER
- + TWO 20" HEADHUNTER ARROWS



**MOSSY OAK
BREAK-UP**

#78082
0 42609 78082 2

MOSTLY ASSEMBLED

DEALER ONLY

U.S. PATENT: 9,097,485; 9,395,143

*Speed test using 380 gr. arrow

RECRUIT TERRAIN



330 FEET
PER
SECOND*

DRAW WEIGHT **140 LBS** | KINETIC ENERGY **91.9 FT LBS** | POWER STROKE **12.5"**

OVERALL WEIGHT **6.4 LBS** | AXLE TO AXLE **16.125"** | DIMENSIONS **34.25"L x 18.25"W**

FEATURES



- + 3LB. ZERO-CREEP RELEASE
- + ALL STAINLESS STEEL COMPONENTS
- + NOCK SENSOR & ADF ELIMINATE DRY FIRES

- + ADF (ANTI-DRY FIRE) TRIGGER SYSTEM
- + BRISTLE BRUSH RETAINER
- + MIM (METAL INJECTED MOLDED) TRIGGER
- + LIGHT WEIGHT COMPOSITE STOCK
- + 7/8" PICATINNY RAILS
- + FINGER SAFETY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + 4 X 32 SCOPE
- + ROPE COCKING DEVICE
- + LIGHTWEIGHT QUIVER
- + TWO 20" HEADHUNTER ARROWS
- + LUBEWAX



DESERT TAN

#78125
0 42609 78125 6




NEW

MOSTLY ASSEMBLED

U.S. PATENT: 9,097,465; 9,395,143

*Speed test using 380 gr. arrow

RECRUIT TACTICAL



330 FEET
PER
SECOND*

DRAW WEIGHT **130 LBS** | KINETIC ENERGY **91.9 FT LBS** | POWER STROKE **12.5"**

OVERALL WEIGHT **6.4 LBS** | AXLE TO AXLE **16.125"** | DIMENSIONS **34.25"L x 18.25"W**

FEATURES



- + 3LB. ZERO-CREEP RELEASE
- + ALL STAINLESS STEEL COMPONENTS
- + NOCK SENSOR & ADF ELIMINATE DRY FIRES

- + ADF (ANTI-DRY FIRE) TRIGGER SYSTEM
- + BRISTLE BRUSH RETAINER
- + MIM (METAL INJECTED MOLDED) TRIGGER
- + LIGHT WEIGHT COMPOSITE STOCK
- + 7/8" PICATINNY RAILS
- + FINGER SAFETY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + PREMIUM RED DOT SCOPE
- + ROPE COCKING DEVICE
- + LIGHTWEIGHT QUIVER
- + TWO 20" HEADHUNTER ARROWS
- + LUBEWAX



BLACK

#78134
0 42609 78134 8



NEW

MOSTLY ASSEMBLED

DEALER ONLY

U.S. PATENT: 9,097,465; 9,395,143

*Speed test using 380 gr. arrow



RECRUIT
RECURVE

BEHOLD THE POWER OF THE
WORLD'S MOST ADVANCED
ARCHERY EQUIPMENT
THE NEW RECURVE



RECURVE CROSSBOWS

To honor the rich crossbow heritage that's been the bedrock for archers throughout the centuries, there is the Barnett™ Recruit Recurve Crossbow.

This classic design combines tradition with modern technology to provide a responsive touch that delivers an incredibly quick and precise strike.



INTEGRATED CRANK
AVAILABLE



METAL INJECTED
TRIGGER



ANTI-VIBRATION
FOOT STIRRUP



ANTI-DRY FIRE
TRIGGER

► RECURVE CROSSBOW

RECRUIT RECURVE

245 FEET
PER
SECOND



DRAW WEIGHT 150 LBS | KINETIC ENERGY 65 FT LBS | POWER STROKE 12.5"

OVERALL WEIGHT 5.0 LBS | DIMENSIONS 32.5" L x 27.675" W



FEATURES

- + ADF (ANTI-DRY FIRE) TRIGGER SYSTEM
- + BRISTLE RETAINER
- + MIM (METAL INJECTED MOLDED) TRIGGER
- + LIGHT WEIGHT COMPOSITE STOCK
- + AVI FOOT STIRRUP
- + 7/8" PICATINNY RAILS
- + PRE-STRUNG LIMB
- + FINGER SAFETY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + RED DOT SCOPE
- + LIGHTWEIGHT QUIVER
- + THREE 18" ALUMINUM ARROWS
- + LUBEWAX



BLACK

#78615
0 42609 78615 2

U.S. PATENT: 9,395,143









YOUTH CROSSBOWS

Young archers represent hunting's future. To ensure that this next generation experiences all the thrills of sighting-in, shooting and succeeding, Barnett™ has developed a full line of versatile and light-weight starter crossbows. Designed with advanced safety mechanisms and adjustable ergonomic elements to fit younger hunters, Barnett is where traditions start.



INTEGRATED CRANK
AVAILABLE



METAL INJECTED
TRIGGER



ANTI-VIBRATION
FOOT STIRRUP



ANTI-DRY FIRE
TRIGGER

▶ YOUTH CROSSBOWS

RECRUIT YOUTH 100

256 FEET
PER
SECOND


RECRUIT YOUTH 100

DRAW WEIGHT 100 LBS | KINETIC ENERGY 58.2 FT LBS | POWER STROKE 12.5"

OVERALL WEIGHT 6.4 LBS | AXLE TO AXLE 16.125" | DIMENSIONS 34.25"L x 18.25"W



#78653 | 0 42609 78653 4



FEATURES

- + ADF (ANTI-DRY FIRE) TRIGGER SYSTEM
- + BRISTLE BRUSH RETAINER
- + MIM (METAL INJECTED MOLDED) TRIGGER
- + LIGHTWEIGHT COMPOSITE STOCK
- + AVI FOOT STIRRUP
- + 7/8" PICATINNY RAILS
- + FINGER SAFETY REMINDERS
- + PASS THROUGH FOREGRIP

INCLUDES

- + RED DOT SCOPE
- + ROPE COCKING DEVICE
- + LIGHTWEIGHT QUIVER
- + THREE 20" ARROWS
- + LUBEWAX

U.S. PATENT: 9,395,143





256
FEET PER SECOND

RECRUIT YOUTH 100

DRAW WEIGHT **100 LBS** | KINETIC ENERGY **58.2 FT LBS** | POWER STROKE **12.5"**

OVERALL WEIGHT **6.4 LBS** | AXLE TO AXLE **16.125"** | DIMENSIONS **34.25"L x 18.25"W**



#78649 | 0 42609 78649 7




195
FEET PER SECOND

RECRUIT YOUTH 60

DRAW WEIGHT **60 LBS** | KINETIC ENERGY **33.8 FT LBS** | POWER STROKE **12.5"**

OVERALL WEIGHT **6.3 LBS** | AXLE TO AXLE **16.125"** | DIMENSIONS **34.25"L x 18.25"W**



#78652 | 0 42609 78652 7




140
FEET PER SECOND

RECRUIT YOUTH 30

DRAW WEIGHT **30 LBS** | KINETIC ENERGY **17.4 FT LBS** | POWER STROKE **12.5"**

OVERALL WEIGHT **6.3 LBS** | AXLE TO AXLE **16.125"** | DIMENSIONS **34.25"L x 18.25"W**



#78651 | 0 42609 78651 0



CROSSBOW ACCESSORIES

Barnett™ has your hunt covered. Everything you need for a successful crossbow experience is provided from quivers to cranks to cases. These items are developed with the same attention to detail to make sure you never miss an opportunity to get after it.

SCOPES, ARROWS, & BROADHEADS



4 x 32 MULTI-RETICLE SCOPE

Water-proof and shock-resistant scope that allows for shooting at various yardage quickly and easily.

#17060 | 0 42609 17060 9



PREMIUM RED DOT SIGHT

This varying dot intensity sight is the perfect choice for any bow and simplifies your shooting experience.

#17054 | 0 42609 17054 8



THREE 22" CARBON ARROWS

**430 Grain Overall Weight
100 Grain Field Point**

- + Designed for speed, accuracy and to maintain down range energy
- + Package serves as a protective case, hinged cage design protects broadheads and fletching
- + Easy to transport in the field
- + Built-in treestand hook hole

Only use arrows with half-moon nocks and a weight of no less than 400 grains

#16422 | 0 42609 16422 6



THREE 20" CARBON ARROWS

**415 Grain Overall Weight
100 Grain Field Point**

- + Designed for speed, accuracy and to maintain down range energy
- + Package serves as a protective case, hinged cage design protects broadheads and fletching
- + Easy to transport in the field
- + Built in treestand hook hole

Only use arrows with half-moon nocks and a weight of no less than 400 grains

#16420 | 0 42609 16420 2

THUMP DECELERATOR DE-COCKING ARROW

- + Unique impact breaking system
- + Re-usable design
- + Safety arrow head
- + Fits any quiver

THUMP 1 ARROW DE-COCKING SYSTEM
#17525 | 0 42609 17525 3

THUMP 3 PACK DE-COCKING SYSTEM
#17526 | 0 42609 17526 0



EVAC CROSSBOW DE-ACTIVATION BOLTS

- + De-cocking bolts for a safe and controlled crossbow deactivation (5 bolts included)
- + Glow in the dark for correct fletch and nock track alignment 500 Grains
- + Ready to snap into Barnett lightweight quiver

EVAC SINGLE USE 5 PACK | #17190 | 0 42609 17190 3



EVAC bolt in daylight



EVAC bolt in the dark



BARNETT™ CROSSBOW ARROWS

Barnett 18" and Headhunter™ 20" and 22" arrows specifically made for superior performance.

5-18" BARNETT ALUMINUM ARROWS W/ FIELD POINTS & MOON NOCK
Item# 16107 - UPC 0 42609 16107 2



5-20" HEADHUNTER™ ARROWS W/ FIELD POINTS & MOON NOCK-400 Grain
#16075 | 0 42609 16075 4



BULK PACK (48) 20" HEADHUNTER™ ARROWS & MOON NOCK
#19002 | 0 42609 19002 7

5-20" PRO LITE CROSSBOW ARROW-380 GRAIN



5-22" HEADHUNTER™ ARROWS W/ FIELD POINTS & MOON NOCK-400 Grain
#16079 | 0 42609 16079 2

BULK PACK (48) 22" HEADHUNTER™ ARROWS & MOON NOCK
#19000 | 0 42609 19000 3

5-22" PRO LITE CROSSBOW ARROW-380 GRAIN

SIDE MOUNT QUIVER

Our Side Mount Quiver is designed to sit parallel to the flight track so your crossbow bolts are always at arms length away. The quiver itself can also be detached from the mounting bracket with one easy click for quick reloading.

#10206 | 0 42609 10206 8



CRANK COCKING DEVICES & ACCESSORIES



PREDATOR CRANK COCKING DEVICE

Reduces cocking tension to 17 lbs. This device will also slide on and off of the dovetail, streamlining equipment and allowing for a more comfortable fit. The handle is quickly installed for right or left-handed hunters.

For use with the Predator Series and Revolution Series.
#17057 | 0 42609 17057 9



CRANK COCKING DEVICE

Designed to be fully integrated into the stock of the bow for a low profile, comfortable fit. The handle can be easily adjusted for right or left-handed hunters and can be removed after each use. Reduces cocking tension to 17 lbs.

For Power Stroke over 16"
#17450 | 0 42609 1745 8
For Power Stroke under 16"
#17455 | 0 42609 17455 3



BARNETT ROPE COCKING DEVICE

This tool simplifies cocking any crossbow by decreasing the cocking tension by half. Handles allow for a firm hold and the rope may be adjusted to fit both the bow and user.

Always use with the hooks facing up.
#17014 | 0 42609 17014 2



#17079 BARNETT TALON™ CROSSBOW SLING

Designed specifically for Barnett Crossbows, the Talon offers extreme grip, even in less than perfect conditions. Adjustable from 32" to 40", and a quick release feature so that weapons are quickly and quietly released without tools.

#17079 | 0 42609 17079 1



#16061 BARNETT LUBEWAX

Barnett's Lubewax protects and extends the life of your crossbow's strings. Use after every 5 shots.

#16061 | 0 42609 16061 7



CROSSBOW CASES


WHITETAIL HUNTER™ BALLISTIC CASE

#17462 | 0 42609 17462 1



TRUBARK® COMPACT BALLISTIC CASE

#17463 | 0 42609 17463 8



BLACKSPUR® BALLISTIC CASE

#17464 | 0 42609 17464 5



FEATURES

- + EVA CUSTOM FIT
- + FITS ALL RECRUIT COMPOUND, RAZR ICE RAPTOR, WHITETAIL HUNTER, AND BLACKSPUR TT SERIES
- + HIGH DEFINITION CAMO
- + WATERPROOF ZIPPER
- + ERGONOMICALLY DESIGNED CARRYING HANDLE
- + PASS THRU FOOT STIRRUP FOR EASY HANGING
- + PADDED FOR SAFE TRANSPORT
- + 21"W X 35"L



#17083 CROSSBOW CASE

This soft side crossbow case offers protection for your bow and easy access to your hunting or shooting accessories.

#17083 | 0 42609 17083 8

► CROSSBOW PRODUCT OVERVIEW

SOLD THROUGH ALL CHANNELS – MOSTLY ASSEMBLED							WITH 380 GR. ARROW		WITH 400 GR. ARROW				
NEW	MODEL #	UPC	TriggerTech	DRAW WEIGHT	POWER STROKE	FPS	KINETIC ENERGY	FPS	KINETIC ENERGY	WEIGHT	DIMENSIONS	FINISH	
	RAZR ICE	78500	0 42609 78500 1	●	185 LBS	14.375"	390	128 FT LBS	380	128 FT LBS	7.2 LBS	35.5"L x 29"W	Mossy Oak Treestand
	GHOST 420™	78501	0 42609 78501 8	●	185 LBS	15.375"	420	149 FT LBS	415	153 FT LBS	7.6 LBS	37.4"L x 22"W	Mossy Oak Monochrome
●	BC REVENGEANCE	78121	0 42609 78121 8	●	145 LBS	18"	400	135 FT LBS	390	135 FT LBS	8.4 LBS	33.75"L x 23.25"W	Realtree APG
●	VICIOUS™	78122	0 42609 78122 5	●	150 LBS	15.375"	340	97.6 FT LBS	330	97 FT LBS	6.4 LBS	31.7"L x 20.1"W	Kryptek Highlander
●	GHOST 375™	78100	0 42609 78100 3	●	165 LBS	14.125"	385	125 FT LBS	375	125 FT LBS	7.1 LBS	36.25"L x 22.5"W	Realtree Max-1
●	LADY WHITETAIL HUNTER™	78124	0 42609 78124 9	●	150 LBS	12.5"	350	103 FT LBS	340	103 FT LBS	6.4 LBS	34.25"L x 18.25"W	Trubark (Pink)
	RECRUIT RECURVE	78615	0 42609 78615 2		150 LBS	12.5"			245	65 FT LBS	5.0 LBS	32.5"L x 27.675"W	Black
MOSTLY ASSEMBLED													
●	WHITETAIL HUNTER PRO™	78113	0 42609 78113 3	●	160 LBS	12.5"	380	122 FT LBS	370	122 FT LBS	6.4 LBS	35.3"L x 17.75"W	Trubark
●	BC DROPTINE XT	78129	0 42609 78129 4	●	145 LBS	13.5"	360	109 FT LBS	350	109 FT LBS	7.0 LBS	35.75"L x 21"W	Realtree Hardwoods
●	WHITETAIL HUNTER II™	78128	0 42609 78128 7	●	150 LBS	12.5"	350	103 FT LBS	340	103 FT LBS	6.4 LBS	34.25"L x 18.25"W	Realtree Xtra
●	RECRUIT TERRAIN	78125	0 42609 78125 6	●	140 LBS	12.5"	330	91.9 FT LBS	300	80 FT LBS	6.4 LBS	34.25"L x 18.25"W	Desert Tan
DEALER ONLY BOWS – MOSTLY ASSEMBLED													
●	RAPTOR FX3 PRO	78127	0 42609 78127 0	●	160 LBS	12.5"	380	122 FT LBS	360	115 FT LBS	6.4 LBS	35.25"L x 17.75"W	Realtree Xtra
●	EDGE™	78123	0 42609 78123 2	●	135 LBS	14.675"	360	109 FT LBS	350	109 FT LBS	8.0 LBS	36.2"L x 21.88"W	Realtree AP
●	WILDCAT C7™	78131	0 42609 78131 7	●	125 LBS	14.125"	330	91.9 FT LBS	320	91 FT LBS	7.0 LBS	35.75"L x 21.75"W	Black
●	RAPTOR FX3	78132	0 42609 78132 4	●	150 LBS	12.5"	350	103 FT LBS	330	97 FT LBS	6.4 LBS	34.25"L x 18.25"W	Realtree Hardwoods
●	ROGUE	78082	0 42609 78082 2	●	165 LBS	11.375"	330	91.9 FT LBS	320	91 FT LBS	7.5 LBS	36"L x 21"W	Mossy Oak Break-Up
●	RECRUIT TACTICAL	78134	0 42609 78134 8	●	130 LBS	12.5"	330	91.9 FT LBS	300	80 FT LBS	6.4 LBS	34.25"L x 18.25"W	Black
SPRING SPECIAL BOW & NWT SPECIAL ITEM													
●	BLACKSPUR TT™	78135	0 42609 78135 5	●	150 LBS	12.5"	340	97.6 FT LBS	330	97 FT LBS	6.2 LBS	34.25"L x 18.25"W	Turkey Pattern
YOUTH CROSSBOWS													
	RECRUIT YOUTH 100	78653	0 42609 78653 4		100 LBS	12.5"			256	58.2 FT LBS	6.4 LBS	34.25"L x 18.25"W	Tan
	RECRUIT YOUTH 100	78649	0 42609 78649 7		100 LBS	12.5"			256	58.2 FT LBS	6.4 LBS	34.25"L x 18.25"W	Pink
	RECRUIT YOUTH 60	78652	0 42609 78652 7		60 LBS	12.5"			195	33.8 FT LBS	6.3 LBS	34.25"L x 18.25"W	Olive
	RECRUIT YOUTH 30	78651	0 42609 78651 0		30 LBS	12.5"			140	17.4 FT LBS	6.3 LBS	34.25"L x 18.25"W	Yellow





GET AFTER IT.™



PLANO SYNERGY
FORGE FORWARD

DRAW TOGETHER

Barnett has always focused on who the archer is. That is why our youth bows and accessories are the perfect fit for families to draw together. Archery is the fastest growing sport in America because of the strength, focus and confidence involved. It is family-oriented, yet can be done solo. If you want to start youth archers off on the right draw, equip them with Barnett.

VORTEX™ SERIES COMPOUND BOW

For young archers ready to take on big game, there is the Vortex Hunter. With serious hunting power packed into a lightweight manageable size, this bow provides everything new hunters will need to find success.

VORTEX™ HUNTER COMPOUND BOW

45-65 LBS

DRAW WEIGHT

26-30in. draw length

Adjustable in 1" increments

60%-70% let off

Right handed bow

Package serves as a carry case

Constructed to ATA/AMO AA standards

#1104 • UPC: 0 4260901104 9





VORTEX™ COMPOUND BOW

DRAW WEIGHT
19-45LB.

- 21-27in. draw length
 - Adjustable in 1" increments
 - 60%-70% let off
 - Right handed bow
 - Package serves as a carry case
 - Constructed to ATA/AMO standards
-

#1105 • UPC: 0 4260901105 6



VORTEX™ H20 COMPOUND BOW

DRAW WEIGHT
31-45LB.

- 26.625-28in. draw length
 - Adjustable in 1" increments
 - 60%-70% let off
 - Right handed bow
 - Package serves as a carry case
 - Constructed to ATA/AMO standards
-

#1108 • UPC: 0 4260901108 7



VORTEX™ LITE COMPOUND BOW

DRAW WEIGHT
18-29LB.

- 22-25in. draw length
 - Adjustable in 1" increments
 - 60%-70% let off
 - Right handed bow
 - Package serves as a carry case
 - Constructed to ATA/AMO standards
-

#1109 • UPC: 0 4260901109 4

TOMCAT™ COMPOUND BOW 2

NEW FOR
2017

17-22 LB

DRAW WEIGHT

AGES: 8-12

20-22in. draw length

Adjustable in 1" increments

60%-70% let off

Right handed bow

3 Pin Fiber Optic "Brightglo" sight

Accessories include:

Soft Touch finger rollers,
two arrows

Constructed to ATA/AMO standards

TOMCAT GREEN #1278

UPC: 0 4260901278 7

TOMCAT ORANGE #1281

UPC: 0 4260901281 7



QUICKSILVER™ RECURVE BOW

**NEW FOR
2017**

15 LB

DRAW WEIGHT

AGES: 5-8

18-22in. draw length

Ambidextrous riser

Soft Touch reinforced grip

Accessories include:
finger rollers, two arrows,
adjustable sight pin

#1276 • UPC: 0 4260901276 3



WILDHAWK™ COMPOUND BOW

NEW FOR
2017

18 LB

DRAW WEIGHT

AGES: 5-8

18-22in. draw length

Ambidextrous riser
(Dealer assistance required)

Soft Touch reinforced grip

Accessories include: finger rollers,
two arrows, adjustable sight pin

#1269 • UPC: 0 4260901269 5



VERTIGO™ COMPOUND BOW

NEW FOR 2017

25 LB

DRAW WEIGHT

AGES: 7-10

24-26in. draw length

Ambidextrous riser
(Dealer assistance required)

Soft Touch reinforced grip

Visually enhanced cams

Accessories include: finger rollers,
two arrows, adjustable sight pin

#1265 • UPC: 0 4260901265 7



BLACKCAT™ RECURVE BOW

15-20 LB

DRAW WEIGHT

Up to 24in. draw length

Right handed bow

3 pin Fiber Optic "Brightglo" sight

Soft Touch reinforced grip

Accessories include: finger tab, two
arrows, arrow rest & quiver

Package serves as a carrying case

#1153 • UPC: 0 4260901153 7



SPORTFLIGHT™ RECURVE BOW

25 LB

DRAW WEIGHT

24-27in. draw length

Ambidextrous riser

Soft Touch reinforced grip

Accessories include: finger tab, two
arrows, adjustable sight pin

Package serves as a carrying case

#1073 • UPC: 0 4260901073 8



SLINGSHOTS & ACCESSORIES



PRO DIABLO™ SLINGSHOT

Upgrade to professional status. The 3-piece stabilizer and adjustable sight take you to another level of slingshot accuracy.

Sight System	Weighted stabilizer
Wrist brace	Standard power bands
Contoured 'Soft Touch' grip	Complete shooting guide

Pro Diablo Slingshot #17005
UPC: 0 4260917005 0



DIABLO™ SLINGSHOT

Get increased power and precision with the Diablo. Complete with detachable wrist brace, this top-performer will fit you like a glove.

Detachable wrist brace	Standard power bands
Contoured 'Soft Touch' grip	Complete shooting guide
Weighted stabilizer	

Diablo Slingshot #17066
UPC: 0 4260917066 1



COBRA™ SLINGSHOT

The Cobra revolutionized slingshot design with increased performance and precision. Its one-of-a-kind front stabilizer and sight system adds a new level of accuracy.

Extended detachable wrist brace	Contoured 'Soft Touch' grip
Magnum red power bands	Complete shooting guide
	Ships with target ammo

Cobra Slingshot #16043
UPC: 0 4260916043 3



BLACK WIDOW™ SLINGSHOT

It's the design that changed slingshots forever. The Black Widow introduced the concept of the foldaway wrist brace for easier portability and storage.

Fold-away wrist brace
Standard bands
Ships with target ammo

Black Widow Slingshot #17018
UPC: 0 4260917018 0



REPLACEMENT BANDS

Manufactured to fit all Barnett Slingshots

Magnum with Leather Pouch #16000
UPC: 0 4260916000 6
Standard with Leather Pouch #16045
UPC: 0 4260916045 7



STRIKE NINE™ SLINGSHOT

It's the ideal introduction to the sport. The Strike Nine offers durable slingshot construction with solid range and accuracy.

Contoured 'Soft Touch' grip
Standard bands

Strike Nine Slingshot #17301
UPC: 0 4260917301 3



SLINGSHOT AMMO

Great for hunting small animals. Specifically designed to use with Barnett slingshots.

Trainer Ammo. Box of 100 #19204
UPC: 0 4260919204 5
.38 Cal Steel Ammo. Box of 50 #16087
UPC: 0 4260916087 7
.38 Cal Steel Ammo. Box of 140 #19205
UPC: 0 4260919205 2

SPITFIRE® BLOWGUN

SPITFIRE® BLOWGUN & DARTS

It's action and adventure that will take your breath away. Barnett's Spitfire Blowguns enable you to accurately launch suction-cup darts with just a puff of air. Each are fitted with one-way mouthpieces to prevent darts from being inhaled. Units feature 2 blowguns, 8 suction-cup darts and a bright multi-color target.

Available in packs of eight
Use pack as belt holster

Spitfire Blowgun. 2 per pack. #1066
UPC: 0 4260901066 0

Spitfire Replacement Darts. #16250
UPC: 0 4260916250 5



BANDIT® CROSSBOW & SAFETY DARTS

Get the feel of firing a real Barnett crossbow with this exciting toy designed to teach skill and accuracy. Built to provide years of enjoyment, this durable bow features front and back sights allowing you to accurately shoot Barnett safety darts up to 25 feet. Includes three suction-cup darts and a bright multi-color target.

Safety Darts. #16074
UPC: 0 4260916074 7

Bandit Toy Crossbow. #1154
UPC: 0 4260901154 4



TARGETS & ARROWS

JUNIOR ARCHERY ARROWS

3 Pack of specially created arrows for Barnett's line of youth archery products.

Available in bulk pack as well.

Jr Archery Arrows. 3 pack #19007
UPC: 0 4260919007 2

Jr Archery Arrows. Bulk Pack #19150
UPC: 0 4260919150 5



YOUTH ARCHERY TARGET

22" x 24" Ethafoam target
Designed for bows up to 25lb.

Youth Archery Target #1084
UPC: 0 4260901084 4



A person wearing a green jacket is seen from the chest up, positioned behind a chain-link fence. The scene is dimly lit, with a strong green color cast. The person's face is partially visible through the mesh of the fence.

BARNETT™

— ARCHERY —