

## Multi-Function Headlamps

**180 Lumens**  
**Dual-Light™**

**100/60 Lumens**  
**Spotlight**

**90/50 Lumens**  
**Floodlight**



**150/80 Lumens**  
**Spotlight**

**100 Lumens**  
**White Floodlight**

**9 Lumens**  
**Red Floodlight**

**18 Lumens**  
**Green Floodlight**



- Beam distance rated at 82/60 meters
- Dual brightness spotlight and multiple brightness/color floodlight modes
- Engineered polymer housing
- Powered by 3 AAA batteries (included)



These non-rechargeable multi-function headlamps each feature a multi-position tilt head design and include an elastic head strap with a non-slip lining. The top mounted dual switches provide high/low-brightness spotlight and high/low-brightness floodlight (4608), and high/low-brightness spotlight and white/red/green floodlight (4610) operation. Additionally, the spotlight & white floodlight settings on the 4608 can be selected simultaneously for even greater functionality. Power comes from 3 AAA premium batteries (included).



NSP-4608B



NSP-4610B

# Multi-Function Headlamps



### FEATURES

- CREE® LED technology – 50,000 + hours LED life
- High/low-brightness spotlight – high/low-brightness floodlight – Dual-Light™ (4608)
- High/low-brightness spotlight – white/red/green floodlight (4610)
- Focused spotlight beam for distance illumination
- Unfocused wide-beam floodlight for close-up illumination
- Colored floodlight for night vision preservation (4610)
- Dual-Light (spotlight & white floodlight mode at same time, 4608) for maximum versatility
- Engineered polymer housing
- Dual switches located on top of light
- Adjustable ratchet tilt head
- Non-slip elastic head strap
- Waterproof
- Impact & chemical resistant
- Powered by 3 premium AAA alkaline batteries (included)
- Limited Lifetime Warranty\*

### INCLUDED

- Headlamp
- 3 premium AAA alkaline batteries
- Non-slip elastic head strap



Model	UPC 0 17398
NSP-4608B	80236 9
NSP-4610B	80237 6



\*Limited Lifetime Warranty • Product is warranted to be free from defects in workmanship and materials for the original purchaser's lifetime. The Limited Lifetime Warranty includes the LEDs, housing and lenses. Rechargeable batteries, chargers, switches, electronics and included accessories are warranted for a period of two (2) years with proof of purchase. Disposable, non-rechargeable batteries are excluded from this warranty. Normal wear and failures which are caused by accidents, misuse, abuse, faulty installation and lightning damage are also excluded.

### NSP-4608B SPECIFICATIONS

- Lumens: high spotlight-100, low spotlight-60, high floodlight-90, low floodlight-50, dual-light-180
- Run-time: high spotlight-5 hrs, low spotlight-13.5 hrs, high floodlight-4.25 hrs, low floodlight-13.75 hrs, dual-light-2.5 hrs
- Beam distance: 82 meters
- Water rating: IP-X7
- Drop rating: 2 meters
- Width: 2.6in, height: 2.1in, depth: 1.8in, weight: 3.3oz

FL1 STANDARD	DUAL-LIGHT	HIGH	LOW
	180 LUMENS	100 LUMENS	60 LUMENS
	2h 30min	5h	13h
	82m	77m	55m
	1384cd	1506cd	775cd
	2m		1m

### NSP-4610B SPECIFICATIONS

- Lumens: high spotlight-150, low spotlight-80, white floodlight-100, red floodlight-9, green floodlight-18,
- Run-time: high spotlight-4 hrs, low spotlight-8 hrs, white floodlight-4 hrs, red floodlight-25 hrs, green floodlight-22.5 hrs,
- Beam distance: 60 meters
- Water rating: IP-X7
- Drop rating: 2 meters
- Width: 2.6in, height: 2.1in, depth: 1.8in, weight: 3.3oz

FL1 STANDARD	HIGH	LOW
	150 LUMENS	80 LUMENS
	4h	8h
	60m	43m
	1377cd	667cd
	2m	1m

## NSP-4608B


### Multi-Function Dual-Light™ Headlamp

<b>MARKET APPLICATIONS</b>	Law enforcement, search & rescue, aviation, industrial, automotive and hunting & recreation
<b>DESCRIPTION</b>	This non-rechargeable Multi-function Dual-Light™ Headlamp features a multi-position tilt head design and includes an elastic head strap with a non-slip lining. Utilizing Bayco's exclusive Dual-Light™ design, this headlamp combines a tight-beam long-throw spotlight, with a wide-beam close area floodlight. Rated at 100 & 60 lumens respectively, the high and low-brightness spotlight beams on this headlamp are designed for distance illumination. This headlamp also has two wide-beam floodlight settings rated at 90 & 50 lumens. The floodlight spreads out in a wide even pattern of light expressly for the purpose of providing illumination of areas that are close by. Additionally any combination of spotlight & floodlight settings can be selected simultaneously for even greater functionality. The top mounted dual switches provide high/low-brightness spotlight and high/low-brightness floodlight.
<b>CASE MATERIAL</b>	Engineered Polymer
<b>DIMENSIONS</b>	Width: 2.6 inches (66 mm) • Height: 2.1 inches (53 mm) • Depth: 1.8 inches (46 mm)
<b>WEIGHT</b>	Weight: 3.3 oz. (94 g) with batteries installed
<b>LENS</b>	Unbreakable polycarbonate with scratch resistant coating
<b>LIGHT SOURCE</b>	CREE® LEDs Impervious to shock with a 50,000 + hour lifetime
<b>LIGHT OUTPUT</b>	High-Brightness Spotlight: 100 lumens • Low-Brightness Spotlight: 60 lumens • High-Brightness Floodlight: 90 lumens • Low-Brightness Floodlight: 50 lumens • Dual-Light: 180 lumens
<b>ON/OFF</b>	Dual Switches. High/Low Spotlight, High/Low Floodlight, Dual-Light
<b>RUN-TIME</b>	High-Brightness Spotlight: 5 hours • Low-Brightness Spotlight: 13.5 hours • High-Brightness Floodlight: 4.25 hours • Low-Brightness Floodlight: 13.75 hours • Dual-Light: 2.5 hours
<b>BATTERY</b>	3 Premium AAA batteries (included)
<b>FEATURES</b>	<ul style="list-style-type: none"> <li>• CREE® LED technology – 50,000 + hours LED life</li> <li>• High/low-brightness spotlight – high/low-brightness floodlight –Dual-Light™</li> <li>• Focused spotlight beam for distance illumination</li> <li>• Unfocused wide-beam floodlight for close-up illumination</li> <li>• Dual-light (any spotlight &amp; floodlight mode at same time) for maximum versatility</li> <li>• Engineered polymer housing</li> <li>• Dual switches located on top of light</li> <li>• Adjustable ratchet tilt head</li> <li>• Non-slip elastic head strap</li> <li>• Waterproof</li> <li>• Impact &amp; chemical resistant</li> <li>• Powered by 3 AAA batteries (included)</li> </ul>
<b>WARRANTY</b>	Limited Lifetime Warranty • Includes the LEDs, housing and lenses. Rechargeable batteries, chargers, switches, electronics and included accessories are warranted for a period of two years with proof of purchase. Disposable, non-rechargeable batteries are excluded from this warranty. Normal wear and failures which are caused by accidents, misuse, abuse, faulty installation and lightning damage are also excluded.

**APPROVALS**



FL1 STANDARD	DUAL-LIGHT	HIGH	LOW
	180 LUMENS	100 LUMENS	60 LUMENS
	2h 30min	5h	13h
	82m	77m	55m
	15384cd	1506cd	775cd
	2m / 1m		





## Instruction Manual

### NSP-4608B/4610B

THANK YOU FOR SELECTING THE NIGHTSTICK NSP-4608B OR 4610B!

#### SAVE THESE INSTRUCTIONS

Please read these instructions before using this product. They include important safety and operation information.



#### WARNINGS

- NOT FOR USE ABOVE HAZARDOUS LOCATIONS
- DO NOT use in explosive atmospheres, near flammable liquids, or where explosion proof lamps are required.
- DO NOT use in the proximity of vehicles or equipment when there is a risk of flammable liquids coming into contact with the flashlight.
- DO NOT expose the batteries to water or salt water, or allow the batteries to get wet.
- DO NOT store the batteries with metallic objects that may cause a short circuit.
- Immediately discontinue use of the batteries if they emit an unusual smell, feel hot, change color, change shape or appear abnormal in any way.
- Keep out of the reach of children.

#### INSTALLING BATTERIES

- Unscrew the battery compartment door on the back of the headlamp.
- Insert the batteries per the outline inside the battery compartment. Observe the correct polarity of the batteries.
- Close the battery door and fasten the battery compartment door screw.
- The headlamp is now ready for use.

#### OPERATION

Two switches control all functions on both models.

##### NSP-4608B

#### SPOTLIGHT SWITCH

- First Press = spotlight high-brightness
- Second Press = spotlight low-brightness
- Third Press = off

#### FLOODLIGHT SWITCH

- First Press = floodlight high-brightness

- Second Press = floodlight low-brightness
- Third Press = off


##### NSP-4610B

#### SPOTLIGHT SWITCH

- First Press = spotlight high-brightness
- Second Press = spotlight low-brightness
- Third Press = white floodlight
- Fourth Press = off

#### FLOODLIGHT SWITCH

- First Press = red floodlight
- Second Press = green floodlight
- Third Press = off



#### BAYCO PRODUCTS LIMITED LIFETIME WARRANTY

##### WARRANTY

Bayco Products, Inc. warrants this product to be free from defects in workmanship and materials for the original purchaser's lifetime. The Limited Lifetime Warranty includes the LEDs, housing and lenses. Rechargeable batteries, chargers, switches, electronics and included accessories are warranted for a period of two years with proof of purchase. Disposable, non-rechargeable batteries are excluded from this warranty. Normal wear and failures which are caused by accidents, misuse, abuse, faulty installation and lightning damage are also excluded.

In the event that Bayco Products, Inc. receives notice that any product does not conform to its warranty, the original purchaser's sole and exclusive remedy, and Bayco Products, Inc.'s sole and exclusive liability, shall be for Bayco Products, Inc., at its sole option, to either repair or replace the non-conforming product in accordance with this limited warranty. The original purchaser shall follow the instructions below to qualify for a repair or replacement product. This is the only warranty, expressed or implied, including any warranty of merchantability or fitness for a particular purpose.

IN NO EVENT WILL BAYCO PRODUCTS, INC. OR ITS AFFILIATES OR SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND REGARDLESS OF THE FORM OF ACTION, WHETHER IN CONTRACT, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY OR OTHERWISE. THE TOTAL CUMULATIVE LIABILITY TO CUSTOMER, FROM ALL CAUSES OF ACTION AND ALL THEORIES OF LIABILITY, WILL BE LIMITED TO AND WILL NOT EXCEED THE PURCHASE PRICE OF THE PRODUCT PAID BY CUSTOMER.

If this product is used for rental purposes, the warranty term is reduced to 90 days from the date of purchase.

##### WARRANTY CLAIMS – USA

Return the product to the place of purchase for all warranty related issues. If this is not possible, contact Bayco Customer for a Return Goods Authorization (RGA). Do not return this product to Bayco without first receiving an RGA Number from Bayco Customer Service. When returning the product, the RGA Number must be written on the outside of the shipping box.

##### WARRANTY CLAIMS – OUTSIDE OF USA

Return the product to the place where purchased for all warranty related issues.

##### EXTENT OF COVERED WARRANTY WORK

Bayco will repair or replace this product at our option. If it is determined

that the warranty is no longer in effect, Bayco will contact you with a repair estimate before beginning any work.

**WARRANTY QUESTIONS**

If you have any questions about this warranty or any other Bayco product inquiries, please contact Bayco Customer Service .

**RECORD YOUR WARRANTY INFORMATION**

Please record your product information here for use with any warranty claim.

# ***BAYCO PRODUCTS LIMITED LIFETIME WARRANTY***

## **WARRANTY**

Bayco Products, Inc. warrants this product to be free from defects in workmanship and materials for the original purchaser's lifetime. The Limited Lifetime Warranty includes the LEDs, housing and lenses. Rechargeable batteries, chargers, switches, electronics and included accessories are warranted for a period of two years with proof of purchase. Disposable, non-rechargeable batteries are excluded from this warranty. Normal wear and failures which are caused by accidents, misuse, abuse, faulty installation and lightning damage are also excluded.

In the event that Bayco Products, Inc. receives notice that any product does not conform to its warranty, the original purchaser's sole and exclusive remedy, and Bayco Products, Inc.'s sole and exclusive liability, shall be for Bayco Products, Inc., at its sole option, to either repair or replace the non-conforming product in accordance with this limited warranty. The original purchaser shall follow the instructions below to qualify for a repair or replacement product. This is the only warranty, expressed or implied, including any warranty of merchantability or fitness for a particular purpose.

IN NO EVENT WILL BAYCO PRODUCTS, INC. OR ITS AFFILIATES OR SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND REGARDLESS OF THE FORM OF ACTION, WHETHER IN CONTRACT, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY OR OTHERWISE. THE TOTAL CUMULATIVE LIABILITY TO CUSTOMER, FROM ALL CAUSES OF ACTION AND ALL THEORIES OF LIABILITY, WILL BE LIMITED TO AND WILL NOT EXCEED THE PURCHASE PRICE OF THE PRODUCT PAID BY CUSTOMER.

If this product is used for rental purposes, the warranty term is reduced to 90 days from the date of purchase.

## **WARRANTY CLAIMS – USA**

Return the product to the place of purchase for all warranty related issues. If this is not possible, contact Bayco Customer Service for a Return Goods Authorization (RGA). Do not return this product to Bayco without first receiving an RGA Number from Bayco Customer Service. When returning the product, the RGA Number must be written on the outside of the shipping box.

## **WARRANTY CLAIMS – OUTSIDE OF USA**

Return the product to the place where purchased for all warranty related issues.

## **EXTENT OF COVERED WARRANTY WORK**

Bayco will repair or replace this product at our option. If it is determined that the warranty is no longer in effect, Bayco will contact you with a repair estimate before beginning any work.

## **WARRANTY QUESTIONS**

If you have any questions about this warranty or any other Bayco product inquiries, please contact Bayco Customer Service M-F 8-5 Central Time.

## Nightstick Product Battery Replacement Information

Product Part Number	How to Open Battery Compartment	Tool Required	Battery Type & Quantity	Replacing AA, AAA or AAAAA Alkaline w/ Rechargeable	Replacing CR-123 w/ Rechargeable	Battery Carrier Required	Nightstick Rechargeable Upgrade Option	Nightstick Rechargeable Replacement Battery	Intrinsically Safe Certification Alkaline Battery Requirements**
FDL-300R	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	No	No	N/A	N/A
FDL-300R-K01	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	No	No	N/A	N/A
MT-100	Unscrew Tail Cap	None	2 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
MT-100BL	Unscrew Tail Cap	None	2 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
MT-100CTD	Unscrew Tail Cap	None	2 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
MT-100R	Unscrew Tail Cap	None	2 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
MT-110	Unscrew Tail Cap	None	1 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
MT-120	Unscrew Tail Cap	None	2 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
MT-130	Unscrew Tail Cap	None	2 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
MT-140B	Unscrew Tail Cap	None	2 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
MT-200	Unscrew Tail Cap	None	2 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
MT-210	Unscrew Tail Cap	None	1 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
MT-220	Unscrew Tail Cap	None	2 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
MT-230	Unscrew Tail Cap	None	1 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
MT-90	Unscrew Tail Cap	None	1 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
MTU-106	Unscrew Tail Cap	None	2 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
MTU-136	Unscrew Tail Cap	None	2 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1102A	Slide Battery Cover toward base of light	None	2 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1136	Slide Battery Cover toward base of light	None	4 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1162	Slide Battery Cover toward base of light	None	4 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1164	Slide Battery Cover toward base of light	None	4 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1166	Slide Battery Cover toward base of light	None	4 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1168	Slide Battery Cover toward base of light	None	4 - AA	NiCad or NiMH Only*†	N/A	No	No	N/A	N/A

Product Part Number	How to Open Battery Compartment	Tool Required	Battery Type & Quantity	Replacing AA, AAA or AAAA Alkaline w/ Rechargeable	Replacing CR-123 w/ Rechargeable	Battery Carrier Required	Nightstick Rechargeable Upgrade Option	Nightstick Rechargeable Replacement Battery	Intrinsically Safe Certification Alkaline Battery Requirements**
NSP-1170	Slide Battery Cover toward base of light	None	4 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1172	Slide Battery Cover toward base of light	None	4 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1174	Slide Battery Cover toward base of light	None	4 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1174-K01	Slide Battery Cover toward base of light	None	4 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1176	Slide Battery Cover toward base of light	None	4 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1178	Slide Battery Cover toward base of light	None	4 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1180	Slide Battery Cover toward base of light	None	4 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1206B	Slide Battery Cover toward base of light	None	2 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1206R	Slide Battery Cover toward base of light	None	2 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1224B	Slide Battery Cover toward base of light	None	4 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1224CTD	Slide Battery Cover toward base of light	None	4 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1224R	Slide Battery Cover toward base of light	None	4 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1236	Slide Battery Cover toward base of light	None	4 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1260	Slide Battery Cover toward base of light	None	4 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1310CTD	Unscrew Cap at base of light	None	3 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1310RM	Unscrew Cap at base of light	None	3 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1312RM	Unscrew Cap at base of light	None	3 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1400B	Slide Battery Cover toward base of light	None	2 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1400R	Slide Battery Cover toward base of light	None	2 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1400T	Slide Battery Cover toward base of light	None	2 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1402B	Slide Battery Cover toward base of light	None	2 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1404B	Slide Battery Cover toward base of light	None	2 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-1632	Unscrew Cap at base of light	None	3 - AAA	NiCad or NiMH Only*	N/A	AAA Carrier	No	N/A	N/A
NSP-1634	Unscrew Cap at base of light	None	3 - AAA	NiCad or NiMH Only*	N/A	AAA Carrier	No	N/A	N/A



Product Part Number	How to Open Battery Compartment	Tool Required	Battery Type & Quantity	Replacing AA, AAA or AAAA Alkaline w/ Rechargeable	Replacing CR-123 w/ Rechargeable	Battery Carrier Required	Nightstick Rechargeable Upgrade Option	Nightstick Rechargeable Replacement Battery	Intrinsically Safe Certification Alkaline Battery Requirements**
NSP-1636	Unscrew Cap at base of light	None	3 - AAA	NiCad or NiMH Only*	N/A	AAA Carrier	No	N/A	N/A
NSP-2422B	Unscrew Bezel and slide Reflector/LED Module out	None	3 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-2422R	Unscrew Bezel and slide Reflector/LED Module out	None	3 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-410	Unscrew Tail Cap	None	1 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-420	Unscrew Tail Cap	None	3 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-430	Unscrew Tail Cap	None	2 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-4602B	Loosen fitting on back of head & rotate door downward	Slotted Screwdriver Screwdriver	3 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-4603B	Loosen fitting on back of head & rotate door downward	None	3 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-4604B	Loosen fitting on back of head & rotate door downward	Slotted Screwdriver Screwdriver	3 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-4605B	Loosen fitting on back of head & rotate door downward	None	3 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-4606B	Loosen fitting on back of head & rotate door downward	None	3 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-4608B	Loosen fitting on back of head & rotate door downward	Slotted Screwdriver	3 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-4608BC	Loosen fitting on back of head & rotate door downward	Slotted Screwdriver	3 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-4610B	Loosen fitting on back of head & rotate door downward	Slotted Screwdriver	3 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-4612B	Loosen fitting on rear battery compartment & rotate door downward	None	3 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-4614B	Loosen fitting on back of head & rotate door downward	None	3 - AAA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-4616B	Loosen fitting on rear battery compartment & rotate door downward	Phillips Screwdriver	3 - AA	NiCad or NiMH Only*	N/A	No	No	N/A	N/A
NSP-4650B	Loosen fitting on back of light & rotate door downward	Slotted Screwdriver	2 - CR-123	N/A	No, will damage product	No	No	N/A	N/A
NSP-9842XL	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	9842-CARRIER	9844-BATT Only	N/A	N/A
NSR-9844XL	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	9842-CARRIER	No	9844-BATT Only	N/A
NSR-9854XL	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	9842-CARRIER	No	9844-BATT Only	N/A
TAC-300B	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	No	No	N/A	N/A
TAC-300B-K01	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	No	No	N/A	N/A
TAC-300T	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	No	No	N/A	N/A

Product Part Number	How to Open Battery Compartment	Tool Required	Battery Type & Quantity	Replacing AA, AAA or AAAA Alkaline w/ Rechargeable	Replacing CR-123 w/ Rechargeable	Battery Carrier Required	Nightstick Rechargeable Upgrade Option	Nightstick Rechargeable Replacement Battery	Intrinsically Safe Certification Alkaline Battery Requirements**
TAC-300Y	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	No	No	N/A	N/A
TAC-302B	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	No	No	N/A	N/A
TAC-302B-K01	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	No	No	N/A	N/A
TAC-310XL	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	No	No	N/A	N/A
TAC-350B	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	No	No	N/A	N/A
TAC-360XL	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	No	No	N/A	N/A
TAC-400B	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	500-CARRIER	No	400-BATT Only	N/A
TAC-400T	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	500-CARRIER	No	400-BATT Only	N/A
TAC-400Y	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	500-CARRIER	No	400-BATT Only	N/A
TAC-410XL	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	500-CARRIER	No	560-BATT Only	N/A
TAC-450B	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	500-CARRIER	No	400-BATT Only	N/A
TAC-460XL	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	500-CARRIER	No	560-BATT Only	N/A
TAC-460XL-K01	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	500-CARRIER	560-BATT Only	N/A	N/A
TAC-500B	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	500-CARRIER	No	400-BATT Only	N/A
TAC-500T	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	500-CARRIER	No	400-BATT Only	N/A
TAC-500Y	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	500-CARRIER	No	400-BATT Only	N/A
TAC-510XL	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	500-CARRIER	No	560-BATT Only	N/A
TAC-540XL	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	500-CARRIER	560-BATT Only	N/A	N/A
TAC-550B	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	500-CARRIER	No	560-BATT Only	N/A
TAC-560XL	Unscrew Tail Cap	None	2 - CR-123	N/A	No, will damage product	500-CARRIER	No	560-BATT Only	N/A
XPP-5410G	Unscrew Tail Cap	Phillips Screwdriver	2 - AAA	Invalidates IS Certification	N/A	No	No	N/A	Energizer E92, Energizer EN92 Duracell MX2400, Duracell PC2400 or Duracell EN92
XPP-5412G	Unscrew Tail Cap	Phillips Screwdriver	3 - AAAA	Invalidates IS Certification	N/A	No	No	N/A	Duracell MX2500 or Energizer E96
XPP-5420B	Loosen Bezel Screw, unscrew Bezel and slide Reflector/LED Module out	Phillips Screwdriver	3 - AA	Invalidates IS Certification	N/A	No	No	N/A	Duracell PC1500, Energizer EN91 or Energizer L91
XPP-5420G	Loosen Bezel Screw, unscrew Bezel and slide Reflector/LED Module out	Phillips Screwdriver	3 - AA	Invalidates IS Certification	N/A	No	No	N/A	Duracell PC1500, Energizer EN91 or Energizer L91

Product Part Number	How to Open Battery Compartment	Tool Required	Battery Type & Quantity	Replacing AA, AAA or AAAA Alkaline w/ Rechargeable	Replacing CR-123 w/ Rechargeable	Battery Carrier Required	Nightstick Rechargeable Upgrade Option	Nightstick Rechargeable Replacement Battery	Intrinsically Safe Certification Alkaline Battery Requirements**
XPP-5420GX	Loosen Bezel Screw, unscrew Bezel and slide Reflector/LED Module out	Phillips Screwdriver	3 - AA	Invalidates IS Certification	N/A	No	No	N/A	Duracell PC1500, Energizer EN91 or Energizer L91
XPP-5422B	Loosen Bezel Screw, unscrew Bezel and slide Reflector/LED Module out	Phillips Screwdriver	3 - AA	Invalidates IS Certification	N/A	No	No	N/A	Duracell PC1500, Energizer EN91 or Energizer L91
XPP-5422G	Loosen Bezel Screw, unscrew Bezel and slide Reflector/LED Module out	Phillips Screwdriver	3 - AA	Invalidates IS Certification	N/A	No	No	N/A	Duracell PC1500, Energizer EN91 or Energizer L91
XPP-5422GX	Loosen Bezel Screw, unscrew Bezel and slide Reflector/LED Module out	Phillips Screwdriver	3 - AA	Invalidates IS Certification	N/A	No	No	N/A	Duracell PC1500, Energizer EN91 or Energizer L91
XPP-5422GM	Loosen Bezel Screw, unscrew Bezel and slide Reflector/LED Module out	Phillips Screwdriver	3 - AA	Invalidates IS Certification	N/A	No	No	N/A	Duracell PC1500, Energizer EN91 or Energizer L91
XPP-5422GMX	Loosen Bezel Screw, unscrew Bezel and slide Reflector/LED Module out	Phillips Screwdriver	3 - AA	Invalidates IS Certification	N/A	No	No	N/A	Duracell PC1500, Energizer EN91 or Energizer L91
XPP-5450G	Loosen fitting on back of head & rotate door downward	Phillips Screwdriver	3 - AAA	Invalidates IS Certification	N/A	No	No	N/A	Energizer E92 or Energizer EN92
XPP-5452G	Loosen fitting on back of head & rotate door downward	Phillips Screwdriver	3 - AAA	Invalidates IS Certification	N/A	No	No	N/A	Energizer E92 or Energizer EN92
XPP-5454G	Loosen fitting on back of head & rotate door downward	Slotted Screwdriver	3 - AAA	Invalidates IS Certification	N/A	No	No	N/A	Energizer E92 or Energizer EN92
XPP-5454GC	Loosen fitting on back of head & rotate door downward	Slotted Screwdriver	3 - AAA	Invalidates IS Certification	N/A	No	No	N/A	Energizer E92 or Energizer EN92
XPP-5456G	Loosen fitting on rear battery compartment & rotate door downward	Allen Wrench	3 - AA	Invalidates IS Certification	N/A	No	No	N/A	Duracell PC1500, Energizer EN91 or Energizer L91
XPP-5458G	Loosen fitting on rear battery compartment & rotate door downward	Allen Wrench	3 - AA	Invalidates IS Certification	N/A	No	No	N/A	Duracell PC1500, Energizer EN91 or Energizer L91
XPP-5570G	Loosen fitting on bottom of handle & rotate door open	Torx Wrench/Screwdriver	6 - AA	Invalidates IS Certification	N/A	5570-BATT	5572-BATT Only	N/A	Energizer EN91 or Energizer L91
XPP-5570GA	Loosen fitting on bottom of handle & rotate door open	Torx Wrench/Screwdriver	6 - AA	Invalidates IS Certification	N/A	5570-BATT	5572-BATT Only	N/A	Energizer EN91 or Energizer L91
XPP-5570R	Loosen fitting on bottom of handle & rotate door open	Torx Wrench/Screwdriver	6 - AA	Invalidates IS Certification	N/A	5570-BATT	5572-BATT Only	N/A	Energizer EN91 or Energizer L91
XPP-5570RA	Loosen fitting on bottom of handle & rotate door open	Torx Wrench/Screwdriver	6 - AA	Invalidates IS Certification	N/A	5570-BATT	5572-BATT Only	N/A	Energizer EN91 or Energizer L91
XPR-5572G	Loosen fitting on bottom of handle & rotate door open	Torx Wrench/Screwdriver	6 - AA	Invalidates IS Certification	N/A	5570-BATT	No	5572-BATT Only	Energizer EN91 or Energizer L91
XPR-5572GA	Loosen fitting on bottom of handle & rotate door open	Torx Wrench/Screwdriver	6 - AA	Invalidates IS Certification	N/A	5570-BATT	No	5572-BATT Only	Energizer EN91 or Energizer L91
XPR-5572R	Loosen fitting on bottom of handle & rotate door open	Torx Wrench/Screwdriver	6 - AA	Invalidates IS Certification	N/A	5570-BATT	No	5572-BATT Only	Energizer EN91 or Energizer L91
XPR-5572RA	Loosen fitting on bottom of handle & rotate door open	Torx Wrench/Screwdriver	6 - AA	Invalidates IS Certification	N/A	5570-BATT	No	5572-BATT Only	Energizer EN91 or Energizer L91
XPR-5572RM	Loosen fitting on bottom of handle & rotate door open	Torx Wrench/Screwdriver	6 - AA	Invalidates IS Certification	N/A	5570-BATT	No	5572-BATT Only	Energizer EN91 or Energizer L91

\* Not offered by Bayco Products. These would be commercially available rechargeable NiCad or NiMH Battery(ies). Do NOT use Lithium-ion Rechargeable Battery(ies)

\*\* Using a different battery other than what is listed will invalidate Intrinsically Safe Certification Rating

**Declaration of Conformity**  
**NSP-4608**

The equipment which accompanies this declaration is in conformity with EU Directive(s):  
**EU Directive 2011/65/EU**, concerning the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS), as adopted by EU member states on January 2, 2013 (including restrictions on the use of Deca-BDE) ("EU RoHS"). The specifics of this compliance are as follows:

**These Products are fully compliant and do not contain the restricted substances above levels noted in EU RoHS.**

Manufacturer: Bayco Products, Inc.

**A copy of the Technical file is maintained at:**  
Bayco Products, Inc.

**Description of Equipment (NSP-4608)**  
This product is a portable LED flashlight.



Signature:  
Bijan Bayat  
President / CEO  
3/01/2014



31 December, 2013

### EUROPEAN DECLARATION OF CONFORMITY

We, Bayco Products, Inc, declare under our sole responsibility that the product NSP-4608B, to which this declaration relates is in conformity with the following standard(s) or other normative document(s).

Council Directive 2006/95/EC (December 12, 2006) on Low Voltage Equipment Safety  
Council Directive 2004/108/EC (December 15, 2004) on Electromagnetic Compatibility

A handwritten signature in black ink, appearing to read "Bijan Bayat", is written over a horizontal dotted line.

Bijan Bayat  
President & CEO  
Bayco Products, Inc