

Page 1 of 6 **BC-008** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 6/24/2017

	1. PRODUCT & COMPANY IDENTIFICATION							
1.1	Product Name:	ALUMA BLACK® PAB17						
1.2	Chemical Name:	Acid Mixture						
1.3	Synonyms:	15125, 15132, 15121						
1.4	Trade Names:	Aluma Black® PAB17						
1.5	Product Use:	Metal Finishing						
1.6	Distributor's Name:	Birchwood Casey						

### 2. HAZARDS IDENTIFICATION

			<u> </u>	AZANDO I	<u> </u>		,,,,	<i>,</i> ,,						
2.1	Hazard Identification:	classification of DANGER! TO MAY CAUSE Hazard Stater damage. H37 May intensify for Precautionary — Avoid releast protection/ fact doctor/physicial Remove container to all	is classified as criteria of [NOH DXIC IF SWAL DAMAGE TO ments (H): H30 (3 - May cause fire; oxidizer. Hase to the envise protection. Pan. P305+P35 act lenses, if pan approved was	s a hazardous SC: 1088 (2004 LOWED. MAY ORGANS TH 01 – Toxic if s damage to org 1410 – Very toxi ): P220 - Keep vironment. P28 301+P310 - IF s 1+P338 IF IN E resent and eas ste disposal pla	substance )] and AE  ' CAUSE ROUGH wallowed. gans through to to aqua /Store aw 0 - Wea SWALLO EYES: Rir y to do. (ont.	e and G Cod SEVE PROLUMENT TO SEVE H314 ugh protectic life vay fron r protective DE I lase causes and several	as da le (Aus RE SH DNGE - Cau blonge with loo n cloth ective mmed utiously	ngeroustralia).  KIN BU D OR uses s d or re ng last ing/ co gloves iately c y with	JRNS REPE evere epeate ing eff mbust // prot call a F water	OR E EATED skin to d exponents. ible ma ective POISO for sev	YE DA EXPO Durns sure. aterials clothin N CEN veral r	AMAG OSUR and ey H272 s. P27 ng/ ey NTER oninutes	E. E. /e - 3 re or	
2.2	Effects of Exposure:	Eyes: Skin: Ingestion: Inhalation:	Skin: Burns upon direct contact.  Ingestion: Severe burns of mouth, throat, stomach.								age.			
2.3	Symptoms of Overexposure:	Eyes: Skin: Ingestion: Inhalation:	Eyes:       Redness, burning, irritation, and swelling around eyes         Skin:       Redness, burning, itching, rash, blistering of skin.         Ingestion:       Nausea, vomiting, severe abdominal pain.											
2.4	Acute Health Effects:		ul if inhaled. Ma		ely destru	ıctive t	o the t	issue d	of the r	nucou	s mem			upper respiratory
2.5	Chronic Health Effects:	May damage t	he nervous sys	stem, kidney an	d/or liver.									
2.6	Target Organs:	Eyes, skin, ne	rvous system, k	kidneys, liver, re	spiratory	systen	n, sple	en, blo	od for	ming o	rgans,	bones	6.	
				-										
		3. C	OMPOSIT	ION & ING	REDI	ENT	INF	ORN	/ATI	ON				
				1		<del></del>				SURE LI	MITS IN	I AIR (m	g/m³)	
						ACGIH		NOHSC			OSHA			
						pp	m		ppm			ppm		
CHEMI	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	TLV	STEL	IDLH	OTHER
	` '	7732-18-5	ZC0110000	231-791-2	60-100	NE	NE	NF	NF	NF	NE	NE	NE	OTHER
WATE	R		,											
CLIDE		7758-99-8	NA	NA	5-10	(1)	NA	NF	NF	NF	(1)	NA	1000	
CUPRI	IC SULFATE	Acute Tox. 4;	H302											
SELEN	IIOUS ACID	7783-00-8	VS7175000	231-974-7	1-5	(0.2)	NA	(0.2)	NF	NF	(0.2)	NA	NA	AS SE COMPOUNDS
				Aquatic Chronic				31, H40						
PHOS	PHORIC ACID	7664-38-2 Skin Corr. 1B	TB6300000 s; H314	231-633-2	1-3	(1)	(3)	1	3	NF	NA	NA	1000	
FLUOE	BORIC ACID	16872-11-0 Skin Corr. 1B	ED2685000 ; H314	240-898-3	0.1-3	2.5	NA	NF	NF	NF	2.5	NA	NA	as F
NICKE	L SULFATE	7786-81-4 Acute Tox. 4;	QR9600000 Skin Irrit. 2; Skin	232-104-9 I Sens. 1; Acute T 34, H341, H373, H		(0.1) Sens.	NA 1; Muta	NF a. 2; ST	NF OT RE	NF 1; Aqua	(1) atic Chr	NA onic 1;	NA	



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

## SAFETY DATA SHEET

Page 2 of 6 **BC-008** 

SDS Revision Date: 6/24/2017

4. FIRST AID MEASURES DO NOT INDUCE VOMITING. Contact SafetyCall or the nearest Poison Control 4 1 First Aid: Ingestion: Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, Eyes: holding evelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately. Skin: Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists and/or the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been properly cleaned. Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial Inhalation: respiration. Seek immediate medical attention. 4.2 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 3 Aggravated by Exposure: target organs (eyes, skin, respiratory system, liver, blood-forming **FLAMMABILITY** 0 organs) or impaired kidney function may be more susceptible to the **PHYSICAL HAZARDS** 0 effects of this substance. PROTECTIVE EQUIPMENT Н **EYES** LUNGS SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: Non-flammable. May react with metals to release hydrogen gas, which can form explosive mixtures with air. May intensity fire; oxidizer. 5.2 Extinguishing Methods: Use fire-extinguishing media appropriate for surrounding materials. 5.3 Firefighting Procedures: As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, phosphorous, selenium and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g., apron, boots, etc.) to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible, inert material such as vermiculite or sand to soak up the product and place into a container for later disposal. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid-resistant container. Use absorbent to pick up residue. Avoid discharging liquid directly into a sewer or surface waters 7. HANDLING & STORAGE INFORMATION Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out Work & Hygiene Practices: of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Immediately clean-up and decontaminate any spills or residues. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Store in acid-resistant containers. Keep containers covered when not in use. Avoid temperatures above 40°C (120°F). Keep away from incompatible substances (see Section 10). Protect containers from physical damage. 7.3 Special Precautions: Empty containers may retain hazardous product residues



11.8

11.9

Biological Exposure Indices:

Physician Recommendations:

NF

Treat symptomatically.

### SAFETY DATA SHEET

Page 3 of 6 **BC-008** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 6/24/2017 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Ventilation & Engineering Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the Controls handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eyewash station). 8.2 Respiratory Protection: In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. Eye Protection: 8.3 Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended. 8.4 Hand Protection: Wear protective, chemical-resistant gloves (e.g., neoprene) when using or handling this product. 8.5 Body Protection: A chemical resistant apron and/or protective clothing are recommended when handling or using this product. 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: 9.1 Clear, blue liquid 9.2 Odor: Odorless Odor Threshold: 9.3 NA 9.4 pH: < 1.0 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 > 100 °C (> 212 °F) Range: 9.7 Flashpoint NA 9.8 Upper/Lower Flammability NA Limits: Vapor Pressure: 9.9 NA 9.10 Vapor Density < 1.0 (air = 1.0) 9.11 Relative Density 1.099 9.12 Solubility Complete (water) 9.13 Partition Coefficient (log Pow): NA 9.14 **Autoignition Temperature** NA 9.15 Decomposition Temperature: NA 9.16 Viscosity: NA 9.17 Other Information: Evaporation Rate: < 1.0 (ethyl ether = 1.0) 10. STABILITY & REACTIVITY Stability: 10.1 Stable at normal temperatures. 10.2 Hazardous Decomposition Reaction with organics and strong reducing agents can produce organoselenides and hydrogen selenide. Thermal decomposition may produce selenium, nitrogen, phosphoric and copper oxides, and hydrogen fluoride gas. Hazardous Polymerization: 10.3 Will not occur 10.4 Conditions to Avoid: Excessive heat 10.5 Incompatible Substances Cyanides, water-reactive substances, strong reducing agents, chlorinated cleaners or sanitizers, combustible organic materials, and most metals. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: YES 11.1 Routes of Entry 11.2 Toxicity Data: Solution: LD<sub>50</sub> (oral, rat) = 1030 mg/kg; Phosphoric Acid: LD<sub>50</sub> (oral, rat) = 1530 mg/kg; LD<sub>50</sub> (oral, rat) = 4640 mg/kg; Nickel Sulfate:  $LD_{50}$  (oral, rat) = 361 mg/kg;  $LC_{50}$  (4h, rat) = 2.48 mg/L 11.3 Acute Toxicity: See Section 2.4 See Section 2.5 Chronic Toxicity 11.5 Suspected Carcinogen: Nickel Sulfate is listed as a human carcinogen (IARC Group 1, NTP) Reproductive Toxicity: 11.6 This product is not reported to cause reproductive toxicity in humans Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. This product contains nickel sulfate, which is reported to cause teratogenic effects in humans. Teratogenicity: Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: See Section 2.3



Page 4 of 6 **BC-008** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 6/24/2017 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: No data available. 122 Effects on Plants & Animals: No data available 12.3 Effects on Aquatic Life Very toxic to aquatic life with long lasting effects. Phosphoric Acid: EC<sub>50</sub> (Daphnia magna, 12h) = 4.6 mg/L 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler. U.S. EPA Hazardous Waste - Characteristic - Corrosive (D002), Characteristic - Toxic (D010) 13.2 Special Considerations: 14. TRANSPORTATION INFORMATION UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL  $\leq 5.0$  L) 49 CFR (GND): 14.2 IATA (AIR): (SELENIOUS CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. ACID, PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL ≤ 0.5 L) 14.3 IMDG (OCN): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC. N.O.S. (SELENIOUS ACID. PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L) 14.4 TDGR (Canadian GND): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L) 14.5 ADR/RID (EU): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L) 14.6 SCT (MEXICO): UN3264, LIQUIDOS, CORROSIVOS, ACIDO, INORGANICO, N.E.P. (ACIDO SELENIO, ACIDO FOSFORICO), 8, III, CANTIDAD LIMITADA (IP VOL ≤ 5.0 L) ADGR (AUS): 14.7 UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS PHOSPHORIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L) 15. REGULATORY INFORMATION 15.1 SARA Reporting This product contains Selenious Acid, Cupric Sulfate and Phosphoric Acid, substances subject to SARA Title III, section Requirements 313 reporting requirements. SARA Threshold Planning 15.2 NA Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. 15.4 **CERCLA Reportable Quantity** Selenious Acid: 10 lbs (4.54 kg); Cupric Sulfate: 10 lbs (4.54 kg); Phosphoric Acid: 5,000 lbs (2,270 kg) (RQ) 15.5 Other Federal Requirements: NA 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class E (Corrosive Material). WHMIS Class D1 (Materials Causing Immediate and Serious Toxic Effects). 15.7 State Regulatory Information: Selenious Acid is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know List (PA), and Wisconsin Hazardous Substances List (WI). Nickel Sulfate is found on the following state criteria lists: MA, and PA. Fluoboric Acid is found on the following state criteria lists: NJ. Phosphoric Acid is found on the following state criteria lists: FL, MA, MN, and PA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI) Other Requirements: The primary components of this product are listed in Annex I of EU Directive 67/548/EEC. Selenious Acid: Corrosive (C), Toxic (T). Risk Phrases (R): R35 - Causes severe burns. Safety Phrases (S): S1/2-7/9-24/25-26-28-46 - Keep locked up and out of the reach of children. Keep container tightly closed and in a well-ventilated place. Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash with plenty of soap and warm water. If swallowed, seek medical advice immediately and show this container or label



Page 5 of 6 **BC-008** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 6/24/2017 16. OTHER INFORMATION Other Information: DANGER! POISON. CORROSIVE. May be fatal if swallowed or harmful if inhaled. Causes severe burns to eyes and skin. Avoid excessive heat. Terms & Definitions: 16.2 See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Birchwood Casey's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: BIRCHWOOD 16.5 Prepared by:

> Dangerous Goods Training & Consulting



Page 6 of 6 **BC-008** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 6/24/2017

#### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

EXPOSURE	EXPOSURE LIMITS IN AIR:							
ACGIH	American Conference on Governmental Industrial Hygienists							
TLV Threshold Limit Value  OSHA U.S. Occupational Safety and Health Administration								
				PEL Permissible Exposure Limit				
IDLH	IDLH Immediately Dangerous to Life and Health							

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

CAS No. Chemical Abstract Service Number

0	Minimal Hazard					
1	1 Slight Hazard					
2	Moderate Hazard					
3	Severe Hazard					
4	Extreme Hazard					



#### PERSONAL PROTECTION RATINGS:













Reate

Synthetic Apron

Protective Clothing & Full Suit

Dust Respirator









#### OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus
Flam.	Flammable
Liq.	Liquid
Sol.	Solid
Tox.	Toxicity
Irrit.	Irritation
Sens.	Senitization
Ox.	Oxidizing
Corr.	Corrosion
Repr.	Reproductive (Harm)
Asp.	Aspiration
lnh.	Inhalation
Dam.	Damage
STOT SE	Specific Target Organ Toxicity – Single Exposure
STOT RE	Specific Target Organ Toxicity – Repeated Exposure

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILIT	FLAMMABILITY LIMITS IN AIR:									
Autoignition   Minimum temperature required to initiate combustion in air with no other sou										
Temperature of ignition										
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source									
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source									

#### HAZARD RATINGS:

0	Minimal Hazard
U	Willilla Hazalu
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	S
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>Io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>io</sub> , LD <sub>io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL <sub>m</sub>	Median threshold limit
log K <sub>ow</sub> or log K <sub>oc</sub>	Coefficient of Oil/Water Distribution

#### **REGULATORY INFORMATION:**

14/11/10	
WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

#### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>(2)</b>	<b>(2)</b>		$\odot$	(1)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### EC (67/548/EEC) INFORMATION:

1		M	*		<b>®</b>	×	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			<b>\ODES</b>		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environ- ment