







When that 10-pointer shows and you draw back... practice ends. You dial in, tense up and do everything in your power to keep it together. Bloodsport exists for this exact moment. With your pulse quickening and hands shaking, we remove all doubt that your arrow will deliver.

Bloodsport's arsenal of hand-selected arrows and precision broadheads are designed to ensure every shot is a lethal shot. Tested to the tightest tolerances and manufactured to the highest levels of accuracy, our archery products give you assurance when it matters most.

CONTENTS

- 4 Blood Ring™
- 6 R.O.C System

ARROWS

- 8 **NEW** Justice™
- 10 NEW Prosecuter™
- 12 Evidence™
- 14 Onyx™
- 16 Judgement™
- 18 Punisher™
- 20 Timberwolf™
- 21 Hunter
- 22 Athena™
- 23 Apocalypse

CROSSBOW ARROWS

- 24 Witness™
- 25 Hunter

BROADHEADS

- 26 **NEW** Reckoning™ Broadhead System
- 27 Wraith™ Broadhead System
- 28 Gravedigger®
- 30 Gravedigger® Extreme
- 32 Night Fury®
- 34 Night Fury® Extreme
- 36 High Voltage™
- 37 Nitefall™

ACCESSORIES

- 38 R.O.C. System & Brass Inserts
- 39 NEW Combo Pack
- 40 Product Overview





PROOF IS POWER. AND BLOODSPORT'S BLOOD RING™
IS PROOF YOU CAN SEE IN AN INSTANT. THE PATENTED
TECHNOLOGY IDENTIFIES WHICH ORGAN HAS BEEN HIT
BASED ON THE BLOOD TYPE AND COLOR ON THE RING. THESE
CLUES SERVE AS A MAP TO DIRECT YOUR PURSUIT FOR
IMPROVED ODDS AT A SUCCESSFUL RECOVERY.

U.S. Patents 9,121,678 • 9,366,513





R.O.C. SYSTEM



BLOODSPORT'S PATENTED RELIABLE OUTSERT COMPONENT (R.O.C.)
SYSTEM IS DESIGNED TO PERFECT MICRO-DIAMETER AND SMALL
DIAMETER ARROW PERFORMANCE. THE R.O.C. ADDS VALUABLE
FRONT-OF-CENTER AND ABSORBS THE SHOCK OF BROADHEAD
IMPACT BY TRANSFERRING ENERGY DOWN THE LENGTH OF THE
ARROW. THIS ADDS TREMENDOUS STRENGTH AT THE ARROW/
BROADHEAD CONNECTION WHERE OTHER ARROWS TYPICALLY FAIL.

J.S. Patent 9,638,499

NEW JUSTICE[™]

STRAIGHTNESS: .001"

The Justice[™] introduces the small diameter arrow to Bloodsport's ever-growing line of hunting arrows. Its .001-inch straightness produces undeniable field-point performance, while Rugged Wrap[™] construction shows no mercy in flight and on impact. Unwavering stability in an R.O.C. System optimized for the .204 diameter adds tremendous strength. Once he's down, Blood Ring[™] technology directs your efforts for a successful recovery.







R.O.C. 204 SYSTEM INCLUDED

(Color is shaft specific) U.S. Patent 9,638,499

MODEL#	SPINE	INNER DIAMETER	OUTER DIAMETER	GPI	ŌТY
BLDS150	500	.204"	.254"	6.9	6
BLDS140	400	.204"	.263"	8.3	6
BLDS135	350	.204"	.266"	8.7	6
BLDS130	300	.204"	.273"	9.8	6





	SPINE	BARESHAFT	ŌΤΥ	BULK PACK	ŌΤ
0	500	BLDS150B	12	BLDS150BP	36
	400	BLDS140B	12	BLDS140BP	36
	350	BLDS135B	12	BLDS135BP	36
	300	BLDS130B	12	BLDS130BP	36

NEW PROSECUTOR**

STRAIGHTNESS: .004"

Engineered for increased field-point accuracy, the Prosecutor™ offers archers a small diameter option to take down big game. Durable Rugged Wrap™ construction, Blood Ring™ technology and an ultra-stable R.O.C. 204 System ensure it will overcome any defendant.







R.O.C. 204 SYSTEM INCLUDED

(Color is shaft specific) U.S. Patent 9,638,499

MODEL#	SPINE	INNER DIAMETER	OUTER DIAMETER	GPI	ŌΤΥ
BLDS450	500	.204"	.254"	6.9	6
BLDS440	400	.204"	.263"	8.3	6
BLDS435	350	.204"	.266"	8.7	6
BLDS430	300	.204"	.273"	9.8	6





SPINE	BARESHAFT	ŌΤΥ	BULK PACK	ŌΤΥ
500	BLDS450B	12	BLDS450BP	36
400	BLDS440B	12	BLDS440BP	36
350	BLDS435B	12	BLDS435BP	36
300	BLDS430B	12	BLDS430BP	36

EVIDENCE

STRAIGHTNESS: .001"

Our best penetrating arrow ever. The Evidence™ is manufactured to a precise .001-inch straightness tolerance. Combined with its proprietary Rugged Wrap™ construction, it features thick walls with a micro-diameter shaft to provide unparalleled flight and penetration, even at long distances. This level of accuracy and toughness has yet to be duplicated.







R.O.C. SYSTEM INCLUDED

(Color is shaft specific) U.S. Patent 9,638,499

MODEL#	SPINE	INNER DIAMETER	OUTER DIAMETER	GPI	ŌΤΥ
PSA150106	500	.165"	.231"	8.2	6
PSA140106	400	.165"	.238"	9.1	6
PSA135106	350	.165"	.245"	10.2	6
PSA130106	300	.165"	.255"	11.7	6

2LOODSPORT EVIDENCE

EVIDENCE

SPINE	BARESHAFT	ŌΤΥ	BULK PACK	ŌΤΥ
500	BLDM150B	12	BLDM150BP	36
400	BLDM140B	12	BLDM140BP	36
350	BLDM135B	12	BLDM135BP	36
300	BLDM130B	12	BLDM130BP	36



STRAIGHTNESS: .004"

The Onyx™ provides the perfect combination of accuracy, toughness and front-of-center weighting. Thick, carbon-wall construction using our proprietary Rugged Wrap™ process creates strong ultra-small diameter arrows that deliver greater penetration and less wind drift. Shoot lights out.







R.O.C. SYSTEM INCLUDED

(Color is shaft specific) U.S. Patent 9,638,499

LOODSPORT

MODEL#	SPINE	INNER DIAMETER	OUTER DIAMETER	GPI	ŌТY
A17250406	500	.165"	.231"	8.2	6
A17240406	400	.165"	.238"	9.1	6
A17235406	350	.165"	.245"	10.2	6
A17230406	300	.165"	.255"	11.7	6

SPINE	BARESHAFT	QΤΥ	BULK PACK	ŌТY
500	BLDM450B	12	BLDM450BP	36
400	BLDM440B	12	BLDM440BP	36
350	BLDM435B	12	BLDM435BP	36
300	BLDM430B	12	BLDM430BP	36

JUDGEMENT

STRAIGHTNESS: .001"

Judgement comes swiftly and definitively. Designed for hunters seeking a fast, lightweight arrow, the Judgement™ features 100% carbon construction using our proprietary Rugged Wrap™ process. A standard diameter arrow, the Judgement is an incredible combination of speed, accuracy and toughness.

U.S. Patents
9,121,678 • 9,366,513

| DESPORT
| BLOOD RING™



MODEL#	SPINE	INNER DIAMETER	OUTER DIAMETER	GPI	ŌТY
PSB150106	500	.244"	.285"	6.5	6
PSB140106	400	.244"	.291"	7.4	6
PSB135106	350	.244"	.293"	7.9	6
PSB130106	300	.244"	.298"	9.1	6

LOODSPORT

SPINE	BARESHAFT	ŌΤΥ	BULK PACK	ŌΤΥ
500	BLD150B	12	BLD150BP	36
400	BLD140B	12	BLD140BP	36
350	BLD135B	12	BLD135BP	36
300	BLD130B	12	BLD130BP	36

PUNISHER

STRAIGHTNESS: .004"

Formulated with higher front-of-center weighting, the Punisher^{\mathbb{M}} puts on the hurt. This standard diameter arrow has exceptional down-range accuracy and bone-crushing penetration. Made of 100% carbon using our proprietary Rugged Wrap^{\mathbb{M}} construction, it will deliver fatal results.

U.S. Patents
9,121,678 · 9,366,513

PUNISHER**

BLOOD RING**



50 GR BRASS INSERT INCLUDED

Heavier grain inserts sold separately.

MODEL#	SPINE	INNER DIAMETER	OUTER DIAMETER	GPI	ОТY
B10050406	500	.244"	.285"	6.5	6
B10040406	400	.244"	.291"	7.4	6
B10035406	350	.244"	.293"	7.9	6
B10030406	300	.244"	.298"	9.1	6

LOODSPORT

SPINE	BARESHAFT	ŌΤΥ	BULK PACK	ŌΤΥ
500	BLD450B	12	BLD450BP	36
400	BLD440B	12	BLD440BP	36
350	BLD435B	12	BLD435BP	36
300	BLD430B	12	BLD430BP	36



STRAIGHTNESS: .004"

No other arrow masters advanced construction and a traditional design like the Timberwolf $^{\text{TM}}$. A carbon shaft paired with a true cherry wood overlay and classic shield-shaped feather fletching make this arrow ideal for recurve bows or hunters looking for a more authentic option. Go native with the Timberwolf.

MODEL#	SPINE	INNER DIAMETER	OUTER DIAMETER	GPI	QTY
1008506	500	.244"	.301"	7.8	6
1008406	400	.244"	.305"	8.4	6
1008306	350	.244"	.307"	9.3	6



SPINE	BARESHAFT	QΤY	BULK PACK	ŌΤΥ
500	BLDT450B	12	BLDT450BP	36
400	BLDT440B	12	BLDT440BP	36
350	BLDT435B	12	BLDT430BP	36



STRAIGHTNESS: .006"

It's the arrow that started it all. Bloodsport's classic Hunter continues to impress with Rugged Wrap $^{\text{TM}}$ construction, rock-solid precision and unmatched value. It features a standard diameter, 100% carbon shaft for a dependable performance suitable for every hunter.

MODEL#	SPINE	INNER DIAMETER	OUTER DIAMETER	GPI	ŌТY
25050006	500	.244"	.285"	6.5	6
25040006	400	.244"	.291"	7.4	6
25035006	350	.244"	.293"	7.9	6
25030006	300	.244"	.298"	9.1	6



12 GR ALUMINUM INSERT INCLUDED

SPINE	BARESHAFT	ŌΤΥ	BULK PACK	QTY
500	BLDH650B	12	BLDH650BP	36
400	BLDH640B	12	BLDH640BP	36
350	BLDH635B	12	BLDH635BP	36
300	ві пнезов	12	BLDH630BP	36



STRAIGHTNESS: .006"

Specially designed for lady archers, the Athena™ provides optimal impact at low draw weights. Made of 100% carbon and precisely manufactured to Bloodsport's strict specs, this baby is light, tough and deadly accurate. It's so deadly, we added the pink accents just to keep your man's hands out of the quiver.

MODEL#	SPINE	INNER DIAMETER	OUTER DIAMETER	GPI	QTY	
23151006	500	.244"	.285"	6.5	- 6 ₁	-







STRAIGHTNESS: .006"

The Apocalypse grants young archers premium performance right out of the box. Apocalypse arrows are engineered for smaller bows with draw weights of 55 pounds and below. Made with Rugged Wrap™ construction for extra durability, they feature an incredibly light 6.5 GPI. Aircraft aluminum inserts are included.

MODEL#	SPINE	INNER DIAMETER	OUTER DIAMETER	GPI	ŌТY	
21863006	500	.244"	.285"	6.5	6	



12 GR ALUMINUM INSERT INCLUDED

SPINE	BARESHAFT	ŌΤΥ	BULK PACK	ŌΤΥ
500	BLDAP50B	12	BLDAP50BP	36

STRAIGHTNESS: .003"

Witness crossbow perfection. Bloodsport's Witness™ arrows are designed for today's high-speed crossbows and available in two popular lengths. With a front-of-center design, these modern arrows fly at 400+ feet per second with wicked precision and deep penetration.

	MODEL#	SPINE	INNER DIAMETER	OUTER DIAMETER	TOTAL WEIGHT	ŌТY	
20"	B8110053	300	.300"	.344"	325 gr	6	
22"	B8112053	300	.300"	.344"	325 gr	6	
		INCI	.UDES HALF-MO	ON NOCKS	1 2 10	331	
	20" WITNESS	95 GR. E	RASS INSER	RT INCLUDED		a diam	1
	22" WITNESS	77 GR. E	RASS INSEF	T INCLUDED		表上升	

BLOOD RING™

U.S. Patents 9,121,678 • 9,366,513

HUNTER

STRAIGHTNESS: .003"

A true Bloodsport original, the Hunter crossbow arrow doesn't sacrifice quality or precision at the expense of value. This standard diameter arrow is made of 100% carbon using our proprietary Rugged Wrap $^{\rm TM}$ construction and the perfect companion on any crossbow hunt.

)	MODEL#	SPINE	INNER DIAMETER	OUTER DIAMETER	TOTAL WEIGHT	ŌТY	70
20"	8110003	300	.300"	.344"	300 gr	6	1. 1
22"	8112003	300	.300"	.344"	300 gr	6	
		INCLU	IDES HALF-MO	ON NOCKS	1.	7 8	100
	20" HUNTER	70 GR. BF	RASS INSEF	RT INCLUDED		TY-	1 :
	22" HUNTER	52 GR. BF	RASSINSER	RT INCLUDED	Akt.	17	0

NEW RECKONING THE BROADHEAD SYSTEM

The final reckoning is here. Bloodsport's new Reckoning™ platform pairs an upgraded universal ferrule with 100% stainless steel fixed blades in four menacing designs.

The 1%-inch Deep Cut sinks deep for maximum penetration, while the Wide Cut harnesses a 1½-inch diameter for deadly wound channels. All blades integrate tight tolerances for an enhanced fit that flies better and stronger.

- Revolutionary Scooptail® design accomplishes in-flight accuracy with a snowplow effect to deliver maximum penetration
- Accepts any Reckoning[™] blade style
- Specifically designed to ream arrow passageway for less friction

	MODEL#	GRAIN	PACK
WIDE CUT	BLDWC100	100	3
DEEP CUT	BLODC100	100	3

U.S. Patent #8,142,310





- 1%" cutting diameter
- Deep cut blades for maximum penetration
- · Cut-on-contact tip
- 100% stainless steel construction
- 0.03" thick blades hardened for extra sharpness





Available in two blade styles, the Wraith's revolutionary design combines flexibility with in-flight accuracy for terminal performance.

- Revolutionary Scooptail[®] design accomplishes in-flight accuracy with a snowplow effect to deliver maximum penetration
- Specifically designed to ream arrow passageway for less friction



	MODEL#	GRAIN	PACK
TURKEY BODY SHOT	10784	100	3
TURKEY LOPPER	10785	125	3

U.S. Patent #8.142.310



BODY SHOT

- 1%" cutting diameter
- Reverse-angle blades specifically designed for turkey body shots
- · Cut-on-contact tip
- 100% stainless steel construction
- 0.03" thick blades hardened for extra sharpness

TURKEY LOPET 125887 CUTING

- 2%" cutting diameter
- Oversized reverse-angle blades specifically designed for turkey head shots
- · Cut-on-contact tip
- 100% stainless steel construction
- 0.03" thick blades hardened for extra sharpness

GRAVEDIG HYBRID MECHANICAL BR

Pick your cut to take down big game with the Gravedigger® hybrid mechanical broadhead. In blade mode, the Gravedigger features a 1-inch b two 1/2-inch bleeders for precise in-flight perform with hard-hitting impact. Loosen the set screw take advantage of the no-fail mechanical forma cross-opening blades stay closed in flight, but d immediately upon entry without critical energy l maximum 1¾-inch cutting surface.

- 1" fixed blade with 1/2" bleeders
- · Bone-splitting cut-on-contact and chisel tip
- 1¾" cross-opening curved mechanical blades
- Fixed blade mode
- 416 stainless steel blades
- · 7075 aircraft-grade aluminum ferrule
- Patented Blade Retention System™
- No rubber bands or O-rings
- · Guaranteed to cut no matter what

JER ADHEAD						
ed-						0
de with						
nce						
Γωο			1			
ploy			1 金			
s for a						
3 101 4						
			334		- 20	
				- 4		
		4 1 1 1 1				
	/ D					
	100		1			
				1. 18		
	7- R 1 18 8					
	1007		MODEL#	GRAIN	PACK	3.7
	18		10775	100	3	
		CUT-ON-CONTACT	10776	125	3	
1 3 3 5						
	100	CHISEL TIP	10777	100	3	





CUT-ON-CONTACT
100%7075 AIRCRAFT
100%ALLIMINUM
1" x 13/4" CUT DIAMETER
CHARDENDED
351EEL 223



CHISE

100 P.7075 AIRCRAFT

100 P.7075 AIRCRAFT

1" x 13/4" CUT DIAMETER

CHARDENDED

4 STEEL 25 P.



It's the most monumental development in broadhead since the original Gravedigger. The Gravedigger® Exti mechanical broadhead delivers even more devastati its predecessor. Hardened stainless steel blades creating 2%-inch cutting diameter. Further propelled by a 1%blade, the Gravedigger Extreme penetrates the hide inside for maximum blood loss.

- 1¼" cutting diameter main blade
- 2¼" cutting diameter mechanical blades
- Chisel tip and cut-on-contact options
- · 420 stainless steel blades
- 7075 aircraft-grade aluminum ferrule
- Patented Blade Retention System™
- No rubber bands or O-rings
- Guaranteed to cut no matter what
- True field-point accuracy

REME						
nd technology treme hybrid ting results than eate a deadly						
-inch fixed		1000				
then deploys						
		333/ V				
			375		10	é
			A Pro		,	
	0					
						P.
				,		
	o dov		MODEL#	GRAIN	PACK	3.1
		CUT-ON-CONTACT	10821	100	3	
		CHISEL TIP	10820	100	3	
		CROSSBOW CUT-ON-CONTACT	10095	100	3	
	4	CROSSBOW CHISEL TIP	10099	100	3	
		ILS Patent #8 684 869				









CHSELING

100 ALUMINUM

11/4" × 21/4" CUT DIAMETER

STAINLESS

4 STEEL BLADE



Meet the most accurate mechanical broadhead in the business. The Night Fury® uses a patented cross-opening design to reduce the blade surface, allowing it to fly with field-point accuracy. Unlike traditional "over-the-top" mechanical broadheads, the Night Fury doesn't require rubber bands or O-rings. This decreases the energy required to open the blades and preserves more power for superior impact penetration.

- 1%" cross-opening curved mechanical blades
- · 416 hardened steel ferrule
- · 420 stainless steel blades
- No rubber bands or O-rings
- · Bone-splitting chisel tip
- · True field-point accuracy







GHSE ENDED STEEL 1/6" GUTTING DIAMETER



Extreme flies with deadly field-point accuracy. What you may not expect is the punishing damage this blade delivers upon impact. Two curved, cross-opening blades instantly open on contact to create a cutting diameter of 2¼ inches. And because the Night Fury Extreme doesn't require any rubber bands or O-rings, there is little energy loss - making hits all the more devastating.

• 2¼" cutting diameter mechanical blades

- · Integrated chisel tip
- · 420 stainless steel blades
- · 7075 aircraft-grade aluminum ferrule
- Patented Blade Retention System™
- No rubber bands or O-rings
- · True field-point accuracy



U.S. Patent #8,684,869





THE SELECTION OF THE STAIN LESS STAIN LESS STAINES

HIGH OLTAGE

The three blades on the High Voltage™ open on impact to create an expansive 2-inch cutting diameter for maximum penetration. But while in flight, these blades remain tucked in without the need for rubber bands or O-rings – ensuring precise field-point accuracy.

- · Integrated chisel tip
- · 2" cutting diameter mechanical blades
- Patented Blade Retention System™
- · No rubber bands or O-rings
- · 416 hardened steel ferrule
- 420 stainless steel blades
- · True field-point accuracy



MODEL#	GRAIN	PACK		
10817	100	3		
		# 15 E SE		

U.S. Patent #8,684,869



NITEFALL REAR-DEPLOYING BROADHEAD

A large triangular blade flanked by two razor-sharp mechanicals folds into a hardened chisel tip ferrule for inflight precision. The mechanical blades immediately open on impact to create a menacing cutting force that spans 2 inches in diameter. The innovative construction of the Nitefall™ allows the expanding blades to leave large entry holes for short blood trails.

- Patent-pending lock holds blades in open or closed position
- 1" fixed blade
- · 2" cutting diameter mechanical blades
- No rubber bands or O-rings
- 7075 aircraft-grade aluminum ferrule
- 420 stainless steel blade
- · Guaranteed to cut no matter what
- True field-point accuracy



CHISEL TIP 10816 100 3		MUUEL#	GRAIN	PALK	
	CHISEL TIP	10816	100	3	

U.S. Patent #8,684,869



100 PACKAFT 100 PALUMINUM FERRULE 11 CUT DIAMETER MAIN BLADE 21 CUT DIAMETER MAIN BLADE 22 CUT DIAMETER MECHANICAL BLADES

The R.D.C. (Reliable Outsert Component) System was designed to strengthen micro-diameter and small diameter arrows for better penetration and performance upon impact. Extensive testing found these arrows excel in flight, but poorly engineered outserts add stress to arrow walls and tips, ultimately causing failures. The R.O.C. System addresses these issues with a patented shock-absorbing and energy-transferring design that maintains accuracy and maximizes impact.



R.O.C. OUTSERTS 6-PACK (60 GR)

MODEL#	COLOR	SPINE	OUTER DIAMETER
1144	BRONZE	500	.165"
1148	GREEN	400	.165"
1147	BLACK	350	.165"
1149	RED	300	.165"



NEW

R.O.C. 204 OUTSERTS 6-PACK (32 GR)

MODEL#	COLOR	SPINE	OUTER DIAMETER
BLDS1153	BRONZE	500	.204"
BLDS1152	GREEN	400	.204"
BLDS1151	BLACK	350	.204"
BLDS1150	RED	300	.204"

BRASS INSERTS

Precision-machined inserts weighing 50, 75 and 100 grains allow you to fine-tune your arrow's front-of-center balance for better flight dynamics and more consistent groupings. These inserts are guaranteed to enhance your down-range performance.



STANDARD DIAMETER INSERTS

MODEL#	INNER DIAMETER	GRAIN
10797	.244"	50
10798	.244"	75
10799	.244"	100

PEADY NEW PHUNT COMBOPACK

The Ready to Hunt Combo Pack comes field-ready with everything you need for your next archery hunt: arrows, broadheads and field points built to the tightest tolerances for a custom, perfect fit.

The Hunter arrows utilize 100% carbon and Rugged Wrap™ construction to stay straight in flight and hit targets with brutal force. The Night Fury® broadheads feature two cross-opening mechanical blades that don't require 0-rings, allowing the blades to maintain peak energy for deep penetration with a 1%-inch cutting diameter.

INCLUDES

- Three 350-Spine Hunter Arrows
- Three Night Fury® (100 gr.) Broadheads
- Three Field Points
- · Field-ready with arrows and broadheads included
- Arrows cut to OSFM length of 29½ inches
- 100% carbon arrow shafts with Rugged Wrap™ construction
- Patented cross-opening broadhead design for increased field-point accuracy
- No rubber bands or O-rings required
- 1%-inch cutting diameter
- · Glued inserts

MODEL#	LENGTH
BLD63529C	29.5"







ARROW OVERVIEW

	H . * 1	SPINE	INNER DIAMETER	OUTER DIAMETER	STRAIGHTNESS	GPI	BLOOD RING™	INSERT/OUTSERT
		500	.204"	.254"	.001"	6.9	х	32 gr R.O.C. 204 System
\$	HIOTIGETY	400	.204"	.263"	.001"	8.3	X	32 gr R.O.C. 204 System
NEW	JUSTICE™	350	.204"	.266"	.001"	8.7	x	32 gr R.O.C. 204 System
		300	.204"	.273"	.001"	9.8	X	32 gr R.O.C. 204 System
		500	.204"	.254"	.004"	6.9	Х	32 gr R.O.C. 204 System
	DDGCCCUTODIM	400	.204"	.263"	.004"	8.3	X	32 gr R.O.C. 204 System
	PROSECUTOR™	350	.204"	.266"	.004"	8.7	X	32 gr R.O.C. 204 System
		300	.204"	.273"	.004"	9.8	Х	32 gr R.O.C. 204 System
		500	.165"	.231"	.001"	8.2	X	60 gr R.O.C. System
	EVIDENCE™	400	.165"	.238"	.001"	9.1	x	60 gr R.O.C. System
	EAIDEMOE	350	.165"	.245"	.001"	10.2	X	60 gr R.O.C. System
		300	.165"	.255"	.001"	11.7	X	60 gr R.O.C. System
		500	.165"	.231"	.004"	8.2	X	60 gr R.O.C. System
	□NYX™	400	.165"	.238"	.004"	9.1	X	60 gr R.O.C. System
		350	.165"	.245"	.004"	10.2	X	60 gr R.O.C. System
		300	.165"	.255"	.004"	11.7	Х	60 gr R.O.C. System
		500	.244"	.285"	.001"	6.5	X	12 gr Aluminum
	JUDGEMENT™	400	.244"	.291"	.001"	7.4	X	12 gr Aluminum
		350	.244"	.293"	.001"	7.9	X	12 gr Aluminum
		300	.244"	.298"	.001"	9.1	X	12 gr Aluminum
		500	.244"	.285"	.004"	6.5	x	50 gr Brass
	PUNISHER™	400	.244"	.291"	.004"	7.4	X	50 gr Brass
		350	.244"	.293"	.004"	7.9	X	50 gr Brass
		300	.244"	.298"	.004"	9.1	X	50 gr Brass
		500	.244"	.285"	.004"	7.8		50 gr Brass
	TIMBERWOLF™	400	.244"	.291"	.004"	8.4		50 gr Brass
d	G	350	.244"	.293"	.004"	9.3	He.	50 gr Brass
		500	.244"	.285"	.006"	6.5		12 gr Aluminum
	HUNTER	400	.244"	.291"	.006"	7.4		12 gr Aluminum
	HONTER	350	.244"	.293"	.006"	7.9		12 gr Aluminum
		300	.244"	.298"	.006"	9.1		12 gr Aluminum
	ATHENA™	500	.244"	.285"	.006"	6.5		12 gr Aluminum
	APOCALYPSE		.244"	.285"	.006"	6.5		12 gr Aluminum
		100	The second secon	V	100			

CROSSBOW ARROW OVERVIEW

	SPINE	INNER DIAMETER	OUTER DIAMETER	STRAIGHTNESS	TOTAL WEIGHT	BLOOD RING™	INSERT/OUTSERT
WITNESS™ 20"	300	.300"	.344"	.003"	325 gr	X	95 gr Brass
WITNESS™ 22"	300	.300"	.344"	.003"	325 gr	X	77 gr Brass
HUNTER 20"	300	.300"	.344"	.003"	300 gr		70 gr Brass
HUNTER 22"	300	.300"	.344"	.003"	300 gr		52 gr Brass

BROADHFAD OVERVIEW

DKU	ADUE	AU	JVE	RVI	
					-

No.	BLADE TYPE	MODEL#	GRAIN	PACK
RECKONING™	DEEP CUT WIDE CUT	BLDWC100 BLDDC100	100 100	3
HIGH VOLTAGE™	CHISEL TIP	10817	100	3
NITEFALL™	CHISEL TIP	10816	100	3
GRAVEDIGGER® EXTREME	CUT-ON-CONTACT CHISEL TIP	10821 10820	100 100	3 3
GRAVEDIGGER® EXTREME CROSSBOW	CUT-ON-CONTACT CHISEL TIP	10095 10099	100 100	3
GRAVEDIGGER®	CUT-ON-CONTACT CHISEL TIP	10775 10776 10777 10778	100 125 100 125	3 3 3 3
NIGHT FURY® EXTREME	CHISEL TIP	10818	100	3
NIGHT FURY®	CHISEL TIP	10779 10780	100 125	3 3
WRAITH™	TURKEY BODY SHOT TURKEY LOPPER	10784 10785	100 125	3 3

R.O.C. INSERTS


COLOR	MODEL#	SPINE	OUTER DIAMETER	GRAIN
BRONZE	1144	500	.165"	60
GREEN	1148	400	.165"	60
BLACK	1147	350	.165"	60
RED	1149	300	.165"	60

R.O.C. 204 INSERTS

, 1478 (25)	COLOR	MODEL#	SPINE	OUTER DIAMETER	GRAIN
	BRONZE	BLDS1153	500	.204"	32
≥	GREEN	BLDS1152	400	.204"	32
NEW	BLACK	BLDS1151	350	.204"	32
	RED	BLDS1150	300	.204"	32

BRASS INSERTS

	and the second s	
MODEL#	INNER DIAMETER	GRAIN
10797	.244"	50
10798	.244"	75
10799	.244"	100









When that 10-pointer shows and you draw back... practice ends. You dial in, tense up and do everything in your power to keep it together. Bloodsport exists for this exact moment. With your pulse quickening and hands shaking, we remove all doubt that your arrow will deliver.

Bloodsport's arsenal of hand-selected arrows and precision broadheads are designed to ensure every shot is a lethal shot. Tested to the tightest tolerances and manufactured to the highest levels of accuracy, our archery products give you assurance when it matters most.

R.O.C. SYSTEM

Bloodsport's patented Reliable Outsert Component (R.O.C.) System is designed to perfect micro-diameter and small-diameter arrow performance. The R.O.C. adds valuable front-of-center and absorbs the shock of broadhead impact by transferring energy down the length of the arrow. This adds tremendous strength at the arrow/broadhead connection where other arrows typically fail.



BLOOD RING

Proof is Power. And Bloodsport's Blood Ring™ is proof you can see in an instant. The patented technology identifies which organ has been hit based on the blood type and color on the ring. These clues serve as a map to direct your pursuit for improved odds at a successful recovery.



*U.S. Patent 9,121,678 *U.S. Patent 9,366,513

NEW

THE RESIDENTER

BLOODHUNTER™

Standard-diameter arrows

The Bloodhunter™ is a standard diameter, mid-weight arrow with a .004" straightness that delivers the precision today's bowhunters demand. Its high kinetic energy penetrates deep to take down any game. After the shot, survey the Blood Ring™ to identify the location of your hit and plan a successful retrieval. Rugged Wrap™ construction makes sure the Bloodhunter will stay with you hit after hit; so wipe off the blood and find your next target.

STRAIGHTNESS	SPINE	GPI	INNER DIA.	OUTER DIA.
.004 in.	300	9.8	.244 in.	.304 in.
.004 in.	350	8.9	.244 in.	.298 in.
.004 in.	400	8.4	.244 in.	.296 in.
.004 in.	500	7.5	.244 in.	.291 in.

6-PACK

[50 GR ALUMINUM INSERT INCLUDED]

SPINE	MODEL#
300	BLD123006
350	BLD123506
400	BLD124006
500	BLD125006

12-PACK

[BARE SHAFT]

_	_
SPINE	MODEL#
300	BLD1230012
350	BLD1235012
400	BLD1240012
500	BLD1250012

36-PACK

[BULK PACK]

SPINE	MODEL#
300	BLD1230036
350	BLD1235036
400	BLD1240036
500	BLD1250036

NEW

HUNTER EXTREME™

Standard-diameter arrows

There's a new arrow in the favorite mid-weight platform – and it's taking bowhunting to new extremes. The Hunter Extreme™delivers precise hits from a .244" standard diameter with all-carbon Rugged Wrap™ construction. It's equal parts affordable, durable and lethal. So go ahead and stock up, because you've got some blood to spill.

STRAIGHTNESS	SPINE	GPI	INNER DIA.	OUTER DIA.
.006 in.	350	8.9	.244 in.	.298 in.
.006 in.	400	8.4	.244 in.	.296 in.
.006 in.	500	7.5	.244 in.	.291 in.

6-PACK

[12 GR ALUMINUM INSERT INCLUDED]

SPINE	MODEL#
350	BLD133506
400	BLD134006
500	BLD135006

36-PACK

[BULK PACK]

SPINE	MODEL#
350	BLD1335036
400	BLD1340036
500	BLD1350036



LOODSPORT EVIDENCE



EVIDENCE[™]

Micro-diameter arrows

Our best penetrating arrow ever. The Evidence[™] is manufactured to a precise .001-inch straightness tolerance. Combined with its proprietary Rugged Wrap[™] construction, it features thick walls with a micro-diameter shaft to provide unparalleled flight and penetration, even at long distances. This level of accuracy and toughness has yet to be duplicated.

*U.S. Patent 9,638,499

STRAIGHTNESS	SPINE	GPI	INNER DIA.	OUTER DIA.
.001 in.	300	11.7	.165 in.	.255 in.
.001 in.	350	10.2	.165 in.	.245 in.
.001 in.	400	9.1	.165 in.	.238 in.
.001 in.	500	8.2	.165 in.	.231 in.

6-PACK

[R.O.C. SYSTEM INCLUDED]

SPINE	MODEL#		
300	PSA130106		
350	PSA135106		
400	PSA140106		
500	PSA150106		

12-PACK

[BARE SHAFT]

MODEL#
BLDM130B
BLDM135B
BLDM140B
BLDM150B

*U.S. Paten

36-PACK

[BULK PACK]

SPINE	MODEL#
300	BLDM130BP
350	BLDM135BP
400	BLDM140BP
500	BLDM150BP

*U.S. Patent 9,121,678 *U.S. Patent 9,366,513 *U.S. Patent 9,121,678 *U.S. Patent 9,366,513

To Diov



Micro-diameter arrows

The $Onyx^{\mathsf{TM}}$ provides the perfect combination of accuracy, toughness and front-of-center weighting. Thick, carbon-wall construction using our proprietary Rugged $Wrap^{\mathsf{TM}}$ process creates strong ultra-small diameter arrows that deliver greater penetration and less wind drift. Shoot lights out.

STRAIGHTNESS	SPINE	GPI	INNER DIA.	OUTER DIA.
.004 in.	300	11.7	.165 in.	.255 in.
.004 in.	350	10.2	.165 in.	.245 in.
.004 in.	400	9.1	.165 in.	.238 in.
.004 in.	500	8.2	.165 in.	.231 in.

6-PACK

[R.O.C. SYSTEM INCLUDED]

SPINE	MODEL#
300	A17230406
350	A17235406
400	A17240406
500	A17250406

12-PACK

[BARE SHAFT]

SPINE	MODEL#
300	BLDM430B
350	BLDM435B
400	BLDM440B
500	BLDM450B

*U.S. Patent 9,638,499

36-PACK

[BULK PACK]

SPINE	MODEL#
300	BLDM430BP
350	BLDM435BP
400	BLDM440BP
500	BLDM450BP

^{*}U.S. Patent 9,121,678 *U.S. Patent 9,366,513

JUSTICE™

Small-diameter arrows

GLOODSPORT JUSTICE

The Justice™ introduces the small diameter arrow to Bloodsport's ever-growing line of hunting arrows. Its .001-inch straightness produces undeniable field-point performance, while Rugged Wrap™ construction shows no mercy in flight and on impact. Unwavering stability in an R.O.C. System optimized for the .204 diameter adds tremendous strength. Once he's down, Blood Ring™ technology directs your efforts for a successful recovery.

STRAIGHTNESS	SPINE	GPI	INNER DIA.	OUTER DIA.
.001 in.	300	9.8	.204 in.	.273 in.
.001 in.	350	8.7	.204 in.	.266 in.
.001 in.	400	8.3	.204 in.	.263 in.
.001 in.	500	6.9	.204 in.	.254 in.

6-PACK

[R.O.C. 204 SYSTEM INCLUDED]

SPINE	MODEL#
300	BLDS130
350	BLDS135
400	BLDS140
500	BLDS150

12-PACK

[BARE SHAFT]

SPINE	MODEL#
300	BLDS130B
350	BLDS135B
400	BLDS140B
500	BLDS150B

*U.S. Patent 9,638,499

36-PACK

[BULK PACK]

SPINE	MODEL#
300	BLDS130BP
350	BLDS135BP
400	BLDS140BP
500	BLDS150BP

*U.S. Patent 9,121,678 *U.S. Patent 9,366,513 *U.S. Patent 9,121,678 *U.S. Patent 9,366,513

A -----

PROSECUTOR™

Small-diameter arrows

Engineered for increased field-point accuracy, the Prosecutor™ offers archers a small diameter option to take down big game. Durable Rugged Wrap™ construction, Blood Ring™ technology and an ultra-stable R.O.C. 204 System ensure it will overcome any defendant.

STRAIGHTNESS	SPINE	GPI	INNER DIA.	OUTER DIA.
.004 in.	300	9.8	.204 in.	.273 in.
.004 in.	350	8.7	.204 in.	.266 in.
.004 in.	400	8.3	.204 in.	.263 in.
.004 in.	500	6.9	.204 in.	.254 in.

6-PACK

[R.O.C. 204 SYSTEM INCLUDED]

SPINE	MODEL#
300	BLDS430
350	BLDS435
400	BLDS440
500	BLDS450

12-PACK

[BARE SHAFT]

SPINE	MODEL#
300	BLDS430B
350	BLDS435B
400	BLDS440B
500	BLDS450B

*U.S. Patent 9,638,499

36-PACK

[BULK PACK]

SPINE	MODEL#
300	BLDS430BP
350	BLDS435BP
400	BLDS440BP
500	BLDS450BP

*U.S. Patent 9,121,678 *U.S. Patent 9,366,513 *U.S. Patent 9,121,678 *U.S. Patent 9,366,513







Standard-diameter arrows

Judgement comes swiftly and definitively. Designed for hunters seeking a fast, lightweight arrow, the Judgement™ features 100% carbon construction using our proprietary Rugged Wrap™ process. A standard diameter arrow, the Judgement is an incredible combination of speed, accuracy and toughness.

STRAIGHTNESS	SPINE	GPI	INNER DIA.	OUTER DIA.
.001 in.	300	9.1	.244 in.	.298 in.
.001 in.	350	7.9	.244 in.	.293 in.
.001 in.	400	7.4	.244 in.	.291 in.
.001 in.	500	6.5	.244 in.	.285 in.

6-PACK

[12 GR ALUMINUM INSERT INCLUDED]

SPINE	MODEL#
300	PSB130106
350	PSB135106
400	PSB140106
500	PSB150106

12-PACK

[BARE SHAFT]

SPINE	MODEL#
300	BLD130B
350	BLD135B
400	BLD140B
500	BLD150B

36-PACK

[BULK PACK]

SPINE	MODEL#
300	BLD130BP
350	BLD135BP
400	BLD140BP
500	BLD150BP

*U.S. Patent 9,121,678 *U.S. Patent 9,366,513

*U.S. Patent 9,121,678 *U.S. Patent 9,366,513



Standard-diameter arrows

Formulated with higher front-of-center weighting, the Punisher™ puts on the hurt. This standard diameter arrow has exceptional down-range accuracy and bone-crushing penetration. Made of 100% carbon using our proprietary Rugged Wrap™ construction, it will deliver fatal results.

STRAIGHTNESS	SPINE	GPI	INNER DIA.	OUTER DIA.
.004 in.	300	9.1	.244 in.	.298 in.
.004 in.	350	7.9	.244 in.	.293 in.
.004 in.	400	7.4	.244 in.	.291 in.
.004 in.	500	6.5	.244 in.	.285 in.

6-PACK

[50 GR BRASS INSERT INCLUDED]

SPINE	MODEL#
300	B10030406
350	B10035406
400	B10040406
500	B10050406

12-PACK

[BARE SHAFT]

SPINE	MODEL#
300	BLD430B
350	BLD435B
400	BLD440B
500	BLD450B

36-PACK

[BULK PACK]

SPINE	MODEL#
300	BLD430BP
350	BLD435BP
400	BLD440BP
500	BLD450BP

*U.S. Patent 9,121,678 *U.S. Patent 9,366,513

*U.S. Patent 9,121,678 *U.S. Patent 9,366,513

TIMBERWOLF™

Standard-diameter arrows

No other arrow masters advanced construction and a traditional design like the Timberwolf™. A carbon shaft paired with a true cherry wood overlay and classic shield-shaped feather fletching make this arrow ideal for recurve bows or hunters looking for a more authentic option. Go native with the Timberwolf.

STRAIGHTNESS	SPINE	GPI	INNER DIA.	OUTER DIA.
.004 in.	350	9.3	.244 in.	.307 in.
.004 in.	400	8.4	.244 in.	.305 in.
.004 in.	500	7.8	.244 in.	.301 in.

6-PACK

[50 GR BRASS INSERT INCLUDED]

SPINE	MODEL#
350	1008306
400	1008406
500	1008506

12-PACK [BARE SHAFT]

SPINE	MODEL#
350	BLDT435B
400	BLDT440B
500	BLDT450B

36-PACK [BULK PACK]

SPINE	MODEL#
350	BLDT435BP
400	BLDT440BP
500	BLDT450BP





PLOIDESPORT WITNESS

WITNESS™

Crossbow arrows

Witness crossbow perfection. Bloodsport's Witness™ arrows are designed for today's high-speed crossbows and available in two popular lengths. With a front-of-center design, these modern arrows fly at 400+ feet per second with wicked precision and deep penetration.

LENGTH	STRAIGHTNESS	SPINE	INNER DIA.	OUTER DIA.	TOTAL WEIGHT
20 in.	.003 in.	300	.300 in.	.344 in.	325 gr.
22 in.	.003 in.	300	.300 in.	.344 in.	325 gr.

6-PACK

[20 in. - 95 GR BRASS INSERT INCLUDED] [22 in. - 77 GR BRASS INSERT INCLUDED]

LENGTH	SPINE	MODEL#
20 in.	300	B8110053
22 in.	300	B8112053

*U.S. Patent 9,638,499 *U.S. Patent 9,121,678 *U.S. Patent 9,366,513

36-PACK

[20 in. - 95 GR BRASS INSERT INCLUDED] [22 in. - 77 GR BRASS INSERT INCLUDED]

LENGTH	SPINE	MODEL#
20 in.	300	BLDW2036
22 in.	300	BLDW2236

*U.S. Patent 9,638,499 *U.S. Patent 9,121,678 *U.S. Patent 9,366,513

\$LOODSPORT HUN

HUNTER™

Crossbow arrows

A true Bloodsport original, the Hunter crossbow arrow doesn't sacrifice quality or precision at the expense of value. This standard diameter arrow is made of 100% carbon using our proprietary Rugged Wrap™ construction and the perfect companion on any crossbow hunt.

LENGTH	STRAIGHTNESS	SPINE	INNER DIA.	OUTER DIA.	TOTAL WEIGHT
20 in.	.001 in.	300	.300 in.	.344 in.	300 gr.
22 in.	.001 in.	300	.300 in.	.344 in.	300 gr.

6-PACK

[20 in. - 70 GR BRASS INSERT INCLUDED] [22 in. - 52 GR BRASS INSERT INCLUDED]

LENGTH	SPINE	MODEL#
20 in.	300	8110003
22 in.	300	8112003


*U.S. Patent 9,638,499 *U.S. Patent 9,121,678 *U.S. Patent 9,366,513

36-PACK

[20 in. - 70 GR BRASS INSERT INCLUDED] [22 in. - 52 GR BRASS INSERT INCLUDED]

LENGTH	SPINE	MODEL#
20 in.	300	BLDH2036
22 in.	300	BLDH2236

*U.S. Patent 9,638,499 *U.S. Patent 9,121,678 *U.S. Patent 9,366,513





GRAVEDIGGER®

Pick your cut to take down big game with the Gravedigger® hybrid mechanical broadhead. In fixed-blade mode, the Gravedigger features a one-inch blade with two ½-inch bleeders for precise in-flight performance with hard-hitting impact. Loosen the set screw to take advantage of the no-fail mechanical format. Two cross-opening blades stay closed in flight, but deploy immediately upon entry without critical energy loss for a maximum 1¾-inch cutting surface.

- + 1" fixed blade
- + Bone-splitting cut-on-contact and chisel tip
- + 1¾" cross-opening curved mechanical blades
- + Fixed blade mode
- + 416 stainless steel blades
- + 7075 aircraft-grade aluminum ferrule
- Patented Blade Retention System™
- + No rubber bands or O-rings
- + Guaranteed to cut no matter what



3-PACK[CUT-ON-CONTACT]

GRAIN	MODEL#
100	10775
125	10776



3-PACK [CHISEL TIP]

GRAIN	MODEL#
100	10777
125	10778

*U.S. Patent 8,684,869



GRAVEDIGGER® EXTREME

It's the most monumental development in broadhead technology since the original Gravedigger. The Gravedigger® Extreme hybrid mechanical broadhead delivers even more devastating results than its predecessor. Hardened stainless steel blades create a deadly 21/4-inch cutting diameter. Further propelled by a 1¼-inch fixed blade, the Gravedigger Extreme penetrates the hide then deploys inside for maximum blood loss.

- 1¼" cutting diameter main blade 2¼" cutting diameter mechanical blades
- Chisel tip and cut-on-contact options
- 420 stainless steel blades
- 7075 aircraft-grade aluminum ferrule
- Patented Blade Retention System™
- No rubber bands or O-rings Guaranteed to cut no matter what
- True field-point accuracy



[CUT-ON-CONTACT]

GRAIN	MODEL#
100	10821



3-PACK [CHISEL TIP]

GRAIN	MODEL#
100	10820

*U.S. Patent 8,684,869

*U.S. Patent 8,684,869

NIGHT FURY®

Meet the most accurate mechanical broadhead in the business. The Night Fury® uses a patented cross-opening design to reduce the blade surface, allowing it to fly with field-point accuracy. Unlike traditional "over-the-top" mechanical broadheads, the Night Fury doesn't require rubber bands or O-rings. This decreases the energy required to open the blades and preserves more power for superior impact penetration.

- + 1%" cross-opening curved mechanical blades
- + 416 hardened steel ferrule
- + 420 stainless steel blades
- + No rubber bands or O-rings
- + Bone-splitting chisel tip
- + True field-point accuracy

3-PACK

[CHISEL TIP]

GRAIN	MODEL #
100	10779
125	10780

*U.S. Patent 8,684,869

NIGHT FURY® EXTREME

The blade containment system on the Night Fury® Extreme flies with deadly field-point accuracy. What you may not expect is the punishing damage this blade delivers upon impact. Two curved, cross-opening blades instantly open on contact to create a cutting diameter of 2½ inches. And because the Night Fury Extreme doesn't require any rubber bands or O-rings, there is little energy loss – making hits all the more devastating.

- + 2¼" cutting diameter mechanical blades
- + Integrated chisel tip
- + 420 stainless steel blades
- + 7075 aircraft-grade aluminum ferrule
- + Patented Blade Retention System™
- No rubber bands or O-rings
- + True field-point accuracy

3-PACK

[CHISEL TIP]

GRAIN	MODEL#
100	10818

*U.S. Patent 8,684,869



DEADLINE™

Bloodsport designed the DeadlineTM specifically for today's high-performance crossbows. The mechanical broadhead easily handles crossbows' top speeds, while still maintaining the lowest amount of drag for supreme down-range accuracy. On impact, the blades open with minimal energy loss to carve two-inch thick entrance holes for a swift, clean kill.

- + Designed specifically for crossbows
- + 38% less drag than competitors
- + Fully deploys on impact
- + 2" entrance holes
- + Tested to 500 fps
- + No rubber bands or O-rings
- + 0.040" blade thickness
- + Won't open in flight
- + Prevents blade shearing

3-PACK

[CHISEL TIP]

GRAIN	MODEL#
100	BLDBH1002



NITEFALL™

A large triangular blade flanked by two razor-sharp mechanicals folds into a hardened chisel tip ferrule for in-flight precision. The mechanical blades immediately open on impact to create a menacing cutting force that spans two inches in diameter. The innovative construction of the NitefallTM allows the expanding blades to leave large entry holes for short blood trails.

- + Patent-pending lock holds blades in open or closed position
- + 1" fixed blade
- + 2" cutting diameter mechanical blades
- No rubber bands or O-rings
- + 7075 aircraft-grade aluminum ferrule
- 420 stainless steel blade
- Guaranteed to cut no matter what
- True field-point accuracy

3-PACK

[CHISEL TIP]

[6:::622 :::]		
GRAIN	MODEL#	
100	10816	

*U.S. Patent 8,684,869 *U.S. Patent 8,684,869

R.O.C. SYSTEM

The R.O.C. (Reliable Outsert Component) System was designed to strengthen micro-diameter and small diameter arrows for better penetration and performance upon impact. Extensive testing found these arrows excel in flight, but poorly engineered outserts add stress to arrow walls and tips, ultimately causing failures. The R.O.C. System addresses these issues with a patented shock-absorbing and energy-transferring design that maintains accuracy and maximizes impact.



6-PACK

[60 GR R.O.C. 165 OUTSERTS]

•			
SPINE	OUTER DIA.	COLOR	MODEL#
300	.165 in.	RED	1149
350	.165 in.	BLACK	1147
400	.165 in.	GREEN	1148
500	.165 in.	BRONZE	1144



6-PACK

SPINE	OUTER DIA.	COLOR	MODEL#
300	.204 in.	RED	BLDS1150
350	.204 in.	BLACK	BLDS1151
400	.204 in.	GREEN	BLDS1152
500	.204 in.	BRONZE	BLDS1153

*U.S. Patent 9,638,499

BRASS INSERTS

Precision-machined inserts weighing 50, 75 and 100 grains allow you to fine-tune your arrow's front-of-center balance for better flight dynamics and more consistent groupings. These inserts are guaranteed to enhance your down-range performance.



SINGLE-PACK

[STANDARD DIAMETER INSERTS]

GRAIN	INNER DIA.	MODEL#
50	.244 in.	10797
75	.244 in.	10798
100	.244 in.	10799

REPLACEMENT NOCKS

12-PACK

[REPLACEMENT INSERTS]

GRAIN	INNER DIA.	MODEL#
9.8	.244 in.	BLD24412R
8.6	.204 in.	BLD20412R
7	.166 in.	BLD16612R

ALUMINUM INSERTS

MULTI-PACKS

[STANDARD DIAMETER INSERTS]

PACK	INNER DIA.	MODEL#
12-Pack	.244 in.	27000
100-Pack	.244 in.	27000C



