



## **B** Bushnell

PRIME <sup>™</sup>	8
NITRO™	16
FORGE™	24
ACCESSORIES	29
SPECIFICATIONS	31
RETICLES	37



## ABOUT BUSHNELL Bushnell has been the industry leader in high-performance sports optics for more than 65 years. Our guiding principle is

## PRODUCT FAMILY COMPARISON

to provide the highest quality, most reliable and affordable sports optics products on the market. Whether you set your sights on a big buck, a 2 inch target or a beautiful landscape, Bushnell strives

## PRIME

HE STANDARD

HIGH LIGHT TRANSMISSION

WATERPROOF CONSTRUCTION

EXO™ BARRIER TO MAINTAIN CLARITY

## NITRO

LIE ADVANCED

HIGHER LIGHT TRANSMISSION

to make sure you never miss a moment.

WATERPROOF CONSTRUCTION

EXO™ BARRIER TO MAINTAIN CLARITY

ADVANCED CONTROLS AND FEATURES

UPGRADED OPTICAL COATINGS

## **FORGE**

THE EXPERT

HIGHEST LIGHT TRANSMISSION

WATERPROOF CONSTRUCTION

EXO™ BARRIER TO MAINTAIN CLARITY

**EXPERT CONTROLS AND FEATURES** 

UPGRADED OPTICAL COMPONENTS

UPGRADED OPTICAL COATINGS

HIGHEST MAGNIFICATIONS



6-18x 50mm

RP6185BS3



#### **OPTIMAL LIGHT TRANSMISSION -**

Delivering 91% light transmission, PRIME™ riflescopes rely on Ultra Wide Band Coating to enable bright and true colors in every lighting condition.

#### **CLARITY & RESOLUTION -**


PRIME riflescopes deliver best-in-class resolution and contrast through the use of low dispersion glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

#### PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the PRIME riflescopes feature our patented EXO Barrier™ lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.







3.5-10x 36mm

RP3103BS4







#### **CLARITY & RESOLUTION -**

PRIME<sup>™</sup> binoculars deliver best-in-class resolution and contrast through the use of low dispersion glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

#### PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the PRIME binoculars feature our patented EXO Barrier lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.





10x 42mm BP1042B

















LIFETIME





RANGE: 1,700 yards





#### **PREMIUM FEATURES**

#### **UP TO 2X BRIGHTER IN LOW LIGHT -**

The PRIME rangefinder features an all-glass optical system and an improved LCD display. This combination provides up to 2X brighter viewing along with improved light transmission to give you more hunt time at dusk and dawn.

#### PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the PRIME rangefinders feature our patented EXO Barrier<sup>™</sup> lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.

#### ANGLE RANGE COMPENSATION (ARC) -

Extreme up and downhill angles alter true horizontal distance to your target. ARC accounts for the terrain angle when calculating distance, so you know precisely how to shoot the range. No guesswork.











ANGLE RANGE COMPENSATION





#### **CLARITY & RESOLUTION -**

PRIME™ spotting scopes deliver best-in-class resolution and contrast through the use of low dispersion glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

#### PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the PRIME spotting scopes feature our patented EXO Barrier™ lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.

#### WATERPROOF CONSTRUCTION -

Resists rain, fog and accidental submersion for clear viewing in any weather.





PRIME SPOTTING SCOPES 14

16-48x 50mm

SP164850B











2.5-10x 44mm

RN2104BF1



#### **PREMIUM FEATURES**

#### **ADVANCED CLARITY & RESOLUTION -**

NITRO™ riflescopes deliver advanced resolution and contrast through the use of low dispersion glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

#### **BEST IN CLASS LIGHT TRANSMISSION -**

Delivering 92% light transmission, NITRO riflescopes rely on Ultra Wide Band Coating to enable bright and true colors in every lighting condition.

#### SIDE PARALLAX -

Easily correct parallax error without removing eyes from the target.

#### VARIETY -

Multiple configurations include capped or target turrets, first-and second-focal plane models and multiple reticle options to meet every need.

#### **PROTECTED FROM THE ELEMENTS -**

Enhanced to fend off anything Mother Nature can throw at it, the NITRO riflescopes feature our patented EXO Barrier™ lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.










#### RETICLES



3-12x 44mm

RN3124GS1

COLORS AVAILABLE // Black and Gun Metal Gray // INCLUDED: Butler Creek Flip-Up caps & 2.5" sunshade



10x 36mm BN1036G

#### ED PRIME GLASS -

Featuring our proprietary HDOS design (High Definition Optical Design), NITRO™ Binoculars come standard with ED Prime glass to deliver best-in-class color while also preventing chromatic aberration so no detail goes unnoticed.

#### **ADVANCED CLARITY & RESOLUTION -**

NITRO binoculars deliver the advanced resolution and contrast even in low-light situations through the use of Fully Multi-Coated lenses enhanced with Dielectic Prism, PC-3 and Ultra Wide Band coatings.

#### PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the NITRO binoculars feature our patented EXO Barrier™ lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.




10x 42mm

BN1042G





















6x 24mm LN1800IGG

RANGE: 2,000 yards







LIFETIME


## **BALLISTIC SOLUTIONS**

\*SPINDRIFT, CORREALIS, SIGHT HEIGHT





# ANGLE RANGE COMPENSATION







#### **INCLUDED**: Durable high quality carrying case and tether



#### PREMIUM FEATURES

#### **BLUETOOTH & APPLIED BALLISTICS -**

Connect to your smartphone to update display and settings as well as configure ballistics data to get holdovers and wind adjustment. Download the Bushnell Ballistic App on Google Play or at the App Store.

#### **UP TO 2X BRIGHTER IN LOW LIGHT -**

The NITRO™ rangefinder features an all-glass optical system and an improved LCD display. This combination provides up to 2X brighter viewing along with improved light transmission to give you more hunt time at dusk and dawn.

#### PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the NITRO rangefinders feature our patented EXO Barrier" lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.

#### ANGLE RANGE COMPENSATION (ARC) -

Extreme up and downhill angles alter true horizontal distance to your target. ARC accounts for the terrain angle when calculating distance, so you know precisely how to shoot the range. No guesswork.





#### ED PRIME GLASS -

Featuring our proprietary HDOS design (High Definition Optical Design), NITRO™ spotting scopes come standard with ED Prime glass to deliver best-in-class color while also preventing chromatic aberration so no detail goes unnoticed.

#### ADVANCED CLARITY & RESOLUTION -

NITRO spotters deliver advanced resolution and contrast through the use of low dispersion glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

#### **PROTECTED FROM THE ELEMENTS -**

Enhanced to fend off anything Mother Nature can throw at it, the NITRO spotting scopes feature our patented EXO Barrier™ lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.



NITRO SPOTTING SCOPES 22















#### LONG-RANGE PERFECTED -

FORGE™ riflescopes come standard with a exposed, locking zero stop turrets, multiple reticles options and a Throw-hammer™ Throw Lever for quick adjustments in the field.

#### **HIGHEST MAGNIFICATION RANGES -**

With magnification ranges from 2.5-15x50 to 4.5-27x50, FORGE riflescopes make even the most extreme distances look close. Coupled with an easy adjustment side parallax no target is out of sight.

#### **UNPARALLELED CLARITY & RESOLUTION -**

FORGE riflescopes deliver the best resolution and contrast possible through the use of low dispersion glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

#### **HIGHEST LIGHT TRANSMISSION -**

Delivering 94% light transmission, FORGE riflescopes rely on Ultra Wide Band Coating to enable bright and true color in every lighting condition.

#### PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the FORGE riflescopes feature our patented EXO Barrier<sup>™</sup> lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.

## RETICLES


















COLORS AVAILABLE: Black and Terrain // FOCAL PLANES: First & Second // INCLUDED: Butler Creek Flip-Up caps & 2.5" sunshade










LIFETIME







# 15x 56mm BF1556T



## PREMIUM FEATURES

#### **ED PRIME GLASS -**

Featuring our proprietary HDOS design (High Definition Optical Design), FORGE<sup>™</sup> Binoculars come standard with ED Prime glass to deliver superior color while also preventing chromatic aberration so no detail goes unnoticed.

#### **UNPARALLELED CLARITY & RESOLUTION -**

FORGE binoculars deliver the best resolution and contrast possible even in low-light situations through the use of Fully Multi-Coated lenses enhanced with Dielectic Prism, PC-3 and Ultra Wide Band coatings.

#### **HIGH QUALITY ACCESSORIES -**

Tripod adaptor (BF1556T only), premium EVA foam case, premium harness, neckstrap and spudz lens cloth.

#### **PROTECTED FROM THE ELEMENTS -**


Engineered to fend off anything Mother Nature can throw at it, the FORGE binoculars feature our patented EXO Barrier lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.















#### **ED PRIME GLASS -**

Featuring our proprietary HDOS design, FORGE™ spotting scopes come standard with ED Prime glass to deliver superior color while also preventing chromatic aberration so no detail goes unnoticed.

#### **HIGHEST CLARITY & RESOLUTION -**

FORGE spotting scopes deliver the best resolution and contrast possible even in low-light situations through the use of Fully Multi-Coated lenses enhanced with Dielectic Prism and Ultra Wide Band coatings.

#### LIGHTWEIGHT RUGGED CONSTRUCTION -

Built with a Magnesium chassis, the FORGE spotting scope is built to withstand long days in the field. Its lightweight design allows it to be easily transported across the backcountry and its rugged construction provides peace of mind.

#### **HIGH QUALITY ACCESSORIES -**

Included with each FORGE spotter are high quality accessories which include a premium EVA foam case, soft field cover and spudz lens cloth.

#### **PROTECTED FROM THE ELEMENTS -**

Enhanced to fend off anything Mother Nature can throw at it, the FORGE spotting scopes feature our patented EXO Barrier<sup>™</sup> lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.























AR UPTICS	b
TAC OPTICS®	10
ELITE® TACTICAL	14
NITRO™ RANGEFINDER WITH APPLIED BALLISTICS	
TACTICAL OBSERVATION	18
ACCESSORIES	19
SPECIFICATIONS	20
RETICLES	24

From fully multi-coated lenses to ED Prime glass and our exclusive EXO Barrier™, Bushnell's tactical line of optics delivers superior clarity, resolution, and definition needed for the toughest engagements.

Turret travel and tracking repeatability are everything in this business, and Bushnell's tactical optics are a leader in the market giving you the ability to put shots down range accurately and at further distances.

When the competition is fast, you'll be faster with Bushnell's tactical line of optics because they're designed for rapid deployment and acquisition with features like ThrowHammer™ throw levers and oversized T-Lok™ adjustment knobs. These features and more along with our legendary durability give you the competitive edge to take home the win.

Bottom line - Bushnell's tactical lineup has been designed to give you the confidence you need - each and every time.



#### **BDC RETICLES -**

Designed for use with specific cartridges, AR OPTICS\* riflescopes provide precise elevation holds through BDC (Ballistic Drop Compensation) reticles and turret systems.

#### AR 15/10 COMPATIBLE -

Engineered specifically for todays modern sporting rifle, AR OPTICS feature a low profile design and a wide field of view.

#### **CLARITY & RESOLUTION -**

AR OPTICS riflescopes deliver the best-in-class resolution and contrast through the use of high definition glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

#### PCL -

Lightning quick power changes with the Throw Down PCL lever. Every scope features a Throw Down PCL lever that can be customized with two different heights.



















**DROPZONE 22LR** 



WINDHOLD





AR OPTICS 6

## PREMIUM FEATURES **OPTICS FOR EVERY USE -**

AR OPTICS° red dots are designed for use on multiple firearm configurations. Compatible for use on rifles, pistols, shotguns and modern sporting rifles.



AR OPTICS red dots come standard with mounts included for quick installation and use. Red dots can be easily positioned per user preference.



Improves upon industry-leading battery life, with some models exceeding 50,000 hours.

#### **BRIGHTNESS** -

Adjustable brightness settings, visible at all hours and in every lighting condition.



TRS-26 AR71XRD





ENRAGE RED DOT AR751305



**ADVANCE MICRO REFLEX SIGHT** AR750006




**TRANSITION 3X MAGNIFIER** AR731304


















CIRCLE DOT





ranging and shooting. Preferred reticle of choice for elite military and law enforcement professionals.

#### **DURABLE DESIGN -**

TAC OPTICS° riflescopes are engineered with a rugged, durable design capable of handling the harshest environments and are purpose built for multiple rifle platforms.

#### **PROTECTED FROM THE ELEMENTS -**

TAC OPTICS riflescopes feature our patented EXO Barrier™ lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.

#### **ADVANCED CLARITY & RESOLUTION -**

TAC OPTICS riflescopes deliver advanced resolution and contrast through the use of high definition glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

















#### RETICLES



10x 40mm BT1040



MIL DOT



TAC OPTICS 10

6-24x 50mm

BT6245FG



#### MIL-DOT RETICLES -

Tried and true classic Mil-Dot reticle designed for

## TAC OPTICS 12

#### PREMIUM FEATURES

#### **COMPACT & LIGHTWEIGHT DESIGN -**

Offering reduced weight and a slim, compact design, TAC OPTICS° red dots feature enhanced glass and a wide field of view. These durable red dots can be used with multiple rifle platforms and withstand thousands of rounds down range.

#### **EXTENDED BATTERY LIFE -**

Improves upon industry-leading battery life, with some models exceeding 50,000 hours.











#### **BRIGHTNESS** -

Adjustable brightness settings, visible at all hours and in every lighting condition.

#### **MULTIPLE RETICLES -**

Easily select between four reticles in the same scope, while maintaining an accurate zero (Mini Cannon).











MINI CANNON BT71XRDX







**4 RETICLE OPTIONS** (ONLY ON SKU BT71XRDX)









#### **ED PRIME GLASS -**

Featuring our proprietary HDOS design (High Definition Optical Design), ELITE TACTICAL riflescopes come standard with ED Prime glass to deliver superior color while also preventing chromatic aberration so no detail goes unnoticed.

#### PROTECTED FROM THE ELEMENTS -

Enhanced to defeat any weather condition, the ELITE TACTICAL riflescopes feature our patented EXO Barrier<sup>™</sup> lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.

#### **UNPARALLELED CLARITY & RESOLUTION -**

ELITE TACTICAL riflescopes deliver the best resolution and contrast possible through the use of high definition glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

#### THROWHAMMER™ LEVER -


Easily adjusts magnification changes with a snap of a finger.

#### REVLIMITER™ ZERO STOP -

The elevation turret provides 10 mils of adjustment per revolution and is also equipped with the easy-to-set RevLimiter™ Zero Stop for a positive return to zero.











#### **BLUETOOTH & APPLIED BALLISTICS -**

Connect to your smartphone to update display and settings as well as configure ballistics data to get holdovers and wind adjustment. Download the Bushnell Ballistic App on Google Play or at the App Store.

#### **UP TO 2X BRIGHTER IN LOW LIGHT -**

The NITRO™ rangefinder features an all-glass optical system and an improved LCD display. This combination provides up to 2X brighter viewing along with improved light transmission to give you more hunt time at dusk and dawn.

#### PROTECTED FROM THE ELEMENTS -

Enhanced to fend off anything Mother Nature can throw at it, the NITRO rangefinders feature our patented EXO Barrier" lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.

#### ANGLE RANGE COMPENSATION (ARC) -

Extreme up and downhill angles alter true horizontal distance to your target. ARC accounts for the terrain angle when calculating distance, so you know precisely how to shoot the range. No guesswork.




#### **BALLISTIC SOLUTIONS** INCLUDED UPGRADE\* 875 YDS 1,750 YDS

\*SPINDRIFT, CORREALIS, SIGHT HEIGHT









6x 24mm RANGE: LN1800IGG **2,000** yards















#### **HIGH DEFINITION OPTICAL SYSTEMS -**

Long range shooters know that an effective spotter is a critical component to making hits at distance. All our tactical observation devices utilize Bushnell's High Definition Optical System designs to ensure the highest level of clarity for tracking bullet trace and impacts.



**VERSATILE DESIGNS -** Each Bushnell Tactical Observation device serves a unique end user need. The LMSS is the sleekest field scope on the market and features an ultra-wide field of view with the 8x low power magnification. The Tac Optics spotter is a short and lightweight, packable design for easy of carry in the field. The Forge 15x56 binoculars allow for considerably less eye strain than spotting scopes for comfortable use all-day.

















Three-position leg angle adjustment, threeway pan head, two pan and tilt handles and a gearless reversible center column. Bushnell\* quality with moderate carrying weight, this is the ultimate stand-up tripod.

Max height: 63" Weight capacity = 4kg (8.8lbs)



#### **ADVANCED TRIPOD**

784030

This is a full-featured stand-up tripod for viewing from a platform, roadside or deck where portability is not essential.

Max height: 60"

Weight Capacity: 4kg (8.8lbs)

## LARGE CAR WINDOW MOUNT 784405

The traveling hunter and birder's secret. You'll see these mounts holding spotting scopes on car windows from Yellow Stone National Park to the Everglades.



#### TRIPOD ADAPTOR BAHQRADPT

Ensure rock solid all day viewing with machined, billet aluminum frame and shake proof hinge design. Quick release attachment allows for fast, durable and secure viewing in any environment.



#### BINOCULAR HARNESS WITH QUICK DETACH BASFHARN

It'll be easy to forget you're carrying binoculars with this lightweight, vented and comfortable harness. Multiple strap adjustments allow for optimal comfort, placement and hands free operation until you need the binoculars. Remove and securely attach binoculars quickly and effortlessly from harness with the quick detach clips.





#### AR OPTICS® RIFLESCOPES

SKU	NAME	MAG X OBJ LENS	RETICLE	FOCAL PLANE	ELEVATION TRAVEL MOA	WINDAGE TRAVEL MOA	TRAVEL PER REVOLUTION	TUBE SIZE	EYE RELIEF (MAX POWER) (IN)	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)
AR71824I	AR Optics	1-8x 24	Illum. BTR-1	Second	100 MOA	80 MOA	6 Mil	30mm	3.7	110'@1x / 12'@8x	19.1	10.2
AR71624I	AR Optics	1-6x24	Illum. BTR-1	Second	100 MOA	100 MOA	6 Mil	30mm	3.7	112'@1x / 16'@6x	19.1	10.1
AR71424BI	AR Optics	1-4x 24	BTR-300 AAC	First	120 MOA	140 MOA	6 Mil	30mm	3.5	112'@1x / 27'@4x	18	9.4
AR71424I	AR Optics	1-4x 24	BTR-1	First	120 MOA	140 MOA	6 Mil	30mm	3.5	112'@1x / 27'@4x	18	9.4
AR71424	AR Optics	1-4x 24	DZ 223	Second	120 MOA	140 MOA	6 Mil	30mm	3.5	112'@1x / 27'@4x	17	9.4
AR72736	AR Optics	2-7x 36	DZ 22LR	Second	50 MOA	85 MOA	6 Mil	1"	3.5	44'@2x / 12'@7x	18	11.3
AR73940	AR Optics	3-9x4 0	DZ 223	Second	50 MOA	85 MOA	6 Mil	1"	3.5	29'@3x / 11'@9x	19	12
AR731240	AR Optics	3-12x 40	DZ 223	Second	50 MOA	85 MOA	6 Mil	1"	3.5	29'@3x / 7'@12x	19	12
AR741840	AR Optics	4.5-18x4 0	DZ 223	Second	50 MOA	85 MOA	6 Mil	1"	3.5	22'@4.5x / 6'@18x	20	13.3
AR741840E	AR Optics	4.5-18x40	Wind Hold	Second	75 MOA	75 MOA	6 Mil	1"	3.6	22'@4.5x / 5.5'@18x	19.5	12.0
AR741840EI	AR Optics	4.5-18x 40	Illum. Wind Hold	Second	75 MOA	75 MOA	6 Mil	1"	3.6	22'@4.5x / 5.5'@18x	20.3	12.0

#### AR OPTICS® RED DOTS

SKU	NAME	MAG X OBJ LENS	RETICLE	PARALLAX FREE DISTANCE	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)	EYE RELIEF (MAX POWER) (IN)	CLICK VALUE	ADJ RANGE	BRIGHTNESS SETTINGS	RETICLE COLOR	MOUNTING SOLUTION
AR71XRD	TRS-26	1x 26	3 MOA Dot	50 yds	Unlimited	13.2	2.6	Unlimited	1 MOA	100+ MOA	5	Red	Picatinny
AR71XRS	First Strike 2.0	1x	4 MOA Dot	50 yds	Unlimited	1.6	2.3	Unlimited	1 MOA	100+ MOA	5	Red	Pic, High or Low
AR751305	Enrage	1x 35	2 MOA Dot	50 yds	Unlimited	9.7	4.7	Unlimited	.5 MOA	100+ MOA	8	Red	Pic, High or Low
AR750132	Incinerate	1x 37	Circle Dot	50 yds	Unlimited	11.5	4.7	Unlimited	.5 MOA	100+ MOA	8	Red	Pic, High or Low
AR750006	Advance	1x	5 MOA Dot	50 yds	Unlimited	2.2	1.7	Unlimited	.5 MOA	80+ MOA	10	Red	Weaver, Glock Plate #1
AR731304	Transition	3x 24	N/A (magnifier)	N/A	32'	13	4.7	3.4	N/A	200+ MOA	N/A	N/A	Picatinny, Ambidextrous, Flip to Side, 30mm ring

### TAC OPTICS™ RIFLESCOPES

SKU	NAME	MAG X OBJ LENS	RETICLE	FOCAL PLANE	ELEVATION TRAVEL MOA	WINDAGE TRAVEL MOA	TRAVEL PER REVOLUTION	TUBE SIZE	EYE RELIEF (MAX POWER) (IN)	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)
BT1040	LRS	10x 40	Mil-Dot	N/A	85 MOA	85 MOA	10 MOA	1"	3.4	10.5'@10x	15	11.8
BT4305	LRS	4.5-30x 50	Mil-Dot	Second	120 MOA	70 MOA	12 MOA	30mm	3.8	22'@4.5x / 4'@30x	21	13.4
BT5154	LRS	5-15x 40	Mil-Dot	Second	50 MOA	50 MOA	12 MOA	1"	3.4	21'@5x / 7'@15x	21	14.3
BT6245F	LRS	6-24x 50	Illum Mil-Dot	First	80 MOA	80 MOA	5 Mil	30mm	3.4	17'@6x / 4.5'@24x	27	13.8
BT6245FG	LRS	6-24x 50	G2	First	80 MOA	80 MOA	5 Mil	30mm	3.4	17'@6x / 4.5'@24x	27	13.8



## TAC OPTICS™ RED DOTS

SKU	NAME	MAG X OBJ LENS	RETICLE	PARALLAX FREE DISTANCE	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)	EYE RELIEF (MAX POWER) (IN)	CLICK VALUE	ADJ RANGE	BRIGHTNESS SETTINGS	RETICLE COLOR	MOUNTING SOLUTION
BT71XRDX	Mini Cannon	1x 25	4 options	50 yds	Unlimited	7.4	3	Unlimited	.5 MOA	100+ MOA	12	Red	Picatinny
BT71XPS	Lil P	1x	1x	50 yds	70	8	2.5	90	1 MOA	100+ MOA	12	Red	Picatinny
BT71X37	Big D	1x 37	5 MOA Dot	50 yds	Unlimited	13.2	3	Unlimited	1 MOA	100+ MOA	6	Red	Picatinny

#### ELITE® TACTICAL RIFLESCOPES

SKU	NAME	MAG X OBJ LENS	RETICLE	FOCAL PLANE	ELEVATION TRAVEL MOA	WINDAGE TRAVEL MOA	TRAVEL PER REVOLUTION	TUBE SIZE	EYE RELIEF (MAX POWER) (IN)	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)
ET46305GI	XRS II	4.5-30x 50	Illum G3	First	100 MOA	60 MOA	10 Mil	34mm	4.0	24'@4.5x / 4'@30x	37	14.3
ET46305GZ	XRS II	4.5-30x 50	G3	First	100 MOA	60 MOA	10 Mil	34mm	4.0	24'@4.5x / 4'@30x	37	14.3
ET46305GZA	XRS II	4.5-30x 50	G3	First	100 MOA	60 MOA	10 Mil	34mm	4.0	24'@4.5x / 4'@30x	37	14.3
ET46305Z	XRS II	4.5-30x 50	H59	First	100 MOA	60 MOA	10 Mil	34mm	4.0	24'@4.5x / 4'@30x	37	14.3
ET46305T	XRS II	4.5-30x 50	Tremor 3	First	100 MOA	60 MOA	10 Mil	34mm	4.0	24'@4.5x / 4'@30x	37	14.3
ET732150ED	DMR II Pro	3.5-21x 50	G3	First	100 MOA	60 MOA	10 Mil	34mm	4.0	24'@4.5x / 4'@30x	37	13.2
ET36215G	DMR II	3.5-21x 50	G3	First	100 MOA	67 MOA	10 Mil	34mm	4.0	25'@3.5x / 5'@21x	34	13.2
ET36215GI	DMR II	3.5-21x 50	Illum G3	First	100 MOA	67 MOA	10 Mil	34mm	4.0	25'@3.5x / 5'@21x	34	13.2
ET36215H	DMR II	3.5-21x 50	H59	First	100 MOA	67 MOA	10 Mil	34mm	4.0	25'@3.5x / 5'@21x	34	13.2
ET3124GA	LRTS	3-12x 44	G3	First	80 MOA	80 MOA	10 Mil	30mm	4.0	35'@3x / 9'@12x	28	13.1
ET3124GI	LRTS	3-12x 44	Illum G3	First	80 MOA	80 MOA	10 Mil	30mm	4.0	35'@3x / 9'@12x	28	13.1
ET45184GA	LRTS	4.5-18x 44	G3	First	80 MOA	80 MOA	10 Mil	30mm	4.0	24'@4.5x / 6'@18x	28	14.3

#### ELITE® TACTICAL RIFLESCOPES

SKU	NAME	MAG X OBJ LENS	RETICLE	FOCAL PLANE	ELEVATION TRAVEL MOA	WINDAGE TRAVEL MOA	TRAVEL PER REVOLUTION	TUBE SIZE	EYE RELIEF (MAX POWER) (IN)	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)
ET45184GI	LRTS	4.5-18x 44	Illum G3	First	80 MOA	80 MOA	10 Mil	30mm	4.0	24'@4.5x / 6'@18x	28	14.3
ET71624P	SMRS II Pro	1-6.5x 24	CQ BDC	Second	100 MOA	100 MOA	10 Mil	30mm	4.0	107'@1x / 17'@6.5x	18	10.2
ET71624	SMRS II	1-6.5x 24	CQ BDC	Second	100 MOA	67 MOA	10 Mil	30mm	4.0	107'@1x / 17'@6.5x	23	10.5
ET18524	SMRS	1-8.5x 24	BTR-2	First	100 MOA	100 MOA	10 Mil	34mm	4.0	105'@1x / 14'@8.5x	23	10.5
ET71X32	CQTS II	1x 32	Multi Dot	N/A	100 MOA	100 MOA	10 Mil	30mm	Unlimited	Unlimited	11	4.8

#### NITRO RANGEFINDER


						TA	RGETING MC	DES	ARC N	ODES	RANGIN	G PERFOR	MANCE
SKU	MAG X OBJ LENS	SIZE (IN)	WEIGHT (OZ)	BLUETOOTH	APPLIED BALLISTICS	SCAN	BULLSEYE	BRUSH	BOW	RIFLE	RFLCTV. (YDS)	TREE (YDS)	DEER (YDS)
LN1800IGG	6x 24	4.3 x 1.6 x 2.8	5.4	Yes	Base - 875	Yes	Yes	Yes	Yes	Yes	1,800	1,200	800

#### FORGE BINOCULAR - TACTICAL OBSERVATION

SKU	MAG X OBJ LENS	PRISM SYSTEM	FIELD OF VIEW FT. @ 1000 YARDS	CLOSE FOCUS (FT)	EYE RELIEF (MM)	WEIGHT (OZ)	LENGTH (IN)	ADAPT TO TRIPOD
BF1556T	15x 56	Abbe Koenig	235	12	21	51	8.7	Yes

#### **SPOTTING SCOPES - TACTICAL OBSERVATION**

SKU	MAG X OBJ LENS	PRISM GLASS	LENS COATING	FIELD OF VIEW FT. @ 1000 YARDS	EXIT PUPIL (MM)	CLOSE FOCUS	WEIGHT (OZ)	LENGTH (IN)	WATERPROOF/ FOGPROOF	EYE RELIEF (MM)
781545ED	15-45x 60	BaK-4	Fully Multi	180/60@15x / 60/20 @ 45x	4.0@15x / 1.5@45x	35 ft.	37	11	Yes	30
780841H	8-40x 60	BaK-4	Fully Multi	250/83@8x / 50/16@40x	5@18x / 1.5@40x	30 ft.	37.1	12.7	Yes	30



## **ACCURACY IN THE PALM OF YOUR HAND**

NEW BUSHNELL® BALLISTIC CALCULATOR





#### FREE DOWNLOAD AT:









## LASER BORESIGHTER 740100C

Its bright, battery-powered laser makes rapid, ultra-precise work of boresighting. Created to meet the demands of serious shooters. It includes arbors for .22 through .50 caliber firearms.

3 LR44 batteries included.





## MAGNETIC BORESIGHTER 740001C

Works on all calibers and firearms.

Revolutionary design eliminates the need for arbors. Magnetically attaches to the muzzle to facilitate a quick sight-in. Etched glass reticle.

#### PROFESSIONAL BORESIGHTER WITH CASE 743333

A compact kit with three expandable arbors that cover all calibers from .22 to .45. Includes a fixed .17 caliber arbor.



Three-position leg angle adjustment, threeway pan head, two pan and tilt handles and a gearless reversible center column. Bushnell\* quality with moderate carrying weight, this is the ultimate stand-up tripod.

Max height: 63" Weight capacity = 4kg (8.8lbs)



#### ADVANCED TRIPOD

784030

This is a full-featured stand-up tripod for viewing from a platform, roadside or deck where portability is not essential.

Max height: 60" Weight Capacity: 4kg (8.8lbs)



## LARGE CAR WINDOW MOUNT 784405

The traveling hunter and birder's secret. You'll see these mounts holding spotting scopes on car windows from Yellow Stone National Park to the Everglades.



#### TRIPOD ADAPTOR BAHORADPT

Ensure rock solid all day viewing with machined, billet aluminum frame and shake proof hinge design. Quick release attachment allows for fast, durable and secure viewing in any environment.

## **BINOCULAR HARNESS WITH QUICK DETACH**BASFHARN

It'll be easy to forget you're carrying binoculars with this lightweight, vented and comfortable harness. Multiple strap adjustments allow for optimal comfort, placement and hands free operation until you need the binoculars. Remove and securely attach binoculars quickly and effortlessly from harness with the quick detach clips.





#### PRIME RIFLESCOPES

SKU	MAG X OBJ LENS	RETICLE	FOCAL PLANE	ELEV/WIND TRAVEL MOA	EYE RELIEF (MAX POWER) (IN)	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)
RP1432BS3	1-4x32	Multi-X	SFP	50/50	3.9	105-26	13.4	10.4
RP3103BS3	3.5-10x36	Multi-X	SFP	60/60	3.3	31-11	16.6	12.8
RP3103BS4	3.5-10x36	DZ 22LR	SFP	60/60	3.3	31-11	16.6	12.8"
RP3940BS3	3-9x40	Multi-X	SFP	60/60	3.5	38-13	14.8	12.1
RP4124BS3	4-12x40	Multi-X	SFP	60/60	3.3	26-9	16.6	12.8
RP6185BS3	6-18x50	Multi-X	SFP	40/40	3.5	18-6	19.0	15.5

#### PRIME BINOCULARS

SKU	MAG X OBJ LENS	PRISM SYSTEM	FIELD OF VIEW FT. @ 1000 YARDS	CLOSE FOCUS (FT)	EYE RELIEF (MM)	WEIGHT (OZ)	LENGTH (IN)	ADAPT TO TRIPOD
BP1025B	10x 25	Roof	326	20	11	11.1	4.1	No
BP832B	8x 32	Roof	390	9	18	16.9	4.8	Yes
BPR1028	10x 28	Roof	298	10	15	14.2	4.7	Yes
BPR842	8x 42	Roof	350	10	24	23.3	5.2	Yes
BP1042B	10x 42	Roof	305	12	19	23.3	5.2	Yes
BPR1250	12x 50	Roof	273	10	16	33.5	6.5	Yes

#### PRIME RANGEFINDERS

				TARGETING MODES		ARC N	ODES	RANGING PERFORMANCE			
SKU	MAG X OBJ LENS	SIZE (IN)	WEIGHT (OZ)	BULLSEYE	BRUSH	BOW	RIFLE	RFLCTV. (YDS)	TREE (YDS)	DEER (YDS)	
LP1300SBL	6x 24	4.2x1.4x2.7	5.1	Yes	Yes	Yes	Yes	1,300	800	400	
LP1700SBL	6x 24	4.2x1.4x2.7	5.1	Yes	Yes	Yes	Yes	1,700	1,000	500	



#### PRIME SPOTTING SCOPES

SKU	MAG X OBJ LENS	PRISM SYSTEM	PRISM GLASS	FIELD OF VIEW FT. @ 1000 YARDS	CLOSE FOCUS (FT)	EYE RELIEF (MM)	WEIGHT (OZ)	LENGTH (IN)	ADAPT TO TRIPOD
SP164850B	16-48x 50	Porro Straight	BaK-4	110/60	14	18	32.7	12.8	Yes
SP206065B	20-60x 65	Porro Straight	BaK-4	100/50	20	18	37.9	14.6	Yes
SP206065AB	20-60x 65	Porro Angled	BaK-4	100/50	20	18	37.9	14.4	Yes

#### NITRO RIFLESCOPES

SKU	MAG X OBJ LENS	RETICLE	FOCAL PLANE	ELEV/WIND TRAVEL MOA	EYE RELIEF (MAX POWER) (IN)	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)
RN2104BS1	2.5-10x44	DEPLOY MOA	SFP	50/50	3.6	37@2.5x/9.5@10x	23.9	13.6
RN2104BS3	2.5-10x44	Multi-X	SFP	50/50	3.6	37@2.5x/9.5@10x	23.9	13.6
RN2104GS1	2.5-10x44	DEPLOY MOA	SFP	50/50	3.6	37@2.5x/9.5@10x	23.9	13.6
RN2104GS3	2.5-10x44	Multi-X	SFP	50/50	3.6	37@2.5x/9.5@10x	23.9	13.6
RN2104BF1	2.5-10x44	DEP. MOA FFP	FFP	50/50	3.6	37@2.5x/9.5@10x	23.9	13.6
RN2104GF1	2.5-10x44	DEP. MOA FFP	FFP	50/50	3.6	37@2.5x/9.5@10x	23.9	13.6
RN2104BF2	2.5-10x44	DEP. MIL FFP	FFP	14.5 MIL/ 14.5 MIL	3.6	37@2.5x/9.5@10x	23.9	13.6
RN3124BS1	3-12x44	DEPLOY MOA	SFP	60/60	3.9	34.8@3x/8.6@12x	24.2	13.7
RN3124BS3	3-12x44	Multi-X	SFP	60/60	3.9	34.8@3x/8.6@12x	24.2	13.7
RN3124GS1	3-12x44	DEPLOY MOA	SFP	60/60	3.9	34.8@3x/8.6@12x	24.2	13.7
RN3124GS3	3-12x44	Multi-X	SFP	60/60	3.9	34.8@3x/8.6@12x	24.2	13.7
RN3124BF1	3-12x44	DEP. MOA FFP	FFP	60/60	3.9	34.8@3x/8.6@12x	24.2	13.7
RN3124GF1	3-12x44	DEP. MOA FFP	FFP	60/60	3.9	34.8@3x/8.6@12x	24.2	13.7
RN3124BF2	3-12x44	DEP. MIL FFP	FFP	17.5 MIL/ 17.5 MIL	3.9	34.8@3x/8.6@12x	24.2	13.7

#### NITRO RIFLESCOPES

SKU	MAG X OBJ LENS	RETICLE	FOCAL PLANE	ELEV/WIND TRAVEL MOA	EYE RELIEF (MAX POWER) (IN)	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)
RN4164BS1	4-16x44	DEPLOY MOA	SFP	50/50	3.6	23@4x/6@16x	23.4	13.9
RN4164BS3	4-16x44	Multi-X	SFP	50/50	3.6	23@4x/6@16x	23.4	13.9
RN4164GS1	4-16x44	DEPLOY MOA	SFP	50/50	3.6	23@4x/6@16x	23.4	13.9
RN4164GS3	4-16x44	Multi-X	SFP	50/50	3.6	23@4x/6@16x	23.4	13.9
RN4164BF1	4-16x44	DEP. MOA FFP	FFP	50/50	3.6	23@4x/6@16x	23.4	13.9
RN4164GF1	4-16x44	DEP. MOA FFP	FFP	50/50	3.6	23@4x/6@16x	23.4	13.9
RN4164BF2	4-16x44	DEP. MIL FFP	FFP	14.5 MIL/ 14.5MIL	3.6	23@4x/6@16x	23.4	13.9
RN5204BS1	5-20x44	DEPLOY MOA	SFP	60/60	3.7	20@5x/5@20x	24.5	13.7
RN5204BS3	5-20x44	Multi-X	SFP	60/60	3.7	20@5x/5@20x	24.5	13.7
RN5204GS1	5-20x44	DEPLOY MOA	SFP	60/60	3.7	20@5x/5@20x	24.5	13.7
RN5204GS3	5-20x44	Multi-X	SFP	60/60	3.7	20@5x/5@20x	24.5	13.7
RN5204BF1	5-20x44	DEP. MOA FFP	FFP	60/60	3.7	20@5x/5@20x	24.5	13.7
RN5204GF1	5-20x44	DEP. MOA FFP	FFP	60/60	3.7	20@5x/5@20x	24.5	13.7
RN5204BF2	5-20x44	DEP. MIL FFP	FFP	17.5 MIL/ 17.5 MIL	3.7	20@5x/5@20x	24.5	13.7
RN6245BS1	6-24x50	DEPLOY MOA	SFP	50/50	3.6	16@6x/4@24x	26.3	14.4
RN6245BS3	6-24x50	Multi-X	SFP	50/50	3.6	16@6x/4@24x	26.3	14.4
RN6245GS1	6-24x50	DEPLOY MOA	SFP	50/50	3.6	16@6x/4@24x	26.3	14.4
RN6245GS3	6-24x50	Multi-X	SFP	50/50	3.6	16@6x/4@24x	26.3	14.4
RN6245BF1	6-24x50	DEP. MOA FFP	FFP	50/50	3.6	16@6x/4@24x	26.3	14.4
RN6245GF1	6-24x50	DEP. MOA FFP	FFP	50/50	3.6	16@6x/4@24x	26.3	14.4
RN6245BF2	6-24x50	DEP. MIL FFP	FFP	14.5 MIL/ 14.5 MIL	3.6	16@6x/4@24x	26.3	14.4

## SPECIFICATIONS 34

#### NITRO BINOCULARS

SKU	MAG X OBJ LENS	PRISM SYSTEM	FIELD OF VIEW FT. @ 1000 YARDS	CLOSE FOCUS (FT)	EYE RELIEF (MM)	WEIGHT (OZ)	LENGTH (IN)	ADAPT TO TRIPOD
BN1025G	10x 25	Roof	285	7	15	9.5	4.4	No
BN1036G	10x 36	Roof	341	7	17	21.9	4.8	Yes
BN1042G	10x 42	Roof	340	7	17	24.4	5.5	Yes

#### NITRO RANGEFINDER

						TA	RGETING MC	DES	ARC N	IODES	RANGIN	G PERFOR	MANCE
SKU	MAG X OBJ LENS	SIZE (IN)	WEIGHT (OZ)	BLUETOOTH	APPLIED BALLISTICS	SCAN	BULLSEYE	BRUSH	BOW	RIFLE	RFLCTV. (YDS)	TREE (YDS)	DEER (YDS)
LN1800IGG	6x 24	4.3 x 1.6 x 2.8	5.4	Yes	Base - 875	Yes	Yes	Yes	Yes	Yes	2,000	1,200	800

#### NITRO SPOTTING SCOPES

SKU	MAG X OBJ LENS	PRISM SYSTEM	PRISM GLASS	FIELD OF VIEW FT. @ 1000 YARDS	CLOSE FOCUS (FT)	EYE RELIEF (MM)	WEIGHT (OZ)	LENGTH (IN)	ADAPT TO TRIPOD
SN154565G	15-45x 65	Porro Straight	BaK-4	135/65	19	15	21.8	10.8	Yes
SN206065GA	20-60x 65	Porro Angled	BaK-4	100/50	33	15	55	18.9	Yes

#### FORGE RIFLESCOPES

SKU	MAG X OBJ LENS	RETICLE	FOCAL PLANE	ELEV/WIND TRAVEL MOA	EYE RELIEF (MAX POWER) (IN)	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)
RF2155BS1	2.5-15x50	DEPLOY MOA	SFP	70/70	3.9	40@2.5x/7@15x	28.9	14.1
RF2155BS5	2.5-15x50	DZ 600	SFP	70/70	3.9	40@2.5x/7@15x	28.9	14.1
RF2155TS1	2.5-15x50	DEPLOY MOA	SFP	70/70	3.9	40@2.5x/7@15x	28.9	14.1
RF2155TS5	2.5-15x50	DZ 600	SFP	70/70	3.9	40@2.5x/7@15x	28.9	14.1
RF2155BF1	2.5-15x50	DEP. MOA FFP	FFP	70/70	3.9	40@2.5x/7@15x	28.9	14.1
RF2155TF1	2.5-15x50	DEP. MOA FFP	FFP	70/70	3.9	40@2.5x/7@15x	28.9	14.1
RF2155BF2	2.5-15x50	DEP. MIL FFP	FFP	20.4MIL/20.4MIL	3.9	40@2.5x/7@15x	28.9	14.1
RF3185BS1	3-18x50	DEPLOY MOA	SFP	84/84	3.9	33.5@3x/5.7@18x	29.2	14.7
RF3185BS6	3-18x50	DZ 800	SFP	84/84	3.9	33.5@3x/5.7@18x	29.2	14.7
RF3185TS1	3-18x50	DEPLOY MOA	SFP	84/84	3.9	33.5@3x/5.7@18x	29.2	14.7
RF3185TS6	3-18x50	DZ 800	SFP	84/84	3.9	33.5@3x/5.7@18x	29.2	14.7
RF3185BF1	3-18x50	DEP. MOA FFP	FFP	84/84	3.9	33.5@3x/5.7@18x	29.2	14.7
RF3185TF1	3-18x50	DEP. MOA FFP	FFP	84/84	3.9	33.5@3x/5.7@18x	29.2	14.7
RF3185BF2	3-18x50	DEP. MIL FFP	FFP	24.4MIL/24.4MIL	3.9	33.5@3x/5.7@18x	29.2	14.7
RF4275BS1	4.5-27x50	DEPLOY MOA	SFP	50/50	4	22.2@4.5x/3.8@27x	29.3	14.2
RF4275BS6	4.5-27x50	DZ 800	SFP	50/50	4	22.2@4.5x/3.8@27x	29.3	14.2
RF4275TS1	4.5-27x50	DEPLOY MOA	SFP	50/50	4	22.2@4.5x/3.8@27x	29.3	14.2
RF4275TS6	4.5-27x50	DZ 800	SFP	50/50	4	22.2@4.5x/3.8@27x	29.3	14.2
RF4275BF1	4.5-27x50	DEP. MOA FFP	FFP	50/50	4	22.2@4.5x/3.8@27x	29.3	14.2
RF4275TF1	4.5-27x50	DEP. MOA FFP	FFP	50/50	4	22.2@4.5x/3.8@27x	29.3	14.2
RF4275BF2	4.5-27x50	DEP. MIL FFP	FFP	14.5MIL/14.5MIL	4	22.2@4.5x/3.8@27x	29.3	14.2




#### FORGE BINOCULARS

SKU	MAG X OBJ LENS	PRISM SYSTEM	FIELD OF VIEW FT. @ 1000 YARDS	CLOSE FOCUS (FT)	EYE RELIEF (MM)	WEIGHT (OZ)	LENGTH (IN)	ADAPT TO TRIPOD
BF1030T	10x 30	Roof	330	7	18	13.7	4.8	No
BF842T	8x 42	Roof	426	10	19	30.8	6.7	Yes
BF1042T	10x 42	Roof	340	10	18	30.4	6.7	Yes
BF1556T	15x 56	Abbe Koenig	235	12	21	51	8.7	Yes


#### FORGE SPOTTING SCOPES

SKU	MAG X OBJ LENS	PRISM SYSTEM	PRISM GLASS	FIELD OF VIEW FT. @ 1000 YARDS	CLOSE FOCUS (FT)	EYE RELIEF (MM)	WEIGHT (OZ)	LENGTH (IN)	ADAPT TO TRIPOD
SF206080T	20-60x 80	Porro Straight	BaK-4	95/51	41	17	60.7	14.2	Yes
SF206080TA	20-60x 80	Porro Angled	BaK-4	95/51	41	17	61.4	17	Yes


#### PRIME RETICLES



#### **NITRO RETICLES**



#### **FORGE RETICLES**



LR600

## ACCURACY IN THE PALM OF YOUR HAND NEW BUSHNELL® BALLISTIC CALCULATOR



Check out an excellent selection of optical equipment we offer on our website.