

CONFIDENCE IN HAND®

2020

**CRKT**®



# CONTENTS

DEADBOLT.....	3-4
KINEMATIC™.....	5-6
RUGER.....	7
FORGED BY WAR™.....	8
INNOVATIONS & TECHNOLOGY.....	9
SAFETY & ACTUATION.....	10
DESIGNERS.....	11-16
<b>NEW PRODUCTS.....</b>	<b>17-35</b>
DEALER WORKBOOK.....	36
● EVERYDAY CARRY.....	36-70
● HUNT & FISH.....	71-73
● OUTDOOR.....	74-79
● SURVIVAL.....	80-82
● MULTI-TOOL.....	83-86
● TACTICAL.....	87-102
● ACCESSORIES.....	102-103
● RUGER.....	103-112
PRODUCT INDEX.....	113-115



# CONFIDENCE IN HAND<sup>®</sup>

2019 marked a quarter century in business. There was plenty of celebration. It was well deserved—the team I work alongside is built of the most hard working people I know. That's why, with mixed emotions, I announce this is my final letter to you.

While my wife and business partner, Peggy, and I have been planning our transition for awhile, life sometimes decides timing for you. This year, we'll be stepping away from the day-to-day operations a bit sooner than planned. Mark Schreiber will continue to carry forward as President, leading CRKT<sup>®</sup> ambitiously forward as the brand grows and builds momentum. Rest assured, we'll stick around to keep CRKT<sup>®</sup> centered around what means the most. Which brings me back to this year's accomplishments (and those of years prior) that all ladders up to one thing.

Confidence in Hand<sup>®</sup>: it's our True North. It's why our drive never lets up. This year, the proof lies in the evolution of our two newest innovations: Deadbolt<sup>®</sup> and Kinematic<sup>™</sup>.

When our best-in-class designers are able to share ideas, remarkable things happen. We gave Flavio Ikoma's Deadbolt<sup>®</sup> to TJ Schwarz and married it with a Kit Carson custom. The results—the Parascale<sup>™</sup> and M40<sup>™</sup>—are stunning.

This year, Joe Caswell has given his Provoke<sup>™</sup> a new look...four of them, actually. They all feature Kinematic<sup>™</sup> and nearly unseat his original Provoke<sup>™</sup> design as the most unique knife I've ever seen.

Finally, I'm proud to see our Forged by War<sup>®</sup> program alive and well with Michael Rodriguez's Xolotl<sup>™</sup>. It's one of the first times a veteran has tackled an everyday carry and it couldn't have turned out better.

Thanks a million for all of the memories and friendship over the years. As always, thank you for being here and thank you for carrying CRKT<sup>®</sup>.

*Rod Bremer*  
Founder

A man wearing a black cap, glasses, and a grey t-shirt with suspenders is holding a CRKT Deadbolt folding knife. The background is a workshop with various tools and equipment. A sign in the background reads "SPEED LIMIT 55".

STRENGTH  
**DEADBOLT**<sup>®</sup>  
IN SIMPLICITY

**STRENGTH IN SIMPLICITY**

Flavio Ikoma reset the bar for simplicity and usability when he introduced the world to Deadbolt<sup>®</sup>. The innovation's true staying power is in the conclusive demand of the consumer's unquenchable thirst for new Deadbolt<sup>®</sup> designs and in the hands of our world-class designers that answered the call.

When we open source innovations among CRKT<sup>®</sup> designers, amazing things happen. Flavio introduces us to the Linchpin<sup>™</sup> this year, a beefy companion built for the camp kitchen. TJ Schwarz took to creating a paracord wrapped folder. Consequently the Parascale<sup>™</sup> was born and becomes a uniquely useful tool for survivalists. Finally, the late Kit Carson's remarkable legacy grows in the M40<sup>™</sup> series. If he were around to see one of his distinctive designs built with Deadbolt<sup>®</sup>, he undoubtedly would be beaming with pride.


We can't wait to see what's next for this powerful innovation.

**Learn more about the new M40<sup>™</sup>, Linchpin<sup>™</sup> and Parascale<sup>™</sup> featuring Deadbolt<sup>®</sup> in the new product section starting on page 17.**

# HOW DEADBOLT® WORKS

Take it at face value, and it's a shockingly simple disengagement mechanism—the prominent button is so obvious, take it in hand, and your thumb naturally gravitates in its direction. But under extreme stress is where it shines. Steel bolts interlock with the blade and the liner when it's deployed to yield incredible strength that won't so much as flinch under weight.





Serve. Protect.


# KINEMATIC™

When Designer Joe Caswell first unveiled the sketches that were to become the Provoke™, we knew he was destined to become one of the most innovative designers the knife world had ever seen.

Now, Kinematic™ evolves and the Provoke™ line grows to include tools for first responders, galactic colors, and Veff Serrations™ (a truly utilitarian power pairing if there ever was one). We have no doubt that this will only prove to eternalize his reputation as somewhat of a mad scientist of the knifemaking world. From this vantage point, it's even clearer than it was before: **Kinematic™ is pulling the folder into the future whether it's ready or not.**

Learn more about the new Provoke™ knives featuring Kinematic™ on pages 31-32.





## How Kinematic™ Works

At first glance, it might look like a tool relegated to the professionals. But thread your finger through the ring, firmly grasp the handle, and your thumb intuitively rests on the deployment curve. Light pressure is all it takes for it to lunge to life and disengagement is just as simple. Shift the discrete lever at the base of the finger loop and nudge the blade back into its retreated position.





**THE  
SHARPER  
SIDE  
OF  
RUGER**



For more information about Ruger-branded knives and tools, see page 103



OFFICIALLY LICENSED RUGER® PRODUCT





# BORN OF EXPERIENCE. **FORGED BY WAR.**

MISSION-READY TOOLS, DESIGNED BY WARRIORS, WITH A PORTION OF THE PROFITS DONATED TO THE VETERANS' CHARITY OF CHOICE.

In 2013, Ryan Johnson of RMJ Tactical, designer of elite, military, tactical tomahawks, approached CRKT® with the news that he had been working with a few combat veterans that had returned from war with varying degrees of post-traumatic stress (PTS).

To help work through their challenges, they have been designing and forging steel into custom tools. Drawing from their experience earned in combat situations, they have been creating tools they wished they had available to them in the battlefield.

CRKT® cares deeply about our returning veterans and we saw a way to give back to the community that created them. In 2016, we launched the Forged By War® program.

These are mission ready tools, designed by veterans, with a portion of the profits of the program donated to the veterans' charity of choice.

Mission ready tools that are Forged By War®.

See the new tools on page 32.

**FORGED BY  
WAR**

# THE TECH



## DEADBOLT®

Flavio Ikoma has proven that there's strength in simplicity. Steel bolts interlock with the blade when it's deployed to yield incredible strength. A prominent button sits at the pivot point for simple, intuitive disengagement without your fingers ever crossing the path of the blade.



## KINEMATIC™

Joe Caswell is pulling the folder into the future whether it's ready or not. Gently nudge the upper crossbar on a Kinematic™ knife with your thumb—while the rest of your fingers firmly grasp the handle—and the blade lunges to life. Shift the discrete lever at the base of the finger loop and the blade retreats into its closed position.



## FIELD STRIP

Designed by world-class knifemaker, Ken Onion, Field Strip lets you easily disassemble your knife whenever, wherever—without tools.



## IKBS™

Designers Flavio Ikoma and Rick Lala invented this system that sets lubed ball bearings into the folding knife pivot. The result is rapid blade deployment that is smooth and fast. Go ahead, set a flipping land speed record.



## SNAP LOCK™

This innovative cam locking system features a blade that can pivot 180°, simply press the thumb wheel and rotate the blade. When closed, the frame is an effective blade guard. When open, the harder you grip the handle, the more it locks the blade in place.



## VEFF SERRATIONS™

Some hone edges. Others, like "Edgeologist" Tom Veff, reinvent them, with his exclusive and patented Veff Serrations™ that offer superior cutting of cordage, rope, and fibrous materials—none are safe.



## HOLE IN ONE®

Inventor Tom Hitchcock pioneered the Hole in One® slide opener to intuitively open by simply pressing the front lever mechanism with your thumb and rotating the blade outward until it fully extends and securely clicks into place. To close the knife, press down on the lever to disengage, then swing the blade back into the closed position. This innovative opening mechanism is featured on the Daktyl™.



## GLIDE LOCK

The Glide Lock keeps the blade securely closed until you push the safety button down, slide the bolster locking mechanism up, and deploy the blade. Slide the bolster back down to lock the blade in place. To release, push the safety button once again and slide the bolster locking mechanism out.



## CRAWFORD LOCKBACK

The distinctive Offbeat™ knife features the Crawford Lockback mechanism. Inspired by a wire handle folder, Pat Crawford created the long cutout on the handle to slide around the butt end of the blade until it seats snugly into a notch. In this position, the harder you grip, the more secure it becomes.



## HOIST'N LOK®

An innovative lobed and knurled cam successfully locks the rope into place, eliminating the need for a difficult and often inconvenient tie off. With professional hunting guide Russ Kommer's innovation, hoisting your game is now as easy as cleaning it with one of his blades.

# SAFETY & ACTUATION

## FOLDER SAFETY SYSTEMS



### LOCKING LINER SAFETY

The CRKT® Locking Liner Safety innovation adds an ingenious layer of safety to your folding knife. The safety sets a pin between the locking liner and the frame. This pin acts as an additional layer of security so the locking liner is less likely to disengage during use. To engage the safety, push the manual lever forward. To close the knife, pull the manual lever back, slide the locking liner over, and fold the blade into the closed position. Many CRKT® folders feature this innovative safety system.



### AUTOMATED LINER SAFETY

Automated Liner Safety is the locking liner safety innovation taken to the next level. The Automated Liner Safety sets a pin between the locking liner and the frame. This pin acts as an additional layer of safety, so the locking liner is less likely to disengage during use. To close the knife, pull the red buttoned safety lever back, slide the locking liner over, and fold the blade into the closed position. Want one of the most secure safety systems on the market? The choice is automatic.



### OUTBURST® ASSISTED OPENING

Lightning fast. Ridiculously easy to use. These are just a few of the ways people have described our patented opening system. Just manually open the blade up to 30 degrees and the patented OutBurst® assisted opening mechanism springs the knife fully open so that you're good to go. The powerful spring also holds the blade securely closed when not in use. On many models, we've combined the OutBurst® system with our locking and actuation systems like Fire Safe® for a new level of ease of operation, as well as security.



### FIRE SAFE® SAFETY

Easy to open and incredibly safe, you'll see why we came up with the name we did for our patented system that relies on a pin at the locking liner. The actuation mechanism operates on folders through one of two opener styles:

- **FIRE SAFE® THUMB STUD**


Press the spring-loaded thumb stud to release the locking liner and pin.

- **FIRE SAFE® THUMB DISK**

Press the thumb disk to release the locking liner and pin.



Whichever you use, the mechanism is easy and intuitive. Simply nudge your thumb outward and OutBurst® Handle it from there propelling your blade into an open and locked position. This pressing and nudging of the blade prevents accidental opening to put you (and your blade) in complete control of the situation.



### CARSON FLIPPER

Retired Master Sergeant and custom knife-maker Kit Carson defined this ingenious opener that challenged the conventional ways of opening a knife. With a simple finger pressure of the "flipper" incorporated into the blade, the blade flips open and locks, so you're ready for action. Once open, the flipper works great as a blade guard as well. Look for the Carson Flipper featured on many of our tactical knives.

# OUR DESIGNERS

We're honored to partner with the best custom knifemakers in the business to produce production versions of their custom designs. Many of them have been our friends for years, both in the office and out in the field. They make everything you've seen in these pages possible. Although CRKT® has picked up a few awards over the years, we think it's important to give credit where credit is due. These designers have done more than come up with creative designs; they've helped all of us become more independent and self-reliant.



**Jim Hammond**  
Birmingham, AL  
Years Designing: 42+

Jim was the first knifemaker to work with CRKT® in 1994, but he had more than 17 years experience under his blade-decorated belt prior to that. After graduating from Clemson in 1977, he quickly climbed the ranks, specializing in military and collector grade tactical fighters like our FE™ series. A Knifemakers' Guild member since 1978, his designs—and golf shots—are all about excellence, flair, and function.



**Ed Halligan**  
Ocean Springs, MS  
Years Designing: 41+

The second knifemaker to ever work with us, "Big Daddy K.I.S.S." knew his way around CRKT® headquarters and a 747. After years of using tools as an aircraft mechanic, Ed founded Halligan Knives in 1985. He went on to earn a Mastersmith rating from the American Bladesmithing Society and invented the often imitated, never duplicated, legendary K.I.S.S.® (Keep it Super Simple) knife series. Ed passed in 2014. His immeasurable contribution to knife-craft is greatly celebrated...and deeply missed.




**Kit Carson**  
Vine Grove, KY  
Years Designing: 40+

Kit retired as a ranking Master Sergeant and ultimately became a high-profile member of the Knifemakers' Guild. Kit designed the successful M16® knife series named one of the Top 10 Tactical Folders of the Decade by Blade Magazine. Inducted into the Cutlery Hall of Fame in 2012, Kit's industry influence was felt far and wide. He even mentored such greats as Ken Onion. Kit passed in 2014. The Carson family requests that donations be made to the National Parkinson Foundation.




**Pat & Wes Crawford**  
West Memphis, AR  
Years Designing: 74+  
combined

The Crawfords know what it's like to combine old world traditions with new features. Pat, a Knifemakers' Guild member since 1973, has been a pioneer in the combat folder genre and was one of the first to utilize titanium and skeletonize frames. Wes, his son, has helped integrate exotic field materials including wood, ivory, and stag horn into their offerings. They're famous for the CRKT® Triumph N.E.C.K.™—and for pushing each other.




**Russ Kommer**  
Fargo, ND  
Years Designing: 22

To say Russ is an outdoorsman is a bit of an understatement. A professional fishing and hunting guide, he started making knives when one of his clients brought him a custom knife and dressed an entire moose—without sharpening it. Since then he's made it his duty to build the kind of tools only he would use. It just so happens his Bear Claw™, and Hoist'N Lok®, are the kinds other hunters use as well.



**Brian Tighe**  
Ridgeville, Ontario, CA  
Years Designing: 29

There are edged tool artisans...and then there's Brian Tighe. A Canadian Renaissance Man, he is practiced in the art of metallurgy, photography, and tool and die making. It's what helped him make the leap from a creator of high-quality custom folding knives into the top 10 elite. We were honored to have his Buy Tighe™ blade as our limited edition CRKT® 20th anniversary knife and are releasing the new BT Fighter™ knives for 2020.




**Ed Van Hoy**  
Abingdon, VA  
Years Designing: 43

Looking at the shelves in his shop, you'd almost think Ed specializes in awards rather than knives. But that just comes with the territory when you are pushing the limits with your designs. Just a few of his many highlights are: the A.G. Russell Most Innovative Folding Knife, Most High Tech Design-S.I.C.A.C, Best Fantasy Knife in the Ohio Valley Knife Show 2005, and Knife of the Year at the Blade Show 2004. Ed is living proof that if you love what you do, the rest comes easy.



**James Williams**  
Bozeman, MT  
Years Designing: 22

You don't want to mess with Sensei James Williams. Trust us. A former US Army officer with more than 50 years of experience in the martial arts, he developed the System of Strategy. It's a unique approach to unarmed combat that he teaches to Special Operations units and law enforcement worldwide. When he is armed, though, you'll find him brandishing blades he's created, like the Hissatsu™ fixed blade, the Shizuka noh Ken™, and the now-legendary Hissatsu™ folder.



**A.G. Russell**  
Rogers, AR  
Years Designing: 46+

Simply put, the late A.G. Russell was a man who ate, slept, and breathed knives. He was the first member of the Knife Digest Cutlery Hall of Fame, a founding member of the Knifemakers' Guild, founded the Knife Collectors Club™, and started the first mail order knife business. Even with a pedigree like that, whenever he was asked what he enjoyed most, his answer was always designing custom knives.



**Tom Stokes**  
Williamsburg, VA  
Years Designing: 15

Whenever Tom hears someone say, "it doesn't take a rocket scientist to make a knife," he'll quickly correct them. After all, having been involved in the aerospace industry for more than 25 years, he brings a unique perspective to CRKT® tools using CAD software and rapid prototyping technology. It has resulted in multi-tools that are a rare combination of artistic form and function, such as the Knife Maintenance Tool and the Iota™.



**Tom Veff**  
Oregon City, OR  
Years Designing: 15

Without Tom, many would be walking around with dull blades. The "Edgeologist," as he's commonly known, began sharpening knives in an industry that demands it: meat cutting. It wasn't long before he started applying his techniques to help others keep their blades sharp. Many CRKT® knives are indebted to Tom for his original and patented Veff Serrations™ pattern. Exclusive to CRKT® these distinctive serrations offer superior cutting of rope, cordage, and fibrous materials.



**Alan Folts**  
Melbourne, FL  
Years Designing: 25

When it comes to knives, Alan knows all about giving back to the people. He climbed the ranks in college by entering knives in art shows. Since then he's been adamant about teaching and passing on the skills of custom knifemaking to others. He specializes in one-of-a-kind fixed blades that have great ergonomics and sleek futuristic designs, such as the top selling Folts Minimalist® series and the new Minimalist® Cleaver.



**Glenn Klecker**  
Silverton, OR  
Years Designing: 19

Knifemaking is in the Klecker genes. Glenn, an engineer with a passion for knife and tool design, knows how to use them first hand, having led a marine detachment in Desert Storm. Meanwhile, his son Nathan helped build the wooden Nathan's Knife Kit that teaches kids knife safety. Glenn's innovative locking mechanism, dubbed the Klecker Lock, is featured on several CRKT® production models, including the popular NIRK™ Tighe and Graphite™ knives.



**Liong Mah**  
Palm Bay, FL  
Years Designing: 17

If we didn't know any better, we'd think the English definition of Mah is "practical." After all, it's a useful sensibility Liong incorporates into all of his designs like the Remedy™, the ever popular Eat'N Tool®, and the 2015 Mah-chete™. As a kid, when others doodled cartoons in their school notebooks, he drew knife designs. Later, having learned CAD, he was able to bring these ideas to life by collaborating with many of the top designers in the industry.



**Ken Onion**  
Kaneohe, HI  
Years Designing: 28

Ken is the real deal. The youngest ever inductee into the Blade Magazine Hall of Fame in 2008, he is recognized as one of the most innovative and successful knife designers of all time. In 1996 he created the first commercially successful assisted opening mechanism, and 20 years later unveiled his award-winning Field Strip Technology.




**Flavio Ikoma**  
Presidente Prudente, Brazil  
Years Designing: 25

Some kids dream of being a ballplayer. Flavio wanted to be a knifemaker. In his adolescence, he worked on knives of the Japanese sword variety in his father's shop. He has gone on to learn metallurgy, to work with Ken Onion, and to become a force for innovation. Flavio brought to market the revolutionary IKBS™ ball bearing pivot system (with Rick Lala), and the industry-changing Deadbolt®, exclusively available from CRKT®.



**MJ Lerch**  
Sussex, WI  
Years Designing: 7

Though MJ was introduced to the industry by way of the back end of a custom knifemaker's business, once she put her creative ingenuity to work on the machine, everything changed. Her keen ability to create one balanced, hardworking design after another has boosted her into a realm all her own. She's known for her highly-ergonomic handle designs inspired by the natural and spontaneous flow of nature.



**Ray Kirk**  
Tahlequah, OK  
Years Designing: 29

Ray Kirk started forging knives in 1989. As an American Bladesmith Society Master Smith, he specializes in useful, simple designs that are beautiful in style. He's won many awards, including three 1st Place awards at the ABS World Championship. Ray works with the KGA of Oklahoma and was presented the Dee Daniel Boone Award for preserving the art and history of the forged blade. Ray designed the K.E.R.T.™ tool that has become a popular multi-tool.



**Ryan Johnson of RMJ Tactical**  
Chattanooga, TN  
Years Designing: 33

The fireplace is never without wood at the Johnson house. That's because for years at RMJ Tactical, Ryan has been building some of the finest custom tomahawks this country has ever seen. Applying modern engineering to centuries-old tool and weapon concepts, he redefined the role of tomahawks in Law Enforcement and Special Forces Military Applications.



**Matthew Lerch**  
Sussex, WI  
Years Designing: 35

What happens when you cross art and mechanics? You get something that looks like Matthew Lerch. Trained initially as a jeweler/watchmaker, he progressed into manufacturing and tool making. Now he has a few patents under his belt for innovations, like the Fire Safe®, and has been honored with some prestigious awards including the Buster Warenski award. Matt views knives as functional art, as evident by his Moxie™ and Blade Show award-winning Endorser™ design.



**Ken Steigerwalt**  
Orangeville, PA  
Years Designing: 38

Ever since he was a kid, if Ken needed a knife, he just made one. His first one was built from a saw blade at the kitchen table using a vise, files, and sandpaper. Needless to say, he's gone on to create more highly designed knives that have won him 11 Blade Show awards in seven consecutive years, including two Best Folders awards and one Best Folder of the Year. He also co-designed the patented Fire Safe® safety innovation, which is used on many CRKT® blades.



**Lucas Burnley**  
Orleans, MA  
Years Designing: 15

When you ask Lucas what drew him to the knife world as a teenager, he'll tell you about stories of survival, off-path adventures with his father, and a healthy dose of action movies. Over the years, he has experimented with a broad range of styles to artfully combine classical elements with modern materials and techniques, like with his Tuna™ and Nishi™. Lucas believes knives are a personal expression of independence. We couldn't agree more.



**Terry Renner**  
Palmetto, FL  
Years Designing: 29+

Terry likes tinkering with things—designs, tooling, and fixtures for road and mountain bikes, and of course, blades. A mechanical designer and artist at heart, he worked in the bicycle industry for thirty years. He always had a fascination with edged objects and moonlighted as a fabricator for new and different locking mechanisms for folding knives. In 2006 he went to full-time knifemaker status and was awarded Best New Knifemaker at the Blade Show. Terry's a current member and a former three-term President of the Florida Knifemakers' Association.



**Larry Fischer**  
Boise, ID  
Years Designing: 1

An avid traditional bowhunter, outdoorsman, and conservationist, Larry's no-nonsense approach to all he endeavored was readily apparent in everything he did. Larry served on the National Board of Directors for Backcountry Hunters and Anglers, was a lifetime member and past president of the Professional Bowhunters Society, and was an active member of Traditional Bowhunters of Montana and Traditional Archers of Oregon. Larry lost his courageous battle with cancer before his first design, the Hunt'N Fisch™ made it to market.



**Tom Krein**  
Gentry, AR  
Years Designing: 24

"Form follows function" is more than just a saying for Tom. It's a philosophy that guides every knife and design decision he makes. After all, having been an ER nurse and later working as a knifemaker, he knows what works. Blending art with handcrafted steel, he creates tools that get used often. Whether it's cleaning a freshly landed trout with his Mossback™ knife or dicing up vegetables from the garden outside his shop that's free to the public.




**Jesper Voxnaes**  
Loegstrup, Denmark  
Years Designing: 28

When Jesper needs to test a design, he only has to step into his own backyard. The harsh elements and conditions of the fjords and forests in his native Denmark do the rest. When he was starting out, no one was making the kind of knives he wanted to design so he learned by trial and error. His efforts paid off as evident by his IF Award in 2013 for one of the Top European Designs. Now he creates and uses knives like the Piet™ and Pilar® as he sails, camps, and drives off-road. Which is more often than not.




**Robert Carter**  
Hillister, TX  
Years Designing: 6

When you come from a long line of knifemakers, it's hard not to have it rub off on you. For Robert, this happened at an early age. Since childhood, he's always been fascinated with aircraft and lines that have a speed-of-sound look to them. Taking traditional cues from his father-in-law, Joe Pardue, and grandfather, Mel Pardue, he creates knives that have a progressive design such as the Jettison™. Robert has definitely earned his design stripes in the family. But that doesn't mean anyone's backing away from the shop's machine for him anytime soon.



**Darrin William Sirois**  
Fayetteville, NC  
Years Designing: 10

Coming from a Special Ops background, Darrin doesn't design knives that just work in theory. They need work in action too. And he knows the missing element to any great blade: human input. That's why you'll often find him hounding his Special Operations teammates and asking them what they like and don't like about their knives. Now as part of the Forged by War® program he's fine-tuning until his knifemaking mission is complete. Along the way, he's earning nods from awards shows and fellow soldiers all around the world.



**Austin McGlaun**  
Spring Lake Park, MN  
Years Designing: 17

There are those who fight with knives. There are others who design them. And then...there's Austin. Having served in the 101st Airborne Division in Iraq, and as a street cop in Columbus, GA, he knows that a knife has to work as both a weapon and a tool. As part of the Forged By War® program he applied his skills as both a combat vet and knifemaker to develop the Clever Girl™. Not to mention a new way to bring his fellow soldiers home. When asked about his design philosophy, he'll tell you that if a knife is ugly but effective, it's not ugly. It's perfect.



**Elmer Roush**  
Brasstown, NC  
Years Designing: 43

Elmer has spent his fair share of time on the battlefield. But these days, what really gives him excitement is battling hot steel with a hammer as a blacksmith. He enjoys hand forging functional edged tools and brings over 40 years of experience to the Forged By War® program. Axes, hatchets, and historical replicas, such as Viking axes are his specialty. Though his designs look modern, they're actually based on tools and implements that go back thousands of years.




**Michael R. Rodriguez**  
Fayetteville, NC  
Years Designing: 8

Michael R. Rodriguez was one of only two Americans to graduate from the Irish Army Ranger Wing Sniper Course, and he's a Chief Ambassador for the Green Beret Foundation. Truly, if we attempted to list the rest of his accolades, we'd run out of ink. His experience as a combat veteran pivoted when he met Ryan Johnson of RMJ Tactical during a recovery period. Then, forging knives and tools became a passion project for him—one that is starkly reflected in his products that we are proud to represent in our Forged By War® program.



**Kelly Rodriguez**  
Fayetteville, NC  
Years Designing: 5

If there's ever a Soldier that's felt like there's someone looking out, there's a good chance that someone is Kelly. As an active duty soldier and field medic for the Army for over 20 years, Kelly brings raw talent to the Forged By War® program. She designed the CST™ because dedicating years of service in the field wasn't enough—she's continuing the legacy from the homefront. Since retiring, she's dedicated much of her time to working with organizations that focus on female veterans' issues.




**Jeremy Valdez**  
Olalla, WA  
Years Designing: 5

Upon meeting Jeremy Valdez, our definition of "American hero" shifted. He epitomizes bravery; after serving 14 years as a Special Forces Green Beret he's become the vice chief ambassador for the foundation. Further, he's been recognized with two purple hearts, six bronze stars, one for valor, and the Special Forces Philip Neri award. So when renowned designer Bill Harsey stepped in to help Jeremy realize his long-time dream of designing his own knives, we jumped in to lend a hand. We're proud to represent him and his breakout design in our Forged By War® program.



**Philip Booth**  
Ithaca, MI  
Years Designing: 30

Philip Booth is a modern day version of a human phoenix—when his art studio burned down in the late 80's, it left his life's work of paintings and art prints reduced to ashes. Instead of letting it knock him down, he was reborn as a knifemaker, and has since swept up a handful of prestigious awards like the Blade Show's Most Innovative Design award, and their 2005 Best of the Rest award. He's a mechanically orientated artist, and his innovative, artful tools are proof.



**Larry Hanks**  
Smith Valley, NV  
Years Designing: 7

Practically born a woodworker, Larry Hanks' talents flowed into jewelry design and foundry work, and culminated in a decorated career as a tattoo artist. Then he met Ken Onion. Larry's knife engraving was so skilled that Ken Onion enlisted his talents shortly after they met, and now they've been working together for over 20 years. It wasn't until four short years ago that Larry took on his own projects. The progression was natural, and there's no doubt around here that his knifemaking career will soon eclipse his tattooing career.



**Jeff Park**  
Mililani, HI  
Years Designing: 5

One fateful day in 2005, he walked into Ken Onion's shop in Kaneohe, Hawaii, and never left. Well, that's not entirely true, but he's certainly made an impact on the world-class knife maker and has learned a thing or two along the way. Jeff Park is a detail-oriented type of guy, and by that we mean he's an absolute perfectionist, and it shows in his simple, yet flawless designs. He's an artist in the most fundamental respect: form follows function, and his knives reflect a remarkable understanding of both.




**Tom Hitchcock**  
Talent, OR  
Years Designing: 39

He's renowned as a sculptor, an inventor, a custom bike builder, and an expert in permaculture. So to say Tom Hitchcock is a modern-day Renaissance Man is an understatement. He steals from his wide spectrum of interests when he takes to designing a new knife, and the result is always something highly unexpected and incredibly useful. He's most famous for his novel, minimal Hole in One. His logic: "Albert Einstein said to make things as simple as you can and no simpler, and this is exactly what I strive to do."



**Dew Hara**  
Seki, Japan  
Years Designing: 4

Dew Hara is a product of his environment... literally. Makers in his hometown of Seki, Japan, are famous for designing and producing some of the best fine kitchen cutlery in the world. He also carries the world-famous Hara name; his father, Koji Hara, is one of the most respected designers alive. Dew's work stands solidly on its own, though—his ability to infuse elements from the natural world is unparalleled, and he's only just scratched the surface of what's sure to be a long and productive career.




**Richard Rogers**  
Magdalena, NM  
Years Designing: 22

Though he'll tell you he's only been seriously designing for four years, his extensive list of awards dating back to '97 paint a different story. Richard Rogers is modest as modest comes, creating some of the simplest, most practical everyday carry folders in the industry. When he's not at the bench, he's at the helm of a working cattle ranch out in the arid shrublands of the southwest. His life both as a rancher and a designer are governed by one serious principle: "good enough isn't acceptable." We're on board.




**Eric Ochs**  
Sherwood, OR  
Years Designing: 11

Eric Ochs grew up with the Oregon backwoods constantly knocking at his door. In a way, his fate was sealed when his father gifted him his first knife when he was just six years old. Since then, he's hard pressed to remember a day without one in his pocket. This self-taught talent is still inspired to this day by the pursuit of adventure in the Pacific Northwest's rugged terrain from the top of the North Cascades to the lazy, meandering rivers at their feet.



**T.J. Schwarz**  
Boise, ID  
Years Designing: 6


TJ was destined to be a car designer. In high school he discovered his uncanny ability to draw cars—in fact, he was so good at it that by the time he was in college, he was accepting commissions from classic car owners. Just as his career was starting down the automotive path, his good friend Bill Koenig of Koenig Knives intervened and everything shifted. Once he got a taste of knife design, he never looked back. So when he says, "engineered for performance," he means it.



**Chuck Cook**  
Dundee, OR  
Years Designing: 13

If you find yourself marooned in the backwoods, you'd better hope that either Chuck Cook is nearby, or you've put his survival tools in your pack. He's a graduate of several wilderness survival schools, an authority on online bushcraft forums, and we don't doubt that he's spent more nights in the woods than we have in our beds. Oh, and did we mention that his day job is as a semiconductor? That explains his mechanical savviness and deadly accuracy.






**Joe Caswell**  
Newbury Park, CA  
Years Designing: 24

Moto journalist. Viking sword pattern welder. Inventor. Amateur patent attorney. Custom knife designer. It's safe to say that Joe is cut of a special cloth. And now, he can add "industry disrupter" to his resume. With the release of Kinematic™, he invariably secures himself a position among the knife world's greatest. From humble beginnings in his homemade forge occupying his rented condo's garage, he's built a name for himself one hard working late night at a time, and we can't wait to see what comes from his inspired creativity next.



**Ryan Glasgow**  
Portland, OR  
Years Designing: 18

Like many kids who grow up to be formidable inventors, Ryan Glasgow's passion was ignited with a box of legos. As he got older his interests became more sophisticated when he stepped into the world of sheet metal fabrication and CAD design. His epiphany came soon thereafter: creating something that's different and genuinely useful is a difficult task and also among the most satisfying. If his newest CRKT™ design, the Twist & Fix™, is evidence of what's to come, he's on a solid path to helping the world happily destroy to-do lists.



**Bill Harsey**  
Creswell, OR  
Years Designing: 21

Knife making started out for Bill as a combination of growing up hunting and fishing in the outdoors of Oregon and an interest in working steel. Bill started by welding on logging equipment at the age of 15. His interest in heat treating and manufacturing steel tools is core to what he does. Design is a key element for Bill in his work and knowing that the knife continues to be a useful tool in the human hand even in this age of technology.



**Brian Fellhoelter**  
Hazlehurst, MS  
Years Designing: 12

With over 25 years' experience as a Tool-maker, Brian Fellhoelter, the designer of the innovative Ruger® Bolt-Action pen and pencil, first became inspired to start designing knives after receiving Bob Terzuola's book, The Tactical Folding Knife, in August of 2005 for his birthday. While he makes the occasional fixed blade, folders are Brian's passion. He has won several awards during his 12 years as a knifemaker, including Best Tactical Folder at the 2011 Blade Show.



**Joe Wu**  
Mountain View, CA  
Years Designing: 6

Always tinkering and seeking new ways to improve existing designs, Joe Wu got his start in product design with Scout Leather Co. by making products from personal necessity and experience. He's been taking his ideas and honing his shop skills over the last few years by using traditional methods with a modern approach. His designs and ideas are driven by simplicity and the user experience; good design doesn't have to be complicated.



**Gary Smith**  
Woodbury, VT  
Years Designing: 18

Gary became acquainted with the 1911 pistol during his service in the US Army back in the late sixties. As a truck driver on the DMZ, a RTO in the Mekong Delta, and an MP at Fort Dix, he became very fond of it. He subsequently worked with Caspian Arms, manufacturing first class 1911 components for 30 years and became a member of the prestigious American Pistol Guild in 2002. He recognized a need for a portable pocket tool that would completely service it in the field or in the shop and subsequently developed the popular 1911 pocketsmith multi-tool.



**Mike Bond**  
Pearl City, HI  
Years Designing: 10

Bond, Mike Bond...a last name with big shoes to fill. But, if you ask Mike, he'll tell you he's more Q than James (we still think he's a secret agent). Mike is well known for his contributions to the multi-tool and pen market with his utility-enhanced carabiners and his patented magnetically capped pen, the TechLiner. Head honcho at Ti2 Design, Mike operates his shop on the island of Oahu and is known throughout the EDC industry as a consummate gadgeteer.



20  
NEW  
20



M40-02



M40-03



M40-15

EVERYDAY

M40-02, M40-03, M40-15

M40™

Designed by Kit Carson in Vine Grove, Kentucky

**Discovered in a private collection and brought to life.** The late Kit Carson's memory is felt strongly throughout the industry—it shows in the absolute reverence the knife world has for his M16® and M21™ designs. The M40™ everyday carry folding knife is based on a legacy design. This version is reimagined with Deadbolt®, marrying classic design with contemporary innovation. Kit's legacy just keeps growing.

- Innovative Deadbolt® Locking Mechanism is Simple to Use and Provides Incredible Strength
- Flipper Opening Combined with IKBS™ Ball Bearing Pivot System Deploys the Blade Smooth and Fast
- Glass Reinforced Nylon and Aluminum Bolster Handle is Strong and Lightweight

FULL SPECS ON P.63





5405



5406K



EVERYDAY

5405 & 5406K

LINCHPIN™

Designed by Flavio Ikoma in Presidente Prudente, Brazil

**Drive it into your workday and it'll bring BS to a screeching halt.** Hot on the heels of the Seismic™, Flavio Ikoma is at it again with a solid, no-nonsense everyday carry folding knife built on utility without compromising on aesthetics. The defining feature: Deadbolt®. Put it to the big jobs—dig into a pork loin or carve a wooden stake—and it won't flinch.

- Innovative Deadbolt® Locking Mechanism is Simple to Use and Provides Incredible Strength
- Flipper Opening Combined with IKBS™ Ball Bearing Pivot System Deploys the Blade Smooth and Fast
- Durable Glass Reinforced Nylon Handle is Lightweight with Excellent Grip

FULL SPECS ON P.37



EVERYDAY

2520

TUNA™

Designed by Lucas Burnley in Orleans, Massachusetts

**Built like a Bluefin.** With a profile that suggests strong forward momentum and a blade shape that looks like a deep-sea carnivore, the Tuna™ everyday carry folding knife slices through packages and boxes faster than a Bluefin slices through the swell on a taut line.

- Thumb Stud for Easy One Hand Opening
- Two-Tone Handle, Stainless Steel and G10 Handle for Secure Grip
- Frame Lock Secures the Blade in the Open Position

FULL SPECS ON P.48



EVERYDAY

2550

SKETCH H™

Designed by Lucas Burnley in Orleans, Massachusetts

**If practice makes perfect, then this knife is unquestionably so.** Lucas Burnley is back at it with the updated, refreshed Sketch™. The k-tip style blade in a compact package is a product of dedication and fine-tuned skill. This surprisingly powerful everyday carry knife is blue collar through and through...just like you.

- K-Tip Blade Style for Everyday Utility and Finer Detail
- Stainless Steel Handle for Balance and Durability
- Low Profile Pocket Clip for Discreet Carry

FULL SPECS ON P.48





EVERYDAY

2290  
**NISHI™**

Designed by Lucas Burnley in Orleans, Massachusetts

**An American designer inspired by Japanese aesthetics.** The Nishi™ fixed blade is an everyday carry built at the intersection of design and usability: the aesthetic treatment is pure beauty and the cord-wrapped handle is supreme durability. Why choose form or function when you can have both?

- Cord Wrapped Handle for Superior Grip
- Thin Profile Makes an Easy Everyday Carry Knife
- Glass Reinforced Nylon Sheath with Skull Bead, Multiple Carry Options

FULL SPECS ON P.48



EVERYDAY

5390  
**PIET™**

Designed by Jesper Voxnaes in Loegstrup, Denmark

**Ready for the Rose City.** Designer Jesper Voxnaes is far from the only artist to be inspired by the quirkiness that is Portland, Oregon. But he's certainly the first to create a knife like the Piet™ /peet/, an everyday carry folding knife so slim, lightweight, and perfectly suited for the city.

- Thumb Slot for Easy One Hand Opening
- Tip Up Ambidextrous Carry
- Durable Glass Reinforced Nylon Handle is Lightweight with Excellent Grip

FULL SPECS ON P.45





EVERYDAY

5311CU

## PILAR® COPPER

Designed by Jesper Voxnaes in Loegstrup, Denmark

**Where minimal design meets maximum utility.** The Pilar® Copper is a super compact everyday carry folder with distinctive minimalist design, a big colorful pop, and an epic tale behind its name. It's low profile and understated when tucked away, and carefully designed to punch above its weight when in use.

- Thumb Slot for Easy One Hand Opening
- Satin Blade Finish
- Copper Handle Front, Stainless Steel Back

FULL SPECS ON P.46



EVERYDAY

7140

## INARA™

Designed by Richard Rodgers in Magdalena, New Mexico

**Simply designed, created to take on anything.** A subtle curve intersects a straight line to create the minimal profile of the Inara™ /eh-nar-ah/. But this everyday carry folding knife is anything but plain. It's packed with thoughtful details, making it a limitless daily companion.

- IKBS™ Ball Bearing Pivot System Deploys Blade Smooth and Fast
- G10 Handle Provides Exceptional Grip in All Weather Conditions
- Frame Lock Secures the Blade in the Open Position

FULL SPECS ON P.54





PB 38

PB 41

EVERYDAY

7115  
**MONTOSA™**

Designed by Richard Rodgers in Magdalena, New Mexico

**Moved by mountains.** The Montosa™ everyday carry folding knife is a strong, forthright design crafted with practical details. It's a picturesque product of the environment that served as its inspiration: the Magdalena Mountains.

- Thumb Stud for Easy One Hand Opening
- G10 Handle Provides Exceptional Grip
- Reversible Low-Profile Pocket Clip for Discreet Carry

FULL SPECS ON P.54



5380



5381

EVERYDAY

5380 & 5381  
**APOC™**

Designed by Eric Ochs in Sherwood, Oregon

**A knife designed for doomsday.** The aggressive-looking Apoc™ is the result of one designer's imaginary toolbox fashioned hastily into a knife. The result: a gritty folder built to take on the undead...or maybe just the tape on the next package that's delivered.

- IKBS™ Ball Bearing Pivot System Deploys Blade Smooth and Fast
- G10 Handle Provides Exceptional Grip in All Weather Conditions
- Frame Lock Secures the Blade in the Open Position

FULL SPECS ON P.58





EVERYDAY

6540

## CHEHALEM™

Designed by Eric Ochs in Sherwood, Oregon

**Built on Bald Peak.** For an inspired designer, even discarded tools from the neighbor's garage can spark a big idea. Antique hammer heads influence the handle design of the Chehalem™ everyday carry folding knife. But while the handle may be fit to become an heirloom, the blade is all business.

- Sharp Blade Tip for Detailed Cutting
- Stainless Steel Handle with a Hammered Like Texture for Grip
- Frame Lock Secures the Blade in the Open Position

FULL SPECS ON P.59



EVERYDAY

5820

## AVANT™ TAC

Designed by Eric Ochs in Sherwood, Oregon

**Easy to carry.** Built for hard use. With its tactically-inspired usability, clean lines, and highly-ergonomic build, the Avant™-Tac everyday carry folding knife asserts its position at the top of the pack.

- IKBS™ Ball Bearing Pivot System Deploys the Blade Smooth and Fast
- G10 Handle for Excellent Grip in All Weather Conditions
- Flipper for Fast Opening

FULL SPECS ON P.59





EVERYDAY

6290

THERO™

Designed by T.J. Schwarz in Boise, Idaho

**When the ground trembles, you know it's coming.** The Thero™ everyday carry may be supremely thin and lightweight, but it's got the bite of a prehistoric carnivore. A skeletal handle looks like an ancient T. rex and will help maintain a solid grip when up against everything from a greasy gasket to a wooly mammoth.

- Tough Glass Reinforced Nylon Handle Features a Single Layer Carbon Fiber Underlay for Prehistoric Look
- Flipper for Fast Opening
- Red Anodized Pivot Ring Accent

FULL SPECS ON P.43



EVERYDAY

6280

OVERLAND™

Designed by T.J. Schwarz in Boise, Idaho

**The knife version of a 4x4.** Inspired by the aesthetic of the classic crawling vehicle, the Overland™ outdoor folding knife is crafted to go off road. No matter if your camp kitchen is on a flat rock miles from anywhere or a picnic bench in the park, this knife is perfectly suited for slicing the campfire-charred sirloin.

- High Carbon Stainless Steel Blade with a Stonewash Finish for Corrosion Resistance
- Elevated Handle in Relation to the Blade Conducive to Flat Surface Cutting
- Orange Anodized Pivot Ring and Backspacer Accents

FULL SPECS ON P.43





EVERYDAY

7421

## PSYCH™

Designed by Ken Steigerwalt in Orangeville, Pennsylvania

**When a challenge turns into a classic.** We asked designer Ken Steigerwalt if he was up for designing a knife around the time-tested CRKT® innovation, the Glide Lock. He accepted and downright delivered. The Psych™ everyday carry folding knife is proof that around remarkable function can be built equally hardworking form.

- Glide Lock Innovation Secures the Blade when Open and Locked
- High Carbon Stainless Steel Blade Takes an Edge Well and is Ideal for Everyday Carry
- G10 Handle for Excellent Grip in All Weather Conditions

FULL SPECS ON P.55



EVERYDAY

7031

## FULL THROTTLE™

Designed by Matthew Lerch in Sussex, Wisconsin

**Buckle up.** Speed meets precision in the Full Throttle™ everyday carry folder. Exacting design houses the OutBurst® spring assisted opening mechanism for blink-and-you'll-miss-it blade deployment in a supremely durable, go-to knife. Smell burning rubber, and it's already gone.

- Outburst® Spring Assisted Opening Deploys the Blade Smooth and Fast
- G10 Handle Provides Exceptional Grip in All Weather Conditions
- Frame Lock Secures the Blade in the Open Position

FULL SPECS ON P.51



EVERYDAY

4123

# BURNOUT™

Designed by MJ Lerch in Sussex, Wisconsin

**Take this one for a ride.** With a handle that hints at tire tread and the incredibly fast OutBurst® spring assisted opening mechanism, take one look at the Burnout™ everyday carry folding knife and you can practically smell the burning rubber.

- Outburst® Spring Assisted Opening Deploys the Blade Smooth and Fast
- Black Stonewash Finish Improves Corrosion Resistance, Reduces Glare, and Masks Wear
- G10 and Carbon Fiber Handle Overlays Provide Exceptional Grip

FULL SPECS ON P.51



5220

EVERYDAY

5220 & 5225

# BT FIGHTER™

Designed by Brian Tighe in Ridgeville, Ontario, Canada

**A machinist's masterpiece.** Take a look at a knife with brilliant contours and a tactical soul and you can bet it came from the shop of Brian Tighe. The BT Fighter™ everyday carry folding knife is no exception with its layered, sculpted handle and deep grooves. If there was any need for further proof that Brian is a master machinist, the BT Fighter™ is it.

- Ball Bearing Pivot System Deploys the Blade Smooth and Fast
- Grooved Backspacer Enhances Grip
- Deep Pocket Carry Clip

FULL SPECS ON P.44



5225



EVERYDAY

2795

GULF™

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee

**When a legend in tomahawk design sets his sights on a folder.** RMJ Tactical has built itself a reputation on some of the most striking tomahawks and fixed blades the industry has ever seen. So when Ryan Johnson himself channels his immense industry knowledge into a folder, we know it's going to be good. The Gulf™ everyday carry is everything the industry expected and more: it's a big knife designed for big jobs.

- Black Stonewash Finish Improves Corrosion Resistance
- G10 Handle Provides Exceptional Grip in All Weather Conditions
- Low Profile Pocket Clip for Discreet Carry

FULL SPECS ON P.60



OUTDOOR

2383

MINIMALIST® CLEAVER


Designed by Alan Folts in Melbourne, Florida

**Specifically built for anything that needs to be cut.** This compact fixed blade neck knife with tough handles has been given a throwback cleaver blade that always sparks campfire conversation. In the camp kitchen or around the house it feels equally at home.

- Bead Blast Blade Finish
- Compact Utility Neck Knife
- Glass Reinforced Nylon Sheath

FULL SPECS ON P.75





**OUTDOOR**

2387G  
**MINIMALIST® BOWIE GEARS**

Designed by Alan Folts in Melbourne, Florida

**Specifically built for anything that needs to be cut.** This compact fixed blade neck knife with tough handles is newly decked in 3D printed gears that always sparks a campfire conversation. In the woods or the garage, it feels equally at home.

- Glow in the Dark Handle and Sheath
- Compact Design for Easy Carry
- Sheath Works as a Neck Knife or on Your Belt

FULL SPECS ON P.75



**OUTDOOR**

2716  
**OWLET™**

Designed by RMJ Tactical in Chattanooga, Tennessee

**Far from a fledgling.** It may be compact, but the fixed blade Owlet™ everyday carry neck knife is stacked with useful details. Trim threads, slice veggies, cut open boxes, and at the end of the day, crack open beers with the same 1.3 ounce powerhouse.

- Black Stonewash Finish Improves Corrosion Resistance
- Compact Design for Easy Carry
- Open Handle Design Reduces Weight and has Bottle Opener

FULL SPECS ON P.76



OUTDOOR

2726

## JENNY WREN™ COMPACT

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee

**At home in the understory.** Compact as a wren with a bite as big as a bear, the Jenny Wren™ Compact outdoor tomahawk is built to thrive in the backwoods and beyond. With three edged sides, no branch, log, or camp meal is safe.

- Three Edged Head for Extreme Cutting Utility
- Tough Glass Reinforced Nylon Handle with Exceptional Grip
- MOLLE Compatible Sheath w/Buckle Strap for Gear Compatibility

FULL SPECS ON P.77



SURVIVAL

6235


## PARASCALE™

Designed by T.J. Schwarz in Boise, Idaho

**Built for bushcraft.** Deadbolt® is an industry shifting innovation on so many levels. TJ Schwarz just uncovered one more and put it into the Parascale™ outdoor folding knife. If you're wondering why you've never seen a cord wrapped folder before, it's because you probably haven't—unlike a frame lock or liner lock, Deadbolt® only impacts the pivot, making the Parascale™ a highly useful outdoor folding companion.

- Innovative Deadbolt® Locking Mechanism is Simple to Use and Provides Incredible Strength
- D2 Blade Steel for Excellent Edge Retention
- Cord Wrapped Handle Enhances Grip in Wet or Dry Conditions, and Offers Options for Unexpected Situations Out in the Field

FULL SPECS ON P.81





TACTICAL

4042  
**PROVOKE™ FIRST RESPONDER**

Designed by Joe Caswell in Newbury Park, California

**Serve. Protect.** The Provoke™ First Responder morphing karambit knife is among the first to feature Kinematic™ technology, staying neatly tucked away in transit and coming to life when there's trouble afoot. And the multiple carry options plus a glass breaker were designed specifically with men and women in uniform in mind.

- Unique Kinematic™ Innovation Deploys the Blade Quickly with Push of the Thumb
- Ceramic Glass Breaker for Emergency Situations
- D2 Blade Steel for Excellent Edge Retention; Black Titanium Nitride Coating for Enhanced Corrosion Resistance

FULL SPECS ON P.88



TACTICAL

4040E  
**PROVOKE™ EARTH**

Designed by Joe Caswell in Newbury Park, California

**Serve. Protect.** The bold Provoke™ Earth morphing karambit knife is a new iteration of an instant classic. Built with the Kinematic™ innovation, it transports covertly and comes to life when called in for duty. Crafted with high-end steel and finished with an intriguing and unique color treatment, it's poised to become a staple of standard issue.

- Unique Kinematic™ Innovation Deploys the Blade Quickly with Push of the Thumb
- D2 Blade Steel for Excellent Edge Retention; Earth Color Cerakote Coating for Enhanced Corrosion Resistance
- Cerakote® is a Polymer-Ceramic Composite that Enhances Resistance to Tough Conditions in the Field and Everyday Carry Uses

FULL SPECS ON P.88







TACTICAL

4040V

## PROVOKE™ w/VEFF SERRATIONS™

Designed by Joe Caswell in Newbury Park, California

**Serve. Protect.** Fibrous material beware of the Provoke™ w/Veff Serrations™. The industry-changing Kinematic™ innovation meets time-tested Veff Serrations™ to create a new iteration on the original Provoke™ morphing karambit knife. Rope, seatbelts, and netting never had a chance.

- Unique Kinematic™ Innovation Deploys the Blade Quickly with Push of the Thumb
- Veff Serrations™ Provide Superior Cutting of Rope, Straps, and Fibrous Materials
- D2 Blade Steel for Excellent Edge Retention; Black Titanium Nitride Coating for Enhanced Corrosion Resistance

FULL SPECS ON P.88



TACTICAL

M16-13FX

## M16® -13FX

Designed by Kit Carson in Vine Grove, Kentucky

**We listened.** The M16® is the most popular series that CRKT® has ever made. Over the years we have paid homage to the late and revered Kit Carson by keeping his legacy alive with new iterations. This is different. Introducing the first fixed blade tactical M16® knife with Veff Serrations™ and a whole world of new possibilities.

- Veff Serrations™ Provide Superior Cutting of Rope, Straps, and Fibrous Materials
- G10 for Excellent Grip in All Weather Conditions
- Gear Compatible Glass Reinforced Nylon Sheath can be Strapped Anywhere on Your Kit

FULL SPECS ON P.98



TACTICAL

M21-12SFG

# M21<sup>®</sup>-12SFG

Designed by Kit Carson in Vine Grove, Kentucky

**A hero knifemaker's legacy that keeps on giving.** One of the most beloved tactical folding knives is back. This time, with a compact build and the same trusted, super effective rope and cord-cutting Veff Serrations™ that defines its parent knife, the M21™-14SFG. This is a knife that's as specialized as those who use it.

- Automated Liner Safety Offers an Extra Layer of Protection
- Veff Serrations™ Provide Superior Cutting of Rope, Straps, and Fibrous Materials
- Dual Hilt Prevents Your Hand From Slipping up the Blade

FULL SPECS ON P.100



TACTICAL

2265

# XOLOTL™

Designed by Michael R. Rodriguez in Fayetteville, North Carolina

**Inspired by an ancient Aztec deity, built for the modern world.** Adorned in details yet powerfully simple, the Xolotl™ /show-low-tl/ is an everyday carry folding knife with a tactical spirit. It hardly occupies more space than a fountain pen but comes out swinging with a fast flipper opening and a sleek, spear-point blade. From the 14th century battlefield to the modern pocket, the Xolotl™ is the knife to have on hand.

- Flipper Opening for Fast Deployment
- Textured G10 Handle for Secure Grip
- Adjustable Clip for Left and Right Hand Carry

FULL SPECS ON P.89



**FORGED BY  
WAR**

\*Learn more about the Forged By War® program on page 8.



TACTICAL

2085

XAN™

Designed by Darrin William Sirois in Fayetteville, North Carolina

**Protect with purpose.** Designed by a special ops veteran, the Xan™ /z-ann/ tactically-inspired everyday carry folding knife is your pocket-sized security system. Designed in the wake of the powerful and popular RASP™ tactical folder, the Xan™ keeps all the tactical trappings while translating seamlessly to the garage.

- Outburst® Spring Assisted Opening Deploys the Blade Smooth and Fast
- Carbon Fiber Layered on G10 Base Provides Excellent Grip
- 2 Position Clip for Tip Up or Tip Down Carry

FULL SPECS ON P.90



\*Learn more about the Forged By War® program on page 8.



TACTICAL

2640

CLEVER GIRL™ FOLDER

Designed by Austin McGlaun in Spring Lake, Minnesota

**Forged to look its best when things get ugly.** When you're in a combat situation in dark, CQB environments, you want something you can draw fast and use instinctively. Enter the Clever Girl™ Folder tactical knife with Deadbolt®.

- Innovative Deadbolt® Locking Mechanism is Simple to Use and Provides Incredible Strength
- Flipper Opening Combined with IKBS™ Ball Bearing Pivot System Deploys the Blade Smooth and Fast
- G10 Handle Provides Secure Grip in All Weather Conditions

FULL SPECS ON P.89



\*Learn more about the Forged By War® program on page 8.





TACTICAL

2752  
**UTSIDIHI™**

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee

**A flint blade fit for the 21st century.** Archaeologists from around the world have unearthed flint blade artifacts that date back a staggering 1.2 million years. So when Ryan Johnson of RMJ Tactical set out to craft the Utsidihi™ /ewt-c-dee-hee/ fixed blade everyday carry, he didn't stray far from the form that has proven its worth for millenia.

- Compact Lightweight Knife
- Cord Wrapped Handle for Utility
- Gear Compatible Sheath w/Belt Loop Attachment

FULL SPECS ON P.95



ACCESSORIES

TPENBOND  
**TECHLINER™**


Designed by Mike Bond in Pearl City, Hawaii

**Your job's too important for a drugstore pen.** Bring along a pen that sticks around. The Techliner™ pen is built to impress with a sleek, ergonomically machined body and magnetic ends that stick solidly to clipboards, desk legs, and workbenches so it's always within arm's reach.

- Magnetic Ends Secure Cap and Allow for Attaching to Surfaces
- 6061 Aircraft Grade Aluminum is Strong and Lightweight
- Includes Fisher Space Pen® Black Ink Cartridge (Refill #PR4)

FULL SPECS ON P.102





EVERYDAY  
CARRY

**NEW****LINCHPIN™**

Designed by Flavio Ikoma in Presidente Prudente, Brazil

**5405**

Blade: Length: 3.734" (94.84 mm)  
Edge: Plain  
Steel: 1.4116 Stainless Steel  
Finish: Satin  
Thickness: 0.151" (3.84 mm)  
Closed: 5.261" (133.63 mm)  
Open: 8.875" (225.43 mm)  
Weight: 6.2 oz. (175.77g)  
Handle: Glass Reinforced Nylon  
Style: Folding Knife w/Deadbolt® Lock

U.S. Patent No. 9,833,912

- Innovative Deadbolt® Locking Mechanism is Simple to Use and Provides Incredible Strength
- Flipper Opening Combined with IKBS™ Ball Bearing Pivot System Deploys the Blade Smooth and Fast
- Durable Glass Reinforced Nylon Handle is Lightweight with Excellent Grip

**NEW****LINCHPIN™ BLACK WITH VEFF SERRATIONS™**

Designed by Flavio Ikoma in Presidente Prudente, Brazil

**5406K**

Blade: Length: 3.734" (94.84 mm)  
Edge: Combination  
Steel: 1.4116 Stainless Steel  
Finish: Black PVD Coating  
Thickness: 0.151" (3.84 mm)  
Closed: 5.261" (133.63 mm)  
Open: 8.875" (225.43 mm)  
Weight: 6.2 oz. (175.77g)  
Handle: Glass Reinforced Nylon  
Style: Folding Knife w/Deadbolt® Lock

U.S. Patent Nos. 9,833,912, D559,939.

- Innovative Deadbolt® Locking Mechanism is Simple to Use and Provides Incredible Strength
- Flipper Opening Combined with IKBS™ Ball Bearing Pivot System Deploys the Blade Smooth and Fast
- Veff Serrations™ Provide Superior Cutting of Rope, Straps, and Fibrous Materials

**SEISMIC™**

Designed by Flavio Ikoma in Presidente Prudente, Brazil

**5401**

Blade: Length: 3.969" (100.8 mm)  
Edge: Plain  
Steel: 1.4116 Stainless Steel  
Finish: Satin  
Thickness: 0.148" (3.8 mm)  
Closed: 5.457" (138.6 mm)  
Open: 9.438" (239.7 mm)  
Weight: 6.3 oz. (179.0 g)  
Handle: G10  
Style: Folding Knife w/Deadbolt® Lock

U.S. Patent No. 9,833,912

- Deadbolt® Lock
- IKBS™ Ball Bearing Pivot System
- Tough G10 Handle

**SEISMIC™ BLACK WITH VEFF SERRATIONS™**

Designed by Flavio Ikoma in Presidente Prudente, Brazil

**5401K**

Blade: Length: 3.969" (100.8 mm)  
Edge: Combination  
Steel: 1.4116 Stainless Steel  
Finish: Black PVD Coating  
Thickness: 0.148" (3.8 mm)  
Closed: 5.457" (138.6 mm)  
Open: 9.438" (239.7 mm)  
Weight: 6.3 oz. (179.0 g)  
Handle: G10  
Style: Folding Knife w/Deadbolt® Lock

U.S. Patent Nos. 9,833,912, D559,939.

- Deadbolt® Lock
- IKBS™ Ball Bearing Pivot System
- Veff Serrations™

**FOSSIL™ BLACK WITH VEFF SERRATIONS™**

Designed by Flavio Ikoma in Presidente Prudente, Brazil



- IKBS™ Ball Bearing Pivot System
- G10 Handle Overlay
- Satin Blade Finish

**5473**

Blade: Length: 3.960" (100.5 mm)  
Edge: Combination  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.148" (3.7 mm)  
Closed: 4.928" (125.1 mm)  
Open: 8.875" (225.4 mm)  
Weight: 6 oz. (170.1 g)  
Handle: 2Cr13 SS; G10  
Style: Folding Knife w/Frame Lock

U.S. Patent No. D559,939

**FOSSIL™ WITH VEFF SERRATIONS™**

Designed by Flavio Ikoma in Presidente Prudente, Brazil



- IKBS™ Ball Bearing Pivot System
- G10 Handle Overlay
- Veff Serrations™

**5471K**

Blade: Length: 3.960" (100.5 mm)  
Edge: Combination  
Steel: 8Cr13MoV  
Finish: Titanium Nitride  
Thickness: 0.150" (3.8 mm)  
Closed: 4.950" (125.7 mm)  
Open: 8.880" (225.5 mm)  
Weight: 6.1 oz. (173.0 g)  
Handle: Stainless Steel w/G10 Overlay  
Style: Folding Knife w/Frame Lock

U.S. Patent No. D559,939

**FOSSIL™ COMPACT**

Designed by Flavio Ikoma in Presidente Prudente, Brazil



- IKBS™ Ball Bearing Pivot System
- G10 Handle Overlay
- Satin Blade Finish

**5460**

Blade: Length: 3.410" (86.6 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.110" (2.8 mm)  
Closed: 4.310" (109.4 mm)  
Open: 7.690" (195.3 mm)  
Weight: 4.1 oz. (116.0 g)  
Handle: Stainless Steel w/G10 Overlay  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as 5460C

**FOSSIL™**

Designed by Flavio Ikoma in Presidente Prudente, Brazil



- IKBS™ Ball Bearing Pivot System
- G10 Handle Overlays
- Satin Blade Finish

**5470**

Blade: Length: 3.960" (100.5 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.150" (3.8 mm)  
Closed: 4.950" (125.7 mm)  
Open: 8.880" (225.5 mm)  
Weight: 6.1 oz. (173.0 g)  
Handle: Stainless Steel w/G10 Overlay  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as 5470C

## SLACKER™

Designed by Ken Onion in Kaneohe, Hawaii



- Field Strip Technology
- Satin Blade Finish
- Aluminum Handle

## K350KXP

Blade: Length: 3.324" (84.4 mm)  
Edge: Plain  
Steel: 1.4116 Stainless Steel  
Finish: Satin  
Thickness: 0.113" (2.9 mm)

Handle: Aluminum  
Open: 7.688" (195.3 mm)  
Closed: 4.305" (109.4 mm)  
Weight: 2.6 oz. (73.7 g)  
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 & 9,597,809

## HELICAL™

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Aluminum Handle

## K500GXP

Blade: Length: 3.524" (89.5 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Satin  
Thickness: 0.128" (3.3 mm)

Handle: Aluminum  
Open: 8.125" (206.4 mm)  
Closed: 4.582" (116.4 mm)  
Weight: 3.6 oz. (102.0 g)  
Style: Folding Knife w/Locking Liner

Available in Clam Pack as K500GXPC

## HELICAL™ BLACK WITH D2 BLADE STEEL

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- D2 Blade Steel w/Black Oxide Finish
- Flipper Opening

## K500GKP

Blade: Length: 3.524" (89.5 mm)  
Edge: Plain  
Steel: D2  
Finish: Black Oxide  
Thickness: 0.128" (3.3 mm)

Handle: Aluminum  
Open: 8.125" (206.4 mm)  
Closed: 4.582" (116.4 mm)  
Weight: 3.6 oz. (102.0 g)  
Style: Folding Knife w/Locking Liner

## HOMEFRONT™

Designed by Ken Onion in Kaneohe, Hawaii



- Field Strip Technology
- Field Strip lets you easily disassemble your knife for cleaning without tools
- 6061 Aluminum Handle

## K270GKP

Blade: Length: 3.502" (88.9 mm)  
Edge: Plain  
Steel: AUS 8  
Finish: Brushed Steel  
Thickness: 0.133" (3.3 mm)

Closed: 4.728" (120.0 mm)  
Open: 8.313" (211.1 mm)  
Weight: 4.8 oz. (136.0 g)  
Handle: 6061 Aluminum  
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 & 9,597,809

- **Most Innovative Design:** Blade Show Award
- **Gear of the Year Selection:** Men's Journal
- **Most Innovative New Knife:** KnifeNews Dealers' Choice
- **Editor's Choice:** Popular Mechanics



**HOMEFRONT™ EDC**

Designed by Ken Onion in Kaneohe, Hawaii



- Field Strip Technology
- Field Strip lets you easily disassemble your knife for cleaning without tools
- Glass-Reinforced Nylon Handle

**K250KXP**

Blade: Length: 3.539" (89.8 mm)  
Edge: Plain  
Steel: 1.4116 SS  
Finish: Stonewash  
Thickness: 0.135" (3.4 mm)

Closed: 4.720" (119.8 mm)  
Open: 8.250" (209.5 mm)  
Weight: 4.3 oz. (121.9 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

Available in Clam Pack as K250KXPC  
U.S. Patent Nos. 9,586,328 & 9,597,809

**BOMBASTIC™**

Designed by Ken Onion in Kaneohe, Hawaii



- Frame Lock
- Flipper Opening
- Spear Point Blade w/One False Edge

**K340KXP**

Blade: Length: 3.311" (84.1 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.122" (3.1 mm)

Closed: 4.506" (114.4 mm)  
Open: 7.938" (201.6 mm)  
Weight: 4.2 oz. (119.0 g)  
Handle: 2Cr13 SS; Inlays - Glass-Reinforced Fiber Polyamide  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as K340KXPC

**BOMBASTIC™ BLACK WITH TRIPLE POINT™ SERRATIONS**

Designed by Ken Onion in Kaneohe, Hawaii



- Flipper Opening
- Black Oxide Blade Finish w/Dual Hilt
- Spear Point Blade w/One False Edge

**K345KKS**

Blade: Length: 3.311" (84.1 mm)  
Edge: Combination  
Steel: 8Cr13MoV  
Finish: Black Oxide  
Thickness: 0.122" (3.1 mm)

Closed: 4.506" (114.4 mm)  
Open: 7.938" (201.6 mm)  
Weight: 4.2 oz. (119.0 g)  
Handle: 2Cr13 SS; Inlays - Glass-Reinforced Fiber Polyamide  
Style: Folding Knife w/Frame Lock

**GUSSET™**

Designed by Ken Onion in Kaneohe, Hawaii



- Frame Lock
- Gray Titanium Nitride Finish
- Flipper Opening

**K330GGP**

Blade: Length: 3.568" (90.6 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Titanium Nitride  
Thickness: 0.123" (3.1 mm)

Closed: 4.581" (116.3 mm)  
Open: 8.125" (206.3 mm)  
Weight: 4 oz. (113.4 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

## OUTRAGE™

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Aluminum Handle

## K320GXP

Blade: Length: 3.190" (81.0 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.130" (3.2 mm)  
Closed: 4.670" (119.0 mm)  
Open: 7.880" (200.0 mm)  
Weight: 4.5 oz. (125.0 g)  
Handle: Aluminum  
Style: Folding Knife w/Locking Liner

Available in Clam Pack as K320GXPC

## HOOTENANNY™

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- Oversized Pivot Style
- Low Profile Pocket Clip

## K300KXP

Blade: Length: 3.340" (84.8 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.130" (3.3 mm)  
Closed: 4.590" (116.6 mm)  
Open: 7.940" (201.6 mm)  
Weight: 4.8 oz. (136.0 g)  
Handle: Carbon Fiber Textured Glass Filled Nylon  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as K300KXPC

## EROS™

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- Acuto 440 Blade Steel
- Lightweight Titanium Handle

## K455TXP

Blade: Length: 3.000" (76.2 mm)  
Edge: Plain  
Steel: Acuto 440  
Finish: Satin  
Thickness: 0.079" (2.0 mm)  
Closed: 4.000" (102.0 mm)  
Open: 7.000" (178.0 mm)  
Weight: 1.4 oz. (39.7 g)  
Handle: 6AL4V Titanium  
Style: Folding Knife w/Frame Lock

🏆 Imported Knife of the Year: Blade Show Award

## EROS™ FLAT HANDLE LARGE

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Stainless Steel Handle

## K456XXP

Blade: Length: 2.840" (72.1 mm)  
Edge: Plain  
Steel: AUS 8  
Finish: Satin  
Thickness: 0.100" (2.5 mm)  
Closed: 4.060" (103.1 mm)  
Open: 6.940" (176.2 mm)  
Weight: 3.0 oz. (85.0 g)  
Handle: 420J2 Stainless Steel  
Style: Folding Knife w/Frame Lock

**SWINDLE™ FLAT HANDLE**

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- Frame Lock Safety
- Tensioned Pocket Clip

**K240XXP**

Blade: Length: 3.200" (81.2 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Satin  
Thickness: 0.120" (3.0 mm)  
Closed: 4.250" (107.9 mm)  
Open: 7.500" (190.5 mm)  
Weight: 3.3 oz. (93.6 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

🌟 Most Innovative Import Design: Blade Show Award

**RIPPLE™ ALUMINUM**

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Aluminum Handle

**K415KXP**

Blade: Length: 3.125" (79.3 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.100" (2.5 mm)  
Closed: 4.330" (109.9 mm)  
Open: 7.500" (190.5 mm)  
Weight: 2.5 oz. (70.9 g)  
Handle: 6061 Aluminum  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 8,966,768

**SHENANIGAN™ Z**

Designed by Ken Onion in Kaneohe, Hawaii



- Bead Blast Blade Finish
- Flipper Opening
- Glass-Reinforced Nylon Handle

**K480KKP**

Blade: Length: 3.250" (82.5 mm)  
Edge: Plain  
Steel: AUS 8  
Finish: Bead Blast  
Thickness: 0.119" (3.0 mm)  
Closed: 4.875" (123.8 mm)  
Open: 8.250" (290.5 mm)  
Weight: 4.1 oz. (116.0 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

**JUMBONES**

Designed by Jeff Park in Mililani, Hawaii



- IKBS™ Ball Bearing Pivot System
- Low Profile Flipper Opening
- Brushed Aluminum Two-Tone Handle

**7532**

Blade: Length: 4.845" (123.1 mm)  
Edge: Plain  
Steel: AUS 8  
Finish: Satin  
Thickness: 0.158" (4.0 mm)  
Handle: Aluminum  
Open: 11.000" (279.4 mm)  
Closed: 6.125" (155.6 mm)  
Weight: 5.6 oz. (159.0 g)  
Style: Folding Knife w/Locking Liner

**CROSSBONES**

Designed by Jeff Park in Mililani, Hawaii



- IKBS™ Ball Bearing Pivot System
- Low Profile Flipper Opening
- Brushed Aluminum Two-Tone Handle

**7530**

Blade: Length: 3.536" (89.8 mm)  
Edge: Plain  
Steel: AUS 8  
Finish: Satin  
Thickness: 0.124" (3.1 mm)  
Closed: 4.503" (114.3 mm)  
Open: 8.063" (204.8 mm)  
Weight: 2.4 oz. (68.0 g)  
Handle: 6061 Aluminum  
Style: Folding Knife w/Locking Liner

Available in Clam Pack as 7530C

🌟 **Import Knife of the Year: 2017 Blade Show**

**NEW****THERO™**

Designed by TJ Schwarz in Boise, Idaho



- Tough Glass Reinforced Nylon Handle Features a Single Layer Carbon Fiber Underlay for Prehistoric Look
- Flipper for Fast Opening
- Red Anodized Pivot Ring Accent

**6290**

Blade: Length: 3.083" (78.31 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Oxide  
Thickness: 0.125" (3.18 mm)  
Closed: 4.220" (107.19 mm)  
Open: 7.313" (185.75 mm)  
Weight: 3.1 oz. (87.88g)  
Handle: Glass Reinforced Nylon  
Style: Folding Knife w/Locking Liner

**NEW****OVERLAND™**

Designed by TJ Schwarz in Boise, Idaho



- High Carbon Stainless Steel Blade with a Stonewash Finish for Corrosion Resistance
- Elevated Handle in Relation to the Blade Conducive to Flat Surface Cutting
- Orange Anodized Pivot Ring and Backspacer Accents

**6280**

Blade: Length: 2.997" (76.12 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Stonewash  
Thickness: 0.121" (3.07 mm)  
Closed: 4.357" (110.67 mm)  
Open: 7.375" (187.33 mm)  
Weight: 3.6 oz. (102.06g)  
Handle: G10 | Stainless Steel  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as 6280C

**CALIGO™**

Designed by TJ Schwarz in Boise, Idaho



- IKBS™ Ball Bearing Pivot System
- Black Oxide Blade Finish
- Flipper Opening

**6215**

Blade: Length: 3.185" (80.9 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Black Oxide  
Thickness: 0.129" (3.3 mm)  
Closed: 4.471" (113.6 mm)  
Open: 7.625" (193.7 mm)  
Weight: 3.4 oz. (96.0 g)  
Handle: Black Anodized Aluminum Handle w/Blue Pivot Ring  
Style: Folding Knife w/Locking Liner

Available in Clam Pack as 6215C

🌟 **Best Buy: Blade Show Award**

**RAIKIRI™**

Designed by Dew Hara in Seki, Japan

**5040**

Blade: Length: 3.759" (95.5 mm)  
Edge: Plain  
Steel: 1.4116 SS  
Finish: Bead Blast  
Thickness: 0.134" (3.4 mm)  
Closed: 5.112" (129.8 mm)  
Open: 8.938" (227.0 mm)  
Weight: 5.0 oz. (141 g)  
Handle: Aluminum  
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 &amp; 9,597,809

- Field Strip Technology
- Satin Blade Finish
- Cold Forged Aluminum Handle

**NEW****BT FIGHTER™ COMPACT**

Designed by Brian Tighe of Ridgeville, Ontario, Canada

**5220**

Blade: Length: 2.856" (72.54 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Stonewash  
Thickness: 0.126" (3.2 mm)  
Closed: 4.173" (105.99 mm)  
Open: 7.063" (179.4 mm)  
Weight: 3.4 oz. (96.39g)  
Handle: Glass Reinforced Nylon  
Style: Folding Knife w/Button Lock

- Ball Bearing Pivot System Deploys the Blade Smooth and Fast
- Grooved Backspacer Enhances Grip
- Deep Pocket Carry Clip

**NEW****BT FIGHTER™**

Designed by Brian Tighe of Ridgeville, Ontario, Canada

**5225**

Blade: Length: 3.640" (92.4 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Stonewash  
Thickness: 0.127" (3.2 mm)  
Closed: 5.146" (130.7 mm)  
Open: 8.875" (225.4 mm)  
Weight: 5 oz. (141.7 g)  
Handle: Glass Reinforced Nylon  
Style: Folding Knife w/Button Lock

- Ball Bearing Pivot System Deploys the Blade Smooth and Fast
- Grooved Backspacer Enhances Grip
- Deep Pocket Carry Clip

**DRIP TIGHE™**

Designed by Brian Tighe in Ridgeville, Ontario, Canada

**1190**

Blade: Length: 3.100" (78.7 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Satin  
Thickness: 0.113" (2.9 mm)  
Closed: 4.197" (106.6 mm)  
Open: 7.250" (184.2 mm)  
Weight: 4.2 oz. (119.0 g)  
Handle: Black G10 w/Carbon Fiber Textured Overlays  
Style: Folding Knife w/Frame Lock

- OutBurst® Assisted Opening with Thumbstud
- Satin Blade Finish
- Black G10 w/Carbon Fiber Textured Overlays

### TIGHE TAC™ TWO CLIP POINT

Designed by Brian Tighe in Ridgeville, Ontario, Canada



- Tighe Ball Bearing Pivot System
- Button Lock
- Flipper Deployment

#### 5230

Blade: Length: 3.383" (85.9 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.115" (2.9 mm)  
Closed: 4.596" (116.7 mm)  
Open: 7.938" (201.6 mm)  
Weight: 3.4 oz. (96.4 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Button Lock

### TIGHE TAC™ TWO TANTO

Designed by Brian Tighe in Ridgeville, Ontario, Canada



- Tighe Ball Bearing Pivot System
- Button Lock
- Flipper Deployment

#### 5235

Blade: Length: 3.383" (85.9 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.115" (2.9 mm)  
Closed: 4.596" (116.7 mm)  
Open: 7.938" (201.6 mm)  
Weight: 3.4 oz. (96.4 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Button Lock

Available in Clam Pack as 5235C

### NIRK™ TIGHE 2

Designed by Brian Tighe in Ridgeville, Ontario, Canada



- Innovative, Patented, Handle-Integrated, Klecker Lock
- Blue Two-Tone Titanium Nitride Buffed Handle
- Satin Polished

#### 5240

Blade: Length: 3.250" (89.4 mm)  
Edge: Plain  
Steel: AUS 8  
Finish: Satin  
Thickness: 0.121" (3.0 mm)  
Closed: 4.250" (107.9 mm)  
Open: 7.375" (187.3 mm)  
Weight: 3.3 oz. (93.6 g)  
Handle: 420J2 Stainless Steel  
Style: Folding Knife w/Klecker Lock

U.S. Patent No. 8,443,521

**NEW**

### PIET™

Designed by Jesper Voxnaes in Loegstrup, Denmark



- Thumb Slot for Easy One Hand Opening
- Tip Up Ambidextrous Carry
- Durable Glass Reinforced Nylon Handle is Lightweight with Excellent Grip

#### 5390

Blade: Length: 2.689" (68.3 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.130" (3.3 mm)  
Closed: 3.759" (95.48 mm)  
Open: 6.438" (163.53 mm)  
Weight: 2.5 oz. (70.87g)  
Handle: Glass Reinforced Nylon  
Style: Folding Knife w/Liner Lock

Available in Clam Pack as 5390C

**NEW****PILAR® COPPER**

Designed by Jesper Voxnaes in Loegstrup, Denmark



- Thumb Slot for Easy One Hand Opening
- Satin Blade Finish
- Copper Handle Front, Stainless Steel Back

**5311CU**

Blade: Length: 2.382" (60.5 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.149" (3.78 mm)

Closed: 3.512" (89.2 mm)  
Open: 5.850" (148.59 mm)  
Weight: 4.0 oz. (113.4g)  
Handle: Copper | Stainless Steel  
Style: Folding Knife w/Frame Lock

**PILAR® LARGE**

Designed by Jesper Voxnaes in Loegstrup, Denmark



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Two Position Clip

**5315**

Blade: Length: 2.669" (67.8 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Satin  
Thickness: 0.147" (3.7 mm)

Handle: Stainless Steel  
Open: 6.688" (169.9 mm)  
Closed: 3.998" (101.6 mm)  
Weight: 4.2 oz. (119 g)  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as 5315C

**PILAR® LARGE WITH G10 HANDLE**

Designed by Jesper Voxnaes in Loegstrup, Denmark



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Tough G10 Handle

**5315G**

Blade: Length: 2.669" (67.8 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Satin  
Thickness: 0.147" (3.7 mm)

Handle: Front G10 | Back Stainless Steel  
Open: 6.688" (169.9 mm)  
Closed: 3.998" (101.6 mm)  
Weight: 3.8 oz. (107.7 g)  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as 5315GC

**PILAR®**

Designed by Jesper Voxnaes in Loegstrup, Denmark



- Thumb Slot Blade Deployment
- Satin Blade Finish
- Bead Blast Handle Finish

**5311**

Blade: Length: 2.402" (61.0 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.145" (3.6 mm)

Closed: 3.530" (89.6 mm)  
Open: 5.938" (150.8 mm)  
Weight: 4.2 oz. (119.0 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as 5311C

**VIZZLE™**

Designed by Jesper Voxnaes in Loegstrup, Denmark



- IKBS™ Ball Bearing Pivot System
- Satin Blade Finish
- Stonewash Handle Finish

**5320**

Blade: Length: 3.353" (85.1 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.144" (3.6 mm)  
Closed: 4.605" (116.9 mm)  
Open: 8.000" (203.2 mm)  
Weight: 4.7 oz. (133.2 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

**WILLIAW™**

Designed by Jim Hammond in Birmingham, Alabama



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Black Stonewash Stainless Steel Handle

**6016**

Blade: Length: 3.026" (76.9 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.123" (3.1 mm)  
Closed: 4.155" (105.5 mm)  
Open: 7.125" (181.0 mm)  
Weight: 4.7 oz. (133 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as 6016C

**GRAPHITE™**

Designed by Glenn Klecker in Silverton, Oregon



- Innovative, Patented, Handle-Integrated, Klecker Lock
- Satin Blade Finish
- Two-Tone Brushed Stainless Steel Handle w/G10

**5190**

Blade: Length: 3.060" (77.7 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.121" (3.0 mm)  
Closed: 4.440" (112.7 mm)  
Open: 7.500" (190.5 mm)  
Weight: 4.4 oz. (125.0 g)  
Handle: Stainless Steel w/G10  
Style: Folding Knife w/Klecker Lock

U.S. Patent No. 8,443,521

**GRAPHITE™ WITH VEFF FLAT TOP SERRATIONS®**

Designed by Glenn Klecker in Silverton, Oregon



- Innovative, Patented, Handle-Integrated, Klecker Lock
- Satin Blade Finish
- Veff Flat Top Serrations®

**5195**

Blade: Length: 3.060" (77.7 mm)  
Edge: Combination  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.121" (3.0 mm)  
Closed: 4.440" (112.7 mm)  
Open: 7.500" (190.5 mm)  
Weight: 4.4 oz. (125.0 g)  
Handle: Stainless Steel w/G10  
Style: Folding Knife w/Klecker Lock

U.S. Patent No. 8,443,521

Available in Clam Pack as 5195C



**NEW****SKETCH™**

Designed by Lucas Burnley in Orleans, Massachusetts

**2550**

Blade: Length: 2.894" (73.51 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Satin  
Thickness: 0.114" (2.9 mm)

Closed: 3.940" (100.08 mm)  
Open: 6.688" (169.88 mm)  
Weight: 3.7 oz. (104.89g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as 2550C

- K-Tip Blade Style for Everyday Utility and Finer Detail
- Stainless Steel Handle for Balance and Durability
- Low Profile Pocket Clip for Discreet Carry

**NEW****TUNA™**

Designed by Lucas Burnley in Orleans, Massachusetts

**2520**

Blade: Length: 3.221" (81.81 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Stonewash  
Thickness: 0.145" (3.68 mm)

Closed: 4.485" (113.92 mm)  
Open: 7.688" (195.28 mm)  
Weight: 3.7 oz. (104.89g)  
Handle: G10 | Stainless Steel  
Style: Folding Knife w/Frame Lock

- Thumb Stud for Easy One Hand Opening
- Two-Tone Handle, Stainless Steel and G10 Handle for Secure Grip
- Frame Lock Secures the Blade in the Open Position

**NEW****NISHI™**

Designed by Lucas Burnley in Orleans, Massachusetts

**2290**

Blade: Length: 4.416" (112.17 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Titanium Nitride  
Thickness: 0.149" (3.78 mm)

Overall: 8.813" (223.85 mm)  
Weight: 3.8 oz. (107.73g)  
Handle: Cord-Wrapped  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon  
Weight: 1.2 oz. (34 g)

- Cord Wrapped Handle for Superior Grip
- Thin Profile Makes an Easy Everyday Carry Knife
- Glass Reinforced Nylon Sheath with Skull Bead, Multiple Carry Options

**PREQUEL™**

Designed by Lucas Burnley in Orleans, Massachusetts

**2420**

Blade: Length: 2.721" (69.1 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Satin  
Thickness: 0.130" (3.3 mm)

Handle: Glass Reinforced Nylon  
Open: 6.563" (166.7 mm)  
Closed: 3.871" (98.3 mm)  
Weight: 3.8 oz. (108 g)  
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 &amp; 9,597,809

- Field Strip Technology
- High Carbon Stainless Steel Blade
- Glass-Reinforced Nylon Handle

## SQUID™

Designed by Lucas Burnley in Orleans, Massachusetts



- On Blade Friction Grooves for Grip
- Low Profile Pocket Clip
- Lanyard Hole for Additional Keychain or Fob

### 2490

Blade: Length: 2.156" (54.76 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Silver Stonewashed  
Thickness: 0.110" (2.7 mm)  
Closed: 3.476" (88.29 mm)  
Open: 5.701" (144.81 mm)  
Weight: 3.5 oz. (99.2 g)  
Handle: Stainless Steel w/Stonewash  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as 2490C

## SQUID™ BLACK STONEWASH

Designed by Lucas Burnley in Orleans, Massachusetts



- Black Stonewashed Finish
- On Blade Friction Grooves for Grip
- Low Profile Pocket Clip

### 2490KS

Blade: Length: 2.156" (54.76 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Black Stonewashed  
Thickness: 0.110" (2.7 mm)  
Closed: 3.476" (88.29 mm)  
Open: 5.701" (144.81 mm)  
Weight: 3.5 oz. (99.2 g)  
Handle: Stainless Steel w/Stonewash  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as 2490KSC

## BUKU™

Designed by Lucas Burnley in Orleans, Massachusetts



- Kukri Blade Style
- Silver Stonewashed Handle
- Low Profile Pocket Clip

### 2460

Blade: Length: 3.750" (95.2 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.144" (3.6 mm)  
Closed: 4.856" (123.3 mm)  
Open: 8.313" (211.1 mm)  
Weight: 7.7 oz. (218.0 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as 2460C

## OBAKE™ SKOSHI

Designed by Lucas Burnley in Orleans, Massachusetts



- Cord-Wrapped Handle
- Individually Etched Ti-Nitride Blade
- Glass-Reinforced Nylon Sheath w/Skull Bead

### 2365

Blade: Length: 2.406" (61.1 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Gray Titanium Nitride w/  
Etch Pattern  
Thickness: 0.108" (2.7 mm)  
Overall: 5.377" (136.6 mm)  
Weight: 1.5 oz. (42.5 g)  
Handle: Cord-Wrapped Handle  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon  
Lanyard: Black Paracord w/Skull Bead  
Weight: 0.7 oz. (19.8 g)

**OBAKE™**

Designed by Lucas Burnley in Orleans, Massachusetts



- Cord-Wrapped Handle
- Individually Etched Ti-Nitride Blade
- Glass-Reinforced Nylon Sheath w/Skull Bead

**2367**

Blade: Length: 3.640" (92.5 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Gray Titanium Nitride w/ Etch Pattern  
Thickness: 0.130" (3.3 mm)  
Overall: 7.630" (193.8 mm)  
Weight: 2.4 oz. (68 g)  
Handle: Cord-Wrapped Handle  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon  
Lanyard: Black Paracord w/Skull Bead  
Weight: 0.8 oz. (22.7 g)

Available in Clam Pack as 2367C

**GUNGHO™**

Designed by Tom Krein in Gentry, Arkansas



- OutBurst® Assisted Opening
- Black Oxide Blade Finish
- G10 Handle with Stainless Steel Frame Lock

**7740**

Blade: Length: 2.784" (70.7 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Black Oxide  
Thickness: 0.146" (3.7 mm)  
Closed: 4.261" (108.2 mm)  
Open: 7.000" (177.8 mm)  
Weight: 4.7 oz. (133.2 g)  
Handle: G10 Handle Scale on one side, Stainless Steel on the other  
Style: Folding Knife w/Frame Lock

**RIPSNORT™**

Designed by Philip Booth in Ithaca, Michigan



- Flipper Opening
- Black Handle w/Stainless Steel Accent
- Locking Liner

**7270**

Blade: Length: 2.831" (72.0 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.106" (2.7 mm)  
Closed: 4.026" (102.3 mm)  
Open: 6.938" (176.2 mm)  
Weight: 6.0 oz. (170 g)  
Handle: Black Handle w/Stainless Steel Accent Inlay  
Style: Folding Knife w/Locking Liner

**FULCRUM™ 2**

Designed by Russ Kommer in Fargo, North Dakota



- Innovative Fulcrum™ Action Opening Mechanism
- Titanium Nitride Finish
- Glass-Reinforced Nylon Handle

**7435**

Blade: Length: 3.180" (80.7 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Titanium Nitride  
Thickness: 0.111" (2.8 mm)  
Closed: 4.429" (112.5 mm)  
Open: 7.645" (192.2 mm)  
Weight: 4.7 oz. (133.0 g)  
Handle: Glass-Reinforced Nylon w/ Stainless Steel  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,513,045

**NEW****BURNOUT™**

Designed by MJ Lerch in Sussex, Wisconsin

**4123K**

Blade: Length: 3.660" (92.96 mm)  
 Edge: Plain  
 Steel: 8Cr13MoV  
 Finish: Stonewash  
 Thickness: 0.147" (3.73 mm)

Closed: 4.991" (126.77 mm)  
 Open: 8.688" (220.68 mm)  
 Weight: 4.8 oz. (136.08g)  
 Handle: Carbon Fiber | Stainless Steel  
 Style: Folding Knife w/Frame Lock

- Outburst® Spring Assisted Opening Deploys the Blade Smooth and Fast
- Black Stonewash Finish Improves Corrosion Resistance, Reduces Glare, and Masks Wear
- G10 and Carbon Fiber Handle Overlays Provide Exceptional Grip

**HYPERSPEED**

Designed by MJ Lerch in Sussex, Wisconsin

**7020**

Blade: Length: 3.582" (91.0 mm)  
 Edge: Plain  
 Steel: 8Cr14MoV  
 Finish: Black Oxide  
 Thickness: 0.101" (2.57 mm)

Handle: Glass Reinforced Nylon  
 Open: 8.250" (209.55 mm)  
 Closed: 4.632" (117.65 mm)  
 Weight: 3.8 oz. (108 g)  
 Style: Folding Knife w/Locking Liner

- OutBurst® Assisted Opening
- Black Oxide Blade Finish
- Glass-Reinforced Nylon Handle

**NEW****FULL THROTTLE™**

Designed by Matthew Lerch in Sussex, Wisconsin

**7031**

Blade: Length: 2.902" (73.71 mm)  
 Edge: Plain  
 Steel: 8Cr13MoV  
 Finish: Bead Blast  
 Thickness: 0.125" (3.18 mm)

Closed: 4.079" (103.61 mm)  
 Open: 6.875" (174.63 mm)  
 Weight: 3.1 oz. (87.88g)  
 Handle: G10 | Stainless Steel  
 Style: Folding Knife w/Frame Lock

- Outburst® Spring Assisted Opening Deploys the Blade Smooth and Fast
- G10 Handle Provides Exceptional Grip in All Weather Conditions
- Frame Lock Secures the Blade in the Open Position

**FAST LANE™**

Designed by Matthew Lerch in Sussex, Wisconsin

**7045**

Blade: Length: 3.476" (88.29 mm)  
 Edge: Plain  
 Steel: 8Cr14MoV  
 Finish: Black Stonewash  
 Thickness: 0.116" (3.0 mm)

Handle: G10  
 Open: 7.938" (201.7 mm)  
 Closed: 4.449" (113.0 mm)  
 Weight: 4.1 oz. (116 g)  
 Style: Folding Knife w/Locking Liner

Available in Clam Pack as 7045C

- OutBurst® Assisted Opening
- Black Stonewash Blade Finish
- Tough G10 Handle

**FLAT OUT™**

Designed by Matthew Lerch in Sussex, Wisconsin



- OutBurst® Assisted Opening
- High Carbon Stainless Steel Blade
- Frame Lock

**7016**

Blade: Length: 3.570" (90.7 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Brushed Stainless + Satin  
Thickness: 0.122" (3.1 mm)

Handle: Stainless Steel  
Open: 8.063" (204.8 mm)  
Closed: 4.421" (112.3 mm)  
Weight: 3.6 oz. (102 g)  
Style: Folding Knife w/Frame Lock

**UP & AT 'EM™**

Designed by Matthew Lerch in Sussex, Wisconsin



- High Carbon Stainless Steel Blade
- Flipper Opening
- Frame Lock

**7076**

Blade: Length: 3.622" (92.0 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Brushed Stainless + Bead Blast  
Thickness: 0.121" (3.1 mm)

Handle: Stainless Steel  
Open: 8.375" (212.8 mm)  
Closed: 4.719" (119.9 mm)  
Weight: 4.2 oz. (119 g)  
Style: Folding Knife w/Frame Lock

**DIRECTIVE™ TANTO**

Designed by Matthew Lerch in Sussex, Wisconsin



- Flipper Opening
- Black Oxide Finish
- Black Two-Tone Glass-Reinforced Nylon Handle

**1062**

Blade: Length: 3.614" (91.8 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Black Oxide  
Thickness: 0.148" (3.7 mm)

Closed: 4.829" (122.6 mm)  
Open: 8.375" (212.7 mm)  
Weight: 4.8 oz. (136.0 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

**DIRECTIVE™ DROP POINT**

Designed by Matthew Lerch in Sussex, Wisconsin



- Flipper Opening
- Black Oxide Finish
- Black Two-Tone Glass-Reinforced Nylon Handle

**1063**

Blade: Length: 3.624" (92.0 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Black Oxide  
Thickness: 0.136" (3.4 mm)

Closed: 4.828" (122.6 mm)  
Open: 8.438" (214.3 mm)  
Weight: 4.4 oz. (124.7 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

## MOXIE™ BLACK

Designed by Matthew Lerch in Sussex, Wisconsin



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Black Corrosion Resistant Blade Finish

### 1100

Blade: Length: 3.290" (83.5 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Black Oxide  
Thickness: 0.100" (2.5 mm)  
Closed: 4.230" (107.4 mm)  
Open: 7.500" (190.5 mm)  
Weight: 3.2 oz. (90.7 g)  
Handle: EDM Finish – PP; Textured TPE  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,918,028

## MOXIE™ GREY

Designed by Matthew Lerch in Sussex, Wisconsin



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Dark Grey Corrosion Resistant Blade Finish

### 1102

Blade: Length: 3.290" (83.5 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Gray Titanium Nitride  
Thickness: 0.100" (2.5 mm)  
Closed: 4.230" (107.4 mm)  
Open: 7.500" (190.5 mm)  
Weight: 3.2 oz. (90.7 g)  
Handle: EDM Finish – PP; Textured TPE  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,918,028

## ENDORSER™

Designed by Matthew Lerch in Sussex, Wisconsin



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Two-Tone G10 Handle

### 1105

Blade: Length: 3.180" (80.7 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Satin  
Thickness: 0.100" (2.5 mm)  
Closed: 4.170" (105.9 mm)  
Open: 7.310" (185.6 mm)  
Weight: 3.2 oz. (90.7 g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,918,028

## ENDORSER™ BLACK

Designed by Matthew Lerch in Sussex, Wisconsin



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Black Corrosion Resistant Blade Finish

### 1105K

Blade: Length: 3.180" (80.7 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Black Oxide  
Thickness: 0.100" (2.5 mm)  
Closed: 4.170" (105.9 mm)  
Open: 7.310" (185.6 mm)  
Weight: 3.2 oz. (90.7 g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,918,028  
Available in Clam Pack as 1105KC

**NEW****INARA™**

Designed by Richard Rogers in Magdalena, New Mexico

**7140**

Blade: Length: 2.783" (70.69 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Stonewash  
Thickness: 0.089" (2.26 mm)

Closed: 3.842" (97.59 mm)  
Open: 6.625" (168.28 mm)  
Weight: 1.8 oz. (51.03g)  
Handle: G10 | Stainless Steel  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as 7140C

- IKBS™ Ball Bearing Pivot System Deploys Blade Smooth and Fast
- G10 Handle Provides Exceptional Grip in All Weather Conditions
- Frame Lock Secures the Blade in the Open Position

**NEW****MONTOSA™**

Designed by Richard Rogers in Magdalena, New Mexico

**7115**

Blade: Length: 3.246" (82.45 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Bead Blast  
Thickness: 0.125" (3.18 mm)

Closed: 4.457" (113.21 mm)  
Open: 7.688" (195.28 mm)  
Weight: 3.2 oz. (90.72g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

Available in Clam Pack as 7115C

- Thumb Stud for Easy One Hand Opening
- G10 Handle Provides Exceptional Grip
- Reversible Low-Profile Pocket Clip for Discreet Carry

**CEO**

Designed by Richard Rogers in Magdalena, New Mexico

**7096**

Blade: Length: 3.107" (79.0 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.086" (2.2 mm)

Handle: Glass Reinforced Nylon  
Open: 7.625" (193.7 mm)  
Closed: 4.448" (113.0 mm)  
Weight: 2.1 oz. (59.5 g)  
Style: Folding Knife w/Locking Liner

Available in Clam Pack as 7096C

**Best Buy:** Blade Show Award

- Extremely Low Profile and Lightweight
- IKBS™ Ball Bearing Pivot System Deploys the Blade Smooth and Fast
- Glass Reinforced Nylon Handles are Lightweight with Excellent Grip

**CUATRO™**

Designed by Richard Rogers in Magdalena, New Mexico

**7090**

Blade: Length: 3.199" (81.3 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Bead Blast  
Thickness: 0.126" (3.2 mm)

Closed: 4.515" (114.7 mm)  
Open: 7.750" (196.8 mm)  
Weight: 3.1 oz. (87.9 g)  
Handle: Contoured G10  
Style: Folding Knife w/Locking Liner

Available in Clam Pack as 7090C

- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Contoured G10 Handle for Secure Grip

**NEW****PSYCH™**

Designed by Ken Steigerwalt in Orangeville, Pennsylvania

**7421**

Blade: Length: 3.967" (100.76 mm)  
 Edge: Plain  
 Steel: 8Cr14MoV  
 Finish: Satin  
 Thickness: 0.124" (3.15 mm)  
 Closed: 4.693" (119.2 mm)  
 Open: 8.688" (220.68 mm)  
 Weight: 4.9 oz. (138.91g)  
 Handle: Aluminum | G10  
 Style: Folding Knife w/Glide Lock

U.S. Patent No. 7,581,321

- Glide Lock Innovation Secures the Blade when Open and Locked
- High Carbon Stainless Steel Blade Takes an Edge Well and is Ideal for Everyday Carry
- G10 Handle for Excellent Grip in All Weather Conditions

**RADIC™**

Designed by Ken Steigerwalt in Orangeville, Pennsylvania

**6040**

Blade: Length: 3.322" (84.4 mm)  
 Edge: Plain  
 Steel: 8Cr13MoV  
 Finish: Satin & Bead Blast  
 Thickness: 0.126" (3.2 mm)  
 Closed: 4.348" (110.4 mm)  
 Open: 7.625" (193.7 mm)  
 Weight: 4.5 oz. (127.0 g)  
 Handle: G10  
 Style: Folding Knife w/Locking Liner

- OutBurst® Assisted Opening
- Thumb Stud Blade Deployment
- Satin Blade Finish

**IGNITOR®**

Designed by Ken Steigerwalt in Orangeville, Pennsylvania

**6850**

Blade: Length: 3.380" (85.8 mm)  
 Edge: Plain  
 Steel: 8Cr14MoV  
 Finish: Satin  
 Thickness: 0.110" (2.7 mm)  
 Closed: 4.250" (107.9 mm)  
 Open: 7.500" (190.5 mm)  
 Weight: 3.5 oz. (99.2 g)  
 Handle: G10  
 Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,918,028

- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Tough G10 Handle

**IGNITOR® WITH VEFF SERRATIONS™**

Designed by Ken Steigerwalt in Orangeville, Pennsylvania

**6855**

Blade: Length: 3.380" (85.8 mm)  
 Edge: Combination  
 Steel: 8Cr14MoV  
 Finish: Satin  
 Thickness: 0.110" (2.7 mm)  
 Closed: 4.250" (107.9 mm)  
 Open: 7.500" (190.5 mm)  
 Weight: 3.5 oz. (99.2 g)  
 Handle: G10  
 Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,918,028 and D559,939  
Available in Clam Pack as 6855C

- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Veff Serrations™



**IGNITOR® T**

Designed by Ken Steigerwalt in Orangeville, Pennsylvania



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Tough G10 Handle®

**6860**

Blade: Length: 3.380" (85.8 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Dark Gray Titanium Nitride  
Thickness: 0.110" (2.7 mm)

Closed: 4.250" (107.9 mm)  
Open: 7.500" (190.5 mm)  
Weight: 3.5 oz. (99.2 g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,918,028

**IGNITOR® T WITH VEFF SERRATIONS™**

Designed by Ken Steigerwalt in Orangeville, Pennsylvania



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Veff Serrations™

**6865**

Blade: Length: 3.380" (85.8 mm)  
Edge: Combination  
Steel: 8Cr13MoV  
Finish: Dark Gray Titanium Nitride  
Thickness: 0.110" (2.7 mm)

Closed: 4.250" (107.9 mm)  
Open: 7.500" (190.5 mm)  
Weight: 3.5 oz. (99.2 g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,918,028 and D559,939  
Available in Clam Pack as 6865C

**JETTISON™**

Designed by Robert Carter in Hillister, Texas



- Frame Lock
- Modified Sheep's Foot Blade
- Stonewash Handle Finish

**6130**

Blade: Length: 3.260" (82.8 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.126" (3.2 mm)

Closed: 4.521" (114.8 mm)  
Open: 7.750" (196.8 mm)  
Weight: 4.5 oz. (127.5 g)  
Handle: Stonewash Stainless Steel  
Style: Folding Knife w/Frame Lock

**JETTISON™ COMPACT**

Designed by Robert Carter in Hillister, Texas



- Modified Sheep's Foot Blade Style
- Titanium Handle
- Frame Lock

**6120**

Blade: Length: 2.028" (51.5 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.106" (2.7 mm)

Closed: 3.185" (80.9 mm)  
Open: 5.197" (132.0 mm)  
Weight: 1.3 oz. (36.9 g)  
Handle: Stonewashed Titanium  
Style: Folding Knife w/Frame Lock

## REMEDY™

Designed by Liong Mah in Palm Bay, Florida



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Satin Finish

## 3720

Blade: Length: 3.572" (90.7 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.137" (3.4 mm)  
Closed: 4.732" (120.1 mm)  
Open: 8.313" (211.1 mm)  
Weight: 5.4 oz. (153.0 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as 3720C

## OFFBEAT™ II

Designed by Pat Crawford in West Memphis, Arkansas



- Crawford Lockback
- Satin Blade Finish
- Glass-Reinforced Nylon Handle

## 7760

Blade: Length: 3.237" (82.2 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.105" (2.7 mm)  
Handle: Glass Reinforced Nylon  
Open: 7.563" (192.1 mm)  
Closed: 4.342" (110.3 mm)  
Weight: 3.3 oz. (93.6 g)  
Style: Folding Knife w/Crawford Lockback

## OFFBEAT™

Designed by Pat Crawford in West Memphis, Arkansas



- Crawford Lockback
- Satin Blade Finish
- Stainless Steel Handle

## 7730

Blade: Length: 3.522" (89.5 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Satin  
Thickness: 0.109" (2.7 mm)  
Closed: 4.483" (113.9 mm)  
Open: 8.000" (203.2 mm)  
Weight: 2.9 oz. (82.2 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Lockback Safety

## K.I.S.S.®

Designed by Ed Halligan in Ocean Springs, Mississippi



- K.I.S.S. - Keep It Super Simple.
- Innovative Two-Piece Design: Blade and Frame
- Bead Blast Finish

## 5500

Blade: Length: 2.250" (57.1 mm)  
Edge: Plain  
Steel: 3Cr13  
Finish: Bead Blast  
Thickness: 0.120" (3.0 mm)  
Closed: 3.500" (88.9 mm)  
Open: 5.750" (146.0 mm)  
Weight: 2.3 oz. (65.2 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

### K.I.S.S.® WITH TRIPLE POINT™ SERRATIONS

Designed by Ed Halligan in Ocean Springs, Mississippi



- K.I.S.S. – Keep. It. Super. Simple.
- Innovative Two-Piece Design: Blade and Frame
- Triple Point™ Serrations

**5510**  
Blade: Length: 2.250" (57.1 mm)  
Edge: Combination  
Steel: 3Cr13  
Finish: Bead Blast  
Thickness: 0.120" (3.0 mm)  
Closed: 3.500" (88.9 mm)  
Open: 5.750" (146.0 mm)  
Weight: 2.3 oz. (65.2 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

### DELILAH'S P.E.C.K.™

Designed by Ed Halligan in Ocean Springs, Mississippi



- Innovative Two-Piece Design: Blade and Frame
- Bead Blast Finish
- P.E.C.K.—Precision. Engineered. Compact. Knife.

**5520**  
Blade: Length: 1.750" (44.4 mm)  
Edge: Plain  
Steel: 3Cr13  
Finish: Bead Blast  
Thickness: 0.100" (2.5 mm)  
Closed: 2.625" (66.6 mm)  
Open: 4.250" (107.9 mm)  
Weight: 0.9 oz. (25.5 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

**NEW**

### APOC™

Designed by Eric Ochs in Sherwood, Oregon



- IKBS™ Ball Bearing Pivot System Deploys Blade Smooth and Fast
- G10 Handle Provides Exceptional Grip in All Weather Conditions
- Frame Lock Secures the Blade in the Open Position

**5380**  
Blade: Length: 3.978" (101.04 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Stonewash  
Thickness: 0.144" (3.66 mm)  
Closed: 5.103" (129.62 mm)  
Open: 3.978" (101.04 mm)  
Weight: 6.2 oz. (175.77g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

**NEW**

### APOC™ w/VEFF SERRATIONS™

Designed by Eric Ochs in Sherwood, Oregon



- IKBS™ Ball Bearing Pivot System Deploys Blade Smooth and Fast
- G10 Handle Provides Exceptional Grip in All Weather Conditions
- Frame Lock Secures the Blade in the Open Position

**5381**  
Blade: Length: 3.978" (101.04 mm)  
Edge: Combination  
Steel: 8Cr13MoV  
Finish: Stonewash  
Thickness: 0.144" (3.66 mm)  
Closed: 5.103" (129.62 mm)  
Open: 3.978" (101.04 mm)  
Weight: 6.2 oz. (175.77g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

U.S. Patent No. D559,939

**NEW****CHEHALEM™**

Designed by Eric Ochs in Sherwood, Oregon

**6540**

Blade: Length: 2.769" (70.33 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.128" (3.25 mm)

Closed: 3.667" (93.14 mm)  
Open: 6.375" (161.93 mm)  
Weight: 3.8 oz. (107.73g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

- Sharp Blade Tip for Detailed Cutting
- Stainless Steel Handle with a Hammered Like Texture for Grip
- Frame Lock Secures the Blade in the Open Position

**NEW****AVANT™ TAC**

Designed by Eric Ochs in Sherwood, Oregon

**5820**

Blade: Length: 3.628" (92.15 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.137" (3.48 mm)

Closed: 4.791" (121.69 mm)  
Open: 8.438" (214.33 mm)  
Weight: 5.9 oz. (167.26g)  
Handle: G10  
Style: Folding Knife w/Liner Lock

- IKBS™ Ball Bearing Pivot System Deploys the Blade Smooth and Fast
- G10 Handle for Excellent Grip in All Weather Conditions
- Flipper for Fast Opening

**AVANT™**

Designed by Eric Ochs in Sherwood, Oregon

**4620**

Blade: Length: 3.175" (80.7 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Satin  
Thickness: 0.143" (3.6 mm)

Handle: Carbon Fiber  
Open: 7.500" (190.5 mm)  
Closed: 4.312" (109.5 mm)  
Weight: 5.4 oz.  
Style: Folding Knife w/Locking Liner

- IKBS™ Ball Bearing Pivot System
- Satin Blade Finish and Brass Ti-Nitride Accents
- Carbon Fiber Handle in Black Woven Texture

**BEV-EDGE™**

Designed by Eric Ochs in Sherwood, Oregon

**4630**

Blade: Length: 2.542" (64.6 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Stonewash  
Thickness: 0.108" (2.7 mm)

Handle: Stainless Steel Stonewash  
Open: 6.063" (154.0 mm)  
Closed: 3.530" (89.7 mm)  
Weight: 3.8 oz. (108 g)  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as 4630C

- Stonewash Finish
- Bottle Opener
- Frame Lock

**BEV-EDGE™ BLACK**

Designed by Eric Ochs in Sherwood, Oregon



- Black Stonewash Finish
- Bottle Opener
- Frame Lock

**4635**

Blade: Length: 2.489" (63.2 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Black Stonewash  
Thickness: 0.111" (2.8 mm)

Handle: Black Stonewash  
Open: 6.000" (152.4 mm)  
Closed: 3.530" (89.7 mm)  
Weight: 3.8 oz. (108 g)  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as 4635C

**LARGO™**

Designed by Eric Ochs in Sherwood, Oregon



- OutBurst® Assisted Opening
- Bottle Opener
- Frame Lock

**5360**

Blade: Length: 2.542" (64.6 mm)  
Edge: Plain  
Steel: 5Cr15MoV  
Finish: Satin  
Thickness: 0.107" (2.7 mm)

Closed: 3.576" (90.8 mm)  
Open: 6.125" (155.7 mm)  
Weight: 3.6 oz. (102 g)  
Handle: Brushed Stainless Finish  
& Black Stonewash  
Style: Folding Knife w/Frame Lock

**TERRESTRIAL™**

Designed by Eric Ochs in Sherwood, Oregon



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Satin Blade Finish

**5370**

Blade: Length: 3.355" (85.2 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.139" (3.5 mm)

Closed: 4.348" (110.4 mm)  
Open: 7.688" (195.3 mm)  
Weight: 4.3 oz. (122 g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

Available in Clam Pack as 5370C

**NEW****GULF™**

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



- Black Stonewash Finish Improves Corrosion Resistance
- G10 Handle Provides Exceptional Grip in All Weather Conditions
- Low Profile Pocket Clip for Discreet Carry

**2795**

Blade: Length: 4.079" (103.61 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Stonewash  
Thickness: 0.126" (3.2 mm)

Closed: 5.515" (140.08 mm)  
Open: 9.563" (242.9 mm)  
Weight: 1.5 oz. (42.61g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

## DRIFTER



- Tough G10 Handle
- Gray Titanium Nitride Blade Finish
- Thumb Stud Blade Deployment

### 6450K

Blade: Length: 2.875" (73.0 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Gray Titanium Nitride  
Thickness: 0.100" (2.5 mm)  
Closed: 3.625" (92.0 mm)  
Open: 6.500" (165.1 mm)  
Weight: 2.4 oz. (68.0 g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

## DRIFTER STAINLESS HANDLE



- Satin Blade Finish
- Stainless Steel Handle
- Frame Lock Safety

### 6450S

Blade: Length: 2.875" (73.0 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Satin  
Thickness: 0.100" (2.5 mm)  
Closed: 3.625" (92.0 mm)  
Open: 6.500" (165.1 mm)  
Weight: 3.2 oz. (90.7 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

## PAZODA™ 2



- Dark Gray Titanium Nitride Blade Finish
- Stainless Steel Handle
- Thumb Jimping on Blade for Optimum Cutting Control

### 6470

Blade: Length: 2.125" (53.9 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Dark Gray Titanium Nitride  
Thickness: 0.100" (2.5 mm)  
Closed: 3.000" (76.2 mm)  
Open: 5.125" (130.1 mm)  
Weight: 1.5 oz. (42.5 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

## PAZODA™



- Dark Gray Titanium Nitride Blade Finish
- Stainless Steel Handle
- Thumb Jimping on Blade for Optimum Cutting Control

### 6480

Blade: Length: 2.625" (66.6 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Dark Gray Titanium Nitride  
Thickness: 0.100" (2.5 mm)  
Closed: 3.750" (95.2 mm)  
Open: 6.500" (165.1 mm)  
Weight: 3.1 oz. (87.9 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

**DEVIATION™**

Designed by Terry Renner in Palmetto, Florida



- IKBS™ Ball Bearing Pivot System
- Dual Blade Finish—Mirror and Satin
- Distinctive, Futuristic Blade Design

**2392**

Blade:

Length: 3.100" (78.7 mm)

Edge: Plain

Steel: 8Cr14MoV

Finish: Two-Tone

Thickness: 0.120" (3.1 mm)

Closed:

4.540" (115.3 mm)

Open:

7.630" (193.8 mm)

Weight:

6.0 oz. (170.0 g)

Handle:

Stainless Steel w/Ti-Nitride Finish

Style:

Folding Knife w/Locking Liner

**SNAP LOCK™**

Designed by Ed Van Hoy in Abingdon, Virginia



- Innovative Snap Lock™ Mechanism
- Bead Blast Finish
- Quick Release Paracord Lanyard

**5102N**

Blade:

Length: 2.554" (64.8 mm)

Edge: Plain

Steel: 420J2

Finish: Bead Blast

Thickness: 0.124" (3.1 mm)

Closed:

4.207" (106.8 mm)

Open:

6.250" (158.7 mm)

Weight:

2.5 oz. (70.8 g)

Handle:

420J2

Style:

Folding Knife w/Snap Lock™

**SNAP LOCK™ WITH TRIPLE POINT™ SERRATIONS**

Designed by Ed Van Hoy in Abingdon, Virginia



- Innovative Snap Lock™ Mechanism
- Bead Blast Finish
- Quick Release Paracord Lanyard

**5112N**

Blade:

Length: 2.554" (64.8 mm)

Edge: Combination

Steel: 420J2

Finish: Bead Blast

Thickness: 0.124" (3.1 mm)

Closed:

4.207" (106.8 mm)

Open:

6.250" (158.7 mm)

Weight:

2.5 oz. (70.8 g)

Handle:

420J2

Style:

Folding Knife w/Snap Lock™

**DAKTYL™**

Designed by Tom Hitchcock in Talent, Oregon



- Hole in One® Mechanism
- Slide Lock Innovation
- Bead Blast Finish

**5151**

Blade:

Length: 3.050" (77.5 mm)

Edge: Plain

Steel: 420J2 Stainless Steel

Finish: Bead Blast

Thickness: 0.145" (3.7 mm)

Closed:

4.422" (112.3 mm)

Open:

6.813" (173.1 mm)

Weight:

2.4 oz. (68 g)

Handle:

Stainless Steel

Style:

Folding Knife w/Slide Lock

**NEW****M40™-02 TANTO**

Designed by Kit Carson in Vine Grove, Kentucky

**M40-02**

Blade: Length: 2.937" (74.6 mm)  
Edge: Plain  
Steel: 1.4116 Stainless Steel  
Finish: Bead Blast  
Thickness: 0.135" (3.43 mm)

Closed: 3.946" (100.23 mm)  
Open: 6.875" (174.63 mm)  
Weight: 3.3 oz. (93.55g)  
Handle: Aluminum | Glass Reinforced Nylon  
Style: Folding Knife w/Deadbolt® Lock

U.S. Patent No. 9,833,912

- Innovative Deadbolt® Locking Mechanism is Simple to Use and Provides Incredible Strength
- Flipper Opening Combined with IKBS™ Ball Bearing Pivot System Deploys the Blade Smooth and Fast
- Glass Reinforced Nylon and Aluminum Bolster Handle is Strong and Lightweight

**NEW****M40™-03 SPEAR POINT**

Designed by Kit Carson in Vine Grove, Kentucky

**M40-03**

Blade: Length: 3.453" (87.71 mm)  
Edge: Plain  
Steel: 1.4116 Stainless Steel  
Finish: Bead Blast  
Thickness: 0.135" (3.43 mm)

Closed: 4.601" (116.87 mm)  
Open: 8.006" (203.35 mm)  
Weight: 4.2 oz. (119.07g)  
Handle: Aluminum | Glass Reinforced Nylon  
Style: Folding Knife w/Deadbolt® Lock

U.S. Patent No. 9,833,912

- Innovative Deadbolt® Locking Mechanism is Simple to Use and Provides Incredible Strength
- Flipper Opening Combined with IKBS™ Ball Bearing Pivot System Deploys the Blade Smooth and Fast
- Glass Reinforced Nylon and Aluminum Bolster Handle is Strong and Lightweight

**NEW****M40™-15 SPEAR POINT W/VEFF SERRATIONS™**

Designed by Kit Carson in Vine Grove, Kentucky

**M40-15**

Blade: Length: 3.999" (101.57 mm)  
Edge: Combination  
Steel: 1.4116 Stainless Steel  
Finish: Bead Blast  
Thickness: 0.163" (4.14 mm)

Closed: 5.342" (135.69 mm)  
Open: 9.375" (238.13 mm)  
Weight: 6.2 oz. (175.77g)  
Handle: Aluminum | Glass Reinforced Nylon  
Style: Folding Knife w/Deadbolt® Lock

U.S. Patent Nos. 9,833,912, D559,939.

- Innovative Deadbolt® Locking Mechanism is Simple to Use and Provides Incredible Strength
- Flipper Opening Combined with IKBS™ Ball Bearing Pivot System Deploys the Blade Smooth and Fast
- Veff Serrations™ Offer Superior Cutting of Rope and Fibrous Materials

**M16® - 03S CLASSIC**

Designed by Kit Carson in Vine Grove, Kentucky

**M16-03S**

Blade: Length: 3.460" (88.0 mm)  
Edge: Plain  
Steel: AUS 8  
Finish: Bead Blast  
Thickness: 0.120" (3.0 mm)

Closed: 4.650" (118.0 mm)  
Open: 8.250" (210.0 mm)  
Weight: 3.3 oz. (95.0 g)  
Handle: 6061 Aluminum  
Style: Folding Knife w/Locking Liner

- Locking Liner
- Carson Flipper Opening
- Aluminum Handle



**M16® - 04S CLASSIC**

Designed by Kit Carson in Vine Grove, Kentucky



- Locking Liner
- Carson Flipper Opening
- Aluminum Handle

**M16-04S**

Blade: Length: 3.900" (99.0 mm)  
Edge: Plain  
Steel: AUS 8  
Finish: Bead Blast  
Thickness: 0.140" (3.5 mm)

Closed: 5.340" (136.0 mm)  
Open: 9.310" (236.0 mm)  
Weight: 5.5 oz. (155.0 g)  
Handle: 6061 Aluminum  
Style: Folding Knife w/Locking Liner

**M16® - 02KS**

Designed by Kit Carson in Vine Grove, Kentucky



- Carson Flipper Opening
- Frame Lock
- Stainless Steel Handle

**M16-02KS**

Blade: Length: 3.057" (77.6 mm)  
Edge: Plain  
Steel: 12C27 Sandvik  
Finish: Black Oxide  
Thickness: 0.117" (3.0 mm)

Closed: 4.299" (109.2 mm)  
Open: 7.313" (185.7 mm)  
Weight: 3.7 oz. (104.9 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

**M16® - 03KS**

Designed by Kit Carson in Vine Grove, Kentucky



- Carson Flipper Opening
- Frame Lock
- Stainless Steel Handle

**M16-03KS**

Blade: Length: 3.552" (90.2 mm)  
Edge: Plain  
Steel: 12C27 Sandvik  
Finish: Black Oxide  
Thickness: 0.118" (3.0 mm)

Closed: 4.658" (118.3 mm)  
Open: 8.250" (209.5 mm)  
Weight: 3.8 oz. (107.7 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

**M16® - 04KS**

Designed by Kit Carson in Vine Grove, Kentucky



- Carson Flipper Opening
- Frame Lock
- Stainless Steel Handle

**M16-04KS**

Blade: Length: 3.871" (98.3 mm)  
Edge: Plain  
Steel: 12C27 Sandvik  
Finish: Black Oxide  
Thickness: 0.134" (3.4 mm)

Closed: 5.337" (135.7 mm)  
Open: 9.313" (236.5 mm)  
Weight: 6.2 oz. (176.7 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

### M16® - 02Z TANTO

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Carson Flipper Opening
- Glass-Reinforced Nylon Handle

### M16-02Z

Blade: Length: 3.000" (76.2 mm)  
Edge: Plain  
Steel: AUS 8  
Finish: Bead Blast  
Thickness: 0.120" (3.0 mm)  
Closed: 4.250" (107.9 mm)  
Open: 7.375" (187.3 mm)  
Weight: 3.6 oz. (102.0 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

### M16® - 12Z TANTO WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Glass-Reinforced Nylon Handle

### M16-12Z

Blade: Length: 3.000" (76.2 mm)  
Edge: Combination  
Steel: AUS 8  
Finish: Bead Blast  
Thickness: 0.120" (3.0 mm)  
Closed: 4.250" (107.9 mm)  
Open: 7.375" (187.3 mm)  
Weight: 3.6 oz. (102.0 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

### M16® - 03Z SPEAR POINT

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Carson Flipper Opening
- Glass-Reinforced Nylon Handle

### M16-03Z

Blade: Length: 3.500" (88.9 mm)  
Edge: Plain  
Steel: AUS 8  
Finish: Bead Blast  
Thickness: 0.120" (3.0 mm)  
Closed: 4.750" (120.6 mm)  
Open: 8.250" (209.5 mm)  
Weight: 3.5 oz. (99.2 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

### M16® - 13Z SPEAR POINT WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Glass-Reinforced Nylon Handle

### M16-13Z

Blade: Length: 3.500" (88.9 mm)  
Edge: Combination  
Steel: AUS 8  
Finish: Bead Blast  
Thickness: 0.120" (3.0 mm)  
Closed: 4.750" (120.6 mm)  
Open: 8.250" (209.5 mm)  
Weight: 3.5 oz. (99.2 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

Available in Clam Pack as M16-13ZC

**M16® - 04Z TANTO LARGE**

Designed by Kit Carson in Vine Grove, Kentucky

**M16-04Z**

Blade: Length: 3.875" (98.4 mm)  
Edge: Plain  
Steel: AUS 8  
Finish: Bead Blast  
Thickness: 0.120" (3.0 mm)  
Closed: 5.375" (136.5 mm)  
Open: 9.250" (234.9 mm)  
Weight: 5.9 oz. (167.0 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

- Automated Liner Safety
- Carson Flipper Opening
- Glass-Reinforced Nylon Handle

**M16® - 14Z TANTO LARGE WITH TRIPLE POINT™ SERRATIONS**

Designed by Kit Carson in Vine Grove, Kentucky

**M16-14Z**

Blade: Length: 3.875" (98.4 mm)  
Edge: Combination  
Steel: AUS 8  
Finish: Bead Blast  
Thickness: 0.120" (3.0 mm)  
Closed: 5.375" (136.5 mm)  
Open: 9.250" (234.9 mm)  
Weight: 5.9 oz. (167.0 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

- Automated Liner Safety
- Triple Point™ Serrations
- Glass-Reinforced Nylon Handle

**M16® - 01Z SPEAR POINT**

Designed by Kit Carson in Vine Grove, Kentucky

**M16-01Z**

Blade: Length: 3.125" (79.3 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Bead Blast  
Thickness: 0.080" (2.0 mm)  
Closed: 4.000" (101.6 mm)  
Open: 7.125" (180.9 mm)  
Weight: 2.3 oz. (87.9 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

- Automated Liner Safety
- Carson Flipper Opening
- Glass-Reinforced Nylon Handle

**M16® - 01KZ SPEAR POINT BLACK**

Designed by Kit Carson in Vine Grove, Kentucky

**M16-01KZ**

Blade: Length: 3.125" (79.3 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Black EDP Finish  
Thickness: 0.080" (2.0 mm)  
Closed: 4.000" (101.6 mm)  
Open: 7.125" (180.9 mm)  
Weight: 2.3 oz. (87.9 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

Available in Clam Pack as M16-01KZC

- Automated Liner Safety
- Black Corrosion Resistant EDP Coating
- Glass-Reinforced Nylon Handle

### M16® - 10Z TANTO WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Glass-Reinforced Nylon Handle

### M16-10Z

Blade: Length: 3.000" (76.2 mm)  
Edge: Combination  
Steel: 8Cr14MoV  
Finish: Bead Blast  
Thickness: 0.080" (2.0 mm)  
Closed: 4.000" (101.6 mm)  
Open: 7.125" (180.9 mm)  
Weight: 2.3 oz. (87.9 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

### M16® - 10KZ TANTO BLACK WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Black Corrosion Resistant EDP Coating

### M16-10KZ

Blade: Length: 3.000" (76.2 mm)  
Edge: Combination  
Steel: 8Cr14MoV  
Finish: Black EDP  
Thickness: 0.080" (2.0 mm)  
Closed: 4.000" (101.6 mm)  
Open: 7.125" (180.9 mm)  
Weight: 2.3 oz. (87.9 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

Available in Clam Pack as M16-10KZC

### M16® - 01S SPEAR POINT STAINLESS STEEL HANDLE

Designed by Kit Carson in Vine Grove, Kentucky



- Frame Lock
- Stainless Steel Handle
- Carson Flipper Opening

### M16-01S

Blade: Length: 3.060" (77.7 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Bead Blast  
Thickness: 0.098" (2.4 mm)  
Closed: 4.000" (101.6 mm)  
Open: 7.130" (181.1 mm)  
Weight: 2.6 oz. (73.7 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as M16-01SC

### M16® - 01KS SPEAR POINT BLACK STAINLESS STEEL HANDLE

Designed by Kit Carson in Vine Grove, Kentucky



- Frame Lock
- Stainless Steel Handle
- Black Corrosion Resistant EDP Coating

### M16-01KS

Blade: Length: 3.060" (77.7 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Black EDP  
Thickness: 0.098" (2.4 mm)  
Closed: 4.000" (101.6 mm)  
Open: 7.130" (181.1 mm)  
Weight: 2.6 oz. (73.7 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

**M16® - 10S TANTO WITH TRIPLE POINT™ SERRATIONS STAINLESS STEEL HANDLE**

Designed by Kit Carson in Vine Grove, Kentucky



- Frame Lock
- Stainless Steel Handle
- Triple Point™ Serrations

**M16-10S**

Blade: Length: 3.060" (77.7 mm)  
Edge: Combination  
Steel: 8Cr13MoV  
Finish: Bead Blast  
Thickness: 0.098" (2.4 mm)

Closed: 4.000" (101.6 mm)  
Open: 7.000" (177.8 mm)  
Weight: 2.6 oz. (73.7 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

**M16® - 10KS TANTO BLACK WITH TRIPLE POINT™ SERRATIONS STAINLESS STEEL HANDLE**

Designed by Kit Carson in Vine Grove, Kentucky



- Frame Lock
- Triple Point™ Serrations
- Black Corrosion Resistant EDP Coating

**M16-10KS**

Blade: Length: 3.060" (77.7 mm)  
Edge: Combination  
Steel: 8Cr13MoV  
Finish: Black EDP  
Thickness: 0.098" (2.4 mm)

Closed: 4.000" (101.6 mm)  
Open: 7.000" (177.8 mm)  
Weight: 2.6 oz. (73.7 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

Available in Clam Pack as M16-10KSC

**M16® - 10KSF TANTO BLACK WITH TRIPLE POINT™ SERRATIONS STAINLESS STEEL HANDLE**

Designed by Kit Carson in Vine Grove, Kentucky



- Frame Lock w/Dual Hilt
- Triple Point™ Serrations
- Black Corrosion Resistant EDP Coating

**M16-10KSF**

Blade: Length: 2.940" (74.6 mm)  
Edge: Combination  
Steel: 8Cr13MoV  
Finish: Black EDP  
Thickness: 0.098" (2.4 mm)

Closed: 4.000" (101.6 mm)  
Open: 7.000" (177.8 mm)  
Weight: 2.7 oz. (73.7 g)  
Handle: Stainless Steel w/Dual Hilt  
Style: Folding Knife w/Frame Lock

**M21™ - 10KSF WITH TRIPLE POINT™ SERRATIONS**

Designed by Kit Carson in Vine Grove, Kentucky



- Frame Lock w/Dual Hilt
- Triple Point™ Serrations
- Black Oxide Blade Finish

**M21-10KSF**

Blade: Length: 3.134" (79.6 mm)  
Edge: Combination  
Steel: 8Cr13MoV  
Finish: Black Oxide  
Thickness: 0.096" (2.4 mm)

Closed: 4.011" (101.8 mm)  
Open: 7.188" (182.5 mm)  
Weight: 2.8 oz. (79.3 g)  
Handle: Stainless Steel  
Style: Folding Knife w/Frame Lock

### M21™ - 02G G10

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Carson Flipper Opening
- G10 Handle

### M21-02G

Blade: Length: 3.125" (79.3 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Dark Gray Titanium Nitride  
Thickness: 0.120" (3.0 mm)  
Closed: 4.250" (107.9 mm)  
Open: 7.250" (184.1 mm)  
Weight: 3.8 oz. (108.0 g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

### M21™ - 12G G10 WITH VEFF SERRATIONS™

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Carson Flipper Opening
- Veff Serrations™

### M21-12G

Blade: Length: 3.125" (79.3 mm)  
Edge: Combination  
Steel: 8Cr14MoV  
Finish: Dark Gray Titanium Nitride  
Thickness: 0.120" (3.0 mm)  
Closed: 4.250" (107.9 mm)  
Open: 7.250" (184.1 mm)  
Weight: 3.8 oz. (108.0 g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822, D559,939

### M21™ - 04G G10 LARGE

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Carson Flipper Opening
- G10 Handle

### M21-04G

Blade: Length: 3.875" (98.4 mm)  
Edge: Plain  
Steel: 8Cr14MoV  
Finish: Dark Gray Titanium Nitride  
Thickness: 0.140" (3.5 mm)  
Closed: 5.375" (136.5 mm)  
Open: 9.250" (234.9 mm)  
Weight: 5.9 oz. (167.0 g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

### M21™ - 14G G10 LARGE WITH VEFF SERRATIONS™

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Carson Flipper Opening
- Veff Serrations™

### M21-14G

Blade: Length: 3.875" (98.4 mm)  
Edge: Combination  
Steel: 8Cr14MoV  
Finish: Dark Gray Titanium Nitride  
Thickness: 0.140" (3.5 mm)  
Closed: 5.375" (136.5 mm)  
Open: 9.250" (234.9 mm)  
Weight: 5.9 oz. (167.0 g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822, D559,939

**M4™ - 02**

Designed by Kit Carson in Vine Grove, Kentucky



- OutBurst® Assisted Opening
- G10 Bolster w/White Bone Handle
- Satin Blade Finish

**M4-02**

Blade: Length: 3.250" (82.5 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.121" (3.0 mm)  
Closed: 3.750" (95.2 mm)  
Open: 7.000" (177.8 mm)  
Weight: 3.3 oz. (93.6 g)  
Handle: G10 Bolster w/White Bone  
Style: Folding Knife w/Locking Liner

**M4™ - 02S**

Designed by Kit Carson in Vine Grove, Kentucky



- OutBurst® Assisted Opening
- LAWKS™ Safety
- Stainless Steel Bolster w/Red Stag Handle

**M4-02S**

Blade: Length: 3.250" (82.5 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.121" (3.0 mm)  
Closed: 3.750" (95.2 mm)  
Open: 7.000" (177.8 mm)  
Weight: 3.3 oz. (93.6 g)  
Handle: Stainless Steel Bolster w/Red Stag  
Style: Folding Knife w/Locking Liner

**M4™ - 02W**

Designed by Kit Carson in Vine Grove, Kentucky



- OutBurst® Assisted Opening
- Locking Liner
- Stainless Steel Bolster w/Burl Wood Handle

**M4-02W**

Blade: Length: 3.250" (82.5 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.121" (3.0 mm)  
Closed: 3.750" (95.2 mm)  
Open: 7.000" (177.8 mm)  
Weight: 3.3 oz. (93.6 g)  
Handle: Stainless Steel Bolster w/Burl  
Wood  
Style: Folding Knife w/Locking Liner





# HUNT & FISH



**HOMEFRONT™ HUNTER**

Designed by Ken Onion Kaneohe, Hawaii



- Field Strip Technology
- Field Strip lets you easily disassemble your knife for cleaning without tools
- Realtree® Xtra® Camo Pattern

**K265CXP**

Blade: Length: 3.566" (90.58 mm)  
 Edge: Plain  
 Steel: 1.4116 SS  
 Finish: Satin  
 Thickness: 0.133" (3.38 mm)  
 Closed: 4.743" (120.47 mm)  
 Open: 8.313" (211.15 mm)  
 Weight: 4.2 oz. (119.07g)  
 Handle: Glass-Reinforced Nylon  
 Style: Folding Knife w/Locking Liner

Available in Clam Pack as K265CXPC  
 U.S. Patent Nos. 9,586,328 & 9,597,809  
 \*Realtree™ Xtra ©Jordan Outdoor Enterprises, Ltd.

**HUMDINGER™**

Designed by Ken Onion Kaneohe, Hawaii



- 65 Mn Carbon Steel Blade
- Black Corrosion Resistant Blade Finish
- Versatile Utility Sheath

**K110KKP**

Blade: Length: 5.973" (151.7 mm)  
 Edge: Plain  
 Steel: 65Mn Carbon Steel  
 Finish: Black Corrosion Resistant  
 Thickness: 0.180" (4.5 mm)  
 Overall: 11.438" (290.5 mm)  
 Weight: 9.4 oz. (266.4 g)  
 Handle: Thermoplastic Polyurethane (TPU)  
 Style: Fixed Blade Knife w/Sheath  
 Sheath: Material: Polypropylene  
 Weight: 5.7 oz. (161.5 g)

**MONASHEE™**

Designed by Russ Kommer in Fargo, North Dakota



- Field Strip Technology
- High Carbon Stainless Steel Blade
- Double Injection Molded Handle

**2842**

Blade: Length: 3.631" (92.2 mm)  
 Edge: Plain  
 Steel: 8Cr13MoV  
 Finish: Satin  
 Thickness: 0.126" (3.2 mm)  
 Handle: TPR Thermoplastic Rubber  
 Open: 8.875" (225.4 mm)  
 Closed: 5.174" (131.4 mm)  
 Weight: 4.8 oz. (136 g)  
 Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 & 9,597,809



**HUNT'N FISCH™**

Designed by Larry Fischer in Boise, Idaho



- Spine Friction Grooves for Blade Control
- Multi-Colored G10 Handle
- High Quality Leather Sheath

**2861**

Blade: Length: 2.990" (75.9 mm)  
 Edge: Plain  
 Steel: 8Cr13MoV  
 Finish: Satin  
 Thickness: 0.130" (3.3 mm)  
 Overall: 7.250" (184.1 mm)  
 Weight: 3.6 oz. (102.0 g)  
 Handle: Multi-Layered G10 with Purple Fob  
 Style: Fixed Blade Knife w/Sheath  
 Sheath: Material: Leather  
 Weight: 1.5 oz. (42.5 g)

100% of the CRKT® net profits of this knife go to the Pancreatic Cancer Action Network in memory of Larry Fischer.

**CLARK FORK™ FILLET KNIFE**

Designed by Ken Steigerwalt in Orangeville, Pennsylvania



- Innovative Tail Lock Safety Bar
- Blade Locks Securely Into Place
- Reinforced Nylon Sheath

**3085**

Blade: Length: 10.940" (277.9 mm)  
 Edge: Plain  
 Steel: 5Cr13MoV  
 Finish: Satin  
 Thickness: 0.060" (1.5 mm)  
 Closed: 7.130" (181.0 mm)  
 Open: 10.940" (280.0 mm)  
 Weight: 1.8 oz. (51.0 g)  
 Handle: Glass-Reinforced Nylon w/Plastic Insert  
 Style: Folding Knife w/Tail Lock  
 Sheath: Material: Reinforced Nylon  
 Weight: 0.300 oz. (8.5 g)

U.S. Patent Pending

**HOIST'N LOK® TREE STAND HOIST**

Designed by Russ Kommer in Fargo, North Dakota



- Innovative, Patented, Secure, Cam Lock
- Includes: Pulley, Extension Arm
- Strap, Ratchet, and Rope

**HOIST2**

Specs: 1 6061 Aluminum Lobed Pulley Wheel  
 CNC Machined Knurling on Pulley Wheel  
 6.5 ft. (1.9m) of Heavy Duty Nylon Ratchet Strap  
 Carbon Steel  
 Housing: Length: 7.500" (19.0 cm)  
 Width: 2.200" (5.6 cm)  
 Depth: 1.800" (4.5 cm)  
 Capacity: 100 lbs. (45.3 kg)  
 Includes: 1 Carabiner  
 45 ft. (13.7 m) of 6mm Rope

U.S. Patent No. 8,596,615

**HOIST'N LOK® BIG GAME HOIST**

Designed by Russ Kommer in Fargo, North Dakota



- Innovative, Patented, Secure, Cam Lock
- 4:1 Mechanical Pulley System
- Includes: Pulley, Gambrel, Rope

**HOIST1**

Specs: 1 6061 Aluminum Lobed Pulley Wheel  
 CNC Machined Knurling on Pulley Wheel  
 3 POM Plastic Pulley Wheels  
 Pulley Housing: Length: 7.500" (19.0 cm)  
 Width: 2.200" (5.6 cm)  
 Depth: 1.800" (4.6 cm)  
 Gambrel: Length: 25.000" (19.1 cm)  
 Height: 6.380" (16.3 cm)  
 Rod Diameter: 0.390" (1.0 cm)  
 Weight: Pulley & Carabiner: 1 lb. 8 oz. (680.4 g)  
 Capacity: 500 lbs. (226.8 kg)  
 Includes: 2 Carabiners  
 40 ft. (12.2 m) of 8mm Rope

U.S. Patent No. 8,596,615





OUTDOOR

**NEW****MINIMALIST® CLEAVER**

Designed by Alan Folts in Melbourne, Florida



- Bead Blast Blade Finish
- Compact Utility Neck Knife
- Glass Reinforced Nylon Sheath

**2383**

Blade: Length: 2.131" (54.13 mm)  
Edge: Plain  
Steel: 5Cr15MoV  
Finish: Bead Blast  
Thickness: 0.102" (2.59 mm)


Overall: 5.060" (128.52 mm)  
Weight: 1.7 oz. (48.19g)  
Handle: Polished Resin Infused Fiber  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Polypropylene  
Weight: 0.6 oz. (17 g)

Available in Clam Pack as 2383C

**NEW****MINIMALIST® BOWIE GEARS**

Designed by Alan Folts in Melbourne, Florida



- Glow in the Dark Handle and Sheath
- Compact Design for Easy Carry
- Sheath Works as a Neck Knife or on Your Belt

**2387G**

Blade: Length: 2.125" (53.98 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.108" (2.74 mm)

Overall: 6.750" (171.45 mm)  
Weight: 1.6 oz. (45.36g)  
Handle: Polypropylene  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Polypropylene  
Weight: 0.5 oz. (14.2 g)

**MINIMALIST® BLACK DROP POINT**

Designed by Alan Folts in Melbourne, Florida



- Black Stonewash Finish
- Compact Utility Neck Knife
- Glass-Reinforced Nylon Sheath

**2384K**

Blade: Length: 2.160" (54.8 mm)  
Edge: Plain  
Steel: 5Cr15MoV  
Finish: Black Stonewash  
Thickness: 0.105" (2.6 mm)

Overall: 5.221" (132.6 mm)  
Weight: 1.7 oz. (48.2 g)  
Handle: G10  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon  
Lanyard: Black Paracord  
Weight: 0.6 oz. (17.0 g)

Available in Clam Pack as 2384KC

**MINIMALIST® WHARNCLIFFE**

Designed by Alan Folts in Melbourne, Florida



- Bead Blast Blade Finish
- Compact Utility Neck Knife
- Glass-Reinforced Nylon Sheath

**2385**

Blade: Length: 2.000" (50.8 mm)  
Edge: Plain  
Steel: 5Cr15MoV  
Finish: Bead Blast  
Thickness: 0.100" (2.5 mm)

Overall: 5.000" (127.0 mm)  
Weight: 1.1 oz. (31.2 g)  
Handle: Polished Resin Infused Fiber  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon  
Lanyard: Black Paracord  
Weight: 0.5 oz. (14.2 g)

**MINIMALIST® TANTO**

Designed by Alan Folts in Melbourne, Florida



- Bead Blast Blade Finish
- Compact Utility Neck Knife
- Glass-Reinforced Nylon Sheath

**2386**

Blade: Length: 2.125" (53.9 mm)  
Edge: Plain  
Steel: 5Cr15MoV  
Finish: Bead Blast  
Thickness: 0.110" (2.7 mm)  
Overall: 5.130" (130.3 mm)  
Weight: 1.6 oz. (45.4 g)  
Handle: Polished Resin Infused Fiber  
Style: Fixed Blade Knife w/Sheath  
Sheath: Material: Glass-Reinforced Nylon  
Lanyard: Black Paracord  
Weight: 0.5 oz. (14.2 g)

**MINIMALIST® BOWIE**

Designed by Alan Folts in Melbourne, Florida



- Bead Blast Blade Finish
- Compact Utility Neck Knife
- Glass-Reinforced Nylon Sheath

**2387**

Blade: Length: 2.125" (53.9 mm)  
Edge: Plain  
Steel: 5Cr15MoV  
Finish: Bead Blast  
Thickness: 0.110" (2.7 mm)  
Overall: 5.130" (130.3 mm)  
Weight: 1.6 oz. (45.4 g)  
Handle: Polished Resin Infused Fiber  
Style: Fixed Blade Knife w/Sheath  
Sheath: Material: Glass-Reinforced Nylon  
Lanyard: Black Paracord  
Weight: 0.5 oz. (14.2 g)

Available in Clam Pack as 2387C

**S.P.E.W.™ (SMALL. POCKET. EVERYDAY. WHARNCLIFFE.)**

Designed by Alan Folts in Melbourne, Florida



- Bead Blast Blade Finish
- Compact Utility Neck Knife
- Glass-Reinforced Nylon Sheath

**2388**

Blade: Length: 3.000" (76.2 mm)  
Edge: Plain  
Finish: Bead Blast  
Steel: 5Cr15MoV  
Thickness: 0.100" (2.5 mm)  
Overall: 6.250" (158.7 mm)  
Weight: 3.0 oz. (85.0 g)  
Handle: Two-Tone G10  
Style: Fixed Blade Knife w/Sheath  
Sheath: Material: Glass-Reinforced Nylon  
Lanyard: Black Paracord  
Weight: 1.1 oz. (31.2 g)

Available in Clam Pack as 2388C

**NEW**

**OWLET™**

Designed by RMJ Tactical in Chattanooga, Tennessee



- Black Stonewash Finish Improves Corrosion Resistance
- Compact Design for Easy Carry
- Open Handle Design Reduces Weight and has Bottle Opener

**2716**

Blade: Length: 2.181" (55.4 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Stonewash  
Thickness: 0.146" (3.71 mm)  
Overall: 4.488" (114.0 mm)  
Weight: 1.7 oz. (48.19g)  
Style: Fixed Blade Knife w/Sheath  
Sheath: Material: Glass-Reinforced Nylon  
Lanyard: Nylon Cord  
Weight: 0.7 oz. (19.8 g)

**NEW**

**JENNY WREN™ COMPACT**

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



- Three Edged Head for Extreme Cutting Utility
- Tough Glass Reinforced Nylon Handle with Exceptional Grip
- MOLLE Compatible Sheath w/Buckle Strap for Gear Compatibility

**2726**

Blade:

Length: 2.585" (65.66 mm)

Edge: Axe

Steel: SK5 Carbon Steel

Finish: Powder Coat

0.246" (6.25 mm)

Overall: 10.063" (255.6 mm)

Overall:

Weight:

1.12 lb (0.51 kg)

Handle:

Glass Reinforced Nylon

Style:

Fixed Blade w/Sheath

Sheath:

Material: Glass-Reinforced Nylon

Weight: 3.5 oz. (99.2 g)

**KUK™**

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



- Full Tang Kukri Inspired Recurve Blade
- 65 Mn Carbon Steel with Black Powder Coat Finish
- Tough Glass-Reinforced Nylon Handle

**2742**

Blade:

Length: 10.563" (268.3 mm)

Edge: Plain

Steel: 65Mn Carbon Steel

Finish: Black Powder Coat

Thickness: 0.139" (3.5 mm)

Overall:

15.875" (403.2 mm)

Weight:

14.7 oz. (416.0 g)

Handle:

Glass-Reinforced Nylon

Style:

Fixed Blade Knife w/Sheath

Sheath:

Material: 1680D Weaved Polyester

**WOODS CHOGAN™ T-HAWK**

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



- Hot Forged 1055 Carbon Steel
- Tennessee Hickory Handle
- Axe w/Hammerhead

**2730**

Blade:

Length: 4.210" (106.9 mm)

Edge: Axe w/Hammer

Steel: 1055 Carbon Steel

Finish: Hammer Finish

Thickness: 0.520" (13.2 mm)

Overall:

Length: 19.130" (485.9 mm)

Weight:

2 lbs. 1.4 oz. (947 g)

Handle:

Tennessee Hickory

Aftermarket leather sheath available model no. D2730

Available peggable packaging model no. 2730A

**WOODS KANGEE™ T-HAWK**

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



- Hot Forged 1055 Carbon Steel
- Tennessee Hickory Handle
- Axe w/Spike

**2735**

Blade:

Length: 4.210" (106.9 mm)

Edge: Axe w/Spike

Steel: 1055 Carbon Steel

Finish: Hammer Finish

Thickness: 0.400" (13.2 mm)

Overall:

Length: 19.130" (485.9 mm)

Weight:

1 lbs. 15.7 oz. (899 g)

Handle:

Tennessee Hickory

Leather sheath available model no. D2735

**WOODS NOBO™ T-HAWK**

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



- Hot Forged 1055 Carbon Steel
- Tennessee Hickory Handle
- Outdoor Axe w/Beard

**2732**

Blade: Length: 3.471" (88.1 mm)  
Edge: Plain  
Steel: 1055 Carbon Steel  
Finish: Hammer Finish  
Thickness: 0.460" (11.6 mm)  
Overall: 19.130" (485.9 mm)  
Weight: 1 lbs. 9.4 oz. (720.1 g)  
Handle: Tennessee Hickory

Leather sheath available model no. D2732

**PACK AXE**

Designed by Elmer Roush in Brasstown, North Carolina



- Compact Pack Axe
- Hot Forged 1060 High Carbon Steel
- Tennessee Hickory Handle



**2748**

Blade: Length: 2.920" (74.4 mm)  
Edge: Axe  
Steel: 1060 Carbon Steel  
Finish: Hammer Finish  
Thickness: 0.830" (21.2 mm)  
Overall: Length: 11.250" (285.6 mm)  
Weight: 1 lbs. 2.3 oz. (518 g)  
Handle: Tennessee Hickory

Leather sheath available model no. D2748

Forged By War® program details on page 7.

**HVAS™**

Designed by Jesper Voxnaes in Loegstrup, Denmark



- Field Strip Technology
- Tough Glass-Reinforced Nylon Handle
- Locking Liner

**2817**

Blade: Length: 3.339" (84.8 mm)  
Edge: Plain  
Steel: 1.4116 SS  
Finish: Satin  
Thickness: 0.126" (3.2 mm)  
Closed: 4.525" (114.9 mm)  
Open: 7.875" (200.0 mm)  
Weight: 3.7 oz. (104.0 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 & 9,597,809

**BEAR CLAW™ BLUNT TIP WITH TRIPLE POINT™ SERRATIONS**

Designed by Russ Kommer in Fargo, North Dakota



- Triple Point™ Serrations
- Molded Handle w/Palm Swell for Grip
- Positive Locking System Secures Knife in Sheath

**2510**

Blade: Length: 2.375" (60.3 mm)  
Edge: Combination  
Steel: AUS 4  
Finish: Bead Blast  
Thickness: 0.130" (3.3 mm)  
Overall: 5.750" (146.0 mm)  
Weight: 3.2 oz. (90.7 g)  
Handle: Glass-Reinforced Nylon  
Style: Fixed Blade Knife w/Sheath  
Sheath: Material: Glass-Reinforced Nylon  
Weight: 1.1 oz. (31.2 g)

**IOTA™**

Designed by Tom Stokes in Williamsburg, Virginia



- Lightweight Spoon/Fork Combination
- Bottle Opener
- Can Opener

**9085**

Overall: Length: 3.205" (81.4 mm)  
 Weight: 0.6 oz. (17.0 g)  
 Material: 2Cr13 Stainless Steel

\*Carabiner is non-load bearing.



**9085K: Black**

**EAT'N TOOL®**

Designed by Liong Mah in Palm Bay, Florida




- Lightweight Spoon/Fork Combination
- Flat Screwdriver, 6,8,10mm Hex
- Bottle Opener

**SPECS**

Overall: Length: 4.000" (101.6 mm)  
 Weight: 1.5 oz. (42.5 g)  
 Material: 3Cr13 Stainless Steel

\*Carabiner is non-load bearing.




**9100C: Silver**

Clam Pack 9100C

**9100TC: Tangerine**

Clam Pack 9100TC



**9100KC: Black**

Clam Pack 9100KC

**EAT'N TOOL® TITANIUM**

Designed by Liong Mah in Palm Bay, Florida



- Lightweight Spoon/Fork Combination
- Flat Screwdriver, 6,8,10mm Hex
- Bottle Opener

**9100TI**

Overall: Length: 4.000" (101.6 mm)  
 Weight: 0.6 oz. (17.0 g)  
 Material: TA1 Ti

\*Carabiner is non-load bearing.

**EAT'N TOOL® XL**

Designed by Liong Mah in Palm Bay, Florida



- Spoon/Fork Combination
- Flat Screwdriver, 6,8,10mm Hex
- Bottle Opener, GI Style Can Opener

**SPECS**

Overall: Length: 6.130" (155.7 mm)  
 Weight: 2.7 oz. (76.5 g)  
 Material: 3Cr13

\*Carabiner is non-load bearing.



**9110C: Silver**


Clam Pack 9110C



**9110KC: Black**

Clam Pack 9110KC





SURVIVAL

**NEW****PARASCALE™**

Designed by T.J. Schwarz in Boise, Idaho



- Innovative Deadbolt® Locking Mechanism is Simple to Use and Provides Incredible Strength
- D2 Blade Steel for Excellent Edge Retention
- Cord Wrapped Handle Enhances Grip in Wet or Dry Conditions, and Offers Options for Unexpected Situations Out in the Field

**6235**

Blade: Length: 3.191" (81.05 mm)  
Edge: Plain  
Steel: D2  
Finish: Satin  
Thickness: 0.134" (3.4 mm)  
Closed: 4.682" (118.92 mm)  
Open: 7.875" (200.03 mm)  
Weight: 5.0 oz. (141.75g)  
Handle: Glass Reinforced Nylon  
Style: Folding Knife w/Deadbolt® Lock

U.S. Patent No. 9,833,912

**PERSEVERE™**

Designed by Chuck Cook in Dundee, Oregon



- Axe Head Survival System
- Black Powder Coated Finish
- Glass Filled Nylon Pins
- Black Cord with Tie Bead
- Woven Sheath with Belt Loop

**2211**

Blade: Length: 5.416" (137.6 mm)  
Edge: Flat Grind  
Steel: 65Mn Carbon Steel  
Finish: Powder Coat  
Thickness: 0.160" (4.1 mm)  
Weight: 6.8 oz. (193 g)  
Sheath: Material: Woven Nylon  
Weight: 1.75 oz. (50 g)

**MAH-CHETE™**

Designed by Liong Mah in Palm Bay, Florida



- Walnut Wood Handle
- Upswept Handle Clearance for Extended Use
- Reinforced Nylon Sheath

**3100**

Blade: Length: 17.440" (443.0 mm)  
Edge: Plain  
Steel: 1075 Carbon Steel  
Finish: Hammer Finish and Satin  
Thickness: 0.180" (4.6 mm)  
Overall: 17.440" (443.0 mm)  
Weight: 1 lb. 3.2 oz. (544.3 g)  
Handle: Walnut  
Style: Fixed Blade Knife w/Sheath  
Sheath: Material: Reinforced Nylon w/  
Polypropylene Liner  
Weight: 5.0 oz. (142.0 g)

**HALFCHANCE™ PARANG**

Designed by Ken Onion in Kaneohe, Hawaii



- Black Corrosion Resistant Blade Finish
- Football Texture Handle Grip
- Reinforced Nylon Sheath

**K920KKP**

Blade: Length: 14.000" (355.6 mm)  
Edge: Plain  
Steel: 65Mn Carbon Steel  
Finish: Bead Blast w/Black Powder Coat  
Thickness: 0.100" (2.5 mm)  
Overall: 19.500" (495.3 mm)  
Weight: 1 lb. 4.4 oz. (578.3 g)  
Handle: PP Core & TPR Overmold w/  
Textured Grip  
Style: Fixed Blade Knife w/Sheath  
Sheath: Material: Reinforced Nylon  
Weight: 6.1 oz. (173.0 g)

## SPARK'N SHARP™ FIRE STARTER

Designed by Tom Stokes in Williamsburg, Virginia



- Fire Starter
- Field Sharpener
- Quick Release Lanyard

9081

Length: 2.800" (71.1 mm)  
Width: 0.860" (21.8 mm)  
Weight: 1.3 oz. (589.7 g)  
Material: Glass-Reinforced Nylon Housing  
Tungsten Carbide Blade Sharpener  
Magnesium Rod Fire Starter





MULTI-TOOL

**TWIST & FIX™ TORX AND HEX TOOL**

Designed by Ryan Glasgow in Portland, Oregon



- Torx - T10, T15, T20, T25, T30
- Hex - 3/32, 1/8, 9/64, 5/32, 3/16
- Option to disengage single tools from the barrel for use in tight spaces

**9901**

Material: Stainless Steel  
 Overall: 4.131" (104.9 mm)  
 Weight: 7.0 oz. (198 g)  
 Style: Multi-Tool

**TWIST & FIX™ SCREWDRIVER TOOL**

Designed by Ryan Glasgow in Portland, Oregon



- Flat Drivers - 1/16, 3/32, 7/64
- Philip Drivers - PH00, PH0, PH1
- Option to disengage single tools from the barrel for use in tight spaces

**9902**

Material: Stainless Steel  
 Overall: 3.383" (85.9 mm)  
 Weight: 2.2 oz. (62.4 g)  
 Style: Multi-Tool

**TWIST & FIX™ KNIFE REPAIR TOOL**

Designed by Ryan Glasgow in Portland, Oregon



- Torx T5, T6, T7, T8, T9, T10
- Option to disengage single tools from the barrel for use in tight spaces

**9903**

Material: Stainless Steel  
 Overall: 3.384" (84.6 mm)  
 Weight: 2.2 oz. (62.4 g)  
 Style: Multi-Tool

**TWIST & FIX™ SOCKET TOOL**

Designed by Ryan Glasgow in Portland, Oregon



- SAE Socket - 1/4, 5/16, 7/16
- Metric Socket - 6mm, 8mm, 10mm
- Option to disengage single tools from the barrel for use in tight spaces

**9904**

Material: Stainless Steel  
 Overall: 5.585" (141.8 mm)  
 Weight: 13.8 oz. (391.2 g)  
 Style: Multi-Tool

**KNIFE MAINTENANCE TOOL**

Designed by Tom Stokes in Williamsburg, Virginia



- Torx - T6 and T8
- Tungsten Carbide Field Sharpener and Ceramic Honing Edge
- Flat Head Screwdriver, Bottle opener

**9704**

Length: 2.702" (68.6 mm)  
 Weight: 2.2 oz. (62.7 g)  
 Handle: Glass-Reinforced Nylon

🏆 Accessory of the Year: Blade Show Award

**TECHNICIAN™**

Designed by Glenn Klecker in Silverton, Oregon



- One Hand Opening Knife Blade
- Standard 1/4" Bit Driver
- Folding Chisel/Scraper - Great for Scraping Gaskets

**9201**

Open: Pliers: 7.000" (177.8 mm)  
 Closed: 4.453" (113.1 mm)  
 Weight: 11.8 oz. (335 g)

Knife Blade  
 Length: 2.584" (65.6 mm)  
 Thickness: 0.097" (2.5 mm)  
 Finish: Satin

Features: Standard 1/4" Bit Driver, Bottle Opener, Wire Stripper/Line Cutter, Belt Cutter, Telescoping Magnetic Pick Up Tool, Feeler Gauge .080" - .020", Needle Nose Pliers

Handle: G10  
 Style: Multi-Tool

**BIVY™**

Designed by Hans Florine in Lafayette, California



- Spring Assisted Pliers
- One Handed Opening Multi-Tool
- Knife, Phillips, Flat Screwdriver, Marlinspike

**9250**

Open: Pliers: 6.030" (153.1 mm)  
 Blade: 7.060" (179.3 mm)  
 Closed: 4.120" (104.6 mm)  
 Weight: 7.7 oz. (218 g)

Knife Blade  
 Length: 2.948" (74.8 mm)  
 Thickness: 0.090" (2.3 mm)  
 Finish: Satin  
 Steel: 5Cr15MoV

Features: Spring Assisted Opening Pliers, Pliers Actuated by Slide Button, Screwdrivers Flat | Phillips, Marlinspike

Handle: 1060 Al  
 Style: Multi-Tool w/Locking Liner

**PRYMA™**

Designed by Jesper Voxnaes in Loegstrup, Denmark



- Pry bar section on front of tool can be used for prying, opening boxes, scraping
- Bottle Opener
- Multi-Wrench - 1/4 inch, 3/8, 5/16, 7/16 wrench

**9011**

Length: 3.235" (82.2 mm)  
 Width: 1.445" (36.7 mm)  
 Weight: 0.9 oz. (150.0 g)  
 Material: Stainless Steel  
 Finish: Black Stonewash  
 Feature: Prybar, Flat Screwdriver, Bottle Opener, Multi-Wrench, Glass Breaker

\*non-load bearing carabiner for carry options

**K.E.R.T.™ (KEYRING. EMERGENCY. RESCUE. TOOL.)**

Designed by Ray Kirk in Tahlequah, Oklahoma



- Keychain Micro-Tool
- Seat Belt Strap Cutter w/Vinyl Slip Sheath
- Bottle Opener, Flat Screwdriver, Wrenches

**2055**

Seat Belt Strap Cutter, Oxygen Tank Wrench, 1/4" Wrench, Bottle Opener, Flat Screwdriver

Length: 2.480" (63.0 mm)  
 Thickness: 0.100" (2.5 mm)  
 Material: 8Cr13MoV  
 Weight: 0.8 oz. (23 g)

**CRKT® MICRO TOOL & KEYCHAIN SHARPENER**

Designed by Tom Stokes in Williamsburg, Virginia



- Seat Belt Strap Cutter
- Field Sharpener
- Bottle Opener

**9096**

Field Sharpener, Seat Belt Strap Cutter  
 Flat Screw Driver, Bottle Opener

Length: 3.375" (86.0 mm)  
 Material: Glass-Reinforced Nylon  
 Stainless Steel  
 Weight: 0.6 oz. (17 g)

**EXITOOL®**

Designed by Russ Kommer in Fargo, North Dakota



- Emergency Seat Belt Strap Cutter
- Tungsten Carbide Side Window Breaker
- LED Light. Clips Directly onto Seat Belt

**9030**

Length: 2.750" (69.8 mm)  
 Weight: 1.6 oz. (45.4 g)  
 Handle: Black Glass-Reinforced Nylon  
 Feature: Seat Belt Strap Cutter  
 Tungsten Carbide Window Breaker  
 LED Flashlight  
 Battery: 3V CR2032 Lithium

U.S. Patent Nos. D642,444 and D642,445





SUN ER

TACTICAL



**NEW****PROVOKE™ FIRST RESPONDER**

Designed by Joe Caswell Newbury Park, California



- Unique Kinematic™ Innovation Deploys the Blade Quickly with Push of the Thumb
- Ceramic Glass Breaker for Emergency Situations
- D2 Blade Steel for Excellent Edge Retention; Black Titanium Nitride Coating for Enhanced Corrosion Resistance

**4042**

Blade: Length: 2.41" (61.21 mm)  
Edge: Plain  
Steel: D2  
Finish: Titanium Nitride (TiNi)  
Thickness: 0.209" (5.31 mm)  
Closed: 5.06" (128.52 mm)  
Open: 7.25" (184.15 mm)  
Weight: 6.1 oz. (172.93g)  
Handle: 6061 T6 Aluminum  
Style: Folding Knife w/Kinematic™

Sheath: Material: Boltaron®  
Weight: 1.1 oz. (31.2 g)

Patent Pending

Boltaron® is a registered trademark of the SIMONA AMERICA Group.

**NEW****PROVOKE™ EARTH**

Designed by Joe Caswell Newbury Park, California



- Unique Kinematic™ Innovation Deploys the Blade Quickly with Push of the Thumb
- D2 Blade Steel for Excellent Edge Retention
- Earth Color Cerakote® Coating for Enhanced Corrosion Resistance

**4040E**

Blade: Length: 2.410" (61.21 mm)  
Edge: Plain  
Steel: D2  
Finish: Cerakote Earth Coating  
Thickness: 0.209" (5.31 mm)  
Closed: 4.960" (125.98 mm)  
Open: 7.250" (184.15 mm)  
Weight: 6.1 oz. (172.93g)  
Handle: 6061 T6 Aluminum  
Style: Folding Knife w/Kinematic™

Gear compatible sheath available model no. D4040

Patent Pending

**NEW****PROVOKE™ w/VEFF SERRATIONS™**

Designed by Joe Caswell Newbury Park, California



- Unique Kinematic™ Innovation Deploys the Blade Quickly with Push of the Thumb
- Veff Serrations™ Provide Superior Cutting of Rope, Straps, and Fibrous Materials
- D2 Blade Steel for Excellent Edge Retention; Black Titanium Nitride Coating for Enhanced Corrosion Resistance

**4040V**

Blade: Length: 2.410" (61.21 mm)  
Edge: Combination  
Steel: D2  
Finish: Titanium Nitride (TiNi)  
Thickness: 0.209" (5.31 mm)  
Closed: 4.960" (125.98 mm)  
Open: 7.250" (184.15 mm)  
Weight: 5.9 oz. (167.26g)  
Handle: 6061 T6 Aluminum  
Style: Folding Knife w/Kinematic™

Gear compatible sheath available model no. D4040

Patent Pending

U.S. Patent No. D559,939

**PROVOKE™**

Designed by Joe Caswell Newbury Park, California



- Unique Kinematic™ Innovation Deploys the Blade Quickly with Push of the Thumb
- D2 Blade Steel for Excellent Edge Retention
- Black Titanium Nitride Coating for Enhanced Corrosion Resistance

**4040**

Blade: Length: 2.41" (61.21 mm)  
Edge: Plain  
Steel: D2  
Finish: Titanium Nitride (TiNi)  
Thickness: 0.209" (5.31 mm)  
Handle: 6061 T6 Aluminum  
Open: 7.250" (184.2 mm)  
Closed: 4.968" (126.2 mm)  
Weight: 6.1 oz. (172.93g)  
Style: Folding Knife w/Kinematic™

Gear compatible sheath available model no. D4040

Patent Pending

**NEW****XOLOTL™**

Designed by Michael R. Rodriguez in Fayetteville, North Carolina



- Flipper Opening for Fast Deployment
- Textured G10 Handle for Secure Grip
- Adjustable Clip for Left and Right Hand Carry

**FORGED BY WAR****2265**

Blade: Length: 3.643" (92.53 mm)  
Edge: Plain  
Steel: 1.4116 Stainless Steel  
Finish: Satin  
Thickness: 0.125" (3.18 mm)

Closed: 5.256" (133.5 mm)  
Open: 8.938" (227.03 mm)  
Weight: 4.0 oz. (113.4g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

Forged By War® program details on page 8.

**TECPATL™**

Designed by Michael R. Rodriguez in Fayetteville, North Carolina



- Black Powder Coat w/Sugar Skull Laser Marking
- Multiple Hand Deployment Options
- Boltaron® Sheath w/Spring Loaded MOLLE Compatible Gear Clip

**FORGED BY WAR****2261**

Blade: Length: 3.375" (85.7 mm)  
Edge: Plain  
Steel: SK5 Carbon Steel  
Finish: Black Powder Coat  
Thickness: 0.203" (5.1 mm)

Overall: 5.813" (147.6 mm)  
Weight: 5.6 oz. (158.7 g)  
Handle: Stainless Steel  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Boltaron®  
Weight: 0.8 oz. (22.6 g)

Forged By War® program details on page 8.

Boltaron® is a registered trademark of the SIMONA AMERICA Group.

**NEW****CLEVER GIRL™ FOLDER**

Designed by Austin McGlaun in Spring Lake, Minnesota



- Innovative Deadbolt® Locking Mechanism is Simple to Use and Provides Incredible Strength
- Flipper Opening Combined with IKBS™ Ball Bearing Pivot System Deploys the Blade Smooth and Fast
- G10 Handle Provides Secure Grip in All Weather Conditions

**FORGED BY WAR****2640**

Blade: Length: 4.084" (103.73 mm)  
Edge: Plain  
Steel: D2  
Finish: Black PVD Coating  
Thickness: 0.150" (3.81 mm)

Closed: 5.422" (137.72 mm)  
Open: 9.500" (241.3 mm)  
Weight: 6.9 oz. (195.61g)  
Handle: G10  
Style: Folding Knife w/Deadbolt® Lock

U.S. Patent No. 9,833,912

Forged By War® program details on page 8.

**CLEVER GIRL™**

Designed by Austin McGlaun in Spring Lake, Minnesota



- Upswept Blade in Black Powder Coat
- Tough G10 Handle w/Exceptional Grip
- Gear Compatible Sheath w/MOLLE Compatible Gear Clip

**FORGED BY WAR****2709**

Blade: Length: 4.600" (116.8 mm)  
Edge: Plain  
Steel: SK5  
Finish: Black Powder Coat  
Thickness: 0.158" (4.0 mm)

Overall: 10.125" (257.2 mm)  
Weight: 6.3 oz. (179.0 g)  
Handle: G10  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon  
Weight: 1.6 oz. (45.4 g)

Forged By War® program details on page 8.

**DU HOC™**

Designed by Austin McGlaun in Spring Lake, Minnesota



- SK5 High Carbon Steel Blade
- Tough G10 Handle
- Reinforced Nylon Sheath w/ MOLLE Compatible Gear Clip

**FORGED BY  
WAR****2630**

Blade: Length: 5.095" (129.4 mm)  
Edge: Plain  
Steel: SK5 Carbon Steel  
Finish: Black Powder Steel  
Thickness: 0.202" (5.1 mm)

Overall: 9.625" (244.5 mm)  
Weight: 9.3 oz. (264 g)  
Handle: G10  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon  
Weight: 1.9 oz. (53.9 g)

Forged By War® program details on page 8.

**RAKKASAN™**

Designed by Austin McGlaun in Spring Lake, Minnesota



- Black Powder Coat Blade Finish
- Tough G10 Handle
- Boltaron® Sheath w/Paracord

**FORGED BY  
WAR****1520**

Blade: Length: 4.894" (124.3 mm)  
Edge: Plain  
Steel: SK5 Carbon Steel  
Finish: Powder Coating  
Thickness: 0.147" (3.7 mm)

Overall: 10.438" (265.1 mm)  
Weight: 9.2 oz. (260.8 g)  
Handle: G10  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Boltaron®  
Weight: 1.9 oz. (53.8 g)

Forged By War® program details on page 8.

Boltaron® is a registered trademark of the SIMONA AMERICA Group.

**SEPTIMO™**

Designed by Jeremy Valdez in Olalla, Washington



- Veff Serration™
- Flipper Opening
- Black Oxide Blade Finish
- Locking Liner

**FORGED BY  
WAR****7050**

Blade: Length: 3.622" (91.9 mm)  
Edge: Combination  
Steel: 8Cr14MoV  
Finish: Black Oxide  
Thickness: 0.127" (3.2 mm)

Closed: 4.553" (115.6 mm)  
Open: 8.188" (207.9 mm)  
Weight: 4.7 oz. (133 g)  
Handle: Aluminum w/TPR Inlays  
Style: Folding Knife w/Locking Liner

Forged By War® program details on page 8.

Available in Clam Pack as 7050C  
U.S. Patent No. D559,939**NEW****XAN™**

Designed by Darrin William Sirois in Fayetteville, North Carolina



- Outburst® Spring Assisted Opening Deploys the Blade Smooth and Fast
- Carbon Fiber Layered on G10 Base Provides Excellent Grip
- 2 Position Clip for Tip Up or Tip Down Carry

**FORGED BY  
WAR****2085**

Blade: Length: 3.666" (93.12 mm)  
Edge: Plain  
Steel: 1.4116 Stainless Steel  
Finish: Bead Blast  
Thickness: 0.126" (3.2 mm)

Closed: 4.839" (122.91 mm)  
Open: 8.500" (215.9 mm)  
Weight: 4.9 oz. (138.91g)  
Handle: Carbon Fiber | Stainless Steel  
Style: Folding Knife w/Frame Lock

Forged By War® program details on page 8.

**RASP™**

Designed by Darrin William Sirois in Fayetteville, North Carolina



- Stonewash Finish
- Flipper Opening or Thumb Stud Blade Deployment
- Frame Lock

**2081**

Blade: Length: 3.671" (93.2 mm)  
Edge: Plain  
Steel: AUS 8  
Finish: Stonewash  
Thickness: 0.126" (3.2 mm)  
Closed: 5.050" (128.3 mm)  
Open: 8.750" (222.3 mm)  
Weight: 5.6 oz. (158 g)  
Handle: Stonewash  
Style: Folding Knife w/Frame Lock

Forged By War® program details on page 8.

**FORGED BY  
WAR****SiWi™**

Designed by Darrin William Sirois in Fayetteville, North Carolina



- Compact Fixed Blade
- SK5 Carbon Steel Blade
- Black Powder Coat Blade Finish

**2082**

Blade: Length: 3.341" (84.9 mm)  
Edge: Plain  
Steel: SK5 Carbon  
Finish: Black Powder Coating  
Thickness: 0.200" (5.1 mm)  
Overall: 7.438" (188.9 mm)  
Weight: 5.6 oz. (142 g)  
Handle: G10  
Style: Fixed Blade w/Sheath  
Sheath: Material: Glass-Reinforced Nylon  
Weight: 3.4 oz. (96.4 g)

Forged By War® program details on page 8.

**FORGED BY  
WAR****CIMBRI™**

Designed by Elmer Roush in Brasstown, North Carolina



- Hot Forged 1055 Carbon Steel
- Black Magnesium Phosphate Coating
- Tennessee Hickory Handle

**2747**

Blade: Length: 4.094" (104.0 mm)  
Edge: Axe w/Beard  
Steel: 1055 Carbon Steel  
Finish: Black Magnesium Phosphate  
Thickness: 1.258" (32.0 mm)  
Overall: 26.000" (660.4 mm)  
Weight: 2 lb. 0.8 oz. (929.9 g)  
Handle: Tennessee Hickory

Forged By War® program details on page 8.

Leather sheath available model no. D2747

**FORGED BY  
WAR****FREYR™**

Designed by Elmer Roush in Brasstown, North Carolina



- Hot Forged 1055 Carbon Steel
- Prominent Useful Beard Design
- Tennessee Hickory Handle

**2746**

Blade: Length: 4.520" (115.0 mm)  
Edge: Axe Steel  
Steel: 1055 Carbon Steel  
Finish: Magnesium Phosphate Coating  
Thickness: 1.180" (30.1 mm)  
Overall: Length: 16.000" (406.4 mm)  
Weight: 1 lbs. 12.7 oz. (813 g)  
Handle: Tennessee Hickory

Forged By War® program details on page 8.

Leather sheath available model no. D2746

**FORGED BY  
WAR**

**CST COMBAT STRIPPING TOOL**

Designed by Kelly Rodriguez in Fayetteville, North Carolina



- Utility Blade for Cutting Fabric During Emergency Situations
- Oxygen Wrench
- Built In Measuring Scale

**FORGED BY WAR****9860**

Blade: Length: 2.125" (53.9 mm)  
Edge: Plain  
Steel: Feather Safety Razor Blade; SS  
Finish: Satin  
Thickness: 0.005" (0.1 mm)  
Overall: 8.000" (203.2 mm)  
Weight: 1.5 oz. (42.5 g)  
Handle: Glass-Reinforced Nylon  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Woven Polyester  
Weight: 1.6 oz. (45.3 g)

Features: Replacement Blade Included In Woven Polyester MOLLE Gear Compatible Sheath

Forged By War® program details on page 8.

**BIRLER™**

Designed by Elmer Roush in Brasstown, North Carolina



- Compact Pack Axe
- 1055 Carbon Steel
- Tennessee Hickory Handle

**FORGED BY WAR****2745**

Blade: Length: 5.165" (131.2 mm)  
Edge: Axe  
Steel: 1055 Carbon  
Finish: Silver Clear  
Thickness: 1.113" (28.3 mm)  
Overall: Length: 16.000" (406.4 mm)  
Weight: 10.3 oz. (292.0 g)  
Handle: Tennessee Hickory

Forged By War® program details on page 8.

Leather sheath available model no. D2745

**GÖKEN™**

Designed by James Williams in Bozeman, Montana



- Field Strip Technology
- Modified Clip Point Blade Style
- Black Powder Coat Finish for Corrosion Resistance

**2920**

Blade: Length: 3.693" (93.8 mm)  
Edge: Plain  
Steel: 1.4116 SS  
Finish: EDP Coating  
Thickness: 0.136" (3.5 mm)  
Closed: 4.854" (123.3 mm)  
Open: 8.563" (217.5 mm)  
Weight: 4.2 oz. (119 g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 &amp; 9,597,809

**SHIZUKA NOH KEN™**

Designed by James Williams in Bozeman, Montana



- Modified Clip Point Blade Style
- Locking Liner
- G10 Handle w/Frame Lock

**2926**

Blade: Length: 3.625" (92.0 mm)  
Edge: Plain  
Steel: AUS 8  
Finish: Black Corrosion Resistant Coating  
Thickness: 0.150" (3.8 mm)  
Closed: 4.550" (115.6 mm)  
Open: 8.250" (209.5 mm)  
Weight: 4.2 oz. (119.0 g)  
Handle: G10  
Style: Folding Knife w/Frame Lock

**HEIHO™**

Designed by James Williams in Bozeman, Montana



- OutBurst® Assisted Opening
- Locking Liner
- G10 Handle

**2900**

Blade: Length: 3.125" (79.3 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.122" (3.0 mm)  
Closed: 4.000" (101.6 mm)  
Open: 7.000" (177.8 mm)  
Weight: 3.6 oz. (102.0 g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

**HEIHO™ WITH VEFF SERRATIONS™**

Designed by James Williams in Bozeman, Montana



- OutBurst® Assisted Opening
- Locking Liner
- Veff Serrations™

**2901**

Blade: Length: 3.125" (79.3 mm)  
Edge: Combination  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.122" (3.0 mm)  
Closed: 4.000" (101.6 mm)  
Open: 7.000" (177.8 mm)  
Weight: 3.6 oz. (102.0 g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

U.S. Patent No. D559,939

**OTANASHI NOH KEN™**

Designed by James Williams in Bozeman, Montana



- Modified Clip Point Blade Style
- Locking Liner
- G10 Handle w/Textured Grip

**2906**

Blade: Length: 4.520" (114.8 mm)  
Edge: Plain  
Steel: AUS 8  
Finish: Black Corrosion Resistant Coating  
Thickness: 0.160" (4.0 mm)  
Closed: 6.400" (162.5 mm)  
Open: 10.130" (257.3 mm)  
Weight: 6.4 oz. (181.0 g)  
Handle: G10  
Style: Folding Knife w/Frame Lock

**HISSATSU™ FOLDER**

Designed by James Williams in Bozeman, Montana



- OutBurst® Assisted Opening
- Automated Liner Safety
- Glass-Reinforced Nylon Handle

**2903**

Blade: Length: 3.875" (98.4 mm)  
Edge: Plain  
Steel: AUS 8  
Finish: Black Corrosion Resistant Coating  
Thickness: 0.160" (4.0 mm)  
Closed: 5.000" (127.0 mm)  
Open: 8.750" (222.2 mm)  
Weight: 5.8 oz. (164.0 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

**HISSATSU™ FIXED BLADE BLACK**

Designed by James Williams in Bozeman, Montana



- Black Non-Reflective EDP Blade Finish
- Textured Rubber Handle Grip w/Polypropylene Core
- Glass-Reinforced MOLLE Compatible Sheath

**2907K**

Blade: Length: 7.125" (180.9 mm)  
Edge: Plain  
Steel: 440A  
Finish: Black EDP  
Thickness: 0.200" (5.0 mm)

Overall: 12.250" (311.1 mm)  
Weight: 8.0 oz. (227.0 g)  
Handle: Polypropylene Core w/Textured Rubber Grip

Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon  
Weight: 3.6 oz. (102.0 g)

**WILLIAMS TACTICAL KEY**

Designed by James Williams in Bozeman, Montana



- Personal Defense Key Tool
- Well Balanced Handle with Secure Grip
- Philip Screwdriver

**9705**

Length: 3.567" (90.6 mm)  
Weight: 1.1 oz. (30.0 g)  
Material: 3Cr13  
Finish: Tumbled  
Features: Personal Defense key Tool, Philip Screwdriver

**WILLIAMS TACTICAL PEN II**

Designed by James Williams in Bozeman, Montana



- 6061 Aircraft Grade Aluminum
- Fischer Space Pen® Ink Cartridge for Smooth Writing at any Angle or Temperature
- Low Profile

**TPENWP**

Length: 5.938" (150.8 mm)  
Weight: 1.4 oz. (39.7 g)  
Finish: Non-Reflective Black Anodized  
Handle: 6061 Aluminum  
Refill: Fisher Space Pen® Refill #PR4

**WILLIAMS TACTICAL PEN**

Designed by James Williams in Bozeman, Montana



- 6061 Aircraft Grade Aluminum
- Black Non-Reflective Finish
- Low Profile

**TPENWK**

Length: 6.000" (152.4 mm)  
Weight: 1.2 oz. (34.0 g)  
Finish: Non-Reflective Black Anodized  
Handle: 6061 Aluminum  
Refill: Fisher Space Pen® Refill #PR4



Comes with durable carry case

**HOMEFRONT™ TACTICAL**

Designed by Ken Onion in Kaneohe, Hawaii



- Field Strip Technology
- Field Strip lets you easily disassemble your knife for cleaning without tools
- 1.4116 Blade Steel w/Glass-Reinforced Nylon Handle

**K260KKS**

Blade: Length: 3.427" (87.0 mm)  
Edge: Combination  
Steel: 1.4116 SS  
Finish: EDP Coating  
Thickness: 0.138" (3.5 mm)

Closed: 4.684" (118.9 mm)  
Open: 8.125" (206.3 mm)  
Weight: 4.3 oz. (121.9 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 &amp; 9,597,809

**FORESIGHT™**

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- Black Titanium Nitride Finish
- Grooved Aluminum Handle for Exceptional Grip

**K220KKP**

Blade: Length: 3.500" (88.9 mm)  
Edge: Plain  
Steel: AUS 8  
Finish: Black Titanium Nitride  
Thickness: 0.160" (4.0 mm)

Closed: 5.170" (131.3 mm)  
Open: 8.690" (220.7 mm)  
Weight: 6.3 oz. (179.0 g)  
Handle: Aluminum  
Style: Folding Knife w/Locking Liner

**TIGHE BREAKER™**

Designed by Brian Tighe of Ridgeville, Ontario, Canada



- Black Stonewash Finish
- Lightweight Skeletonized Paracord-Wrapped Handle
- Injection Molded Sheath w/Belt Loop for Multiple Carry Options

**1110**

Blade: Length: 4.266" (108.3 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Stonewash  
Thickness: 0.145" (3.6 mm)

Overall: 8.688" (220.6 mm)  
Weight: 3.5 oz. (99.2 g)  
Handle: Cord-Wrapped Handle  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon  
Weight: 2.2 oz. (62.3 g)

**NEW****UTSIDIHI™**

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



- Compact Lightweight Knife
- Cord Wrapped Handle for Utility
- Gear Compatible Sheath w/Belt Loop Attachment

**2752**

Blade: Length: 3.514" (89.26 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Stonewash  
Thickness: 0.159" (4.04 mm)

Overall: 7.813" (198.45 mm)  
Weight: 3.2 oz. (90.72g)  
Handle: Cord-Wrapped Handle  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon  
Weight: 1.5 oz. (42.5 g)



**CHOGAN™ T-HAWK**

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



- SK5 Carbon Steel w/Hammer
- Glass-Reinforced Nylon Handle w/Textured Grip
- MOLLE Compatible Boltaron® Sheath w/Buckle Strap

**2720**

Blade: Length: 2.930" (74.4 mm)  
Edge: Axe Front Dual Plain Edge w Hammer  
Steel: SK5 Carbon Steel  
Finish: Black Powder Coat  
Thickness: 0.230" (5.8 mm)

Overall: 14.000" (355.6 mm)  
Weight: 1lb. 8.6 oz. (697.4 g)  
Handle: Glass-Reinforced Nylon w/EDM Finish  
Style: Fixed Blade w/Sheath

Sheath: Material: Boltaron® / MOLLE Compatible  
Weight: 3.6 oz. (102.0 g)

Boltaron® is a registered trademark of the SIMONA AMERICA Group.

**KANGEE™ T-HAWK**

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



- SK5 Carbon Steel w/Spike
- Glass-Reinforced Nylon Handle with Textured Grip
- MOLLE Compatible Boltaron® Sheath w/Buckle Strap

**2725**

Blade: Length: 2.930" (74.4 mm)  
Edge: Axe Front Dual Plain Edge w/ Spike  
Steel: SK5 Carbon Steel  
Finish: Black Powder Coat  
Thickness: 0.230" (5.8 mm)

Overall: 13.750" (349.2 mm)  
Weight: 1lb. 8.4 oz. (691.7 g)  
Handle: Glass-Reinforced Nylon w/EDM Finish  
Style: Fixed Blade w/Sheath

Sheath: Material: Boltaron® / MOLLE Compatible  
Weight: 3.6 oz. (102.0 g)

Boltaron® is a registered trademark of the SIMONA AMERICA Group.

**THUNDER STRIKE™**

Designed by Pat and Wes Crawford in West Memphis, Arkansas



- Black Corrosion Resistant Blade Coating
- Cord-Wrapped Handle
- Gear Compatible Sheath w/J-Hook Clip

**2032**

Blade: Length: 2.830" (71.8 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Black  
Thickness: 0.140" (3.5 mm)

Overall: 7.440" (188.9 mm)  
Weight: 3.6 oz. (102.0 g)  
Handle: Cord-Wrapped Stainless Steel  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon/  
J-Hook, MOLLE Compatible  
Weight: 1.4 oz. (40.0 g)

**STING™**

Designed by A.G. Russell in Rogers, Arkansas



- Black Corrosion Resistant Coating
- Dual Edge 1050 Hot Forged Carbon Steel
- Glass-Reinforced Nylon Sheath

**2020**

Blade: Length: 3.197" (81.0 mm)  
Edge: Dual Plain  
Steel: 1050  
Finish: Black Powder Coat  
Thickness: 0.137" (3.4 mm)

Overall: 6.850" (173.9 mm)  
Weight: 3.9 oz. (111.0 g)  
Handle: Hot Forged 1050 Carbon Steel  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Nylon w/Glass-Reinforced  
Nylon Insert  
Weight: 2.4 oz. (68.0 g)

**SHRILL™**

Designed by Matthew Lerch in Sussex, Wisconsin



- Dual Edge Titanium Nitride Finish Blade
- Polished Resin Infused Fiber Handle Overlays
- High Quality Leather Sheath w/Boot Clip

**2075**

**Blade:** Length: 4.769" (121.1 mm)  
Edge: Dual Plain  
Steel: 8Cr13MoV  
Finish: Titanium Nitride  
Thickness: 0.152" (3.8 mm)

**Overall:** 8.688" (220.7 mm)

**Weight:** 4.3 oz. (122.0 g)

**Handle:** Full Tang w/Polished Resin Infused Fiber Overlay

**Style:** Fixed Blade Knife w/Sheath

**Sheath:** Material: Leather  
Weight: 2.2 oz. (62.4 g)

**FIRE SPARK™**

Designed by Matthew Lerch in Sussex, Wisconsin



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Locking Liner

**1050**

**Blade:** Length: 3.875" (98.4 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.121" (3.0 mm)

**Closed:** 4.750" (120.6 mm)

**Open:** 8.630" (219.2 mm)

**Weight:** 5.3 oz. (150.0 g)

**Handle:** Aluminum w/G10 Inlay

**Style:** Folding Knife w/Locking Liner

U.S. Patent Nos. 7,918,028

**FIRE SPARK™ BLACK**

Designed by Matthew Lerch in Sussex, Wisconsin



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Locking Liner

**1050K**

**Blade:** Length: 3.875" (98.4 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Black Oxide  
Thickness: 0.121" (3.0 mm)

**Closed:** 4.750" (120.6 mm)

**Open:** 8.630" (219.2 mm)

**Weight:** 5.3 oz. (150.0 g)

**Handle:** Aluminum w/G10 Inlay

**Style:** Folding Knife w/Locking Liner

U.S. Patent Nos. 7,918,028

**COPACETIC™**

Designed by Larry Hanks in Smith Valley, Nevada



- Flipper Opening
- Black Oxide Finish
- Black Glass-Reinforced Nylon w/Textured TPE

**2620**

**Blade:** Length: 3.054" (77.5 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Black Oxide  
Thickness: 0.115" (2.9 mm)

**Closed:** 4.551" (115.6 mm)

**Open:** 7.625" (193.6 mm)

**Weight:** 4.7 oz. (133.2 g)

**Handle:** Polypropylene with Glass Fiber; Thermoplastic Elastomer

**Style:** Folding Knife w/Locking Liner

Available in Clam Pack as 2620C

**NEW****M16® - 13FX**

Designed by Kit Carson in Vine Grove, Kentucky



- Veff Serrations™ Provide Superior Cutting of Rope, Straps, and Fibrous Materials
- G10 for Excellent Grip in All Weather Conditions
- Gear Compatible Glass Reinforced Nylon Sheath can be Strapped Anywhere on Your Kit

**M16-13FX**

Blade: Length: 4.636" (117.75 mm)  
Edge: Combination  
Steel: SK5 Carbon Steel  
Finish: Powder Coat  
Thickness: 0.155" (3.94 mm)

Overall: 9.375" (238.13 mm)  
Weight: 4.6 oz. (130.41 g)  
Handle: G10  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon  
Weight: 1.4 oz. (39.7 g)

U.S. Patent No. D559,939

**M16® - 04A AUTOMATIC**

Designed by Kit Carson in Vine Grove, Kentucky



- 100% Made in the USA
- Push Button Automatic Opening w/Patented Safety
- Lightweight Black Anodized Aluminum Handle

**M16-04A**

Blade: Length: 4.000" (101.6 mm)  
Edge: Plain  
Steel: CPM 154  
Finish: Black Matte DLC Coating  
Thickness: 0.160" (4.0 mm)

Closed: 5.310" (134.8 mm)  
Open: 9.250" (234.9 mm)  
Weight: 5.0 oz. (142.0 g)  
Handle: 6061 Type III Anodized Aluminum  
Style: Folding Knife w/Button Lock

U.S. Patent No. 5,822,866 under license from Mentor Group, LLC.  
The M16-04A is only available through authorized distributors.

The sale of automatic knives is Federally regulated. Always check permissibility within your state or locality as non-Federal personal may be precluded from ownership or use by state laws.

**M16® - 12ZLEK TANTO WITH TRIPLE POINT™ SERRATIONS**

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Seat Belt Strap Cutter and Tungsten Carbide Window Breaker

**M16-12ZLEK**

Blade: Length: 3.000" (76.2 mm)  
Edge: Combination  
Steel: AUS 8  
Finish: Black Titanium Nitride  
Thickness: 0.118" (2.9 mm)

Closed: 4.375" (111.1 mm)  
Open: 7.310" (185.6 mm)  
Weight: 3.6 oz. (102.0 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822 and D678,456.

**M16® - 13ZLEK SPEAR POINT WITH TRIPLE POINT™ SERRATIONS**

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Seat Belt Strap Cutter and Tungsten Carbide Window Breaker

**M16-13ZLEK**

Blade: Length: 3.375" (85.7 mm)  
Edge: Combination  
Steel: AUS 8  
Finish: Black Titanium Nitride  
Thickness: 0.118" (2.9 mm)

Closed: 4.875" (123.8 mm)  
Open: 8.250" (209.5 mm)  
Weight: 3.7 oz. (105.0 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822 and D678,456.  
Available in Clam Pack as M16-13ZLEKC

**M16® - 14ZLEK TANTO LARGE WITH TRIPLE POINT™ SERRATIONS**

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Seat Belt Strap Cutter and Tungsten Carbide Window Breaker

**M16-14ZLEK**

Blade: Length: 3.750" (95.2 mm)  
Edge: Combination  
Steel: AUS 8  
Finish: Black Titanium Nitride  
Thickness: 0.138" (3.5 mm)

Closed: 5.500" (139.7 mm)  
Open: 9.250" (235.0 mm)  
Weight: 6.2 oz. (176.0 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822 and D678,456.  
Available in Clam Pack as M16-14ZLEKC

**M16® - 13SFG SPECIAL FORCES TANTO WITH VEFF SERRATIONS™**

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Veff Serrations™
- Dual Hilt Blade Guard w/G10 Handle

**M16-13SFG**

Blade: Length: 3.500" (88.9 mm)  
Edge: Combination  
Steel: 8Cr14MoV  
Finish: Black Titanium Nitride  
Thickness: 0.120" (3.0 mm)

Closed: 4.750" (120.6 mm)  
Open: 8.250" (209.5 mm)  
Weight: 4.0 oz. (113.0 g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822, D559,939  
Available in Clam Pack as M16-13SFGC

**M16® - 14SFG SPECIAL FORCES TANTO LARGE WITH VEFF SERRATIONS™**

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Veff Serrations™
- Dual Hilt Blade Guard w/G10 Handle

**M16-14SFG**

Blade: Length: 3.990" (101.3 mm)  
Edge: Combination  
Steel: 8Cr14MoV  
Finish: Black Titanium Nitride  
Thickness: 0.140" (3.5 mm)

Closed: 5.375" (136.5 mm)  
Open: 9.250" (234.9 mm)  
Weight: 5.9 oz. (167.0 g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822, D559,939  
Available in Clam Pack as M16-14SFGC

**M16® - 14SF SPECIAL FORCES TANTO LARGE WITH TRIPLE POINT™ SERRATIONS**

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point Serrations™
- Dual Hilt Blade Guard w/Aluminum Handle

**M16-14SF**

Blade: Length: 3.990" (101.3 mm)  
Edge: Combination  
Steel: AUS 8  
Finish: Black Titanium Nitride  
Thickness: 0.140" (3.5 mm)

Closed: 5.375" (136.5 mm)  
Open: 9.250" (234.9 mm)  
Weight: 5.7 oz. (162.0 g)  
Handle: Aluminum  
Style: Folding Knife w/Locking Liner

Available in Clam Pack as M16-14SFC  
U.S. Patent No. 7,437,822

**NEW****M21™ - 12SFG SPECIAL FORCES DROP POINT WITH VEFF SERRATIONS™**

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety Offers an Extra Layer of Protection
- Veff Serrations™ Provide Superior Cutting of Rope, Straps, and Fibrous Materials
- Dual Hilt Prevents Your Hand From Slipping up the Blade

**M21-12SFG**

Blade: Length: 3.113" (79.0 mm)  
 Edge: Combination  
 Steel: 1.4116  
 Finish: Corrosion Resistant Coating  
 Thickness: 0.118" (2.9 mm)

Closed: 4.232" (107.4 mm)  
 Open: 7.375" (187.3 mm)  
 Weight: 3.7 oz. (172.93g)  
 Handle: G10  
 Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822, D559,939.

**M21™ - 14SFG SPECIAL FORCES TANTO WITH VEFF SERRATIONS™**

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Veff Serrations™
- Dual Hilt Blade Guard w/G10 Handle

**M21-14SFG**

Blade: Length: 3.990" (101.3 mm)  
 Edge: Combination  
 Steel: 8Cr14MoV  
 Finish: Black Titanium Nitride  
 Thickness: 0.140" (3.5 mm)

Closed: 5.375" (136.5 mm)  
 Open: 9.250" (234.9 mm)  
 Weight: 6.1 oz. (173.0 g)  
 Handle: G10  
 Style: Folding Knife w/Locking Liner

Available in Clam Pack as M21-14SFGC  
 U.S. Patent Nos. 7,437,822, D559,939

**M21™ - 14SF SPECIAL FORCES TANTO WITH TRIPLE POINT™ SERRATIONS**

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Dual Hilt Blade Guard w/Aluminum Handle

**M21-14SF**

Blade: Length: 3.990" (101.3 mm)  
 Edge: Combination  
 Steel: AUS 8  
 Finish: Black Titanium Nitride  
 Thickness: 0.140" (3.5 mm)

Closed: 5.375" (136.5 mm)  
 Open: 9.250" (234.9 mm)  
 Weight: 5.7 oz. (162.0 g)  
 Handle: Aluminum  
 Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

**M16® - 13DSFG SPECIAL FORCES DESERT TANTO WITH VEFF SERRATIONS™**

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Titanium Nitride Blade Finish
- Veff Serrations™

**M16-13DSFG**

Blade: Length: 3.500" (88.9 mm)  
 Edge: Combination  
 Steel: 8Cr14MoV  
 Finish: Tan Titanium Nitride  
 Thickness: 0.120" (3.0 mm)

Closed: 4.750" (120.6 mm)  
 Open: 8.250" (209.5 mm)  
 Weight: 4.0 oz. (113.0 g)  
 Handle: G10  
 Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822, D559,939

**M16® - 14DSFG SPECIAL FORCES DESERT TANTO LARGE WITH VEFF SERRATIONS™**

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Titanium Nitride Blade Finish
- Veff Serrations™

**M16-14DSFG**

Blade: Length: 3.875" (98.4 mm)  
Edge: Combination  
Steel: 8Cr14MoV  
Finish: Tan Titanium Nitride  
Thickness: 0.140" (3.5 mm)  
Closed: 5.250" (133.3 mm)  
Open: 9.250" (234.9 mm)  
Weight: 5.9 oz. (167.0 g)  
Handle: G10  
Style: Folding Knife w/Locking Liner

Available in Clam Pack as M16-14DSFGC  
U.S. Patent Nos. 7,437,822, D559,939

**M21™ - 14DSFG SPECIAL FORCES DROP POINT WITH VEFF SERRATIONS™**

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Titanium Nitride Blade Finish
- Veff Serrations™

**M21-14DSFG**

Blade: Length: 3.990" (101.3 mm)  
Edge: Combination  
Steel: 8Cr14MoV  
Finish: Tan Titanium Nitride  
Thickness: 0.140" (3.5 mm)  
Closed: 5.250" (133.3 mm)  
Open: 9.250" (234.9 mm)  
Weight: 6.1 oz. (173.0 g)  
Handle: G10 w/Dual Hilt  
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822, D559,939

**M16® - 13ZM DESERT SPEAR POINT WITH TRIPLE POINT™ SERRATIONS**

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Glass-Reinforced Nylon Handle w/Carson Flipper

**M16-13ZM**

Blade: Length: 3.500" (88.9 mm)  
Edge: Combination  
Steel: AUS 4  
Finish: Bead Blast  
Thickness: 0.100" (2.5 mm)  
Closed: 4.750" (120.6 mm)  
Open: 8.250" (209.5 mm)  
Weight: 3.5 oz. (99.2 g)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

**M16® - 14ZSF DESERT TANTO WITH TRIPLE POINT™ SERRATIONS**

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Glass-Reinforced Nylon Handle w/Dual Hilt

**M16-14ZSF**

Blade: Length: 3.990" (101.4 mm)  
Edge: Combination  
Steel: AUS 8  
Finish: Bead Blast  
Thickness: 0.140" (3.5 mm)  
Closed: 5.375" (136.5 mm)  
Open: 9.250" (234.9 mm)  
Weight: 6.3 oz. (179.0 g)  
Handle: Glass-Reinforced Nylon w/Dual Hilt  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822  
Available in Clam Pack as M16-14ZSFC

**M16® - 14D DESERT TANTO COPPER WITH TRIPLE POINT™ SERRATIONS**

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Aluminum Handle w/Carson Flipper

**M16-14D**

Blade: Length: 3.990" (101.4 mm)  
Edge: Combination  
Steel: AUS 8  
Finish: Copper Titanium Nitride  
Thickness: 0.140" (3.5 mm)

Closed: 5.375" (136.5 mm)  
Open: 9.250" (234.9 mm)  
Weight: 6.3 oz. (179.0 g)  
Handle: Aluminum  
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822  
Available in Clam Pack as M16-14DC

**M16® - 14ZER EMERGENCY RESCUE TANTO LARGE WITH TRIPLE POINT™ SERRATIONS**

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Seat Belt Strap Cutter and Tungsten Carbide Window Breaker

**M16-14ZER**

Blade: Length: 3.750" (95.2 mm)  
Edge: Combination  
Steel: AUS 8  
Finish: Satin  
Thickness: 0.138" (3.5 mm)

Closed: 5.500" (139.7 mm)  
Open: 9.250" (234.9 mm)  
Weight: 6.2 oz. (176.0 g)  
Handle: ER Orange Glass-Reinforced Nylon  
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822, D678,456

**BEAR CLAW™ E.R.**

Designed by Russ Kommer in Fargo, North Dakota



- Blunt Tip w/Triple Point™ Serrations
- Mirror Polish Blade Finish
- Emergency Orange Glass-Reinforced Nylon Handle

**2510ER**

Blade: Length: 2.375" (60.3 mm)  
Edge: Blunt Tip w/Triple Point™ Serrations  
Steel: AUS 4  
Finish: Mirror Polish  
Thickness: 0.130" (3.3 mm)

Overall: 5.750" (146.0 mm)  
Weight: 3.4 oz. (96.4 g)  
Handle: ER Orange Glass-Reinforced Nylon  
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon  
Weight: 1.1 oz. (31.2 g)

**NEW****TECHLINER™**

Designed by Mike Bond in Pearl City, Hawaii



- Magnetic Ends Secure Cap and Allow for Attaching to Surfaces
- 6061 Aircraft Grade Aluminum
- Includes Fisher Space Pen® Black Ink Cartridge (Refill #PR4)

**TPENBOND**

Pen: Length: 5.063" (128.6 mm)  
Weight: 1.0 oz. (28.3 g)  
Finish: Black Anodized  
Handle: 6061 Aluminum  
Refill: Fisher Space Pen® Refill #PR4

**NATHAN'S KNIFE KIT**

Designed by Nathan and Glenn Klecker in Silverton, Oregon



- Wood Knife Kit
- Teach Knife Safety and Responsibility
- Family Craft Project Recommended for Kids 7 and Up

**1032**

Blade: Length: 3.250" (82.5 mm)  
 Material: Beechwood  
 Overall: 8.000" (203.2 mm)  
 Weight: 1.8 oz. (51.0 g)  
 Handle: Beechwood  
 Style: Folder w/Lockback Safety

**AR TOOL**

Designed by Joe Wu in Mountain View, California



- Ideal Multi-Tool to Keep in Range Bag for Use on the Go
- AR Scraping Tools for Removing Carbon from Bolt Carrier Group
- Friction Folding Knife Blade with Nail Nick

**R5101**

Blade: Length: 1.934" (49.12 mm)  
 Edge: Plain  
 Steel: 8Cr14MoV  
 Finish: Bead Blast  
 Thickness: 0.089" (2.26 mm)  
 Closed: 3.087" (78.41 mm)  
 Open: 6.75" (171.45 mm)  
 Weight: 3.7 oz. (104.89g)  
 Handle: 2Cr13; Bead Blast Finish  
 Style: Multi-Tool

**SHOTGUN TOOL**

Designed by Joe Wu in Mountain View, California



- Ideal Multi-Tool to Keep in Range Bag for Use on the Go
- Shotgun Choke Tube Tool
- Friction Folding Knife Blade with Nail Nick

**R5102**

Blade: Length: 1.934" (49.12 mm)  
 Edge: Plain  
 Steel: 8Cr14MoV  
 Finish: Bead Blast  
 Thickness: 0.089" (2.26 mm)  
 Closed: 3.087" (78.41 mm)  
 Open: 6.75" (171.45 mm)  
 Weight: 3.7 oz. (104.89g)  
 Handle: 2Cr13; Bead Blast Finish  
 Style: Multi-Tool

**1911 TOOL**

Designed by Gary Smith in Woodbury, Vermont



- Ideal Multi-Tool to Keep in Range Bag for Use on the Go
- Specialty Tools Include Barrel Bushing Wrench and Punch Rod
- Folding Knife with Liner Lock

**R5100**

Blade: Length: 2.515" (63.88 mm)  
 Edge: Plain  
 Steel: Stainless Steel  
 Finish: Bead Blast  
 Thickness: 0.087" (2.21 mm)  
 Closed: 4.135" (105.03 mm)  
 Open: 9.000" (228.6 mm)  
 Weight: 9.7 oz. (275 gm)  
 Handle: G10  
 Style: Multi-Tool



**BLACK POWDER™ HATCHET**

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



**R3001K**

Blade: Length: 3.161" (80.29 mm)  
 Edge: Axe Edge  
 Steel: 1055 Carbon Steel  
 Finish: Black Corrosion-Resistant Coating  
 Thickness: 0.908" (23.06 mm)  
 Open: 13.188" (334.98 mm)  
 Weight: 26.8 oz. (759.8 gm)  
 Handle: Glass-Reinforced Nylon  
 Style: Hatchet

- Hot Forged 1055 Carbon Steel is Strong and Durable
- Magnesium Phosphate Black Coating on the Head Provides Corrosion Resistance
- Blunt Face Hammer Poll for Pounding Tent Stakes and Other Camp Chores

**INCENDIARY™**

Designed by Robert Carter in Hillister, Texas



**R2000K**

Blade: Length: 2.953" (75.01 mm)  
 Edge: Plain  
 Steel: 8Cr13MoV  
 Finish: Stonewash  
 Thickness: 0.150" (3.81 mm)  
 Closed: 4.023" (102.18 mm)  
 Open: 7.000" (177.8 mm)  
 Weight: 4.8 oz. (136 gm)  
 Handle: Front - 6061 Aluminum  
 Back - Stainless Steel  
 Style: Folding Knife w/ Frame Lock

- Modified Tanto Blade; Black Stonewash Finish Improves Corrosion Resistance, Reduces Glare, and Masks Wear
- Thumb Disc Blade Deployment Option
- Deep Groove on Back of the Blade for Maximum Blade Control

**RTD**

Designed by Matthew Lerch in Sussex, Wisconsin



**R4801K**

Blade: Length: 3.67" (93.22 mm)  
 Edge: Plain  
 Steel: 1.4116  
 Finish: EDP Coating  
 Thickness: 0.125" (3.18 mm)  
 Closed: 4.85" (123.2 mm)  
 Open: 8.5" (216 mm)  
 Weight: 3.9 oz. (110.6 gm)  
 Handle: Glass-Reinforced Nylon  
 Style: Folding Knife w/ Locking Liner

U.S. Patent Nos. 9,586,328, 9,597,809.

- Field Strip Technology
- Locking Liner
- Flipper Opening

**HIGH-BRASS™**

Designed by MJ Lerch in Sussex, Wisconsin



**R2601**

Blade: Length: 3.19" (81.03 mm)  
 Edge: Plain  
 Steel: 8Cr13MoV  
 Finish: Satin  
 Thickness: 0.106" (2.69 mm)  
 Closed: 4.43" (112.52 mm)  
 Open: 7.56" (192 mm)  
 Weight: 3.6 oz. (102.1 gm)  
 Handle: Glass-Reinforced Nylon  
 Style: Folding Knife w/ Locking Liner

- OutBurst® Assisted Opening
- Locking Liner
- Glass Reinforced Nylon Handle

### HIGH-BRASS™ WITH VEFF SERRATIONS™

Designed by MJ Lerch in Sussex, Wisconsin



- OutBurst® Assisted Opening
- Locking Liner
- Glass Reinforced Nylon Handle



#### R2602

Blade: Length: 3.19" (81.03 mm)  
Edge: Combination  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.106" (2.69 mm)  
Closed: 4.43" (112.52 mm)  
Open: 7.56" (192 mm)  
Weight: 3.6 oz. (102.1 gm)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/ Locking Liner

U.S. Patent No. D559,939

### WINDAGE™

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- 6061 Aluminum Handle
- Innovative Pocket Clip



#### R2401

Blade: Length: 3.78" (96.01 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Stonewash  
Thickness: 0.141" (3.58 mm)  
Closed: 5.07" (128.8 mm)  
Open: 8.81" (223.8 mm)  
Weight: 5.3 oz. (150.3 gm)  
Handle: 6061 Aluminum  
Style: Folding Knife w/ Locking Liner

### WINDAGE™ WITH VEFF SERRATIONS™

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- 6061 Aluminum Handle
- Veff Serrations™



#### R2402

Blade: Length: 3.78" (96.01 mm)  
Edge: Combination  
Steel: 8Cr13MoV  
Finish: Stonewash  
Thickness: 0.141" (3.58 mm)  
Closed: 5.07" (128.8 mm)  
Open: 8.81" (223.8 mm)  
Weight: 5.3 oz. (150.3 gm)  
Handle: 6061 Aluminum  
Style: Folding Knife w/ Locking Liner

U.S. Patent No. D559,939

### TRAJECTORY™

Designed by Matthew Lerch in Sussex, Wisconsin



- OutBurst® Assisted Opening
- Frame Lock
- Stainless Steel Handle



#### R2802

Blade: Length: 3.24" (82.3 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.108" (2.74 mm)  
Closed: 4.16" (106 mm)  
Open: 6.94" (176.3 mm)  
Weight: 4.0 oz. (113.4 gm)  
Handle: Stainless Steel  
Style: Folding Knife w/ Frame Lock

**CARBINE**

Designed by Matthew Lerch in Sussex, Wisconsin



- Stonewash Finish
- Full Tang Handle
- Glass Reinforced Nylon Sheath



**R2701**

Blade: Length: 1.85" (47 mm)  
 Edge: Plain  
 Steel: 5Cr15MoV  
 Finish: Stonewash  
 Thickness: 0.114" (2.9 mm)  
 Overall: 4.40" (111.8 mm)  
 Weight: 1.2 oz. (34 gm)  
 Handle: Glass-Reinforced Nylon  
 Style: Fixed Blade Knife  
 Sheath: Glass-Reinforced Nylon Sheath  
 Weight: 0.9 oz. (25.5 gm)

**ACCURATE™ RISING POINT**

Designed by Bill Harsey in Creswell, Oregon



- Rubber Over-Mold
- Full-Tang Handle with Inset Ruger® Medallion
- Reinforced Nylon-Fabric Sheath



**R2202**

Blade: Length: 4.37" (111 mm)  
 Edge: Plain  
 Steel: 8Cr13MoV  
 Finish: Satin  
 Thickness: 0.161" (4.1 mm)  
 Overall: 9.00" (228.6 mm)  
 Weight: 6.6 oz. (187.1 gm)  
 Handle: Rubber Over-Mold  
 Style: Fixed Blade Knife  
 Sheath: Reinforced Woven Nylon w/ Belt Loop  
 Weight: 1.7 oz. (45 gm)

**ACCURATE™ DROP POINT**

Designed by Bill Harsey in Creswell, Oregon



- Rubber Over-Mold
- Full-Tang Handle with Inset Ruger® Medallion
- Reinforced Nylon-Fabric Sheath



**R2201**

Blade: Length: 4.37" (111 mm)  
 Edge: Plain  
 Steel: 8Cr13MoV  
 Finish: Satin  
 Thickness: 0.161" (4.1 mm)  
 Overall: 9.00" (228.6 mm)  
 Weight: 6.6 oz. (187.1 gm)  
 Handle: Rubber Over-Mold  
 Style: Fixed Blade Knife  
 Sheath: Reinforced Woven Nylon w/ Belt Loop  
 Weight: 1.7 oz. (45 gm)

**ACCURATE™ FOLDER**

Designed by Bill Harsey in Creswell, Oregon



- Locking Liner
- Glass Reinforced Handle with Stainless Steel Bolster
- Drop-Point Blade Style



**R2203**

Blade: Length: 3.38" (85.85 mm)  
 Edge: Plain  
 Steel: 8Cr13MoV  
 Finish: Satin  
 Thickness: 0.149" (3.78 mm)  
 Closed: 4.64" (117.90 mm)  
 Open: 8.06" (205 mm)  
 Weight: 5.5 oz. (155.95 gm)  
 Handle: Glass-Reinforced Nylon w/ Stainless Steel Bolster  
 Style: Folding Knife w/ Locking Liner  
 Sheath: Reinforced Woven Nylon w/ Snap Closure  
 Weight: 1.1 oz. (31.2 gm)

**2-STAGE™**

Designed by Robert Carter in Hillister, Texas



- Stonewashed Tanto Blade
- Machined Hard Anodized Aluminum and Stainless Steel Handle
- 4-Position Clip

**R2101K**

Blade: Length: 4.00" (101.6 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Black Stonewash  
Thickness: 0.200" (5.1 mm)

Closed: 5.47" (138.9 mm)  
Open: 9.44" (239.7 mm)  
Weight: 8.1 oz. (229.6 gm)  
Handle: Aluminum & Stainless Steel  
Style: Folding Knife w/ Frame Lock

**2-STAGE™ WITH VEFF SERRATIONS™**

Designed by Robert Carter in Hillister, Texas



- Stonewashed Tanto Blade
- Machined Hard Anodized Aluminum and Stainless Steel Handle
- 4-Position Clip

**R2102K**

Blade: Length: 4.00" (101.6 mm)  
Edge: Combination  
Steel: 8Cr13MoV  
Finish: Black Stonewash  
Thickness: 0.200" (5.1 mm)

Closed: 5.47" (138.9 mm)  
Open: 9.44" (239.7 mm)  
Weight: 8.1 oz. (229.6 gm)  
Handle: Aluminum & Stainless Steel  
Style: Folding Knife w/ Frame Lock

U.S. Patent No. D559,939

**2-STAGE™ COMPACT**

Designed by Robert Carter in Hillister, Texas



- Stonewashed Tanto Blade
- Machined Hard Anodized Aluminum and Stainless Steel Handle
- 4-Position Clip

**R2104K**

Blade: Length: 4.00" (101.6 mm)  
Edge: Combination  
Steel: 8Cr13MoV  
Finish: Black Stonewash  
Thickness: 0.161" (4.1 mm)

Closed: 5.00" (127 mm)  
Open: 8.5" (216 mm)  
Weight: 6.8 oz. (192.7 gm)  
Handle: Aluminum & Stainless Steel  
Style: Folding Knife w/ Frame Lock

U.S. Patent No. D559,939

**GO-N-HEAVY™**

Designed by Bill Harsey in Creswell, Oregon



- Stonewashed Drop-Point Blade
- Hard Anodized Sure Grip Handle
- Nylon-Fabric Sheath

**R1801**

Blade: Length: 5.00" (127 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Stonewash  
Thickness: 0.185" (4.7 mm)

Closed: 6.18" (156.9 mm)  
Open: 11.18" (283.9 mm)  
Weight: 10.1 oz. (286.3 gm)  
Handle: Black Anodized Aluminum  
Style: Folding Knife w/ Locking Liner  
Sheath: Reinforced Woven Nylon w/ Two-Position Belt Loop  
Weight: 1.9 oz. (55 gm)

U.S. Patent No. D754,515

**GO-N-HEAVY™ WITH VEFF SERRATIONS™**

Designed by Bill Harsey in Creswell, Oregon



- Stonewashed Drop-Point Blade
- Hard Anodized Sure Grip Handle
- Nylon-Fabric Sheath



**R1802**

Blade: Length: 5.00" (127 mm)  
 Edge: Combination  
 Steel: 8Cr13MoV  
 Finish: Stonewash  
 Thickness: 0.185" (4.7 mm)  
 Closed: 6.18" (156.9 mm)  
 Open: 11.18" (283.9 mm)  
 Weight: 10.1 oz. (286.3 gm)  
 Handle: Black Anodized Aluminum  
 Style: Folding Knife w/ Locking Liner  
 Sheath: Reinforced Woven Nylon w/ Two-Position Belt Loop  
 Weight: 1.9 oz. (55 gm)

U.S. Patent No. D559,939 & D754,515

**GO-N-HEAVY™ COMPACT**

Designed by Bill Harsey in Creswell, Oregon



- Stonewashed Drop-Point Blade
- Hard Anodized Sure Grip Handle
- Nylon-Fabric Sheath



**R1803**

Blade: Length: 3.50" (88.9 mm)  
 Edge: Combination  
 Steel: 8Cr13MoV  
 Finish: Stonewash  
 Thickness: 0.137" (3.5 mm)  
 Closed: 4.33" (109.9 mm)  
 Open: 7.83" (198.8 mm)  
 Weight: 3.7 oz. (104.8 gm)  
 Handle: Black Anodized Aluminum  
 Style: Folding Knife w/ Locking Liner  
 Sheath: Reinforced Woven Nylon w/ Two-Position Belt Loop  
 Weight: 1.2 oz. (35 gm)

U.S. Patent No. D754,515

**ALL CYLINDERS™**

Designed by Bill Harsey in Creswell, Oregon



- Machined G10 Handle
- Unique Revolver Cylinder-Style Pivot Point
- 2-Position Clip



**R2001K**

Blade: Length: 4.00" (101.6 mm)  
 Edge: Plain  
 Steel: 8Cr13MoV  
 Finish: Black Stonewash  
 Thickness: 0.161" (4.1 mm)  
 Closed: 5.00" (127 mm)  
 Open: 9.00" (228.6 mm)  
 Weight: 6.6 oz. (187.6 gm)  
 Handle: Machined G10  
 Style: Folding Knife w/ Locking Liner

**ALL CYLINDERS™ WITH VEFF SERRATIONS™**

Designed by Bill Harsey in Creswell, Oregon



- Machined G10 Handle
- Unique Revolver Cylinder-Style Pivot Point
- 2-Position Clip



**R2002K**

Blade: Length: 4.00" (101.6 mm)  
 Edge: Combination  
 Steel: 8Cr13MoV  
 Finish: Black Stonewash  
 Thickness: 0.161" (4.1 mm)  
 Closed: 5.00" (127 mm)  
 Open: 9.00" (228.6 mm)  
 Weight: 6.6 oz. (187.6 gm)  
 Handle: Machined G10  
 Style: Folding Knife w/ Locking Liner

U.S. Patent No. D559,939

## ALL CYLINDERS™ +P

Designed by Bill Harsey in Creswell, Oregon



### R2003K

Blade: Length: 5.00" (127 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Black Stonewash  
Thickness: 0.188" (4.76 mm)  
Closed: 6.18" (158.75 mm)  
Open: 11.25" (285.75 mm)  
Weight: 11.6 oz. (328.85 gm)  
Handle: Machined G10  
Style: Folding Knife w/ Locking Liner



- Stonewashed Drop-Point Blade
- Machined G10 Handle
- 2-Position Clip

## HOLLOW POINT™ +P

Designed by Ken Onion in Kaneohe, Hawaii



### R2301

Blade: Length: 3.60" (91.44 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.147" (3.73 mm)  
Closed: 4.83" (122.68 mm)  
Open: 8.50" (215.9 mm)  
Weight: 6.00 oz. (170.09 gm)  
Handle: Stainless Steel w/ Inserts  
Style: Folding Knife w/ Frame Lock



- IKBS™ Ball Bearing Pivot System
- 2-Position Clip
- Frame lock

## HOLLOW POINT™

Designed by Ken Onion in Kaneohe, Hawaii



### R2302

Blade: Length: 3.17" (80.15 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.128" (3.25 mm)  
Closed: 4.25" (107.95 mm)  
Open: 7.50" (190.5 mm)  
Weight: 4.40 oz. (125 gm)  
Handle: Stainless Steel w/ Inserts  
Style: Folding Knife w/ Frame Lock



- IKBS™ Ball Bearing Pivot System
- 2-Position Clip
- Frame lock

## HOLLOW POINT™ COMPACT

Designed by Ken Onion in Kaneohe, Hawaii



### R2303

Blade: Length: 2.75" (85.8 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Satin  
Thickness: 0.108" (2.74 mm)  
Closed: 3.63" (92.2 mm)  
Open: 5.83" (148.08 mm)  
Weight: 2.2 oz. (60 gm)  
Handle: Stainless Steel w/ Inserts  
Style: Folding Knife w/ Frame Lock



- IKBS™ Ball Bearing Pivot System
- One Position, Tip-Up Pocket Clip
- Frame lock

### CRACK-SHOT™ COMPACT

Designed by Ken Steigerwalt in Orangeville, Pennsylvania



- Features Outburst® Assisted Opening
- Reliable Fire Safe® Blade Safety
- Stonewashed Drop-Point Blade



#### R1205

Blade: Length: 3.38" (85.8 mm)  
 Edge: Plain  
 Steel: 8Cr13MoV  
 Finish: Satin  
 Thickness: 0.110" (2.7 mm)  
 Closed: 4.00" (101.6 mm)  
 Open: 7.12" (180.8 mm)  
 Weight: 3.9 oz. (110.5 gm)  
 Handle: Glass-Reinforced Nylon  
 Style: Folding Knife w/ Locking Liner

U.S. Patent No. 7,918,028

### CRACK-SHOT™ COMPACT WITH TRIPLE POINT™ SERRATIONS

Designed by Ken Steigerwalt in Orangeville, Pennsylvania



- Features Outburst® Assisted Opening
- Reliable Fire Safe® Blade Safety
- Stonewashed Drop-Point Blade



#### R1206

Blade: Length: 3.38" (85.8 mm)  
 Edge: Combination  
 Steel: 8Cr13MoV  
 Finish: Satin  
 Thickness: 0.110" (2.7 mm)  
 Closed: 4.00" (101.6 mm)  
 Open: 7.12" (180.8 mm)  
 Weight: 3.9 oz. (110.5 gm)  
 Handle: Glass-Reinforced Nylon  
 Style: Folding Knife w/ Locking Liner

U.S. Patent No. 7,918,028

### CRACK-SHOT™ COMPACT BLACK

Designed by Ken Steigerwalt in Orangeville, Pennsylvania



- Features Outburst® Assisted Opening
- Reliable Fire Safe® Blade Safety
- Stonewashed Drop-Point Blade



#### R1201K

Blade: Length: 3.38" (85.8 mm)  
 Edge: Plain  
 Steel: 8Cr13MoV  
 Finish: Stonewash  
 Thickness: 0.110" (2.7 mm)  
 Closed: 4.00" (101.6 mm)  
 Open: 7.12" (180.8 mm)  
 Weight: 3.9 oz. (110.5 gm)  
 Handle: Glass-Reinforced Nylon  
 Style: Folding Knife w/ Locking Liner

U.S. Patent No. 7,918,028

### CRACK-SHOT™ BLACK WITH TRIPLE POINT™ SERRATIONS

Designed by Ken Steigerwalt in Orangeville, Pennsylvania



- Features Outburst® Assisted Opening
- Reliable Fire Safe® Blade Safety
- Stonewashed Drop-Point Blade



#### R1202K

Blade: Length: 3.38" (85.8 mm)  
 Edge: Combination  
 Steel: 8Cr13MoV  
 Finish: Stonewash  
 Thickness: 0.110" (2.7 mm)  
 Closed: 4.00" (101.6 mm)  
 Open: 7.12" (180.8 mm)  
 Weight: 3.9 oz. (110.5 gm)  
 Handle: Glass-Reinforced Nylon  
 Style: Folding Knife w/ Locking Liner

U.S. Patent No. 7,918,028

**FOLLOW-THROUGH™**

Designed by Matthew Lerch in Sussex, Wisconsin



- Stonewashed Blade
- Glass Reinforced Nylon Handle
- 2-Position Clip

**R1701**

Blade: Length: 3.75" (95.2 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Stonewash  
Thickness: 0.145" (3.7 mm)  
Closed: 5.00" (127 mm)  
Open: 8.75" (222.25 mm)  
Weight: 5.2 oz. (147.4 gm)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/ Locking Liner

**FOLLOW-THROUGH™ COMPACT**

Designed by Matthew Lerch in Sussex, Wisconsin



- Stonewashed Blade
- Glass Reinforced Nylon Handle
- 2-Position Clip

**R1703**

Blade: Length: 3.25" (82.5 mm)  
Edge: Plain  
Steel: Stonewash  
Finish: Bead Blast  
Thickness: 0.125" (3.2 mm)  
Closed: 4.25" (107.9 mm)  
Open: 7.50" (190.5 mm)  
Weight: 3.4 oz. (96.3 gm)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/ Locking Liner

**FOLLOW-THROUGH™ COMPACT WITH VEFF FLAT TOP SERRATIONS®**

Designed by Matthew Lerch in Sussex, Wisconsin



- Stonewashed Blade
- Glass Reinforced Nylon Handle
- 2-Position Clip

**R1704**

Blade: Length: 3.25" (82.5 mm)  
Edge: Combination  
Steel: Stonewash  
Finish: Bead Blast  
Thickness: 0.125" (3.2 mm)  
Closed: 4.25" (107.9 mm)  
Open: 7.50" (190.5 mm)  
Weight: 3.4 oz. (96.3 gm)  
Handle: Glass-Reinforced Nylon  
Style: Folding Knife w/ Locking Liner

**MUZZLE BRAKE™**

Designed by Ken Onion in Kaneohe, Hawaii



- Stout Full Tang Blade
- Clip-Point Blade Shape
- Glass Reinforced Nylon Handle

**R2501K**

Blade: Length: 7.50" (190.5 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Black Powder Coat  
Thickness: 0.187" (4.75 mm)  
Overall: 12.00" (304.8 mm)  
Weight: 11.1 oz. (314.67 gm)  
Handle: Glass-Filled Nylon  
Style: Full-Tang Fixed Blade  
Sheath: Glass Reinforced Nylon  
Weight: 3.8 oz. (105 gm)



## POWDER-KEG™ DROP POINT

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



- Field Strip Technology
- Field Strip lets you easily disassemble your knife for cleaning without tools
- 1.4116 Blade Steel w/Glass-Reinforced Nylon Handle



### R1401K

Blade: Length: 4.60" (116.8 mm)  
Edge: Plain  
Steel: 8Cr13MoV  
Finish: Black Stonewash  
Thickness: 0.185" (4.7 mm)  
Overall: 9.44" (239.7 mm)  
Weight: 7.7 oz. (218.2 gm)  
Handle: 2 Part TPR Over-Mold Scales  
Style: Fixed Blade Knife  
Sheath: Stitched Leather Sheath w/ Belt Loop  
Weight: 2.9 oz. (85 gm)

## BOLT ACTION PEN - BLACK

Designed by Brian Fellhoelter in Lake Havasu City, Arizona



- Ruger® Bolt-Action Pen
- w/ Fisher Space Pen® Black Ink Cartridge (Refill #PR4)
- Machined Anodized Aluminum Body



### R3401K

Length: 5.50" (139.7 mm)  
Finish: Anodize  
Thickness: 0.437" (11.12 mm)  
Weight: 1.1 oz. (30 gm)  
Machine Anodized Aluminum Body  
Stainless Steel Bolt and Pocket Clip

## BOLT ACTION PENCIL - RED

Designed by Brian Fellhoelter in Lake Havasu City, Arizona



- Ruger® Bolt-Action Mechanical Pencil
- w/ Schmidt® Pencil System (Refill DSM-2007 - .05mm)
- Machined Anodized Aluminum Body



### R3402

Length: 5.50" (139.7 mm)  
Finish: Anodize  
Thickness: 0.437" (11.12 mm)  
Weight: 1.1 oz. (30 gm)  
Machine Anodized Aluminum Body  
Stainless Steel Bolt and Pocket Clip

● 1911 TOOL	103
● 2-STAGE™	107
● 2-STAGE™ COMPACT	107
● 2-STAGE™ WITH VEFF SERRATIONS™	107
● ACCURATE™ DROP POINT	106
● ACCURATE™ FOLDER	106
● ACCURATE™ RISING POINT	106
● ALL CYLINDERS™	108
● ALL CYLINDERS™ +P	109
● ALL CYLINDERS™ WITH VEFF SERRATIONS™	108
● APOC™	58
● APOC™ W/ VEFF SERRATIONS™	58
● AR TOOL	103
● AVANT™	59
● AVANT™-TAC	59
● BEAR CLAW™ BLUNT TIP WITH TRIPLE POINT™ SERRATIONS	78
● BEAR CLAW™ E.R.	102
● BEV-EDGE™	59
● BEV-EDGE™ BLACK	60
● BIRLER™	92
● BIVY™	85
● BLACK POWDER™ HATCHET	104
● BOLT ACTION PEN	112
● BOLT ACTION PENCIL	112
● BOMBASTIC™	40
● BOMBASTIC™ BLACK WITH TRIPLE POINT™ SERRATIONS	40
● BT FIGHTER™	44
● BT FIGHTER™ COMPACT	44
● BUKU™	49
● BURNOUT™	51
● CALIGO™	43
● CARBINE	106
● CEO	54
● CHEHALEM™	59
● CHOGAN™ T-HAWK	96
● CIMBRI™	91
● CLARK FORK™ FILLET KNIFE	73
● CLEVER GIRL™	89
● CLEVER GIRL™ FOLDER	89
● COPACETIC™	97
● CRACK-SHOT™ BLACK WITH TRIPLE POINT™ SERRATIONS	110
● CRACK-SHOT™ COMPACT	110
● CRACK-SHOT™ COMPACT BLACK	110
● CRACK-SHOT™ COMPACT WITH TRIPLE POINT™ SERRATIONS	110
● CRKT® MICRO TOOL & KEYCHAIN SHARPENER	86
● CROSSBONES	43
● CST COMBAT STRIPPING TOOL	92
● CUATRO™	54
● DAKTYL™	62
● DELILAH'S P.E.C.K.™	58
● DEVIATION™	62
● DIRECTIVE™ DROP POINT	52
● DIRECTIVE™ TANTO	52
● DRIFTER	61
● DRIFTER STAINLESS HANDLE	61
● DRIP TIGHE™	44
● DU HOC™	90
● EAT'N TOOL®	79
● EAT'N TOOL® TITANIUM	79
● EAT'N TOOL® XL	79
● ENDORSER™	53
● ENDORSER™ BLACK	53
● EROS™	41
● EROS™ FLAT HANDLE LARGE	41
● EXITOOL®	86

● FAST LANE™	51
● FIRE SPARK™	97
● FIRE SPARK™ BLACK	97
● FLAT OUT™	52
● FOLLOW THROUGH™	111
● FOLLOW THROUGH™ COMPACT	111
● FOLLOW THROUGH™ COMPACT WITH VEFF FLAT TOP SERRATIONS®	111
● FORESIGHT™	95
● FOSSIL™	38
● FOSSIL™ BLACK WITH VEFF SERRATIONS™	38
● FOSSIL™ COMPACT	38
● FOSSIL™ WITH VEFF SERRATIONS™	38
● FREYR™	91
● FULCRUM™ 2	50
● FULL THROTTLE™	51
● GO-N-HEAVY COMPACT™	108
● GO-N-HEAVY™	107
● GO-N-HEAVY™ WITH VEFF SERRATIONS™	108
● GÖKEN™	92
● GRAPHITE™	47
● GRAPHITE™ WITH VEFF FLAT TOP SERRATIONS®	47
● GULF™	60
● GUNGHO™	50
● GUSSET™	40
● HALFCHANCE™ PARANG	81
● HEIHO™	93
● HEIHO™ WITH VEFF SERRATIONS™	93
● HELICAL™	39
● HELICAL™ BLACK WITH D2 BLADE STEEL	39
● HIGH-BRASS™	104
● HIGH-BRASS™ WITH VEFF SERRATIONS™	105
● HISSATSU™ FIXED BLADE BLACK	94
● HISSATSU™ FOLDER	93
● HOIST'N LOK® BIG GAME HOIST	73
● HOIST'N LOK® TREE STAND HOIST	73
● HOLLOW POINT™	109
● HOLLOW POINT™ +P	109
● HOLLOW POINT™ COMPACT	109
● HOMEFRONT™	39
● HOMEFRONT™ EDC	40
● HOMEFRONT™ HUNTER	72
● HOMEFRONT™ TACTICAL	95
● HOOTENANNY™	41
● HUMDINGER™	72
● HUNT'N FISCH™	72
● HVAS™	78
● HYPERSPEED	51
● IGNITOR®	55
● IGNITOR® T	56
● IGNITOR® T WITH VEFF SERRATIONS™	56
● IGNITOR® WITH VEFF SERRATIONS™	55
● INARA™	54
● INCENDIARY™	104
● IOTA™	79
● JENNY WREN™ COMPACT	77
● JETTISON™	56
● JETTISON™ COMPACT	56
● JUMBONES	42
● K.E.R.T.™ (KEYRING. EMERGENCY. RESCUE. TOOL.)	86
● K.I.S.S.®	57
● K.I.S.S.® WITH TRIPLE POINT™ SERRATIONS	58
● KANGEE™ T-HAWK	96
● KNIFE MAINTENANCE TOOL	85
● KUK™	77
● LARGO™	60

● LINCHPIN™	37	● MONTOSA™	54
● LINCHPIN™ BLACK WITH VEFF SERRATIONS™	37	● MOXIE™ BLACK	53
● M16° - 01KS SPEAR POINT BLACK STAINLESS STEEL HANDLE	67	● MOXIE™ GREY	53
● M16° - 01KZ SPEAR POINT BLACK	66	● MUZZLE BRAKE™	111
● M16° - 01S SPEAR POINT STAINLESS STEEL HANDLE	67	● NATHAN'S KNIFE KIT	103
● M16° - 01Z SPEAR POINT	66	● NIRK™ TIGHE 2	45
● M16° - 02KS	64	● NISHI™	48
● M16° - 02Z TANTO	65	● OBAKE™	50
● M16° - 03KS	64	● OBAKE™ SKOSHI	49
● M16° - 03S CLASSIC	63	● OFFBEAT™	57
● M16° - 03Z SPEAR POINT	65	● OFFBEAT™ II	57
● M16° - 04A AUTOMATIC	98	● OTANASHI NOH KEN™	93
● M16° - 04KS	64	● OUTRAGE™	41
● M16° - 04S CLASSIC	64	● OVERLAND™	43
● M16° - 04Z TANTO LARGE	66	● OWLET™	76
● M16° - 10KS TANTO BLACK WITH TRIPLE POINT™ SERRATIONS STAINLESS STEEL HANDLE	68	● PACK AXE	78
● M16° - 10KSF TANTO BLACK WITH TRIPLE POINT™ SERRATIONS STAINLESS STEEL HANDLE	68	● PARASCALE™	81
● M16° - 10KZ TANTO BLACK WITH TRIPLE POINT™ SERRATIONS	67	● PAZODA™	61
● M16° - 10S TANTO WITH TRIPLE POINT™ SERRATIONS STAINLESS STEEL HANDLE	68	● PAZODA™ 2	61
● M16° - 10Z TANTO WITH TRIPLE POINT™ SERRATIONS	67	● PERSEVERE™	81
● M16° - 12Z TANTO WITH TRIPLE POINT™ SERRATIONS	65	● PIET™	45
● M16° - 12ZLEK TANTO WITH TRIPLE POINT™ SERRATIONS	98	● PILAR®	46
● M16° - 13DSFG SPECIAL FORCES DESERT TANTO WITH VEFF SERRATIONS™	100	● PILAR® COPPER	46
● M16° - 13FX	98	● PILAR® LARGE	46
● M16° - 13SFG SPECIAL FORCES TANTO WITH VEFF SERRATIONS™	99	● PILAR® LARGE WITH G10 HANDLE	46
● M16° - 13Z SPEAR POINT WITH TRIPLE POINT™ SERRATIONS	65	● POWDER-KEG™ DROP POINT	112
● M16° - 13ZLEK SPEAR POINT WITH TRIPLE POINT™ SERRATIONS	98	● PREQUEL™	48
● M16° - 13ZM DESERT SPEAR POINT WITH TRIPLE POINT™ SERRATIONS	101	● PROVOKE™	88
● M16° - 14D DESERT TANTO COPPER WITH TRIPLE POINT™ SERRATIONS	102	● PROVOKE™ EARTH	88
● M16° - 14DSFG SPECIAL FORCES DESERT TANTO LARGE WITH VEFF SERRATIONS™	101	● PROVOKE™ FIRST RESPONDER	88
● M16° - 14SF SPECIAL FORCES TANTO LARGE WITH TRIPLE POINT™ SERRATIONS	99	● PROVOKE™ W/ VEFF SERRATIONS™	88
● M16° - 14SFG SPECIAL FORCES TANTO LARGE WITH VEFF SERRATIONS™	99	● PRYMA™	85
● M16° - 14Z TANTO LARGE WITH TRIPLE POINT™ SERRATIONS	66	● PSYCH™	55
● M16° - 14ZLEK TANTO LARGE WITH TRIPLE POINT™ SERRATIONS	99	● RADIC™	55
● M16° - 14ZSF DESERT TANTO WITH TRIPLE POINT™ SERRATIONS	101	● RAIKIRI™	44
● M16° - 14ZER EMERGENCY RESCUE TANTO LARGE WITH TRIPLE POINT™ SERRATIONS	102	● RAKKASAN™	90
● M21™ - 02G G10	69	● RASP™	91
● M21™ - 04G G10 LARGE	69	● REMEDY™	57
● M21™ - 10KSF WITH TRIPLE POINT™ SERRATIONS	68	● RIPPLE™ ALUMINUM	42
● M21™ - 12G G10 WITH VEFF SERRATIONS™	69	● RIPSNOT™	50
● M21™ - 14DSFG SPECIAL FORCES DROP POINT WITH VEFF SERRATIONS™	101	● RTD	104
● M21™ - 14G G10 LARGE WITH VEFF SERRATIONS™	69	● S.P.E.W.™ (SMALL. POCKET. EVERYDAY. WHARNCLIFFE.)	76
● M21™ - 14SFG SPECIAL FORCES TANTO WITH VEFF SERRATIONS™	100	● SEISMIC™	37
● M21™ - 14SF SPECIAL FORCES TANTO WITH TRIPLE POINT™ SERRATIONS	100	● SEISMIC™ BLACK WITH VEFF SERRATIONS™	37
● M21™-12SFG SPECIAL FORCES DROP POINT WITH VEFF SERRATIONS™	100	● SEPTIMO™	90
● M40™-02	63	● SHENANIGAN™ Z	42
● M40™-03	63	● SHIZUKA NOH KEN™	92
● M40™-15	63	● SHOTGUN TOOL	103
● M4™ - 02S	70	● SHRILL™	97
● M4™ - 02W	70	● SIWI™	91
● M4™ - 02	70	● SKETCH™	48
● MAH-CHETE™	81	● SLACKER™	39
● MINIMALIST® BLACK DROP POINT	75	● SNAP LOCK™	62
● MINIMALIST® BOWIE	76	● SNAP LOCK™ WITH TRIPLE POINT™ SERRATIONS	62
● MINIMALIST® BOWIE GEARS	75	● SPARK'N SHARP™ FIRE STARTER	82
● MINIMALIST® CLEAVER	75	● SQUID™	49
● MINIMALIST® TANTO	76	● SQUID™ BLACK STONEWASH	49
● MINIMALIST® WHARNCLIFFE	75	● STING™	96
● MONASHEE™	72	● SWINDLE™ FLAT HANDLE	42
		● TECHLINER™	102
		● TECHNICIAN™	85
		● TECPATL™	89
		● TERRESTRIAL™	60
		● THERO™	43
		● THUNDER STRIKE™	96

● TIGHE BREAKER™	95
● TIGHE TAC™ TWO CLIP POINT	45
● TIGHE TAC™ TWO TANTO	45
● TRAJECTORY™	105
● TUNA™	48
● TWIST & FIX™ KNIFE REPAIR TOOL	84
● TWIST & FIX™ SCREWDRIVER TOOL	84
● TWIST & FIX™ SOCKET TOOL	84
● TWIST & FIX™ TORX AND HEX TOOL	84
● UP & AT 'EM™	52
● UTSIDIHI™	95
● VIZZLE™	47
● WILLIAMS TACTICAL KEY	94
● WILLIAMS TACTICAL PEN	94
● WILLIAMS TACTICAL PEN II	94
● WILLIWAW™	47
● WINDAGE™	105
● WINDAGE™ WITH VEFF SERRATIONS™	105
● WOODS CHOGAN™ T-HAWK	77
● WOODS KANGEE™ T-HAWK	77
● WOODS NOBO™ T-HAWK	78
● XAN™	90
● XOLOTL™	89