

S E R I O U S . S O L I D . I M P A C T .



2021

H I G H P E R F O R M A N C E
AIRGUNS



THE HATSAN STORY

HOW IT STARTED

It all started in 1976, in the country of Turkey, with one young man hoping to replicate an air dart gun in his parents' garage. Since that time, Hatsan has become one of the world's most recognized brands in the shooting sports industry - delivering its products to over 100 countries. This family owned and operated Turkish manufacturer maintains a hands-on approach via vertical integration, producing its designs and components in-house to ensure that each product deserves to bear the Hatsan name.

TODAY

Today, HatsanUSA, Inc. has positioned Hatsan as one of the top airgun brands in the U.S. market. Located in Rogers, Arkansas, HatsanUSA, Inc. offers a complete line of high performance airguns, accessories, fill equipment, and ammunition while staffing an in-house customer service center.



Hatsan Factory - Izmir, Turkey

THE HATSAN DIFFERENCE

MORE POWER

Even though velocity rates may appear the same from brand to brand, in most instances that is not the case. Hatsan emphasizes the POWER aspect of its airguns. Therefore, our velocity ratings are established using lead pellets - not lightweight, inaccurate, alloy or plastic pellets like many of its competitors. This means that your Hatsan airgun will deliver over 30% more impact energy than an airgun rated at the same velocity with alloy pellets. When it comes to airguns and hunting, power is what counts the most, not just velocity! Lead-free velocity ratings are now included alongside our lead velocity numbers so that consumers can more accurately compare the power output of Hatsan airguns to that of competitors' products.

CUSTOM DESIGNS

While other manufacturers may work from widely used templates, all Hatsan designs are developed in-house. This means that there isn't anything else out on the market quite like a Hatsan airgun.

UNIQUE FEATURES

Many Hatsan airguns come standard with specialty features that other manufacturers consider upgrades. These features provide shooters with an overall better experience. Technologies like the Quattro Trigger, SAS - Shock Absorber System, XRS - Recoil Reduction System, QuietEnergy noise reduction system, and TruGlo premium fiber optics make Hatsan airguns more enjoyable to own and shoot.

VERTICAL INTEGRATION

Hatsan's manufacturing process is vertically integrated to ensure the highest quality production and quality control. Only the highest-grade raw materials, such as fine Turkish walnut and durable German steel, are used to create our products. Almost every part of every Hatsan pellet gun is produced in our facilities to guarantee a well-made, finished product.

S E R I O U S . S O L I D . I M P A C T .




FACTOR RC

Precision Competition



Scope Sold Separately



Elevation Adjustable Cheek Rest

Combo Optics Rail
For both 11mm and Picatinny mounts


QuietEnergy Shrouded Barrel
w/ Fitted Muzzle Cap for Additional Moderator

Telescopic Buttpad

Quattro Trigger
2-Stage Adjustable

Picatinny Accessory
Rail

Removable 580cc
Carbon Fiber Air Cylinder



Single-Shot Adapter Included



Adjustable
Transfer Port

Reversible Cocking Lever

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	REGULATOR
		Lead-Free Pellet	Lead Pellet										
Factor RC	.177cal	1100 FPS	1010 FPS	19.5 FPE	24	140	580cc	250 BAR	Telescopic Buttstock w/ Elevation Adjustable Cheek Rest, Removable Pistol Grip	40.3-42.9"	23"	7.9 lbs	Externally Adjustable
	.22cal	1000 FPS	950 FPS	29.5 FPE	21	130							
	.25cal	900 FPS	870 FPS	33.5 FPE	19	120							

*Velocity results achieved at 140 BAR regulated pressure and may vary due to power adjustments, pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

**Energy results achieved at 140 BAR regulated pressure and may vary due to power adjustments, pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

- Manual loading, repeating, side lever action, Pre-Charged Pneumatic air rifle
- Available in .177, .22, and .25 caliber
- 3-power adjustable transfer port
- Externally adjustable hammer preload
- QuietEnergy fully shrouded barrel with integrated sound moderator - approximately 50% quieter
- Precision rifled and choked steel barrel with 1/2" UNF threaded muzzle.
- Detachable, caliber-specific, multi-shot, spring rotary magazine
- 580cc detachable carbon fiber bottle
- Externally adjustable regulator
- Dual pressure gauges to monitor both fill pressure and regulated pressure
- Foster quick disconnect fill fitting
- Tactical telescopic stock with soft rubber butt pad
- Aluminum receiver with integrated Picatinny and 11mm Dovetail optics rail
- Picatinny accessory rail extension beneath forend
- Reversible cocking handle for ambidextrous operation
- Vertical and horizontal trigger shoe adjustment
- Quattro Trigger: 2-stage fully adjustable match trigger for trigger travel and load
- Patented anti-knock system to prevent gas wastage when the gun is knocked or bounced
- Manual safety switch

S E R I O U S . S O L I D . I M P A C T .



NEW PRODUCT COMING SOON

COMING SOON

NEW PRODUCT

S E R I O U S . S O L I D . I M P A C T .




BLITZ


Full Auto
Select Fire



BLITZ



Select Fire Switch
Choose between semi- & full-auto



Elevation Adjustable Cheek Rest

Combo Optics Rail
For both 11mm and 22mm Weaver mounts

580cc Carbon Fiber
Air Cylinder

Angle and Elevation
Adjustable Buttpad

Picatinny Accessory Rail

- Select fire, full/semi auto, Pre-Charged Pneumatic (PCP) air rifle
- Available in .22, .25, & .30 caliber
- Selectable firing mode switch
- Efficient, gas-operated system
- Precision rifled barrel
- Large capacity, caliber-specific spring-loaded rotary magazine
- Removable carry handle with adjustable sights
- Combo optics rail for 11mm and 22mm weaver mounts
- 580cc carbon fiber air cylinder in forend fills to 250 BAR
- Advanced polymer all-weather, ambidextrous stock with soft rubber pistol grip
- Texturing on grip surfaces for better control and feel
- Elevation adjustable cheek rest
- Elevation and fit angle adjustable rubber buttpad
- Built-in pressure gauge to monitor cylinder pressure
- Black anodized aluminum receiver
- Manual safety

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet										REAR	FRONT
Blitz	.22cal	1150 FPS	1050 FPS	36 FPE	21	130			Tactical synthetic stock w/ ergonomic pistol grip & adjustable cheek rest	45.2"	23"	8.8 lbs	Carry Handle W/E Adjustable	Carry Handle Elevation Adjustable
	.25cal	970 FPS	970 FPS	41 FPE	19	110	580cc	250 BAR						
	.30cal	N/A	730 FPS	53 FPE	16	100								


* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

S E R I O U S . S O L I D . I M P A C T .



HARPOON

Arrow Launcher



Hatsan is proud to introduce the most powerful Arrow Launcher on the market. Capable of firing arrows at 600 FPS and well beyond traditional distances. The 250 BAR (3625 PSI) fill pressure produces over a dozen high-velocity shots from a single fill. Onboard storage for two arrows includes conical tip protectors to keep exposed arrow tips from damage and protect the hunter during handling.



- Bullpup design, side-lever action, pre-charged pneumatic (PCP) arrow launcher
- Fires 20" 2219 size aluminum arrows up to 600 FPS
- Generates over 300 Ft-Lbs of energy output
- Long side cocking lever for easy cocking action
- 500cc aluminum bottle with 250 BAR (3625 PSI) fill pressure provides 12-15 high-powered shots
- Locking elevation adjustable cheek rest
- Elevation & fit angle adjustable soft rubberized butt pad
- Long combination optics rail accepts both 11mm and Picatinny scope mounts
- 2-arrow storage with integrated arrow tip protectors
- Built-in pressure gauge to monitor cylinder pressure
- Texturing on grip surfaces for better control and feel
- Black anodized aluminum receiver
- 2-stage adjustable Quattro Trigger
- Patented gas piston hammer spring design
- Manual Safety

HARPOON

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lightweight Arrow	Heavy Arrow										REAR	FRONT
Harpoon	20" Arrow	600 FPS 370gr Arrow	500 FPS 595gr Arrow	295-330 Ft-Lbs	x	12-15	500cc	250 BAR	Advanced Polymer Bullpup Configuration w/ Adjustable Cheek & Butt	36"	20"	9.5 lbs	0.35" Green	0.60" Red


* Velocity results may vary due to arrow dimensions, weight, shape, material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to arrow dimensions, weight, shape, material, temperature, elevation, as well as other factors.

S E R I O U S . S O L I D . I M P A C T .



PILEDRIVER

800+ FPE!



Hatsan is proud to introduce the latest technology in big bore PCP air rifles, designed exclusively for high-powered hunting. Available in .45 and .50 caliber, the PileDriver boasts over 700 & 800 ft-lbs of energy output respectively - making it the most powerful production PCP airgun on the market!



- Genuine bullpup design, manual loading high powered PCP air rifle
- Available in .45 and .50 caliber
- Long cocking lever for easy cocking action
- Precision rifled barrel for long-range accuracy
- 480cc Carbon fiber air bottle with 300 BAR (4350 PSI) fill pressure provides up to 6 high-powered shots
- Ergonomic synthetic thumbhole bullpup stock
- Locking elevation adjustable cheek rest
- Elevation and fit angle adjustable soft cushioned butt pad
- All black anodized and blued finishes
- Combo 11mm and Picatinny optics rail
- 3 Picatinny accessory rails mounted on air bottle
- Includes quick fill nozzle

PILEDRIVER

MODEL	CALIBER	MAXIMUM MUZZLE ENERGY*	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT
PileDriver	.45cal	700+ FPE	4-6	480cc Carbon Fiber Bottle	300 BAR (4350 PSI)	Advanced Polymer Bullpup w/ Adjustable Cheek & Butt	46.5"	33"	10 lbs
	.50cal	800+ FPE	3-5						

* Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

S E R I O U S . S O L I D . I M P A C T .



HYDRA QE / ARROW

Multi-Caliber

HYDRA QE



VERSI-CAL TECHNOLOGY

Change Calibers with a Single Screw

QE
.25 Caliber

QE
.22 Caliber

QE
.177 Caliber



Hydra's patented Versi-Cal Technology (VCT) system couples a caliber-specific receiver and barrel into a single interchangeable module. It allows for quick and simple multi-caliber interchangeability. Unscrew the convenient upper receiver bolt to switch between .177, .22, or .25 caliber variants. This allows a scope to remain mounted and zeroed with each caliber barrel/receiver module, eliminating the need to re-zero each time the barrel is interchanged. (Additional caliber-specific barrel/receiver modules are available separately.)

Versi-Cal Technology
Interchangeable Upper Receiver

Combo Optics Rail
Weaver & 11mm Dovetail



Adjustable Buttpad

Quattro Trigger
Fully Adjustable 2-stage

Arrows Sold Separately

165cc Air Cylinder

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet										REAR	FRONT
Hydra QE	.177cal	1250 FPS	1150 FPS	29 FPE	14	28-35	165cc	200 BAR	Ergonomic Turkish walnut w/ textured grip surfaces and Monte Carlo Cheekpiece	42.7"	17.7"	6.8 lbs	0.35" Green	0.60" Red
	.22cal	1120 FPS	1000 FPS	38 FPE	12	24-30								
	.25cal	900 FPS	900 FPS	40 FPE	10	20-25								
Hydra Arrow	20" Arrow	170 FPS	220 FPS	40 FPE	X	12-24	165cc	200 BAR	Ergonomic Turkish walnut w/ textured grip surfaces and Monte Carlo Cheekpiece	42.7"	19"	7 lbs	0.35" Green	0.60" Red
		(Low Power)	(High Power***)											

* Velocity results may vary due to pellet weight, pellet shape, pellet materia, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 *** High power setting achieved by increasing hammer spring preload adjustment.

- Versi-Cal Technology (VCT) interchangeable caliber system
- NEW arrow module now available - fires 20" 2219 size arrows
- Manual loading, repeating, Bolt-action Pre-Charged Pneumatic air rifle
- Available in .177 / .22 / .25 caliber and Arrow
- QuietEnergy fully shrouded barrel with integrated sound moderator - approximately 50% quieter
- Arrow module features full-length protective shroud with storage clips and tip protectors for 2 extra arrows
- Precision rifled and choked steel barrel
- Detachable, caliber-specific, multi-shot, spring rotary magazine
- Corrosion resistant black anodized aluminum receivers
- Combination 22mm and 11mm dovetail rail accepts a wide range of optics mounts
- Arrow module features full-length combo rail and includes removable flip-up fiber optic sights
- Textured grip surfaces for better control and feel
- Rubber butt pad
- Fixed 165cc air cylinder
- Built-in pressure gauge in the forearm to monitor cylinder pressure
- Patented anti-knock system prevents gas wastage when the gun is knocked or bounced
- Quattro Trigger: 2-stage fully adjustable match trigger for trigger travel and load
- Manual safety

SERIOUS. SOLID. IMPACT.



FLASHPUP SYN

Light-Weight Bullpup



Angle and Elevation Adjustable Buttpad



FLASHPUP SYN

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet										REAR	FRONT
FlashPup SYN QE	.177cal	1250 FPS	1150 FPS	29 FPE	14	28-35	165cc	200 BAR	Bullpup Design Lightweight Polymer, Adjustable Cheek Rest	32"	17.7"	6.2 lbs	N/A	N/A
	.22cal	1120 FPS	1000 FPS	38 FPE	12	24-30								
	.25cal	900 FPS	900 FPS	40 FPE	10	20-25								


* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

- Bullpup design, manual loading, Pre-Charged Pneumatic (PCP) air rifle
- Available in .177, .22, & .25 caliber
- QuietEnergy fully shrouded barrel and integrated sound moderator - approximately 50% quieter
- Precision rifled and choked barrel
- Detachable, caliber specific, multi-shot, spring-loaded magazine
- Includes 2 magazines, single-shot tray, and a quick-fill nozzle
- Black anodized aluminum receiver
- Combination 22mm and 11mm dovetail rail accepts a wide range of optics mounts
- Ambidextrous, all-weather synthetic stock with pistol grip
- Quattro trigger: 2-stage fully adjustable match trigger for travel and load
- Picatinny rail beneath forearm
- Textured grip and forend for better control & feel
- Elevation and angle adjustable soft rubber buttpad
- Fixed 165cc air cylinder
- Built-in pressure gauge to monitor cylinder pressure
- Patented anti-knock system to prevent gas wastage when rifle is knocked or bounced
- Manual safety

SERIOUS. SOLID. IMPACT.



FLASH SERIES



Flash Wood QE



Flash QE



FlashPup QE

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet										REAR	FRONT
Flash QE	.177cal	1250 FPS	1150 FPS	29 FPE	14	28-35	165cc	200 BAR	Advanced Polymer, Monte Carlo Cheek piece	42.5"	17.7"	5.9 lbs	N/A	N/A
	.22cal	1120 FPS	1000 FPS	38 FPE	12	24-30								
	.25cal	900 FPS	900 FPS	40 FPE	10	20-25								
Flash W QE	.177cal	1250 FPS	1150 FPS	29 FPE	14	28-35	165cc	200 BAR	Turkish Walnut, Monte Carlo Cheek piece	42.5"	17.7"	6.6 lbs	N/A	N/A
	.22cal	1120 FPS	1000 FPS	38 FPE	12	24-30								
	.25cal	900 FPS	900 FPS	40 FPE	10	20-25								
FlashPup QE	.177cal	1250 FPS	1150 FPS	29 FPE	14	28-35	165cc	200 BAR	Bullpup Design Lightweight Hardwood, Adjustable Cheek Rest	32"	17.7"	6.1 lbs	N/A	N/A
	.22cal	1120 FPS	1000 FPS	38 FPE	12	24-30								
	.25cal	900 FPS	900 FPS	40 FPE	10	20-25								

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

- Manual loading, side bolt action, pre-charged pneumatic (PCP) air rifle
- Available in .177, .22, and .25 caliber
- QuietEnergy fully shrouded barrel and Integrated Sound Moderator - Approximately 50% Quieter
- Precision rifled and choked barrel for accuracy
- Detachable, caliber specific, multi-shot, spring-loaded magazine
- Includes 2 magazines, single-shot tray, and a quick-fill nozzle
- Black anodized aluminum receiver
- Combination 22mm and 11mm dovetail rail accepts a wide range of optics mounts
- Ambidextrous, all-weather synthetic or lightweight hardwood stock with pistol grip
- Picatinny rail beneath the forearm
- Checkering on grip & forend for better control & feel
- Rubber butt pad
- Fixed 165cc volume air cylinder
- Built-in pressure gauge in the forearm to monitor the cylinder pressure
- Patented anti-knock system to prevent gas wastage when rifle is knocked or bounced
- Manual safety
- Quattro Trigger: 2-stage fully adjustable match trigger for trigger travel and trigger load

S E R I O U S . S O L I D . I M P A C T .



VECTIS



Scope Sold Separately



Combo Optics Rail
Fits both 11mm and 22mm Weaver mounts

Flip-Up Sights
w/ TruGlo Fibers

Manual Safety

Lever Action
Cocking Mechanism

Picatinny
Accessory Rail

QuietEnergy Barrel Technology
Integrated sound moderator for reduced
downrange noise

• Lever action cocking mechanism

• Built-in pressure gauge

• Flip up TruGlo sights

• QuietEnergy sound moderator



- Multi-shot, lever action, repeating PCP air rifle
- Available in .177, .22, and .25 caliber
- Easy to cycle cocking lever built into the trigger guard
- Precision rifled and choked barrel
- Advanced polymer barrel shroud with integrated QuietEnergy sound moderator
- Detachable, caliber specific, multi-shot, spring-loaded rotary magazines
- Includes 2 magazines and single shot tray for precision shooting
- Ambidextrous, all weather, advanced polymer synthetic thumbhole stock
- Picatinny accessory rail on bottom of forend
- Fixed 165cc aluminum air cylinder
- Patented anti-knock system prevents gas wastage when rifle is knocked or bounced
- Removable flip-up open sights with TruGlo fiber optics
- Extra long combo optics rail extends atop much of the barrel for a multitude of sight/optics mounting options

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet										REAR	FRONT
Vectis	.177cal	1250 FPS	1150 FPS	29 FPE	14	28-35	165cc	200 BAR	Advanced Polymer, Monte Carlo Cheekpiece	41.3"	17.7"	7.1 lbs	Removable Flip-Up w/ 0.35" Green	Removable Flip-Up w/ 0.60" Red
	.22cal	1120 FPS	1000 FPS	38 FPE	12	24-30								
	.25cal	900 FPS	900 FPS	40 FPE	10	20-25								

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.


S E R I O U S . S O L I D . I M P A C T .



NEUTRONSTAR

PCP
PRE CHARGED PNEUMATIC

QUATTRO
TRIGGER



- Pre-Charged Pneumatic (PCP), enhanced side lever action, multi-shot air rifle
- Available in .177, .22, and .25 caliber
- Precision choked and rifled barrel
- 480cc carbon fiber air cylinder provides up to 110 shots per fill
- Ergonomic, thumbhole Turkish walnut stock with elevation adjustable comb and adjustable rubber butt pad
- Caliber specific, detachable Roto-Mag magazine
- Combination 22mm and 11mm dovetail rail accepts a wide range of optics mounts
- Barrel shroud protects and stabilizes barrel for maximum durability and accuracy
- Spare magazine storage in stock
- Patented Anti-Knock System to prevent gas wastage when rifle is knocked or bounced
- Quattro Trigger: 2-stage fully adjustable match trigger for trigger travel load

NEUTRONSTAR


MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet										REAR	FRONT
NeutronStar	.177cal	1400 FPS	1300 FPS	37 FPE	14	110	480cc Carbon fiber	250 BAR	Turkish Walnut, Thumbhole w/ Adjustable Cheek Rest, Magazine Storage, Accessory Rail	43.5"	23"	8.4 lbs	N/A	N/A
	.22cal	1250 FPS	1125 FPS	47 FPE	12	100								
	.25cal	1050 FPS	1050 FPS	54 FPE	10	90								

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

S E R I O U S . S O L I D . I M P A C T .



HERCULES BULLY



MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet										REAR	FRONT
Hercules Bully	.177cal	1550 FPS	1450 FPS	50 FPE	17	45	480cc Carbon Fiber Bottle	250 BAR	Advanced Polymer, Tactical Design with Integrated Pistol Grip	36.2"	23"	10.3 lbs	.035" Green, Removable	.060" Red, Removable
	.22cal	1400 FPS	1300 FPS	60 FPE	14	40								
	.25cal	1200 FPS	1200 FPS	75 FPE	13	36								
	.30cal	N/A	1070 FPS	115 FPE	10	15								
	.35cal	N/A	910 FPS	150 FPE	9	13								
.45cal	N/A	850 FPS	290 FPE	7	8									

* Velocity results may vary due to pellet weight, pellet shape, pellet materia, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

BULLY

SERIOUS. SOLID. IMPACT.

- Manual loading side-lever action, Pre-Charged Pneumatic (PCP) air rifle
- Available in .177, .22, .25, .30, .35, & .45 caliber
- QuietEnergy fully shrouded barrel and Integrated Sound Moderator - Approximately 50% Quieter
- Precision rifled steel barrel for accuracy
- 250 BAR fill, 480cc carbon fiber air reservoir
- Detachable, caliber specific, multi-shot magazine
- Advanced polymer stock with ergonomic pistol grip
- Textured grip surfaces for enhanced control and feel
- Combo optics rail accepts both 22mm and 11mm dovetail scope mounts
- Picatinny rail beneath forearm
- Built-in pressure gauge to monitor cylinder pressure
- Black anodized aluminum receiver
- Manual safety
- Anti-double pellet feed mechanism prevents more than one pellet loading into a barrel
- 2-stage adjustable trigger for travel and load
- Fitted sling swivels
- Includes flip-up open sights with TruGlo fiber optics



BT65 SERIES



CARNIVORE QE



BT65 QE

BT65 SERIES

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet										REAR	FRONT
BT65	.30cal	N/A	920 FPS	85 FPE	7	19			Advanced Polymer, Adjustable Monte Carlo Cheekpiece, and Adjustable Butt Pad	48.8"	23"	9.7 lbs	N/A	N/A
Carnivore QE	.35cal	N/A	760 FPS	105 FPE	6	12	255cc	200 BAR						
BT65SB QE	.177cal	1425 FPS	1300 FPS	39 FPE	10	30-40	255cc	200 BAR	Advanced Polymer, Adjustable Monte Carlo Cheekpiece, and Adjustable Butt Pad	48.8"	23"	9.7 lbs	N/A	N/A
	.22cal	1325 FPS	1200 FPS	55 FPE	10	30-40								
	.25cal	1125 FPS	1125 FPS	65 FPE	9	18-27								

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

- Pre-Charged Pneumatic (PCP), repeating, multi-shot air rifle
- QuietEnergy fully shrouded barrel and Integrated Sound Moderator - 50% Quieter
- Precision rifled barrel for accuracy
- Available in .177, .22, .25, .30, and .35 caliber
- Ambidextrous & ergonomic design synthetic stock with thumbhole (Elite model)
- Picatinny accessory rail beneath forestock
- Elite model also features picatinny accessory rails on both sides of forestock
- Soft rubber inlays on forearm for better control and feel
- Elevation adjustable comb
- Adjustable rubber butt pad for length of pull as well as elevation and fit angle
- Detachable caliber-specific magazine in .177 and .22 calibers and 9-shot rotary magazine in .25 caliber
- Comes with 2 magazines
- Detachable aluminum air cylinder tube (255cc).
- Equipped with Easy Read pressure gauge
- Includes quick-fill nozzle & air cylinder discharging cap
- Combination 22mm and 11mm dovetail rail accepts a wide range of optics mounts
- Overall blued finish, black anodized receiver
- Manual and Automatic Safety
- "Anti-double pellet feed" mechanism preventing more than one pellet loading into barrel
- Patented Anti-Knock System to prevent gas wastage when rifle is knocked or bounced
- Quattro Trigger: 2-stage fully adjustable match trigger for trigger travel and trigger load
- Gold plated metal trigger & metal trigger guard
- Fitted sling swivels

S E R I O U S . S O L I D . I M P A C T .



AT44 QES



AT44 LONG QES



AT44 QES



AT44PA10L-QES



AT44PA10-QES

AT44 QES

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet										REAR	FRONT
AT44S-10 QES	.177cal	1250 FPS	1150 FPS	29 FPE	10	30-40	180cc	200 BAR	Advanced Polymer, Monte Carlo Cheekpiece, and Adjustable Butt Pad	45.5"	19.4"	8.3 lbs	0.35" Green	0.60" Red
	.22cal	1120 FPS	1000 FPS	38 FPE	10	30-40								
	.25cal	900 FPS	900 FPS	40 FPE	9	18-27								
AT44S-10 Long QES	.177cal	1350 FPS	1250 FPS	35 FPE	10	35-45	230cc	200 BAR	Advanced Polymer, Monte Carlo Cheekpiece, and Adjustable Butt Pad	48.9"	23"	8.6 lbs	0.35" Green	0.60" Red
	.22cal	1220 FPS	1100 FPS	46 FPE	10	35-45								
	.25cal	1000 FPS	1000 FPS	49 FPE	9	25-35								
AT44PA-10 QES	.177cal	1250 FPS	1150 FPS	29 FPE	10	30-40	180cc	200 BAR	Advanced Polymer, Monte Carlo Cheekpiece, and Adjustable Butt Pad	45.5"	19.4"	8.6 lbs	0.35" Green	0.60" Red
	.22cal	1120 FPS	1000 FPS	38 FPE	10	30-40								
	.25cal	900 FPS	900 FPS	40 FPE	9	18-27								
AT44PA-10 Long QES	.177cal	1350 FPS	1250 FPS	35 FPE	10	35-45	230cc	200 BAR	Advanced Polymer, Monte Carlo Cheekpiece, and Adjustable Butt Pad	48.9"	23"	9.9 lbs	0.35" Green	0.60" Red
	.22cal	1220 FPS	1100 FPS	46 FPE	10	35-45								
	.25cal	1000 FPS	1000 FPS	49 FPE	9	25-35								

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

- Pre-Charged Pneumatic (PCP), multi-shot air rifle
- Side lever or pump action cocking models available
- TruGlo equipped fiber optic open sights
- QuietEnergy fully shrouded barrel with integrated sound moderator - approximately 50% quieter
- Precision rifled and choked steel barrel
- Ambidextrous and ergonomic synthetic stock
- Detachable refillable air cylinder fills to 200 BAR (2900 PSI)
- Combination 22mm and 11mm dovetail rail accepts a wide range of optics mounts
- Black anodized alloy upper receiver
- Patented anti-knock system prevents gas wastage when the gun is knocked or bounced
- Quattro Trigger: 2-stage fully adjustable match trigger for trigger travel and load
- Micro adjustable rear sight for windage and elevation
- Manual safety

S E R I O U S . S O L I D . I M P A C T .



AIRMAX



Scope Sold Separately



EasyAdjust Cheek Rest Push-Button Adjustment

Combo Optics Rail For both 11mm and 22mm mounts

QuietEnergy Barrel Technology Integrated sound moderator for reduced downrange noise

400cc Bottle

Quattro Trigger 2-stage Fully Adjustable

Picatinny Accessory Rail



Push Button Cheek Rest Adjustment

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet										REAR	FRONT
AirMax	.177cal	1350 FPS	1250 FPS	35 FPE	10	120	490cc	200 BAR	Sturdy Ambi Hardwood Bullpup with Adjustable Cheekpiece	37"	23"	10.8 lbs	N/A	N/A
	.22cal	1220 FPS	1100 FPS	46 FPE	10	95								
	.25cal	1000 FPS	1000 FPS	49 FPE	9	85								


* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

- Genuine bullpup design, multi-shot, side-lever action, Pre-Charged Pneumatic (PCP) air rifle
- Available in .177, .22, and .25 caliber
- 200 BAR fill pressure 400cc bottle + 90cc air tube
- QuietEnergy fully shrouded barrel and Integrated Sound Moderator - Approximately 50% Quieter
- Precision rifled and choked barrel for accuracy
- Ambidextrous bullpup wooden stock
- Picatinny rail beneath forearm
- "EasyAdjust" Elevation Comb - Stock equipped with integrated elevation adjustment button
- Ventilated rubber butt pad
- Detachable 10-shot rotary magazine in .177 and .22 calibers and 9-shot rotary magazine in .25 caliber
- Includes 2 magazines
- Built-in pressure gauge to monitor fill pressure
- Includes quick-fill nozzle supplied in the box
- Combination Picatinny and 11mm dovetail rail accepts a wide range of optics mounts
- Overall blued finish, black anodized receiver
- Manual and Automatic safety
- "Anti-double pellet feed" mechanism preventing more than one pellet loading into barrel
- Patented anti-knock system to prevent gas wastage when rifle is knocked or bounced
- Quattro Trigger: 2-stage fully adjustable match trigger for trigger travel and trigger load
- Fitted sling swivels

S E R I O U S . S O L I D . I M P A C T .



BULLBOSS



BullBoss Wood Stock



BullBoss Synthetic Stock

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet										REAR	FRONT
BullBoss	.177cal	1350 FPS	1250 FPS	35 FPE	10	40	230cc	200 BAR	Advanced Polymer Bullpup with Adjustable Cheekpiece	36.8"	23"	9.5 lbs	N/A	N/A
	.22cal	1220 FPS	1100 FPS	46 FPE	10	35								
	.25cal	1000 FPS	1000 FPS	49 FPE	9	30								
BullBoss Wood	.177cal	1350 FPS	1250 FPS	35 FPE	10	40	230cc	200 BAR	Sturdy Hardwood Bullpup with Adjustable Cheekpiece	36.8"	23"	9.5 lbs	N/A	N/A
	.22cal	1220 FPS	1100 FPS	46 FPE	10	35								
	.25cal	1000 FPS	1000 FPS	49 FPE	9	30								

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

- Bullpup design, multi-shot, side lever action, pre-charged pneumatic (PCP) air rifle
- Available in .177, .22, and .25 caliber
- QuietEnergy fully shrouded barrel and Integrated Sound Moderator - Approximately 50% Quieter
- Precision rifled and choked barrel for accuracy
- Pistol grip ambidextrous bullpup stock with forearm with picatinny accessory rail
- "EasyAdjust" Elevation Comb - Stock equipped with integrated elevation adjustment
- Detachable 10-shot rotary magazine in .177 and .22 calibers and 9-shot rotary magazine in .25 caliber
- Comes with 2 magazines
- Detachable air cylinder tube (230cc). Spare cylinders are available
- Built-in pressure gauge on the air cylinder to monitor the cylinder pressure
- Includes quick-fill nozzle & air cylinder discharging cap (supplied in the box)
- Combination 22mm and 11mm dovetail rail accepts a wide range of optics mounts
- Overall blued finish, black anodized receiver
- Manual & Automatic Safety
- "Anti-double pellet feed" mechanism preventing more than one pellet loading into barrel
- Patented anti-knock system to prevent gas wastage when rifle is knocked or bounced
- Quattro Trigger: 2-stage fully adjustable match trigger for trigger travel and trigger load
- Fitted sling swivels

S E R I O U S . S O L I D . I M P A C T .



GALATIAN QE



Fully Shrouded Barrel

Integrated Sound Moderator
QuietEnergy sound moderator in muzzle brake
for reduced down-range noise

Galatian I QE Carbine



Galatian III QE Carbine

Carrying case included



- Elevation adjustable comb... easily adjusted with a coin
- Spare magazine carrying slot in the stock



- Side lever action
- Heavy-duty secure 11mm / 22mm Weaver style scope mount
- Quattro trigger system

GALATIAN QE

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet										REAR	FRONT
Galatian Wood Carbine QE	.177cal	1300 FPS	1150 FPS	28 FPE	16	32-48	255cc	200 BAR	Turkish Walnut w/ Adjustable Cheekpiece and Butt Pad	43.3"	17.7"	9.1 lbs	N/A	N/A
	.22cal	1200 FPS	1100 FPS	45 FPE	14	26-39								
	.25cal	970 FPS	970 FPS	47 FPE	13	22-28								
Galatian Carbine QE	.177cal	1300 FPS	1150 FPS	28 FPE	16	32-48	255cc	200 BAR	Advanced Polymer w/ Soft Rubberized Coating, Adjustable Cheekpiece and Butt Pad	43.3"	17.7"	8.6 lbs	N/A	N/A
	.22cal	1200 FPS	1100 FPS	45 FPE	14	26-39								
	.25cal	970 FPS	970 FPS	47 FPE	13	22-28								

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

- Pre Charged Pneumatic (PCP), side-lever action, multi-shot air rifle
- QuietEnergy fully shrouded barrel and Integrated Sound Moderator - 50% Quieter
- Precision rifled and choked barrel for accuracy
- Available in .177, .22, and .25 caliber
- Detachable caliber-specific magazine in .177 caliber, 14-shot magazine in .22 and 13-shot magazine in .25 caliber
- Includes 2 magazines
- Ambidextrous & ergonomic design synthetic stock
- Checkering on grip & forend for better control & feel
- Elevation adjustable comb which can be easily adjusted by a coin
- Adjustable rubber butt pad for length of pull as well as elevation and fit angle
- Spare magazine carrying slot in the stock for 1 spare magazine
- 3 picatinny rails beneath and on the sides of the forearm on synthetic models
- Detachable aluminum air cylinder tube (255cc)
- Includes quick-fill nozzle & air cylinder discharging cap
- Heavy-duty secure 11mm / 22mm Weaver style scope mount
- Cocking indicator
- Aircraft aluminum alloy receiver
- Overall blued finish on air tube and barrel
- Manual & Auto Safety
- "Anti-double pellet feed" mechanism preventing more than one pellet loading into barrel
- Patented Anti-Knock System to prevent gas wastage when rifle is knocked or bounced
- Quattro Trigger: 2-stage fully adjustable match trigger for trigger travel and trigger load
- Hard shell case and sling included
- Fitted sling swivels
- Spare air cylinders are available

SERIOUS. SOLID. IMPACT.



PCP
PRE CHARGED PNEUMATIC

GALATIAN TACT AUTO



- Safety Manual safety
- Combo Optics Rails Fits both 11mm and 22mm Weaver mounts
- Fully Shrouded Rifle Barrel Precision rifled and choked barrel for accuracy
- Picatinny Accessory Rails Additional accessory rails on forearm
- 255cc Air Cylinder With built-in gauge on the air cylinder
- Tactical Telescopic Stock w/ pistol grip and elevation adjustable comb Stock can be shortened/extended 4"

GALATIAN TACT

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet										REAR	FRONT
Galatian Tact Semi-Auto	.177cal	1200 FPS	1100 FPS	23 FPE	14	50			Advanced Polymer w/ Soft Rubberized Grip, Adjustable Cheekpiece and Telescoping Butt Pad	Shortened 38.1" Extended 42.3"	19.7"	9.1 lbs	.035" Green, Removable	.060" Red, Removable
	.22cal	1100 FPS	1000 FPS	34 FPE	12	50	255cc	200 BAR						
	.25cal	900 FPS	900 FPS	38 FPE	10	50								


* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

- Semi-auto action, pre-charged pneumatic (PCP) air rifle
- Available in .177, .22, and .25 caliber
- Fully shrouded, precision rifled and choked barrel for accuracy
- Detachable caliber specific, multi-shot, spring-loaded magazine
- Includes 3 magazines
- Detachable 255cc aluminum air cylinder tube
- Built-in gauge on the air cylinder to monitor the cylinder pressure
- Tactical telescopic stock with pistol grip and elevation adjustable comb
- Stock can be shortened / extended by 4"
- Checkering on forend for better control and feel
- 3 Picatinny accessory rails - beneath and on the sides of the forearm
- Combination 22mm and 11mm dovetail rail accepts a wide range of optics mounts
- Black anodized aircraft aluminum alloy receiver
- Overall blued finish on air tube and barrel
- Manual Safety
- Patented anti-knock system to prevent gas wastage when rifle is knocked or bounced
- Detachable & adjustable rear sight with TruGlo fiber optics
- Detachable front sight with TruGlo fiber optics
- Black metal trigger & synthetic trigger guard
- Fitted sling swivels

SERIOUS. SOLID. IMPACT.



INVADER



- Semi automatic Pre-Charged Pneumatid (PCP) air rifle
- Available in .22 & .25 caliber
- Efficient, gas-operated system
- Precision rifled barrel
- Removable, caliber-specific, spring-loaded rotary magazine
- Removable carry handle with adjustable sights
- Combo optics rail for 11mm and Picatinny/ Weaver mounts
- Removable 255cc air cylinder fills to 200 BAR
- Advanced polymer all-weather, ambidextrous stock
- Textured grip surfaces for better control and feel
- Elevation adjustable cheek rest
- Manual safety switch

INVADER

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT
		Lead-Free Pellet	Lead Pellet									
Invader Auto	.177cal	1200 FPS	1100 FPS	23 FPE	14	50	255cc	200 BAR	Advanced Polymer w/ Picatinny Accessory & Optics Rails	40.5"	19.7"	8.2 lbs
	.22cal	1100 FPS	1000 FPS	34 FPE	12	50						
	.25cal	900 FPS	900 FPS	38 FPE	10	50						

*Velocity results achieved at 140 BAR regulated pressure and may vary due to power adjustments, pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results achieved at 140 BAR regulated pressure and may vary due to power adjustments, pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

S E R I O U S . S O L I D . I M P A C T .



BARRAGE/BULLMASTER

PCP
PRE-CHARGED PNEUMATIC




BARRAGE/BULLMASTER

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY***	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE****	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet										REAR	FRONT
BullMaster	.177cal	1200 FPS	1100 FPS	23 FPE	14	100	500cc	250 BAR	Bullpup Advanced Polymer, Pistol Grip, Elevation Adjustable Comb	30.9"	19.7"	10.3 lbs	N/A	N/A
	.22cal	1100 FPS	1000 FPS	34 FPE	12	120								
	.25cal	900 FPS	900 FPS	38 FPE	10	120								
Barrage	.177cal	1200 FPS	1100 FPS	23 FPE	14	100	500cc	250 BAR	Advanced Polymer, Pistol Grip Stock, Elevation Adjustable Comb, Adjustable Butt Pad	40.9"	19.7"	10.1 lbs	.035" Green Removable	.060" Red Removable
	.22cal	1100 FPS	1000 FPS	34 FPE	12	120								
	.25cal	900 FPS	900 FPS	38 FPE	10	120								

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 *** The number of shots at optimal velocity is equal to the number of semi-auto action shots
 **** The semi-auto will not function below 100 BAR in the Barrage and BullMaster



Barrage



BullMaster

- Semi-auto action, pre-charged pneumatic (PCP) air rifle
- Available in .177, .22, and .25 caliber
- Detachable, caliber specific, multi-shot, spring-loaded magazine
- Fully shrouded, precision rifled and choked barrel for accuracy
- 500cc volume air bottle mounted in the forearm
- Includes 3 magazines
- Includes quick-fill nozzle
- Tactical style ambidextrous stock with thumbhole
- 2 spare magazine carrying slots in the stock
- Accessory picatinny rail beneath the forearm
- Elevation adjustable comb
- Adjustable rubber butt pad for length of pull as well as elevation and fit angle
- Built-in pressure gauge to monitor the cylinder pressure
- Combination 22mm and 11mm dovetail rail accepts a wide range of optics mounts
- Overall blued finish, black anodized receiver
- Patented anti-knock system to prevent discharge of the rifle when rifle is knocked or bounced
- Manual safety
- Black metal trigger
- Fitted sling swivels
- Hard case is included

S E R I O U S . S O L I D . I M P A C T .



SORTIE TACT

PCP
PRE CHARGED PNEUMATIC



- Semi-auto action, pre-charged pneumatic (PCP) air pistol
- Available in .177, .22, and .25 caliber
- Detachable, caliber specific, multi-shot, spring-loaded magazine
- Fully shrouded, precision rifled and choked barrel for accuracy
- Fixed 62cc volume air cylinder mounted in the forearm
- Includes 3 magazines
- Includes quick-fill nozzle
- Ergonomic design synthetic grip with checkering on grip surfaces
- Includes removable, light weight, folding buttstock
- Built-in pressure gauge to monitor cylinder pressure
- Combination 22mm and 11mm dovetail rail accepts a wide range of optics mounts
- Overall blued finish, black anodized receiver
- Patented anti-knock system to prevent discharge of the rifle when rifle is knocked or bounced
- Detachable & adjustable rear sight with TruGlo fiber optics
- Detachable hooded front sight with TruGlo fiber optics
- Hard case is included

SORTIE TACT

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	MAGAZINE CAPACITY	SHOTS AT OPTIMAL VELOCITY	AIR STORAGE VOLUME	MAXIMUM FILL PRESSURE	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet										REAR	FRONT
Sortie Tact	.177cal	900 FPS	850 FPS	16 FPE	14	28	62cc	200 BAR	Ergonomic Design, Synthetic Grip w/ Checkering, Collapsible and Removable Buttstock	Folded 18.1" Extended 25"	7.9"	4.7 lbs	.035" Green, Removable	.060" Red, Removable
	.22cal	750 FPS	700 FPS	18 FPE	12	36								
	.25cal	625 FPS	625 FPS	20 FPE	10	30								

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

S E R I O U S . S O L I D . I M P A C T .



TACTAIR FILL SYSTEMS



VOLT Portable Dual-Power Compressor

- 15% faster than other compact compressors
- Electronically controlled auto-shutoff
- Direct fill your airgun in just a few minutes
- Runs on 12VDC or 115VAC
- Microbore hose w/ inline filter



Spark Portable PCP Compressor

- Direct fill your airgun in just a few minutes
- Compact, lightweight, portable, simple
- Microbore hose w/ inline moisture filter
- Runs on 12V DC power
- Power supply available separately for home/shop use



1.6L PCP Carbon Fiber Fill Tank

- 98in³ volume
- Lightweight carbon fiber composite
- Easy fill valve included
- Separate gauges for tank and fill pressures
- Quick disconnect hose end
- Gauges for tank and output pressures



74cu PCP Carbon Fiber Fill Tank

- 74 ft³ of compressed air at 4500 PSI
- Lightweight carbon fiber composite
- Includes valve and fill kit
- Quick disconnect hose end
- Precision output pressure gauge



4-Stage Hand Pump

- 4 stages for reduced pumping effort
- Microbore hose w/ inline filter
- Folding base with soft rubber pads



3-Stage Hand Pump

- 3 stages for easy filling
- Microbore hose w/ inline filter
- Folding base with soft rubber pads



Fill Whip Extension

Inline Moisture Filter

Hatsan Fill Probe Adapter



Male-Male Foster Adapter



Fill Kit

- DIN connection
- 40mm liquid-filled precision gauge
- Easy open bleed valve



Fill Adapter

- DIN connection
- Micro quick-reference pressure gauge



MOD25 QE SERIES



MOD25 SUPERCHARGER QE

MOD25

XRS - Recoil Reduction System

The Mod 25 Supercharger QE is equipped with Hatsan's "XRS Recoil Reduction System" for a noticeably smoother shot. Recoil is absorbed during the shot by a spring-loaded sliding mechanism integrated into the grip stock. This makes for a more accurate and comfortable shooting experience.



QuietEnergy Barrel
Reduced down range noise
Easier to grip when cocking

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet						REAR	FRONT
Mod25 Supercharger QE	.177cal	800 FPS	675 FPS	8 FPE	Advanced Polymer Grip with XRS Recoil Reduction System	20"	9"	3.9 lbs	.035" Green	.060" Red
	.22cal	625 FPS	500 FPS	8 FPE						
Mod25 SuperTact QE	.177cal	800 FPS	675 FPS	8 FPE	Advanced Polymer Tactical Telescopic Stock	Collapsed 26" Extended 29.9"	9"	5.7 lbs	.035" Green	.060" Red
	.22cal	625 FPS	500 FPS	8 FPE						

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.



MOD25 SUPERTACT QE



Detachable Stock
SuperTact QE Telescopic Stock can be removed, allowing for use with pistol grip only

- Single shot break barrel action
- Available in .177 & .22 caliber
- QuietEnergy fully shrouded barrel and integrated sound moderator - Approximately 50% quieter
- Precision rifled steel barrel
- SuperCharger pistol equipped with XRS Recoil Reduction System
- SuperTact model equipped with detachable telescopic butt stock
- Quattro Trigger: 2-stage fully adjustable match trigger for travel and load
- Grooved cylinder for 11mm dovetail scope mounts
- Micro adjustable rear sight for both windage and elevation with TruGlo fiber optics
- Windage adjustable front sight with TruGlo fiber optic
- Manual and automatic safety
- Anti-bear trap safety

S E R I O U S . S O L I D . I M P A C T .



ALPHA

Youth



- Lightweight, easy cocking break barrel air rifle
- Designed for smaller, younger shooters
- Single shot break barrel action
- Available in .177 caliber
- Ambidextrous, durable synthetic stock
- Synthetic QuietEnergy shrouded barrel provides noise reduction and easier cocking effort
- Checkering on grip and forend for better control and feel
- Rubber butt pad
- Grooved receiver for 11mm dovetail optics mounts
- Precision rifled steel barrel for accuracy
- Manual & automatic cocking safety (engages each time the gun is cocked)
- Anti bear-trap safety
- Micro adjustable rear sight with TruGlo fiber optics
- TruGlo fiber optic front sight

ALPHA


MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet						REAR	FRONT
Alpha	.177cal	600 FPS	495 FPS	4.5 FPE	Advanced Polymer, Thumbhole	43.7"	16.5"	6.6 lbs	0.35" Green	0.60" Red

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

S E R I O U S . S O L I D . I M P A C T .



AIR TACT



- Single shot break barrel cocking action
- Available in .177, .22, and .25 caliber
- Ambidextrous, all weather, thumbhole synthetic stock with Monte Carlo cheek piece
- Includes 4x32 Optima scope and mounts
- Checkering on grip and forearm for better control and feel
- Rubber butt pad for recoil absorption
- Advanced polymer, shock-absorbing, combo scope rail - accepts both Weaver and 11mm dovetail mounts
- Adjustable trigger pull & trigger travel
- Rifled steel barrel with synthetic shroud and sound moderator
- Manual safety & automatic cocking safety
- Anti bear-trap safety
- Micro adjustable rear sight for both windage and elevation with TruGlo fiber optics
- Large muzzle brake for easy cocking with integrated front sight with TruGlo fiber optics

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet						REAR	FRONT
AirTact	.177cal	1300 FPS	1100 FPS	20 FPE	Advanced Polymer, Thumbhole	45"	14.5"	5.7 lbs	.035" Green	.060" Red
	.22cal	1000 FPS	800 FPS	21 FPE						
	.25cal	750 FPS	700 FPS	24 FPE						

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

S E R I O U S . S O L I D . I M P A C T .



EDGE SERIES



Muddy Girl



Edge Black Synthetic



- Large muzzle break
- Hooded front sight
- Truglo fiber optics



- Micro adjustable rear sight

- Single shot break barrel action
- Available in .177, .22, and .25 caliber
- Includes 3-9x32 Fully / Multi Coated Optima Scope
- Ambidextrous, all weather, tactical style thumbhole, synthetic stock with Monte Carlo cheek piece
- Checkering on grip and forearm for better control and feel
- Rubber butt pad for recoil absorption
- Grooved cylinder for 11mm scope mounts & mounted scope stop
- Adjustable trigger pull & trigger travel
- Metal trigger blade
- Precision rifled steel barrel
- Manual safety & automatic cocking safety
- Anti bear-trap safety
- Micro adjustable rear sight for both windage and elevation with Truglo fiber optics
- Large muzzle brake for easy cocking, with hooded Truglo fiber optic front sight

EDGE SERIES

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet						REAR	FRONT
Edge	.177cal	1300 FPS	1100 FPS	20 FPE	Advanced Polymer, Thumbhole	43.7"	16.5"	6.6 lbs	0.35" Green	0.60" Red
	.22cal	1000 FPS	800 FPS	21 FPE						
	.25cal	750 FPS	700 FPS	24 FPE						

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

S E R I O U S . S O L I D . I M P A C T .



MOD 1000

Striker Series



1000x Striker



- Large muzzle break
- Hooded front sight
- Truglo fiber optics



- Micro adjustable rear sight



1000s Striker



1000c Striker Camo

- Single shot break barrel action
- Includes 3-9X32 Optima Scope
- Available in .177, .22, and .25 caliber
- Ambidextrous stylish synthetic stock with Monte Carlo cheek piece on both sides
- Soft rubber inlays on grip and forearm for better control and feel
- Rubber butt pad for recoil absorption
- Grooved cylinder for 11 mm scope mounts and mounted scope stop
- Adjustable trigger pull and trigger travel
- Metal trigger blade
- Precision rifled steel barrel
- Resettable manual safety and automatic cocking safety
- Anti bear-trap safety
- Micro adjustable rear sight for both windage and elevation with Truglo fiber optics
- Large muzzle brake for easy cocking, with hooded Truglo fiber optic front sight

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet						REAR	FRONT
Striker	.177cal	1300 FPS	1100 FPS	20 FPE	Advanced Polymer with Monte Carlo Cheekpiece and Rubber Grip Inlays	43"	16.5"	6.4 lbs	.035" Green	.060" Red
	.22cal	1000 FPS	800 FPS	21 FPE						
	.25cal	750 FPS	700 FPS	24 FPE						
Striker Wood	.177cal	1300 FPS	1100 FPS	20 FPE	Hardwood with Monte Carlo Cheekpiece and Checkered Grip Surfaces	43"	16.5"	6.4 lbs	.035" Green	.060" Red
	.22cal	1000 FPS	800 FPS	21 FPE						
	.25cal	750 FPS	700 FPS	24 FPE						

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

MOD 1000

SERIOUS. SOLID. IMPACT.



MOD95 SERIES



Mod95 QE



Fully Shrouded Barrel

Integrated Sound Moderator
QuietEnergy sound moderator in muzzle break
for reduced down-range noise

Mod95



EasyAdjust Cheek Rest

Mod87 QE

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet						REAR	FRONT
Mod 95 QuietEnergy Vortex	.177cal	1300 FPS	1100 FPS	20 FPE	Turkish Walnut with Checkered Grip Surfaces	44.5"	10.6"	7.6 lbs	.035" Green	.060" Red
	.22cal	1000 FPS	800 FPS	21 FPE						
	.25cal	750 FPS	700 FPS	24 FPE						
Mod 87 Quiet Energy Vortex	.177cal	1300 FPS	1100 FPS	20 FPE	Advanced Polymer with Elevation Adjustable Cheekpiece	44.5"	10.6"	7.4 lbs	.035" Green	.060" Red
	.22cal	1000 FPS	800 FPS	21 FPE						
	.25cal	750 FPS	700 FPS	24 FPE						
Mod 95 Spring Action & Vortex	.177cal	1300 FPS	1100 FPS	20 FPE	Turkish Walnut with Checkered Grip Surfaces	44.3"	15.9"	8.4 lbs	.035" Green	.060" Red
	.22cal	1000 FPS	800 FPS	21 FPE						
	.25cal	750 FPS	700 FPS	24 FPE						

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

- Break barrel, single cocking system & single shot
- QE Version features QuietEnergy fully shrouded barrel and integrated Sound Moderator
- Available in .177, .22, and .25 caliber
- Quattro Trigger & SAS™ - Shock Absorber System
- High quality Turkish walnut or all-weather advanced polymer ambidextrous stock
- Checkering on grip and forearm for better control and feel
- Rubber butt pad for recoil absorption
- Grooved cylinder for 11mm dovetail scope mounts with metal mounted scope stop
- Large muzzle break for easy cocking
- Precision rifled steel barrel
- Manual safety & automatic cocking safety
- Anti bear-trap safety
- Micro adjustable rear sight for both windage and elevation with TruGlo fiber optics
- Open front sight with TruGlo fiber optics
- Includes Optima 3-9x32 Scope

S E R I O U S . S O L I D . I M P A C T .



MOD125 SERIES



**Mod125 Sniper
Vortex QE**

Integrated Sound Moderator
QuietEnergy sound moderator in muzzle break
for reduced down-range noise



Mod125 Sniper Vortex Camo QE



Mod125 Sniper



Mod125 Sniper Camo



Mod125

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet						REAR	FRONT
Mod 125 Sniper Quiet Energy	.177cal	1550 FPS	1300 FPS	28 FPE	Advanced Polymer, Adjustable Monte Carlo Cheekpiece, Rubberized Grips, and Cushioned Butt Pad	47.4"	10.6"	9.6 lbs	.035" Green	.060" Red
	.22cal	1250 FPS	1000 FPS	33 FPE						
	.25cal	900 FPS	850 FPS	34 FPE						
Mod 125 Sniper	.177cal	1550 FPS	1300 FPS	28 FPE	Advanced Polymer, Adjustable Monte Carlo Cheekpiece, Rubberized Grips, and Cushioned Butt Pad	48.8"	14.2"	9 lbs	.035" Green	.060" Red
	.22cal	1250 FPS	1000 FPS	33 FPE						
	.25cal	900 FPS	850 FPS	34 FPE						
Mod 125	.177cal	1550 FPS	1300 FPS	28 FPE	Advanced Polymer, Monte Carlo Cheekpiece, and Cushioned Butt Pad	48.8"	17.7"	8.4 lbs	.035" Green	.060" Red
	.22cal	1250 FPS	1000 FPS	33 FPE						
	.25cal	900 FPS	850 FPS	34 FPE						

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

- Single shot break barrel cocking action
- Includes 3-9X32 Fully / Multi Coated Optima Scope
- Available in .177, .22, and .25 caliber
- Quattro Trigger is a 2-Stage, fully adjustable match trigger system
- SAS Shock Absorber System significantly reduces vibration
- Manual safety & automatic cocking safety
- Anti bear-trap cocking safety
- Ambidextrous designed synthetic stock with Monte Carlo cheek piece and raised forearm grip
- Soft rubber inlays on grip and forearm for better control and ergonomically comfortable feel (Sniper model only)
- Fully Adjustable Elevation Comb (Sniper model only)
- TRIOPAD® butt system for maximum recoil absorption
- Comes with 3 TRIOPAD® stock spacers to change stock length of pull
- Large muzzle break for easy cocking of the rifle
- Sniper model equipped with integrated sound moderator
- Combination 22mm and 11mm dovetail rail accepts a wide range of optics mounts
- Micro adjustable rear sight for both windage and elevation with TruGlo fiber optics
- Open front sight with TruGlo fiber optics
- Sniper model equipped with sling swivels and includes a Hatsan sling

125

SERIOUS. SOLID. IMPACT.



MOD130S & MOD 135

QE Series



Integrated Sound Moderator
QuietEnergy sound moderator in muzzle break
for reduced down-range noise



Mod135 QE



Mod130S QE

MOD130S & MOD 135

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet						REAR	FRONT
Mod 135 Quiet Energy	.177cal	1550 FPS	1300 FPS	28 FPE	Turkish Walnut, Adjustable Monte Carlo Cheekpiece, and Cushioned Butt Pad	47.2"	10.6"	9.6 lbs	.035" Green	.060" Red
Mod 135 QE	.22cal	1250 FPS	1000 FPS	33 FPE						
Mod 135 QE Carnivore	.25cal	900 FPS	850 FPS	34 FPE						
Mod 130 QE Carnivore	.30cal	N/A	590 FPS	34 FPE	Advanced Polymer, Thumbhole, Adjustable Monte Carlo Cheekpiece, and Cushioned Butt Pad	46.4"	10.6"	9.6 lbs	.035" Green	.060" Red

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

- Break barrel, single cocking system & single shot
- Available in .177, .22, .25 and .30 caliber
- Quattro Trigger & SAS™ Shock Absorber System
- High quality, Turkish Walnut stock or Synthetic Stock - hunting style, ergonomic and stylish design with adjustable Monte Carlo cheekpiece
- Checkering on grip and forearm for better control and feel
- Adjustable rubber butt pad - Mod135 also equipped with elevation and fit angle adjustments
- Combination 22mm and 11mm dovetail rail accepts a wide range of optics mounts
- Precision rifled steel barrel
- Manual safety & automatic cocking safety
- Anti bear-trap safety
- Micro adjustable rear sight for both windage and elevation with TruGlo fiber optics
- Open front sight with TruGlo fiber optics

S E R I O U S . S O L I D . I M P A C T .



SPEEDFIRE



Combo Optics Rail
Fits both 11mm and 22mm mounts

Multi-Shot
Removable Magazine

Flip-Up Sight
w/ TruGlo Fiber

Quattro Trigger
2-stage Fully Adjustable

QuietEnergy Barrel Technology
Integrated sound moderator for reduced
downrange noise



• Rapid Performance Mag



• EZ-Load Action System



• Front sight folds down for transport and scoped use



- Break barrel, multi-shot repeater
- Available in .177 and .22 caliber
- EZ-Load Action System quickly cocks and loads the gun in one single motion
- Includes 2 detachable Rapid Performance Mag (RPM) magazines
- Vortex Gas Piston power source
- Integrated sound moderator for reduced down-range noise
- Precision rifled steel barrel with synthetic shroud
- Combination Picatinny and 11mm dovetail rail accepts a wide range of optics mounts
- Magazine loading mechanism also houses a micro adjustable rear sight for both windage and elevation with TruGlo fiber optics
- Folding front sight with TruGlo fiber optic
- Quattro Trigger is a 2-stage, fully adjustable match trigger
- SAS Shock Absorber System reduces felt recoil
- Recoil absorbing dampers in rail mount reduce scope shock
- Durable ambidextrous stock
- Manual and automatic cocking safety
- Anti bear-trap safety
- Includes Optima 3-9x40 Scope

SPEEDFIRE

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet						REAR	FRONT
SpeedFire	.177cal	1300 FPS	1100 FPS	20 FPE	Advanced Polymer, Textured Grip Surfaces	46.85"	14.5"	6.6 lbs	.035" Green	.035" Red
	.22cal	1000 FPS	800 FPS	21 FPE						

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

S E R I O U S . S O L I D . I M P A C T .



PROXIMA



PROXIMA

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet						REAR	FRONT
Proxima	.177cal	1125 FPS	950 FPS	15 FPE	Genuine Walnut Thumbhole with Adjustable Cheekpiece	45.4"	15.5"	9.3 lbs	0.35" Green	0.60" Red
Under-Lever	.22cal	925 FPS	750 FPS	18 FPE						
Repeater	.25cal	670 FPS	650 FPS	20 FPE						

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
 ** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

- Fixed barrel, under lever cocking, repeating air rifle
- Available in .177, .22, and .25 caliber
- Detachable, caliber specific, multi-shot, spring-loaded magazine
- Includes 2 magazines - Spare magazine stores in buttstock of rifle
- Vortex gas piston power
- Black chrome finished barrel and receiver provide maximum corrosion resistance
- Precision rifled steel barrel for accuracy
- Quattro Trigger is a 2-stage, fully adjustable match trigger system
- SAS Shock Absorber System significantly reduces vibration
- Manual safety & automatic cocking safety
- Anti bear-trap safety
- Genuine Turkish walnut ambidextrous stock with elevation adjustable comb
- Combination 22mm and 11mm dovetail rail accepts a wide range of optics mounts
- Gold plated trigger blade
- Micro adjustable rear sight for both windage and elevation with Truglo fiber optics
- Hooded front sight with Truglo fiber optics
- Fitted sling swivels

S E R I O U S . S O L I D . I M P A C T .



TORPEDO SERIES



Integrated Sound Moderator
QuietEnergy sound moderator in muzzle break for
reduced down-range noise

Torpedo 150 Sniper



Torpedo 155



Torpedo 105x

TORPEDO

MODEL	CALIBER	MAX MUZZLE VELOCITY*		MAXIMUM MUZZLE ENERGY**	STOCK	OVERALL LENGTH	BARREL LENGTH	WEIGHT	FIBER OPTIC SIGHTS	
		Lead-Free Pellet	Lead Pellet						REAR	FRONT
Torpedo 150 Sniper	.177cal	1550 FPS	1300 FPS	28 FPE	Advanced Polymer Thumbhole, Monte Carlo Cheekpiece, and Cushioned Butt Pad	48.4"	13"	9.2 lbs	.035" Green	.060" Red
	.22cal	1250 FPS	1000 FPS	33 FPE						
	.25cal	900 FPS	850 FPS	34 FPE						
Torpedo 155	.177cal	1550 FPS	1300 FPS	28 FPE	Genuine Walnut with Monte Carlo Cheekpiece and Cushioned Butt Pad	47.6"	17"	11 lbs	.035" Green	.060" Red
	.22cal	1250 FPS	1000 FPS	33 FPE						
	.25cal	900 FPS	850 FPS	34 FPE						
Torpedo 105x	.177cal	1300 FPS	1100 FPS	20 FPE	Advanced Polymer with Monte Carlo Cheekpiece and Checkered Grip Surfaces	47.2"	17"	8.6 lbs	.035" Green	.035" Red
	.22cal	1000 FPS	800 FPS	21 FPE						
	.25cal	750 FPS	700 FPS	24 FPE						

* Velocity results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.
** Energy results may vary due to pellet weight, pellet shape, pellet material, temperature, elevation, as well as other factors.

- Under lever cocking system with bolt-action loading mechanism
- Available in .177, .22, and .25 caliber
- Quattro Trigger is a 2-Stage, fully adjustable match trigger system
- SAS Shock Absorber System significantly reduces vibration
- Precision rifled steel barrel
- Manual safety & automatic cocking safety
- Anti bear-trap safety
- Ergonomic designed ambidextrous stock with textured grip surfaces
- Combination 22mm and 11mm dovetail rail accepts a wide range of optics mounts
- Metal trigger blade
- Micro adjustable rear sight for both windage and elevation with TruGlo fiber optics

S E R I O U S . S O L I D . I M P A C T .



OPTICS



4-16X50 E-SFN

- First Focal Plane scope maintains relative reticle size to target at all zoom levels
- Side-focus parallax setting for quick, precise adjustments
- Fully multi-coated optics for clear, bright images
- Illuminated mil dot reticle with 11 position variable brightness settings
- Threaded adjustment covers prevent unintentional changes
- 1/8 MOA click adjustments
- One piece 30mm diameter tube
- Dry nitrogen filled
- Water, fog, and shock resistant

OPTICS



2.5-10x50 E-SFT

- Integrated sunshade reduces glare
- Side-focus parallax setting for quick, precise adjustments
- Fully multi-coated optics for clear, bright images
- Illuminated mil-dot reticle with 11-position variable brightness settings
- 1/8 MOA click adjustments
- Large turrets are easy to manipulate, even when wearing gloves
- One piece 30 mm diameter tube
- Dry nitrogen filled
- Water, fog, and shock resistant



3-9x40 AO

- Easy to adjust front objective eliminates parallax error
- Fully multi-coated optics for clear, bright images
- 1/4 MOA click adjustments
- Scope caps included
- One piece 1" diameter tube
- Dry nitrogen filled
- Water, fog, and shock resistant



3-12x50 AO

- Easy to adjust front objective eliminates parallax error
- Fully multi-coated optics for clear, bright images
- 1/4 MOA click adjustments
- Scope caps included
- One piece 1" diameter tube
- Dry nitrogen filled
- Water, fog, and shock resistant



4x32 CEAO Compact

- Easy to adjust front objective eliminates parallax error
- Illuminated mil-dot reticle
- Fully multi-coated optics for clear, bright images
- 1/4 MOA click adjustments
- Scope caps included
- One piece 1" diameter tube
- Dry nitrogen filled
- Water, fog, and shock resistant



2-6x32

- Long eye relief for use on pistols
- Fully multi-coated optics for clear bright images
- 1/4 MOA click adjustments
- Scope caps included
- One piece 1" diameter tube
- Dry nitrogen filled
- Water, fog, and shock resistant

Model #	Description	Magnification	Objective (mm)	Exit Pupil (mm)	Overall Length (in)	Tube Diameter	Eye Relief (in)	Field of View (Ft @ 100yds)
HA90499	4x20	4x	20	3.8	10.7	3/4 in	3.0	17.8
HA90500	3-9x32	3x - 9x	32	3.6 - 10.7	12.2	1 in	2.6 - 3.4	15.7 - 39.9
HA90501	3-9x40AO	3x - 9x	40	4.4 - 13.3	13.0	1 in	2.8 - 3.4	13.6 - 36.7
HA90502	3-12x50AO	3x - 12x	50	4.2 - 16.6	13.2	1 in	2.6 - 3.1	7.3 - 33.5
HA90503	2-6x32 Pistol	2x - 6x	32	5.3 - 16.0	9.4	1 in	9.0 - 26.0	4.2 - 11.5
HA90504	4x32C Compact	4x	32	8.0	7.5	1 in	3.0	26.2
HA90505	4x32CE-AO Compact	4x	32	8.0	8.1	1 in	3.0	26.2
HA90506	2.5-10x50 E-SFT	2.5x - 10x	50	5.0 - 20.0	12.7	30mm	3.3 - 3.5	9.4 - 37.2
HA90507	4-16x44 E-SFT	4x - 16x	44	2.8 - 11.0	14.6	30mm	3.3 - 3.5	5.8 - 20.4
HA90508	6-24x44 E-SFT	6x - 24x	44	1.8 - 7.3	15.3	30mm	3.3 - 3.6	4.4 - 15.2
HA90509	8-32x44 E-SFT	8x - 32x	44	1.6 - 6.6	16.7	30mm	3.3 - 3.5	3.5 - 11.5
HA90510	4-16x50 E-SFN First Focal	4x - 16x	50	3.1 - 12.5	15.7	30mm	3.19 - 3.82	6.5 - 26.2
HA90552	3-9x40	3x - 9x	40	4.44 - 13.28	12.2	1 in	2.72 - 3.35	13.6 - 34.4
HA90530	1x30 Red Dot	1x	30	28	3.7	N/A	Free	57
HA90531	1x22x33 Open Reflex	1x	22x33	22	3.2	N/A	Free	N/A

Pistol Scope

S E R I O U S . S O L I D . I M P A C T .



- Fully multi-coated optics for clear, bright images
- 1/4 MOA click adjustments
- Scope caps included
- One piece 1" diameter tube
- Dry nitrogen filled
- Water, fog, and shock resistant



3-9x32

4x32C Compact



- Fully multi-coated optics for clear, bright images
- 1/4 MOA click adjustments
- Scope caps included
- One piece 1" diameter tube
- Dry nitrogen filled
- Water, fog, and shock resistant

4x20



- Fully multi-coated optics for clear, bright images
- 1/4 MOA click adjustments
- Scope caps included
- 11mm dovetail scope rings included
- Dry nitrogen filled
- Water, fog, and shock resistant



1x30 Red Dot



1x22x33 Open Reflex Sight

- Durable, lightweight, anodized aluminum construction
- Crisp, clear red dot for quick target acquisition with variable brightness settings
- Wide field of view
- Unlimited eye relief, great for pistols and rifles alike
- Fully multi-coated optics for clear, bright images
- Open Reflex Sight has 4 reticle options

ACCESSORIES

Rotary Magazines



- Available for all Hatsan mechanically-advanced PCP airguns
- Model and caliber specific - .177/.22/.25/.30/.35/.45 cal
- Lightweight aluminium with rubber tension bands

SwingLoad Magazines



- Available for Hatsan Blitz and Factor model airguns
- .177 / .22 / .25 / .30 caliber
- Link 2 magazines together for quick mag changes
- Synthetic polymer body with clear acrylic cover

Roto Index Magazines



- Fits all Hatsan auto-advancing airguns
- 14-Shot .177 / 12-Shot .22 / 10-Shot .25 cal
- Clear acrylic cover
- Durable aluminum or lightweight polymer body

RPM Magazines



- Fits Hatsan SpeedFire series airguns
- 12-round .177 / 10-round .22 caliber
- Captured spring-loaded design
- Empty magazine indicator



S E R I O U S . S O L I D . I M P A C T .



ACCESSORIES

Charging Kit




- The quickest method to fill your PCP airgun
- Screws into your DIN tank valve
- Equipped with a 250 BAR gauge and micro-bore hose

Air Stripper



- Increases accuracy by reducing air turbulence
- Available in .177, .22, and .25 caliber

Air Cylinders



- Detachable air cylinder with self-contained valve
- Maximum fill pressure 200 BAR (2900 PSI)
- Easily screws onto and off of the gun without the need to depressurize
- Option of refilling the air tube while on the rifle or detached

Adjustable Sling




- Extra wide and padded for maximum comfort
- Fully adjustable to fit most shooters
- Includes hardware clips for mounting

Hatsan PCP Pressure Regulator

- Designed and manufactured by Hatsan
- Easy drop-in upgrade
- Regulates discharge pressure
- Produces more consistent shot-to-shot velocity
- Increases number of optimal shots
- Adjustable output pressure



Foregrip / Bipod



CLOSED

OPEN

- Allows for improved forward control of rifle
- Push button bipod for quick deployment
- Heavy duty construction rated for firearm use

Din-Yoke Adapter



- Adapts SCUBA yoke valve for use with DIN style fill kit
- Rust-free, solid brass construction
- Bright, durable, corrosion-resistant chrome finish

Universal Tactical Bipod



- Aluminum alloy construction
- Picatinny mount
- Telescoping legs twist to retract/extend
- 9" to 11" leg lengths
- Folding legs



Sniper Bipod

- Heavy duty hardened steel and aluminium construction
- Spring tension folding legs
- Sling stud or Picatinny mountable
- Picatinny adapter included
- 6" to 9" extendable feet pop out at the push of a button



S E R I O U S . S O L I D . I M P A C T .



VORTEX PELLETS

Working closely with manufacturers from around the world, we are able to offer a quality line of ammunition specifically designed to deliver optimal performance from your Hatsan Airgun.

Vortex STRIKE Pellets



**Vortex STRIKE Pellets
.22 caliber**



**Vortex STRIKE Pellets
.30 caliber**



**Vortex STRIKE Pellets
.177 caliber**



**Vortex STRIKE Pellets
.25 caliber**



**Vortex STRIKE Pellets
.35 caliber**

VORTEX

CALIBER	WEIGHT	DESIGN	PCS/TIN	COMPOSITION
.177 cal	9.25 grains	Domed Diabolo	500	Lead
.22 cal	17.75 grains	Domed Diabolo	250	Lead
.25 cal	24.70 grains	Domed Diabolo	200	Lead
.30 cal	48.60 grains	Domed Diabolo	100	Lead
.35 cal	82 grains	Domed Diabolo	100	Lead

⚠️ **WARNING:** This product can expose you to lead, which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65warnings.ca.gov.

Vortex Big Bore Supreme Pellets



**Vortex
Big Bore Supreme
.45cal 180gr**



**Vortex
Big Bore Supreme
.45cal 295gr HP**



**Vortex
Big Bore Supreme
.45cal 525gr**



**Vortex
Big Bore Supreme
.50cal 520gr HP**



**Vortex
Big Bore Supreme
.50cal 550gr HP**

CALIBER	WEIGHT	DESIGN	PCS/TIN	COMPOSITION
.45 cal	180 grains	Round-Nose Button	30	Lead
.45 cal	295 grains	Hollow-Point Slug	30	Lead
.45 cal	525 grains	Flat-Nose Slug	30	Lead
.50 cal	520 grains	Hollow-Point Slug	22	Lead
.50 cal	550 grains	Hollow-Point Slug	22	Lead
Arrow	475 grains	20" L - .30"ID	6	Aluminum

⚠️ **WARNING:** This product can expose you to lead, which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65warnings.ca.gov.



VORTEX SUPREME ARROW