


HORTON

CROSSBOW INNOVATIONS

BY  TENPOINT

2017
PRODUCT CATALOG



ADRENALINE FUELED.

**TENPOINT
BORN.
TENPOINT
BRED.**



A single moment can determine whether you fill your freezer or wait another year. With bloodlines rooted in the elite quality, durability, and performance TenPoint® owners have come to expect, Horton crossbows are precision-engineered to seize those moments.

ADRENALINE FUELED.

NEW FOR 2017



**VORTEC
RDX™**



PAGE 7


Following in the footsteps of the award-winning Storm RDX™, the Vortec RDX™ features a lighter, smaller, 135-pound RDX (Reverse Draw Crossbow) bow assembly and our new lightweight Fusion Reverse Draw Crossbow™ (FRX) stock. Measuring a remarkable 9.125-inches axle-to-axle when cocked, weighing just 7.6 pounds, and shooting 340 FPS, it provides incredible balance, ideal weight, and optimal speed at a perfect price-point.

LIMITED
LIFETIME
WARRANTY

TO OUR CUSTOMERS

When we started Horton Crossbow Innovations in 2015, it marked our first venture into the reverse-draw crossbow market with the introduction of our award-winning Storm RDX. It quickly became clear to us that the reverse-draw market was going to play a significant role in our future growth.

Richard L. Bednar - President, CEO & Chairman
TenPoint Crossbow Technologies®
Horton Crossbow Innovations®
Wicked Ridge Crossbows®



Three-piece ABX™ (Adjustable Bullpup Crossbow) Stock with Adjustable Cheek Piece and Butt Plate (on Storm RDX and Legend Ultra Lite)

DFI™ (Dry-Fire-Inhibitor)

Nylon-Filament Arrow Retention Brush

Tactical Black Quad-Limb System

ACRA-ANGLE™ Barrel

ACUdraw™ Cocking Device (optional)

ACUdraw™ Ready Stock

3.5-pound Trigger with Auto-Engaging Safety

PlasticComp® Complēt® Molded Fore-Grip

FEATURES COMPARISON

	STORM RDX	NEW VORTEC RDX	LEGEND ULTRA LITE
3.5-pound Trigger with Auto-Engaging Safety	☑	☑	☑
TPE Rubber Safety Wings	☑	☑	☑
DFI™ (Dry-Fire-Inhibitor)	☑	☑	☑
Self-Locking Limb Pocket	☑		
OTT™ (Over-the-Top) Limb Pocket		☑	☑
RDX (Reverse Draw Crossbow) Technology	☑	☑	
RDX Cam System	☑		
Reaper™ Cam System		☑	
XR™ Wheels			☑
Adjustable Bullpup Crossbow (ABX) Stock	☑		☑
Fusion Reverse Draw Crossbow (FRX) Stock		☑	
ACRA-ANGLE™ Barrel	☑	☑	☑
ACUdraw™ Compatible	☑	☑	☑
ACUdraw 50™ Compatible			☑
Limited Lifetime Operational Warranty	☑	☑	☑

1 INNOVATIVE COCKING DEVICES

Patented ACUdraw™ and ACUdraw 50™ are unmatched in the industry and allow hunters of all ages and physical abilities to enjoy the sport of hunting.

2 TPE RUBBER SAFETY WINGS

Designed to help keep the shooter's fore-grip fingers and thumb from moving above the flight deck.

3 DFI™ (DRY-FIRE-INHIBITOR)

Prevents dry-firing the crossbow when not loaded.

4 3.5-POUND TRIGGER WITH AUTO-ENGAGING SAFETY

Smoothest, quietest, and safest in the industry.

5 REVERSE DRAW CROSSBOW (RDX) BOW ASSEMBLY

Provides unprecedented maneuverability with a remarkably narrow profile.

6 ACUDRAW-READY ADJUSTABLE BULLPUP CROSSBOW (ABX) AND FUSION REVERSE DRAW CROSSBOW (FRX) STOCKS

Provide unmatched stability, comfort, balance, and handling.

7 ARROW RETENTION BRUSH

Improves arrow grip and alignment and reduces noise and vibration.

8 INTEGRATED STRING STOP SYSTEM

Reduces noise and vibration without affecting arrow speed or accuracy (designed specifically for the Storm RDX and Vortec RDX).



Integrated String Stop System (on Storm RDX & Vortec RDX)

RDX Bow Assembly Cam System (on Storm RDX & Vortec RDX)

TPE Rubber Safety Wings

Lightweight, Machined Aluminum Riser

4x32 Multi-Line Scope (also available with TenPoint® 3x Pro-View 2™ Scope)

ADRENALINE FUELED.

WINNER OF
OUTDOOR LIFE
EDITOR'S CHOICE



STORM RDX™ H

THE PERFECT STORM OF ADRENALINE AND PRECISION.

Winner of the *Outdoor Life* and *Petersen's Hunting* Editor's Choice awards, the Storm RDX is an adrenaline-fueled machine built for the hunter who refuses to be fenced in by convention.



ONLY 10" AXLE-TO-AXLE
(WHEN COCKED)

PERFORMANCE

370 FPS
122 FPKE
165 LB DRAW

PACKAGE OVERVIEW

- OPTICS** TenPoint® 3x Pro-View 2™ Scope (Illuminated) or Horton 4x32 Scope (Non-Illuminated)
- COCKING DEVICE** Your choice of either the patented TenPoint® ACUdraw™ cocking device or Dedd Sled 50™ Rope-Cocker
- QUIVER** Horton 3-Arrow Instant Detach Quiver
- ARROWS** Three-pack of Horton 20" Carbon Arrows



NEW



VORTEC RDX™ H

INCREDIBLY COMPACT. PERFECTLY BALANCED. DEADLY ACCURATE.

Stunningly compact and perfectly balanced, the NEW Vortec RDX is tuned to achieve an ideal ratio of power, handling, and accuracy in an economically-priced, hunter-friendly package.



ONLY 9.125" AXLE-TO-AXLE
(WHEN COCKED)

PERFORMANCE

340 FPS
103 FPKE
135 LB DRAW

PACKAGE OVERVIEW

- OPTICS** TenPoint® 3x Pro-View 2™ Scope (Illuminated)
- COCKING DEVICE** Your choice of either the patented TenPoint® ACUdraw™ cocking device or Dedd Sled 50™ Rope-Cocker
- QUIVER** Horton 3-Arrow Instant Detach Quiver
- ARROWS** Three-pack of Horton 20" Carbon Arrows





LEGEND ULTRA LITE™

ULTRA LIGHTWEIGHT. ULTRA DEADLY. BORN TO HUNT.

Legendary performance in an ultra-lightweight package born to drop any big game in its tracks. The Legend Ultra Lite combines a robust bow assembly, lightweight carbon-injected polymer barrel, and adjustable stock for personalized comfort and handling.



PERFORMANCE

330 FPS
97 FPKE
175 LB DRAW

PACKAGE OVERVIEW

OPTICS	TenPoint® 3x Pro-View 2™ Scope (Illuminated) or Horton 4x32 Scope (Non-Illuminated)
COCKING DEVICE	Available with or without the patented TenPoint® ACUdraw™ or ACUdraw 50™ Cocking Device
QUIVER	Horton 3-Arrow Instant Detach Quiver
ARROWS	Three-pack of Horton 20" Carbon Arrows



ACCESSORIES

DEDD SLED 50™

The lightweight Dedd Sled 50 Rope-Cocker reduces the draw weight by 50%. Compatible with both reverse and forward draw crossbows.

HCA-00050-SL



ROPE-COCKER

This ultra-durable crossbow rope-cocker features an abrasion-resistant, high-tenacity polyester cord, custom-dyed in neon green. Its plastic handles and hooks are constructed from super-tough ST801 nylon. (Do not use on the Storm RDX or Vortec RDX.)


HCA-00000-RG



3-ARROW INSTANT DETACH QUIVER

Weighing only 4.75-ounces, our lightweight, quick-disconnect 3-arrow quiver features an ultra-durable spine. Its cup also features a unique, flexible rubber loop that allows you to hang the quiver while in your treestand.

HCA-01915-H



NEW

TENPOINT® OMNI-CUB™ (CROSSBOW UNLOADING BOLT) (PATENT PENDING)

An improved version of the original Crossbow Unloading Bolt™ (CUB) features our patented Omni-Nock™ technology and may be used to unload most crossbows, including reverse draw models and models with extremely narrow bow assemblies. Made from biodegradable polymer, it naturally decomposes over time to minimize environmental impact.

HEA-00017.6



SCOPES

TenPoint® 3x Pro-View 2™ Scope

This lightweight 8.5-inch aluminum tube scope features 3 crosshairs and four dots calibrated for 20, 30, 40, and 50-yards (fourth dot is free-standing, just below the 40-yard crosshair) and fully-coated 3x optics. Available with non-illuminated black dots or one of two rheostat controlled illuminated, colored dots (red or green).

4x32 Multi-Line Scope

This light, compact scope features fully coated 4x optics and three duplex crosshairs calibrated for 20, 30, and 40-yards and a fourth partial line for 50-yard shots. 7/8" scope mounting rings included.

HCA-097-II TenPoint® 3x Pro-View 2™ Scope with 7/8" mounting rings

HCA-085 4x32 Multi-Line Scope with 7/8" mounting rings



HORTON CROSSBOW CASE

This soft case ensures perfect protection for travel and/or storage of your Horton reverse or forward draw crossbow. The case has sturdy side panels for added depth to accommodate mounted optics and an additional zippered storage compartment for arrows, quiver, and other accessories. A removable shoulder strap is included.

HCA-20015-H

ACCESSORIES



HORTON 20-INCH CARBON ARROWS

The 20-inch, carbon arrow is fletched slightly offset with 3-inch vanes fitted with an aluminum insert and neon yellow SuperBrite Omni-Nock™. Also available in an Omni-Brite 2.0™ lighted arrow version.

HORTON CARBON ARROWS

- HEA-722.3** 3-pack
- HEA-722.6** 6-pack
- HEA-722.72** 72-pack

HORTON OMNI-BRITE 2.0™ LIGHTED ARROWS

- HEA-728.3** 3-pack
- HEA-728.6** 6-pack

HORTON NEOPRENE SLING

Horton's sling features an extra strong 1.25-inch wide shoulder strap with an integrated elastic band for Crossbow Unloading Bolt storage, and a thumb loop for added shoulder security. It is a non-slip design with custom swivels and heavy-duty adjustable strap. Includes one Omni-CUB™.



HCA-00415-H



CROSSBOW MAINTENANCE

String Wax and Conditioner

Made from all natural compounds, Horton String Wax and Conditioner comes in a convenient chap stick style tube. This string wax and conditioner lubricates and rejuvenates bow strings and cables.

Flight Rail And Trigger Lube

Horton's Flight Rail and Trigger Lube is not gel based and will not gum-up in cold weather or collect dirt and grit.

HCA-11015-H String Wax and Conditioner

HCA-111-H Flight Rail and Trigger Lube



SPECS



	STORM RDX	NEW VORTEC RDX	LEGEND ULTRA LITE
LENGTH <i>(w/foot stirrup)</i>	35.25"	34.25"	35.5"
WIDTH AXLE-TO-AXLE <i>(uncocked/cocked)</i>	15.5"/10"	14.875"/9.125"	21.6"/18.375"
POWER STROKE	16.5"	15.5"	12.9"
WEIGHT <i>(w/o accessories)</i>	8.2 LBS	7.6 LBS	6.8 LBS
DRAW WEIGHT	165 LBS	135 LBS	175 LBS
FEET-PER-SECOND	370 FPS	340 FPS	330 FPS
FOOT-POUNDS KE	122 FP	103 FP	97 FP
ACCESSORIES INCLUDED WITH PACKAGE	Scope, Horton 3-Arrow Quiver, 3 Carbon Arrows	Scope, Horton 3-Arrow Quiver, 3 Carbon Arrows	Scope, Horton 3-Arrow Quiver, 3 Carbon Arrows
PURCHASE OPTIONS	<p>With Horton 4x32 Scope and ACUdraw: NH15001-7552</p> <p>With TenPoint® 3x 32 Scope and ACUdraw: NH15001-7522</p> <p>With Horton 4x32 Scope and Dedd Sled 50: NH15001-7550</p> <p>With TenPoint® 3x 32 Scope and Dedd Sled 50: NH15001-7520</p>	<p>With TenPoint® 3x 32 Scope and ACUdraw: NH17060-5522</p> <p>With TenPoint® 3x 32 Scope and Dedd Sled 50: NH17060-5524</p>	<p>With Horton 4x32 Scope and ACUdraw: NH15050-7552</p> <p>With TenPoint® 3x 32 Scope and ACUdraw: NH15050-7522</p> <p>With Horton 4x32 Scope and ACUdraw 50: NH15050-7551</p> <p>With TenPoint® 3x 32 Scope and ACUdraw 50: NH15050-7521</p> <p>With Horton 4x32 Scope: NH15050-7550</p> <p>With TenPoint® 3x 32 Scope: NH15050-7520</p>

REPLACEMENT STRINGS AND CABLES

	MODEL	PART #	LENGTH	MATERIAL
STRINGS	Storm RDX	HCA-12215	40.875"	D97, 28 strands (Pre-twisted)
	Vortec RDX	HCA-72717	40.875"	Brownell Rhino, 28 strands (Pre-twisted)
	Legend Ultra Lite	HCA-11915	34.0625"	D97, 28 strands (Pre-twisted)
CABLES	Storm RDX	HCA-13115	15.25"	D97, 28 strands (Pre-twisted)
	Vortec RDX	HCA-72617	15.625"	Brownell Rhino 24 strands (Pre-twisted)
	Legend Ultra Lite	HCA-13015	23.0625" (5" hard yokes)	D97, 28 strands (Pre-twisted)

PROUDLY MADE IN THE U.S.A.

If you're looking for quality archery products, visit our website.