





# GLOVE SIZING

USE RULER WHEN MEASURING



## FINGER LENGTH

Measure your length from position A to B.

## GLOVE SIZE

*If you're between sizes, we recommend sizing down for a snug fit.*

## PALM WIDTH

Measure your palm width from position A to B.

MEN'S		WOMEN'S	
10.0 cm – 10.8 cm			
10.8 cm – 11.5 cm			
11.5 cm – 12.3 cm			
12.3 cm – 13.0 cm	10.0 cm – 10.5 cm		
13.0 cm – 13.8 cm	10.5 cm – 11.0 cm		
13.8 cm – 14.5 cm	11.0 cm – 11.5 cm		
14.5 cm – 15.2 cm			
15.2 cm – 15.9 cm			
15.9 cm – 16.5 cm			


MEN'S		WOMEN'S	
< 5.0 cm			
5.0 cm – 5.8 cm			
5.8 cm – 6.5 cm			
6.5 cm – 7.5 cm	5.5cm – 6.5 cm		
7.5 cm – 8.5 cm	6.5 cm – 7.5 cm		
8.5 cm – 9.8 cm	7.5 cm – 8.5 cm		
9.8 cm – 11.0 cm			
11.0 cm – 12.2 cm			
12.2 cm – 13.7 cm			

# COYOTE FASTFIT<sup>®</sup>



## TACTICAL HAND PROTECTION

The next generation of FastFit tactical gloves are here. Stay in control with high-dexterity 0.6mm synthetic leather. Keep connected with full touchscreen technology in the palm of your hands. The FastFit delivers an unmatched fit with Coyote tan TrekDry™ material, and rugged carrier loops for storage in the field.



### ELASTIC CUFF

Stretch elastic provides a seamless fit to your wrist with easy on and off flexibility.



### HIGH DEXTERITY


High-dexterity 0.6mm synthetic leather infused with touchscreen technology.

# COYOTE FASTFIT™

## AVAILABLE COLORS



XXXS	XXS	XS	S	M	L	XL	XXL	XXXL
05	06	07	08	09	10	11	12	13



## FEATURES


1. Form-fitting TrekDry® provides evaporative cooling in the field.
2. Stretch-elastic cuffs provide a secure fit to your wrist.
3. Anatomically designed two-piece palm eliminates material bunching.
4. Pinched fingertip construction improves fingertip strength and durability.
5. 0.6mm synthetic leather provides high-dexterity protection.
6. Fully touchscreen capable palm technology keeps you connected.
7. Nylon carrier loops.

## CERTIFICATIONS



## INTENDED USES

- Military
- Law Enforcement
- Shooting Sports
- Maintenance Repair Operation



AVAILABLE AS



FFTAB-72-PCUS-1017