

GLOVE SIZING USE RULER WHEN MEASURING



B		B			
FINGER LENGTH Measure your length from		GLOVE SIZE If you're between sizes,	PALM WIDTH Measure your palm width from		
positio	position A to B.		zing down position A to B. fit.		
MEN'S	WOMEN'S		MEN'S	WOMEN'S	
10.0 cm – 10.8 cm		XXX-Small	< 5.0 cm		
10.8 cm — 11.5 cm		XX-Small	5.0 cm – 5.8 cm		
11.5 cm – 12.3 cm		X-Small	5.8 cm – 6.5 cm		
12.3 cm – 13.0 cm	10.0 cm – 10.5 cm	Small	6.5 cm – 7.5 cm	5.5cm – 6.5 cm	
13.0 cm – 13.8 cm	10.5 cm – 11.0 cm	Medium	7.5 cm – 8.5 cm	6.5 cm – 7.5 cm	
13.8 cm – 14.5 cm	11.0 cm – 11.5 cm	Large	8.5 cm – 9.8 cm	7.5 cm – 8.5 cm	
14.5 cm – 15.2 cm		X-Large	9.8 cm – 11.0 cm		
15.2 cm – 15.9 cm		XX-Large	11.0 cm – 12.2 cm		
15.9 cm – 16.5 cm		XXX-Large	12.2 cm – 13.7 cm		

M-PACT 3



TACTICAL HAND PROTECTION

The mighty M-Pact® 3 provides military and law enforcement professionals with EN 13594 rated impact protection in the field. A dense one-piece Thermoplastic Rubber knuckle guard is anatomically designed to absorb forceful impact and improve overall mobility during hardcharging operations. M-Pact 3 tactical gloves feature internal fingertip reinforcement and touchscreen capable synthetic leather so you're always connected.



ID

IMPACT PROTECTION

Molded Thermoplastic Rubber knuckle guard meets EN 13594 impact standard.




REINFORCED FINGERTIPS


Internal fingertip reinforcement provides extreme abrasion resistance.

M-PACT[®] 3

AVAILABLE COLORS

MP3-55	COVERT	MP3-72 COYOTE									
XXXS	XXS	XS	S	M	L	XL	XXL	XXXL			
05	06	07	08	09	10	11	12	13			





FEATURES

- 1. Anatomically shaped Thermoplastic Rubber knuckle guard meets EN 13594 impact standard.
- 2. Thermoplastic Rubber top closure creates a secure fit to the wrist.
- 3. Accordion EVA padding reduces impact to the thumb and fingers.
- Internal fingertip reinforcement provides extreme abrasion resistance.
- Durable synthetic leather palm infused with touchscreen technology.
- 6. Nylon carrier loops.



INTENDED USES

- Military
- Law Enforcement
- Maintenance Repair Operations