

2019 PRODUCT CATALOG

BOX BLINDS | GROUND BLINDS | LADDERSTANDS | HANG-ON STANDS | CLIMBER STANDS | CLIMBING SYSTEMS SAFETY HARNESSES | TRAIL CAMERAS | POD STANDS | SEATS | ACCESSORIES

- **NEW PRODUCTS** 01
- BOX BLINDS 04
- LADDERSTANDS 18
- HANG-ON STANDS 31
- **36 CLIMBER STANDS**
- **38 CLIMBING SYSTEMS**
- **42 HARNESSES**
- **52 TRAIL CAMERAS**
- **58 TRAIL CAMERA ACCESSORIES**
- 60 POD STANDS
- **64 GROUND BLINDS**
- 68 SEATS
- 72 ACCESSORIES
- 82 COMPARISON CHARTS


















DEFENDER SECURITY CABLE MODEL MA3531 | PAGE 80

660 LB. DIGITAL SCALE

COMPLETE STAND KIT MODEL MA9045 | PAGE 78



2

-

PRODUCTS

-





FEATURING SAFE GRIP YSTEM CRO SS Y S







II (MA)


W

~

BOX BLINDS

"We've been using box blinds for years, but never have we seen success like we've seen since using the Muddy line of box blinds. These blinds are over built, and do a superb job of containing your scent which gives us the advantage we've been looking for. If you can beat a deer's nose, you're doing something right. Great job, Muddy!"

> - Mark Drury Drury Outdoors



B

A

Ĥ

NN

CONSTRUCTION MARRIERICA

THERE IS NO COMPARISON, MUDDY IS SUPERIOR TO OTHER FIBERGLASS OR MOLDED PLASTIC SETUPS.

THERMA-TEK: Innovative structural insulated design provides ULTIMATE THERMAL CONTROL, SCENT CONTROL, AND NOISE CONTROL!

- Exterior Grade UV Protected PVC, 1.5 Pound Density Foam, Tempered Hardboard, Marine Carpet are bonded together for unbeatable performance!
- THERMAL CONTROL Panels have an R-7 insulation value; Offers superior climate control
- SCENT CONTROL Each seam is sealed with aircraft grade sealant/adhesive to keep the elements out and scent in
 - NOISE CONTROL The innovative Therma-Tek design offers the ultimate noise barrier. Entire wall panel is carpeted

SOLID FLOOR: Joist and sheeting construction

Super strong and quiet!
 Dead air chamber provides insulation
 Noise control

HEAVY-DUTY ROOF: Rotational molded polymer construction

- Ultimate in strength to handle any snow load
 Hollow-core technology provides dead air gap on the roof for insulation and added strength
 - A full **6" of roof overhang** to defend against even the toughest elements







Real Property in the second se

- And

1

·

Ê



INTERIOR

DURABLE CARPET: Dark color keeps you hidden, sound deadening, floor removable for easy cleaning

SHELF:

1 Rotational molded shelf
Raised lip around the entire perimeter to help keep items on shelf
Molded-in drink holder & cubby box
Two 1/4"-20 molded-in inserts into shelf to allow the use of many accessories using 1/4"-20 threads
Holes provided to integrate a towel bar (bar not included)

TALL ENOUGH TO STAND





SHIPPED FULLY ASSEMBLED!

B

A

Û

N






CONSTRUCTION: Residential quality glass, gasket lined, with all metal hardware

PERFECT STANDING OR SITTING HEIGHT FOR FULL 360° VIEWING & SHOOTING

ULTRA-QUIET WINDOW LATCHES



LIFT SPRING LOCK



FULL-SIZE DOOR TO ALLOW FOR EASY ENTRY EVEN WHEN WEARING A PACK

TWIST LATCH OPEN

RAISE WINDOW

FULL GASKET + CO-EXTRUDED DOOR TRIM FOR THE ULTIMATE IN PERFORMANCE AND DURABILITY

LOCKABLE KEYED ENTRY DOOR



SECURE

BOX BLIND

(Marini

B

X

T


R

R

BULL BLIND COMBO

- CONSTRUCTION FLOOR: JOIST AND SHEETING
 - WALLS: THERMA-TEK
 PANELS
 - ROOF: HEAVY-DUTY ROTATIONAL MOLDED PLASTIC
 - WINDOWS: RESIDENTIAL QUALITY GLASS AND ALL STEEL HARDWARE
 - TOWER: HEAVY-DUTY POWDER-COATED STEEL
 - BLIND 6' SQUARE x 6.5' TALL





Non-slip Steps & Platform





B

A

Ĥ

YN

2



Built for use as a ground blind or to be mounted on Elite 5' Tower -Model BBT500 (sold separately)



Leg stakes & ground anchor system included



SHIPPED FULLY ASSEMBLED!



ELITE SFT TOWER

MODEL BBT500

- CONSTRUCTION: Heavy-duty powdercoated steel
- LADDER: 15" wide, handrail for support, non-slip steps
- LANDING: 43" wide x 20" deep, non-slip, spacious for easy entry into blind
- **STAKES:** Includes (4) 24" leg stakes, (1) 30" ground anchor with cable & turnbuckle
- WEIGHT: 250 lbs.



BULL BLIND

• FLOOR: JOIST AND SHEETING • WALLS: THERMA-TEK PANELS

MOLDED PLASTIC

6' SQUARE

x 6.5' TALL

500 LBS.

30"W x 70"T

• ROOF: HEAVY-DUTY ROTATIONAL

• WINDOWS: RESIDENTIAL QUALITY **GLASS AND ALL STEEL HARDWARE**

 WALL: 33" WIDE x 13" TALL • CORNER: 12" WIDE x 42" TALL

DOOR: 13" WIDE x 33" TALL

CONSTRUCTION

BLIND

DOOR

WINDOWS

WEIGHT

MODEL BBB4000

elite 5FT Tower Extension kit

MODEL BBT510

- CONSTRUCTION: Heavy-duty powder-coated Steel
- USE: Raises Model BBT500 Elite 5' tower height to 10'

10' 82

ELITE IDFT TOWER

MODEL BBT500 & BBT510

ASSEMBLY: Combines Model BBT500 Elite 5' Tower and Model BBT510 Elite 5' Tower Extension Kit to complete the Elite 10' Tower.

-	122.00	- Aller
		COMBO
-		

UDEST

CONSTRUCTION	FLOOR: JOIST AND SHEETING	
	WALLS: THERMA-TEK PANELS	
	• ROOF: HEAVY-DUTY MOLDED PLASTIC	
	 WINDOWS: RESIDENTIAL QUALITY GLASS AND ALL STEEL HARDWARE 	
	TOWER: HEAVY-DUTY POWDER-COATED STEEL	
BLIND	4' SQUARE x 7' TALL	
DOOR	30″W × 70″T	
WINDOWS	(4) 33" WIDE x 13" TALL	
LADDER	NON-SLIP, SPACIOUS FOR EASY ENTRY INTO BLIND	

MUDSY

EV.

MODEL BBB1000-5C (GUNNER AND DELUXE 5' TOWER MODEL BBB1010 (GUNNER AND DELUXE 10' TOWER


GUNNER

FLOOR: JOIST AND SHEETING
• WALLS: THERMA-TEK PANELS
• ROOF: HEAVY-DUTY MOLDED PLASTIC
• WINDOWS: RESIDENTIAL QUALITY GLASS AND ALL STEEL HARDWARE
4' SQUARE x 7' TALL
30″W × 70″T
(4) 33" WIDE x 13" TALL
270 LBS.

MODEL BBB1000



SHIPPED FULLY ASSEMBLED!



THERMATEK

MARINE CARPE

HIGH DENSITY FOAM



MODEL BBT200

- CONSTRUCTION: Heavy-duty powdercoated steel
- LADDER: 15" wide, handrail for support, non-slip steps
- LANDING: 43" wide x 20" deep, nonslip, spacious for easy entry into blind
- STAKES: Includes 4: 24" leg stakes, 1: 30" ground anchor with cable & turnbuckle
- WEIGHT: 250 lbs.

deluxe 5FT tower Extension kit

MODEL BBT210

- CONSTRUCTION: Steel
- USE: Raises Elite 5' tower BBT500 height to 10'

MUDIST

Deluxe 10ft tower

MODEL BBT200 & BBT210

ASSEMBLY: Combines Model BBT200 Deluxe 5' Tower and Model BBT210 Deluxe 5' Tower Extension Kit to complete the Deluxe 10' Tower.

11

7

B

Se la constante

A

Ĥ

YN

B

X

R

Û

Z

PENTHOUSE COMBO

BLIND

DOOR

WINDOWS

- CONSTRUCTION FLOOR: JOIST AND SHEETING
 - WALLS: THERMA-TEK PANELS
 - ROOF: HEAVY-DUTY ROTATIONAL **MOLDED PLASTIC**
 - WINDOWS: RESIDENTIAL QUALITY **GLASS AND ALL STEEL HARDWARE**
 - TOWER: HEAVY-DUTY POWDER-**COATED STEEL**
 - 87"W x 69"D x 78"T
 - 30" WIDE x 70" TALL
 - HORIZONTAL: 33"W x 19"T
 - VERTICAL: 12"W × 42"T
 - LADDER 15"WIDE, HANDRAIL FOR SUPPORT, **NON-SLIP STEPS**

MODEL BBB7010 (PENTHOUSE AND ELITE 10' TOWER) MODEL BBB7005 (PENTHOUSE AND ELITE 5' TOWER)



PENTHOUSE

CONSTRUCTION	 FLOOR: JOIST AND SHEETING
	• WALLS: THERMA-TEK PANELS
	 ROOF: HEAVY-DUTY ROTATIONAL MOLDED PLASTIC
	 WINDOWS: RESIDENTIAL QUALITY GLASS AND ALL STEEL HARDWARE
1	• TOWER: HEAVY-DUTY POWDER-COATED STEEL
BLIND	87″W x 69″D x 78″T
DOOR	30" WIDE x 70" TALL
WINDOWS	• HORIZONTAL: 33"W × 19"T
	• VERTICAL: 12"W x 42"T

MODEL BBB7000



SHIPPED FULLY ASSEMBLED!



ELITE SFT TOWER

MODEL BBT500

- CONSTRUCTION: Heavy-duty powdercoated steel
- LADDER: 15" wide, handrail for support, non-slip steps
- LANDING: 43" wide x 20" deep, nonslip, spacious for easy entry into blind
- STAKES: Includes (4) 24" leg stakes, (1) 30" ground anchor with cable & turnbuckle
- WEIGHT: 250 lbs.



NUDERY

elite SFT Tower Extension kit

MODEL BBT510

- CONSTRUCTION: Heavy-duty powdercoated Steel
- USE: Raises Model BBT500 Elite 5' tower height to 10'

ELITE IOFT TOWER

MODEL BBT500 & BBT510

ASSEMBLY: Combines Model BBT500 Elite 5' Tower and Model BBT510 Elite 5' Tower Extension Kit to complete the Elite 10' Tower.

MUGBY





B

Sol A

+

A

Ĥ

Y



CONSTRUCTIONDURABLE THERMA-TEK FABRIC FOR
SUPERIOR INSULATIONDIMENSIONS72" × 72" X 85" TALL

WINDOWS

TOWER

SILENT ZIPPER WINDOW SYSTEM WITH SLIDEING MESH BACKING

ATTACHES TO THE DELUXE OR ELITE TOWERS

MODEL BBB0755 (SOFT SIDE 360 & DELUXE 5' TOWER) MODEL BBB0760 (SOFT SIDE 360 & DELUXE 10' TOWER)

Quiet foam padded floor

Non-slip surface for safe and easy entry



B

A A

A

Y

SOFT SIDE 360

CONSTRUCTION

DURABLE THERMA-TEK FABRIC FOR SUPERIOR INSULATION

DIMENSIONS WINDOWS

72" x 72" X 85" TALL SILENT ZIPPER WINDOW SYSTEM WITH SLIDING MESH BACKING

MODEL BBB0750



-11

E I


1+

A

Û

MY

2





Durable rubber dampeners over shooting rails

SWIVEL-EASE XTREME

CONSTRUCTION	STEEL FRAME
MATERIAL	FLEX-TEK SEAT
WEIGHT	16 LBS.
WEIGHT RATING	300 LBS.
FEATURES	FOOTREST, SWIVELS 360°

MODEL MGS600

B

A A

7 + +

A

-

Î

 \mathbf{T}



UNIVERSAL WINDOW CURTAIN

CONSTRUCTION	BLACKED OUT QUIET FABRIC; BLACK BACKED
USE	BLACK OUT WINDOWS TO KEEP YOU CONCEALED
SIZE	CUSTOM FIT FOR THE GUNNER, BULL, AND PENTHOUSE BOX BLINDS



MUDIN

SEAT HEIGHT ADJUSTS 17" TO 24"

"The window kits are a must for hunting from a box blind! Great way to stay concealed while still being able to see what game is coming your way." -Joseph



MUDDE

MODEL BBA-BH1

BOX BLIND BOW HANGER

CONSTRUCTION	STEEL WITH RUBBER COATING TO PROTECT GEAR
USE	HANG BOW OR GEAR FROM MUDDY BOX BLIND
SIZE	7" TALL X 4" WIDE
WEIGHT RATING	20 LBS.





Keeps gear within reach



UNIVERSAL 6'x 6' PLATFORM KIT STEEL

CONSTRUCTION

USE

ATTACHES TO ELITE OR DELUXE TOWERS. ADD A GROUND BLIND, BALE BLIND, OR SOFT SIDED BLIND TO PLATFORM

MODEL BBT050 (UNIVERSAL 6' X 6' PLATFORM KIT) MODEL BBT255 (UNIVERSAL 6' X 6' PLATFORM KIT & DELUXE 5' TOWER BBT200) MODEL BBT260 (UNIVERSAL 6' X 6' PLATFORM KIT & DELUXE 5' TOWER BBT200 WITH 5' EXTENSION KIT BBT2101



17

B

A

Ĥ

N

LADDERSTANDS

"As my kids are getting older, they have started to show more interest in hunting with me. This past year we setup some Muddy 2-man ladderstands on our farm and they were the ticket to helping introduce my kids to the outdoors. Solid heavy duty construction and noise free, these stands gave me the confidence to enjoy the outdoors with my children sitting right beside me."

> -Joe Sir Rizen Media



FEATURE PACKED!

EVERY ITEM HAS PURPOSE DRIVEN FEATURES TO IMPROVE THE EXPERIENCE!

SILENT: BECAUSE WE ALL KNOW THAT BEING STEALTHY IS IMPORTANT!

TREESTAND FEATURES:



- ZERO METAL ON METAL CONTACT! NYLON WASHERS & CAPS PREVENT ANY NOISE ON **PIVOTING OR CONTACT POINTS!**
- BOLTED LADDER-SECTIONS! PREVENTS NOISY MOVEMENT DURING CLIMBING & DECENT.
- SILENT MATERIAL ON SEATS & RAILS! NO NOISE WHILE SHIFTING OR SETTING UP!
- MANY ITEMS HAVE SILENT CAM ATTACHMENT SYSTEMS.



BECAUSE IF YOU AREN'T COMFORTABLE, COMFORTABLE: YOU'RE MOVING AND IF YOU'RE MOVING YOU'LL BE SEEN!

TREESTAND FEATURES:



- **COMFORTABLE SEATS!** EITHER FLEX-TEK, ZERO-GRAVITY SEATS OR OUR LUXURIOUS TRI-PLEX TRIPLE LAYER FOAM SEAT SYSTEMS PROVIDE ALL DAY COMFORT IN ANY STAND!
- WATERPROOF SEATS! STAY DRY, HUNT LONGER.

HEAVY DUTY MATERIAL & UNIQUE FABRICATION RONG: = DEPENDABILITY!

TREESTAND FEATURES:



- STRONG TUBING; ITEMS FEATURE EITHER 1" SQUARE TUBING OR IN SOME CASES WIDER RECTANGULAR OR OVAL TUBING. EVERY STAND IS OVERBUILT WITH SECURITY, SAFETY, AND COMFORT IN MIND.
- PLATFORMS FEATURE EITHER D-FORCE EXPANDED OR LYNX FABRICATED EXPANDED METAL. NO FLEX AND GOOD GRIPPING FOR A SOLID STANCE!
- EVERY PRODUCT HAS OUR ADVANCE FIBER-GUARD POWDER COATING FOR DURABILITY AND THE TEXTURED FINISH OFFERS MORE GRIP.
- CLIMBERS FEATURE OUR FAST ATTACH CABLE SYSTEM FOR QUICK AND EASY ADJUSTMENTS

们

B

A

Ĥ

YN

BOSS HAWG 1.5

HEIGHT	17' TALL
FOOT PLATFORM	28"W x 30"D
SEAT	24"W x 17"D x 27"T FLIPS BACK
STAND WEIGHT	67 LBS.
WEIGHT RATING	350 LBS.

MODEL MLS1900

















they be

0

Weight rating 350lbs



2

HEIGHT



Lumbar support seat

Quiet, Padded shooting rest and armrests

Silencer technology throughout the stand; no metal on metal contact

All steel is powder coated with Fiber-Guard

Flip-back footrest

A

Y



HUNTSMAN

HEIGHT	17' TALL
FOOT PLATFORM	19"W x 25"D
SEAT	20"W x 15"D x 19"T FLIPS BACK
STAND WEIGHT	55 LBS.
WEIGHT RATING	300 LBS.


MODEL MLS1200











Removable, flip-back, TWO-WAY adjustable padded shooting rail that adjusts height and depth

Silencer technology throughout the stand; no metal on metal contact

All steel is powder coated with Fiber-Guard

HUNTSMAN DELUXE

HEIGHT	17' TALL
FOOT PLATFORM	19″W x 25″D
SEAT	22"W x 17"D x 19"T FLIPS BACK
STAND WEIGHT	55 LBS.
WEIGHT RATING	300 LBS.

MODEL MLS1300





DERSTANDS

the state

B





1

R

×

1++

A

R

Y

NEW ODYSSEY XTL

HEIGHT	20' TALL
FOOT PLATFORM	18"W x 26"D
SEAT	22"W x 17"D x 19"T FLIPS BACK
STAND WEIGHT	75 LBS.
WEIGHT RATING	300 LBS.

MODEL MLS1776



















7


HEIGHT






1 all

1+



Oval tubing; strong, sturdy & easy to grip



1

B

X

T

Ê

T

BIG BUDDY

HEIGHT	16' TALL
FOOT PLATFORM	38"W x 12"D
SEAT	38"W x 17"D x 18"T
STAND WEIGHT	64 LBS.
WEIGHT RATING	500 LBS.

MODEL MLS2200













MODEL MCB-MF2

FOR USE WITH: The Big Buddy Ladderstand - MODEL MLS2200 (This blind may fit future stands as well, see stand box for more details.)

ENTRANCE OPENING: 25" x 25" Zippered closure

FASTENERS: Snaps & bungee cords



Flip-back, padded shooting rail

Padded, flip-back shooting rail

Extremely comfortable Flex-Tek seat

Fiber-Guard powder coated steel

D-Force grates for added strength and traction

PARTNER

HEIGHT	17' TALL
FOOT PLATFORM	40"W x 33"D
SEAT	37"W x 18"D x 18"T FLIPS BACK
STAND WEIGHT	88 LBS.
WEIGHT RATING	500 LBS.

7, HEIGHT







NERSTANDS

仲

B

1+

A

3

Û





FOR USE WITH:

MODEL MLS2300

The Nexus Ladderstand - MODEL MLS2600 & The Partner Ladderstand - MODEL MLS2300 (This blind may fit future stands as well, see stand box for more details.)

ENTRANCE OPENING: 25" x 25" Zippered closure

FASTENERS: Snaps & bungee cords

Padded, flip-back shooting rail & flipback seat



Extra-wide foot platform with foot rest



Flex-tek seats for all day comfort

Fiber-Guard powder coated steel

D-Force grates for added strength and traction

Flip-back foot rest

"Just purchased this stand, very comfortable seat for 2 people. Well-designed stand with the shooting rail that lifts out of the way for bow hunting. Or use the rail for a gun rest." - Tim

HEIGHT	20' TALL
FOOT PLATFORM	42"W x 34"D
SEAT	39"W x 17"D x 19"T FLIPS BACK
STAND WEIGHT	115 LBS.
WEIGHT RATING	500 LBS.

MODEL MLS2601







D-FORCE



BOLTED LADDER SECTIONS

SILENCERS





Wide foot platform with footrest

Oval tubing; strong, sturdy & easy to grip


HANG-ON STANDS

"Muddy hang-on stands are made with the serious hunter in mind. Reliable, well built, and solid, Muddy continues to set the standard for quality products for the serious hunter who demands the most out of the gear they trust."

> -Joe Sir Rizen Media

ING-ON STANDS

Ш














 $\langle \varphi \rangle$

T +

A

R

Y



Nylon netted seat

Non-slip slats on foot platform

Backpack straps included





Accessory bag included



Backpack straps included for easy transport





STALKER

CONSTRUCTION	ALUMINUM	
FOOT PLATFORM	20"W x 28"D	
STAND WEIGHT	19 LBS.	
WEIGHT RATING	300 LBS.	

MODEL MCL150-A

ALUMIN





Padded backrest

*Patent Pending

	WOODSMAN		
	CONSTRUCTION	ALUMINUM	
1	FOOT PLATFORM	20.5"W × 29.5"D	
	FOOTREST	FLIPS BACK	
	STAND WEIGHT	25 LBS.	
	WEIGHT RATING	300 LBS.	

MODEL MCL300-A

ALUMINU



"Recently purchased a Woodsman Climber and I'm extremely satisfied with this product. Went together easily, climbs great, light and extremely sturdy. This my first climbing stand, the only regret that I have is that I didn't buy this stand years ago." - John



...

SUNITS

쉠

A A


B

1++

A

Ĥ

2D







CLIMBING SYSTEMS

"Muddy not only makes top of the line treestands, but also top of the line climbing systems. From portable and lightweight, to more stationary models, Muddy has you covered every step of the climb."

STO E

-11

- Matt Drury Drury Outdoors





QUICK STEP XL

HEIGHT	20' TALL
WEIGHT	27 LBS. (TOTAL WEIGHT)
WEIGHT RATING	300 LBS.

MODEL MCS1020

QUICK-STICK XL

HEIGHT	20' TALL
STEP WIDTH	10.5″
SECTIONS	5 PIECES
STAND WEIGHT	25 LBS. (TOTAL WEIGHT)
WEIGHT RATIN	300 LBS.

MODEL MCS0120

IBING SYSTEMS

Care and the second sec

B

A

* * * *

A

Û

M





Silencers; plastic caps and nylon washers throughout

11" wide solid oval tubing steps

Steel construction



Works great on not so straight trees

Rock solid performance



ASCENDER

20' TALL
11″
5 PIECES
33 LBS. (TOTAL WEIGHT)
300 LBS.

MODEL MCS0520



8" between the step & tree for a safer climb





STEP WIDTH	9″	
AVAILABLE MODELS	1 SECTION MODEL MCS1200	3 SECTIONS MODEL MCS1200-3
WEIGHT	4 LBS. EAG	СН
WEIGHT RATING	300 LBS.	

MODEL MCS1200, MCS1200-3





Packable for easy carrying & storage



Silent cam-buckle

Each step has built-in teeth for extra

Aluminum bark biters

attach to the tree

Geared dual-fold steps make a safer

more durable step


straps

grip









PRO CLIMBING

CONSTRUCTION	ALUMINUM
STEP WIDTH	9.25″
SECTIONS	4 PIECES; 20" EACH
WEIGHT	2.5 LBS. EACH
WEIGHT RATING	300 LBS.

MODEL MCS2000-4

"The Muddy Pro Climbing Sticks are hands down the best sticks I have ever used. They are light weight, they pack nicely and they are a breeze to install..." - Jeff







PEG PACE



ALUMI

AEROLITE CLIMBING STICKS

ALUMINUM
10″
3 PIECES; 32" EACH
3 LBS. EACH
350 LBS.

MODEL MCS3000-3A





Peg-pack series; sticks pack together with several compatible Muddy fixed-position treestand models

HARNESSES

"Muddy safety harnesses are simply the best in the business. Muddy has multiple harness options for every hunter, and ensure that I'll return home safely after each hunt."

> -Taylor Drury Drury Outdoors

-11

B

- A

R

T




AMBUSH

CAMO	OPTIFADE ELEVATED II
CONSTRUCTION	LIGHT WEIGHT PADDED NYLON
BUCKLES	STANDARD QUICK RELEASE BUCKLES
WEIGHT	1.9 LBS.
WEIGHT RATING	300 LBS.

MODEL MSH500

٢



Quick-release leg buckles with adjustable leg straps



New durable elasticchest strap to keep harness tight to chest YN



1

B

X

R


T

٦

CROSSOVER COMBO

CONSTRUCTION	LIGHT WEIGHT PADDED NYLON
BUCKLES	STANDARD QUICK-RELEASE
WEIGHT	2 LBS.
WEIGHT RATING	300 LBS.

MODEL MSH600-SM-C = SMALL/MEDIUM MODEL MSH600-L-C = LARGE MODEL MSH600-XL-C = EXTRA LARGE



One-hand, quick-set carabiner clip

Flexible tether for 360° movement

6 pockets + builtin binocular straps

1.16.1



STAY CONNECTED AT ALL TIMES USE WITH ANY LADDERSTAND OR FIXED POSITION

> SEE PAGE 23 FOR MORE DETAILS.

Quick-release leg buckles with adjustable leg straps

U

D

D

٢



Includes: Lineman's Rope Tree Strap

Suspension Relief StrapCarabiner

Safe-Line

0





Padded shoulders & back for comfort & endurance for long sits

D

m

DIAMONDBACK

	CONSTRUCTION	LIGHT WEIGHT PADDED NYLON
	BUCKLES	STANDARD QUICK-RELEASE
	WEIGHT	2 LBS.
1	WEIGHT RATING	300 LBS.

SIZE: ONE SIZE FITS MOST MODEL MSH300



Air-flow mesh for breathability

Easy cinch adjustable chest strap



Easy to use, no tangle design = once personal adjustments have been made goes on in seconds

Silencers; no metal on metal contact








Carabiner

Includes:

Lineman's Rope Tree Strap Suspension **Relief Strap**





"I just purchased a new Diamondback harness and while I haven't hunted with it yet I have worn it while hanging stands and it was awesome! The padded straps combined with the lightweight make it very comfortable to wear and the buckles make it very easy to get on and off. The tether is a nice length as well as I had plenty of room to move while setting my stands while still being secure." - Chad

Ш

THE REAL

B

A

Î

AN

One-hand carabiner loop

*

U

0

D

SAFEGUARD[™]

	CONSTRUCTION	LIGHT WEIGHT PADDED NYLON
	BUCKLES	CAM LEG BUCKLES
	WEIGHT	1.9 LBS.
	WEIGHT RATING	300 LBS.
_		

MODEL MSH405-S/M = ONE SIZE FITS MOST

(2) gear lanyards; instant access to gear

Easy cinch adjustable chest straps and waist belt

Silent, vinyl coated parachute waist buckle

Extra leg cushion

"Fits my 12 year old daughter pretty well. Being adjustable, she will be able to use is for a long time. Very happy with this purchase" - Kenneth



Specifically fit to feminine figure Extremely gear friendly, keeps everything within reach



M

U

N.

U

D

n

SAFEGUARD[™]

CONSTRUCTION	LIGHT WEIGHT PADDED NYLON
BUCKLES	CAM LEG BUCKLES
WEIGHT	1.9 LBS.
WEIGHT RATING	300 LBS. (YOUTH = 150 LBS.)

MODEL MSH400-Y = YOUTH MODEL MSH400-SM = SMALL/MEDIUM MODEL MSH400-L = LARGE MODEL MSH400-XL = EXTRA LARGE





Binocular straps for quick & convenience

ARNESSES

Cart I

P

Se la constante

T

Â

2

Padded waist

Noiseless & adjustable leg buckles; no metal on metal contact

LRG 5'6" - 6'3" 170 - 230 Lbs. Max Waist 40" XLG 5'7" - 6'7" 230 - 300 Lbs. Max Waist 44" - 170 Lbs Waist 34

AVAILABLE SIZES





Includes:

C

0

D

m

0

0

- Lineman's Rope Tree Strap
- Suspension Relief Strap
- Carabiner



Flexible tether for 360° movement





1-22-22

长

X

A



	Two prusik knots; S	UNITY SAVET		SE WITH ANY ADDERSTAND
	and down; Stops ye should a fall occur.	ou immediately		R HANG-ON!
USE	SAFE FROM TH YOU LEAVE TH	E GROUND		11
2 MODELS	TO THE TIME Y			
ZINODELS	1 PACK MODEL MSA500	3 PACK MODEL MSA500-3		
LENGTH	30'		1.4.4.4.4.4	CO.
WEIGHT RATING	300 LBS.		30' braided nylon	REFLECTIV
MODEL MSA500, MS	A500-3	-Yer		enhances do low-light vis

SAFETY HARNESS TREE STRAP

CONSTRUCTION	STEEL BUCKLE; STITCHED NYLON
LOOP	EXTRA THICK, DOUBLE STITCHED
SIZE	1.5 LBS.
WEIGHT RATING	300 LBS.





Large loop for easy secure carabiner dipping

MODEL MSA050

SAFETY HARNESS LINEMAN'S ROPE

USE	SAFE TREE CLIMBING WHILE INSTALLING TREESTAND, SAFE-LINE, OR ANY OTHER ELEVATED HUNTING EQUIPMENT
CONSTRUCTION	BRAIDED NYLON
WEIGHT RATING	300 LBS.

MODEL MSA070







HARNESSES

. D

T+

SAFETY HARNESS CARABINER

STEEL
ONE-HAND LOCKING
ONE SIZE FITS MOST
300 LBS.


MODEL MSA060

SAFETY HARNESS ALUMINUM CARABINER

CONSTRUCTION	ALUMINUM
ТҮРЕ	ONE-HAND LOCKING
SIZE	ONE SIZE FITS MOST
WEIGHT RATING	300 LBS.



MODEL MSA080



No.

B

TRAIL CAMERAS

"No matter the time of year, we rely heavily on our Muddy Pro Cams to pattern and inventory the bucks on the properties we hunt. Packed full of features and dependable, Muddy trail cameras truly do help us when it comes to filling tags on mature whitetails!"

-Pat Reeve CO-HOST, DRIVEN TV



PHOTO BURST OPTIONS





SIMPLE TO PROGRAM



-LASH



REQUIRE



*(SOLD SEPARATELY-EXCEPT FOR MODELS MTC600-K AND MTC200-K; 8GB SD CARD & 6AA BATTERIES ARE INCLUDED)

CRYSTAL CLEAR IMAGES

FULL COLOR DAYTIME IMAGES AND MONOCHROME NIGHTTIME IMAGES







DURABLE HOUSING









STEE V

A A

B

0

A



SPECS

Camera Specifications		Physical Specs
Image Resolution	20 MP (Day), 5 MP (Night)	Dimensions
Image Detail	Color (Day), B/W (Night)	Material
Video Mode	1280 x 720 HD with Sound or VGA (32 FPS) with Sound	Finish
Video Length	6 Options: 5 Sec - 2 Minutes (Day), 10 sec (Night)	Housing Settings Screen
Illumination	Invisible Flash with 36 HE LEDs	Mounting Options
Detection Range	70 Feet	Alt. Mounting
Trigger Speed	0.6 Seconds	Theft Deterrence
Flash Range	70+ Feet	Technical Data
Burst Interval	2 Seconds or 0.6 Seconds	Battery Life
Field of View	3 Zone + 50° Detection Angle	Batteries Required
Image Data	Camera ID, Date, Time, Temp, & Moon Phase	Alt. Power Option Memory Card
Camera Options - Bey	ond Optimal Presets	Product Warranty
Photo Burst	2 - 8 Photos	Operating Temp.
Trigger Delay	10 Options: 2.5 Sec 60 Min.	
Time-lapse	Yes	
Time-lapse Frequency	10 Options: 5 Sec 60 Min	
Time-lapse Period	Customizable Start/End Time	
SD Overwrite	Camera will overwrite oldest images on SD card if SD card is full	- Day

Physical Specs		
Dimensions	4.75" H x 4.25" W x 2.5" D	
Material	Molded ABS	
Finish	Non-reflective Bark Pattern	
Housing	Waterproof	
Settings Screen	Backlit LCD Screen	
Mounting Options	Adjustable Strap with Buckle	
Alt. Mounting	1/4" - 20	
Theft Deterrence	Cable Lock and Padlock Ready	
Technical Data		
Battery Life	Up to 10,000 Images	
Batteries Required	6 AA	
Alt. Power Option	12V DC	
Memory Card	Secure Digital Up to 32 GB	
Product Warranty	1 Year	
Operating Temp.	-10° F to 140° F	





Backlit LCD Screen will allow the user to easily navigate through the settings any time of day.

> Shooting a number of photos of the same area, spread out over a period of time. Custom settings from 1 hr-24hrs, with multiple intervals. This feature is great for images 200 plus yards away that you normally couldn't get.



QUICH

Programmable 2-8 photo bursts and only .6 seconds delay between photos.









Ш

THE STREET

B

A

A

YN



SPECS

Camera Specificatio	ons	Physical Specs		
Image Resolution	14 MP (Day), 5 MP (Night)	Dimensions	4.75" H x 4.25" W x 2.5" D	
Image Detail	Color (Day), B/W (Night)	Material	Molded ABS	
Video Mode	Standard VGA (32 FPS)	Finish	Non-reflective Brown	
Video Length	4 Options: 10 - 60 seconds (Day),	Housing	Waterproof	
rideo Longin	10 sec (Night)	Settings Screen	LCD Screen	
Illumination	Invisible Flash with 18 HE LEDs	Mounting Options	Adjustable Strap with Buckle	
Detection Range	50 Feet	Alt. Mounting	1/4" - 20	
Trigger Speed	1.5 Seconds	Theft Deterrence	Cable Lock and Padlock Ready	
Flash Range	Range 50+ Feet		Technical Data	
Burst Interval	2 Seconds	Battery Life	Up to 10,000 Images	
Field of View	3 Zone + 50° Detection Angle	Batteries Required	6 AA	
Image Data	Camera ID, Date, Time, Temp, & Moon Phase	Alt. Power Option	12V DC	
Camera Options - Beyond Optimal Presets		Memory Card	Secure Digital Up to 32 GB	
Photo Burst	2 - 6 Photos	Product Warranty	1 Year	
Trigger Delay	7 Options: 10 Sec - 30 Min	Operating Temp.	-10° F to 140° F	



Backlit LCD Screen will allow the user to easily navigate through the settings any time of day.



57

CHARLE I

B

Po la

A

A

YN

SETUP DATE/TIME 12/03/15 09:47A

TRAIL CAMERA ACCESSORIES

ADJUSTABLE TRAIL CAMERA

MODEL MTCA-TCS02

STEEL
SCREWS SECURELY INTO TREE; WORKS ON MOST CAMERAS WITH 1/4"-20 RECEIVER
CAMERA MOUNT CAN BE ADJUSTED TO ANY DIRECTION & ANGLE
10 LBS.



HEIGHT ADJUSTS FROM 19" TO 41"

DUAL CAMERA BROUND

MODEL MTCA-TCS03

E I I

A

Ĥ

ZD

CONSTRUCTION	STEEL
USAGE	STAKES SECURELY IN GROUND. WORKS ON MOST CAMERAS WITH 1/4" - 20 RECEIVER.
FULLY ADJUSTABLE	1 OR 2 CAMERAS SECURELY ATTACH. CAN ADJUST HEIGHT 19" TO 41". CAN ADJUST TO ANY DIRECTION & ANGLE.
WEIGHT RATING	25 LBS.



COMPARISON CHART

Camera Specification



MTC600




Camera Specifications	MTC600	MTC200
Image Resolution	20 MP (Day), 5 MP (Night)	14 MP (Day), 2 MP (Night)
Image Detail: Color (Day), B/W (Night)	\checkmark	\checkmark
Illumination	Invisible Flash with 36 HE LEDs	Invisible Flash with 18 HE LEDs
Trigger Speed	0.6 Seconds	1.5 Seconds
Burst Interval	2 Seconds or 0.6 Seconds	2 Seconds
Image Data: Camera ID, Date, Time, Temp, & Moon Phase	\checkmark	\checkmark
Video Mode	1280 x 720 HD with Sound or VGA (32 FPS) with Sound	Standard VGA (32 FPS)
Video Length	6 Options: 5 Sec - 2 Minutes (Day), 10 sec (Night)	4 Options:10 - 60 seconds (Day), 10 sec (Night)
Detection Range	70 Feet	50 Feet
Flash Range	70+ Feet	50+ Feet
Field of View: 3 Zone + 50° Detection Angle	\checkmark	\checkmark
Camera Options - Beyond Opt	imal Presets	
Photo Burst	2 - 8 Photos	2 - 6 Photos
Trigger Delay	Options from 2.5 Seconds - 60 Minutes	Options from 10 Seconds - 30 Minutes
Time-lapse	Yes	
Time-lapse Period	Custom Start/End Time	
Time-lapse Frequency	10 Options: 5 Sec 60 Min	
SD Overwrite	Camera will overwrite oldest images on SD card if SD card is full	•
hysical Specs		
Dimensions	4.75" H x 4.25" W x 2.5" D	4.75" H x 4.25" W x 2.5" D
Material	Molded ABS	Molded ABS
Finish	Non-reflective Bark Pattern	Non-reflective Brown
Housing	Waterproof	Waterproof
Settings Screen	Backlit LCD Screen	Backlit LCD Screen
Mounting Options	Adjustable Strap with Buckle	Adjustable Strap with Buckle
Alt. Mounting	1/4″ - 20	1/4″ - 20
Theft Deterrence	Cable Lock and Padlock Ready	Cable Lock and Padlock Ready
echnical Data		
Battery Life	Up to 10,000 Images	Up to 10,000 Images
Batteries Required	6 AA	6 AA
Alt. Power Option	12V DC	12V DC
Memory Card	Secure Digital Up to 32 GB	Secure Digital Up to 32 GB
Product Warranty	1 Year	1 Year
Operating Temp.	-10° F to 140° F	-10° F to 140° F

P

Se la constante

!

A



FUU

STANDS

1 AP.

X

*

QUAD BLIND KIT

MODEL MQA1602

Large zippered corner entry

QUAD ENCLOSURE KIT HEIGHT

4; 22″W x 28″H WINDOWS

MODEL MQA1601

4 x Zippered windows

7' standing height

Large zippered corner entry P

*

3

۔





62

S HNUS

1

4

A A

长

X

1++

A

Y

LIBERTY HEIGHT 16' TALL

	ntioni	
1	FOOT PLATFORM	42" DIAMETER
	SEAT	18"W x 14"D SWIVELS 360°
	STAND WEIGHT	132 LBS.
١	WEIGHT RATING	300 LBS.

MODEL MTP3000

Padded

shooting rail

Padded armrests with gear bags

Extremely wide & comfortable 360°

Flex-tek seat

Flared-out

extra room

shooting rail for

Wide expanded metal grates











-11

AT I

B

A

NN



2x detachable gear bags





The 4 foot extension for liberty

MODEL MTA3004-EX

- **CONSTRUCTION:** Steel
- USE: Raises Liberty height to 20'
- SET UP: Easy to install
- STAND WEIGHT: 38 LBS.
- WEIGHT RATING: 300 LBS.

MADE TO FIT Blind kit iv

MODEL MCB-MF4

- **CONSTRUCTION:** Water-resistant quiet denier fabric in Epic Camo
- FOR USE WITH: The Liberty Tripod -Model MTP3000 (This blind may fit future stands as well, see stand box for more details.)
- ENTRANCE: 25" x 25" Zippered closure FASTENERS: Snaps & bungee cords

63

MTA3000-RK MODEL

The Enclosure Kit For Liberty

- **CONSTRUCTION:** Steel/water-resistant quiet denier fabric in Épic Camo WINDOWS: 8 Zippered windows ENTRANCE: 21"W x 25"H **INTERIOR:** Tall enough to stand
- - COVER: Full surround
 - FASTENERS: Bungee cords TOTAL KIT WEIGHT: 24 LBS.

GROUND BLINDS

"I picked my daughter Brooke up from school and we were off to the Muddy ground blind. Spacious and easy to setup, we were comfortable which makes the Muddy blinds perfect for both kids and adults. As the sun started to set Brooke noticed movement to our left and a huge buck stepped out. Brooke made a perfect shot!"

> -Jason Kephart The Kindred Life

1

B

Y

A

Ĥ

V\$360™

HEIGHT	19.5 LBS.	
SHOOTING WIDTH	77″W x 77″D	
STANDING HEIGHT	70″	
STYLE	HUB	

MODEL MGB2000

"I pulled it out of the box yesterday and took it hunting. It fooled the turkey as he came into 7 yards! The window system is flawless when it comes to bow hunting." - Bucks





32"

70"



CONCEALMEN FROM THE ELEMENTS

ENTRANC

MESH

BRUSH STRIP





The second secon

Se la constante

T T

A

Û

YN

BLACKED-OUT

INTERIOR

A I

A A

T

A


R

Y

	RA
	N
	SHOOTING
	STANDING

WEIGHT 18.5 LBS. WEIGHT 72″W × 72″D G HEIGHT 64″ STYLE HUB

MODEL MGB0500



























SWIVEL-EASE XTREME

CONSTRUCTION	STEEL FRAME
MATERIAL	FLEX-TEK SEAT
WEIGHT	16 LBS.
WEIGHT RATING	300 LBS.
FEATURES	FOOTREST, SWIVELS 360°

MODEL MGS600



SWIVEL-EASE GROUND

Armrests for all day comfort		Removab strap	le carry
CONSTRUCTION	STEEL FRAME		
MATERIAL	FLEX-TEK SEAT		
WEIGHT	15 LBS.		
WEIGHT RATING	300 LBS.		
MODEL MGS400			m



Folds compact for easy carrying



FOLDING TRIPOD GROUND SEAT

CONSTRUCTION	STEEL FRAME
MATERIAL	HEAVY-DUTY, WATER- RESISTANT FABRIC
FEATURES	PADDED SEAT, CONTOURED BACKREST, CARRY STRAP, FOLDS FLAT FOR STORAGE
WEIGHT	6.5 LBS.
WEIGHT RATING	250 LBS.

MODEL MGS300

Wide base for

increased stability



SPORTSMAN'SS



5 GALLON PAIL: SWIVEL SEAT COVER FEATURES: CAMO PAIL

COVER WITH POCKETS

AND CARRY STRAP

MODEL GS1205

SPIN-TOP

5 GALLON PAIL: SWIVEL SEAT COVER

MODEL GS1204



FASTENERS: ADJUSTABLE STRAPS; FITS UP TO 34" TREE

MODEL AC200



MODEL CR86-V

FASTENERS: ELASTIC BAND

& ADJUSTABLE CORD LOCK

-11

5

A

H

PORTABLE HOT SEAT



CONSTRUCTION: DURABLE CAMOUFLAGE CUSHION RETAINS & REFLECTS YOUR OWN BODY HEAT FOR A WARM, COMFORTABLE SEAT

SIZE: 15" DIAMETER X 4" THICK

MODEL GS0105



5-GALLON PAIL SWIVEL SEAT TOP: 1" THICK ROTATING CUSHION SNAPS ONTO ANY STANDARD 5-GALLON PAIL CREATING A COMFORTABLE SEAT FOR HUNTING.

MODEL GS0205



- DELIVERS MOBILITY AND COMFORT WITH THE FLEX-TEK SEAT DESIGN
- CONVENIENT AND COMFORTABLE WAY OF HUNTING FROM THE GROUND

EXTREMLY PORTABLE

MODEL MTS500

ULTRA PLUSH SEAT



 CONSTRUCTION: DURAFOAM; MAKES THIS SEAT CUSHION FIRM YET ULTRA-PLUSH FOR ALL-DAY COMFORT.
 WATERPROOF EPIC CAMO
 SIZE: 16" WIDE X 14" DEEP X 3" THICK
 1.5" WIDE CARRY STRAP

MODEL GS0109

COMPLETE SEAT

- SEAT CUSHION: 18" WIDE X 14" DEEP; 3" THICK IN FRONT TO 2" THICK IN REAR
- BACKREST: 14" WIDE X 17" TALL; 1.5" THICK
- SUPPORT STRAPS: STRAPS CAN BE USED TO SUPPORT THE BACKREST AS A FREESTANDING SEAT OR CAN BE USED TO SECURE BACKREST AROUND TREE; CARRY STRAPINCLUDED



MODEL GS1105



A

Ĥ



¥ ALL

B

A

Ĥ

MUDETY

UNIVERSAL Shodting Rail



- BACKREST CUSHION: 14" WIDE X 8" TALL X 2" THICK
- FOR USE WITH: MOST FIXED POSITION TREESTANDS, BLIND KIT FOR UNIVERSAL SHOOTING RAIL -MODEL CR0095 (SOLD SEPARATELY)
- FASTENERS: ONE 1" RATCHET STRAP
- WEIGHT: 7 LBS.

MODEL CR0090



18" WIDE X 10" DEEP X 2" THICK FITS ON MOST TREESTANDS FASTENERS: SILENT TIES





CONSTRUCTION	STEEL			-	
DIMENSIONS	16"W x 40"L			Ri	ubber-coated andle
WHEEL	16" DIAMETER, HARDENED RUBB	ER	1 New Bar	(A)	
WEIGHT	29 LBS.		- /		
WEIGHT RATING	300 LBS.				1
ODEL MGC400	Bar States		/		/
	Zero-gravity Balanced de	v handle esign		/	
				1-	Folds flat for
					transportation
				2	
		11.800		11 M H. 10	
		A	\mathbf{N}		
		K	X		
~		5	X	4	-
~			7	4	-
5			Y		Balanced design; E
5			X		Balanced design; E in and out of field
5					Balanced design; E in and out of field
3					Balanced design; E in and out of field
3					Balanced design; Erin and out of field
3					Balanced design; E in and out of field

(Aparti

B

X

R





R:

OUTFITTER CAMERA ARM

SIZE	4"W X 14"T X 40"L (WITH FULL ARM EXTENSION)	R
CONSTRUCTION	STEEL, EXTREMELY QUIET JOINTS & PIVOTS	
MECHANICS	EASY LEVELING + QUICK RELEASE LEVER + 360° EXTENDABLE ARM = PERFECT CAMERA ANGLE	
PACKABLE	EASILY PACKABLE & SETS UP IN SECONDS!	
FEATURES	2 DIFFERENT CAMERA BOLT SIZES, BUBBLE LEVEL, QUICK RELEASE LEVER ADJUSTMENTS, & QUIET LOOP-END RATCHET STRAP	
WEIGHT	4.5 LBS.	k

HUNTER CAMERA ARM

SIZE	4"W X 14"T X 46"L (WITH FULL ARM EXTENSION)	RATED FO
CONSTRUCTION	STEEL, EXTREMELY QUIET JOINTS & PIVOTS	5
MECHANICS	46" REACH WITH OVER 5 POINTS OF ADJUSTMENT	LBS
PACKABLE	EASILY PACKABLE & SETS UP IN SECONDS!	1.0
FEATURES	EASY GRIP CAMERA TIGHTENING KNOB, BUBBLE LEVEL, SPRING-LOADED LEVER ADJUSTMENT, & RATCHET STRAP	
WEIGHT	7 LBS.	

MODEL MCA400

MODEL MCA200

"This camera arm has covered all the basics. It's solid, light-weight, easy to set up, smooth, and quiet!" – JD

ATED FOR:

THE DUTFITTER CAMERA ARM BASE

MODEL MCA202

WEIGHT: 2 Lbs.

EASY TO INSTALL

 SOLID LOCK LEVELING SYSTEM ELIMINATES ARM SLIPPAGE

(BASE ONLY, OUTFITTER ARM SOLD SEPARATELY.)



THE HUNTER CAMERA ARM BASE

MODEL MCA402

WEIGHT: 5 Lbs.

 HEAVY-DUTY CAMERA ARM BASE WITH UNLIMITED ADJUSTMENTS

(BASE ONLY. HUNTER ARM SOLD SEPARATELY.)



T

BASICAMERA

ADJUSTABLE CAMERA ARM FEATURES A QUICK-RELEASE MOUNT FOR CONVENIENCE! FOREARM & CAMERA HEAD ADJUST A FULL 360° EXTENSION ARM SWINGS 180° LIGHTWEIGHT DESIGN FOR EASY TRANSPORT WEIGHT RATING: 4 Lbs. MODEL MCA100

HUN	T HARD CAMERA	NEW
SIZE	14"W X 12"T X 24"L (WITH FULL ARM EXTENSION)	RATED FOI
CONSTRUCTION	ALUMINUM, QUIET JOINTS & PIVOTS	6
MECHANICS	24" REACH WITH OVER 5 POINTS OF ADJUSTMENT	LB 2
PACKABLE	EASILY PACKABLE & SETS UP IN SECONDS!	54.4
FEATURES	EASY GRIP CAMERA TIGHTENING KNOB, BUBBLE LEVEL, & RATCHET STRAP	
WEIGHT	5 LBS.	

MODEL MCA150



XTREME SHOOTING BENCH

BENCH TOP	23"W x 34"L, PADDED TOP WITH COATED STEEL RAISED LEDGE	
SEAT	12"W x 14"D x 2" THICK	
SWIVEL ACTION	SEAT & TOP SWIVEL TOGETHER OR INDEPENDENTLY 360°	
WEIGHT	46 LBS.	11
WEIGHT RATING	300 LBS.	

SWIVEL-ACTION SHOOTING BENCH

29"W x 29"L, EXTENDED ARMRESTS

12"W x 14"D x 2" THICK

SEAT & TOP SWIVEL 360°





2" thick seat with adjustable 2" thick padded backrest

0

an!

360* SW/1-

Bench top and seat separately swivel

> Interchangeable accessories: 1 x cup holder, 1 x EZ access gear basket, & 1 x gear hook

2 shell/ gear pockets

Duracoat bench top for longevity



20

1

MODEL MSB300

BENCH TOP

SEAT

WEIGHT

38 LBS.

300 LBS.



ULTRA-STEADY SHOOTING BENCH

BENCH TOP	21"W x 28"L,
SEAT	12″W x 14″D x 2″T
WEIGHT	32 LBS.
WEIGHT RATING	300 LBS.

MODEL MSB100



2" thick seat



2" thick seat

RUBBER WIRE

25' LONG RUBBER WIRE IS REUSABLE AND WORKS IN LIMITLESS PLACES FOR ANY SPORTSMAN!

- **DURABLE STEEL WIRE IS** RUBBER COATED, RUST FREE
- EASY TO USE EVEN WITH A GLOVED HAND AND DOES NOT SCRATCH GEAR

USE FOR:

- Tangle-Free treestand hoist rope
- Securing homemade blinds
- Securing gear on ATVs and boats
- Much, much more!

EZ TWIST Pull up Rope

MODEL MTA-RW01

TREESTAND BACKPACK STRAPS

QUICK & EASY TO ATTACH & USE ADJUSTABLE, PADDED STRAPS FITS MOST TREESTANDS

MODEL MTA-BPS01

TREESTAND ORGANIZER

25' LONG FLAT, TANGLE-FREE DESIGN SILENT, EZ TWIST-TIE, RUBBER-COATED END

- EASY TO USE EVEN WITH A GLOVED HAND AND DOES NOT SCRATCH GEAR
- FOLDS UP FLAT AND SMALL FOR STORAGE


MODEL MTA-PRO1

ORGANIZE YOUR GUN, BOW OR CROSSBOW 360° ADJUSTMENT, VINYL COATED HOOKS + 2 EXTRA ACCESSORY HOOKS UNIVERSAL MOUNT FOR CLIMBERS, FIXED-POSITION OR LADDERSTANDS

MODEL MTA-OR01

EZ. REACH

LADDERSTAND INSTALLATION HOIST



SYSTEM TO SIMPLIFY THE PHYSICAL DEMAND OF INSTALLING LADDERSTANDS

CONSTRUCTION:

- Solid steel winch & winch bracket
 25' Heavy-Duty Winch Strap
 Nylon Tether-Strap
 1.5" Nylon Ratchet Strap
 Ladder ground spikes

MODEL MIT-LSO2

B

A

Ĥ

-

体

Ĥ

EXTREME EXTREME MULTI-HANGER MULTI-HANGER CUMBU 20" STEEL HANGER + 4" RUBBER 20" STEEL HANGER COATED STEEL DOUBLE HOOK VINYL COATED MAIN HOOK ON SCREWS INTO TREE + SUPPORT LEG FOR EXTREME STRENGTH **PIVOTING ARM + THREE SMALL GEAR HOOKS** COATED MAIN HOOK ON PIVOTING SUPPORT LEG FOR EXTREME STRENGTH **ARM + THREE SMALL HOOKS** WEIGHT LIMIT: STEEL HANGER - 30 LBS.; WEIGHT LIMIT: 30 LBS. DOUBLE HOOK - 10 LBS. MODEL BH200-C MODEL BH200 **GROUND BLIND MINI-BOW HANGER - 2PK** RUBBER-COATED, 2-SIDED KEEPS YOUR BOW EASILY CONNECTS TO HUB-STYLE GROUND BLIND FRAME HOOK, 360° ROTATION WITHIN EASY REACH MODEL GBA-BH01-2 DELUXE MULTI-HOOK ACCESSORY HOLDER TARGET HOLDER CONSTRUCTION: SOLID STEEL FRAME 0 0 00 DUAL PURPOSE STAND; WORKS FOR BAG* (UP TO 34" TALL X 34" WIDE) OR 3D TARGETS* 0 ADJUSTABLE FROM 4" TO 35" TO ACCOMMODATE MOST 3D TARGETS **4 ADJUSTABLE GEAR HOOKS** WORKS ON MOST GROUND SURFACES WEIGHT LIMIT: 50 LBS. NO TOOLS NECESSARY FOR ASSEMBLY MODEL CR93-V MODEL SA100 *Bag & 3D Targets sold separately UNIVERSAL PLATFORM TREE-MOUNT ACCESSORY BASKET BOW HOLDER 8.5" DIAMETER X 9" DEEP CONSTRUCTION: SOLID STEEL FRAME WITH DURABLE FULLY ADJUSTABLE CAMO MESH COATED, STEEL FORK SCREWS INTO TREE **EASILY ATTACHES TO** WEIGHT LIMIT: 10 LBS. **MOST TREESTANDS** MODEL TA035 E7. ACCESS SCREW-IN TREESTAND BASKET DRINK HOLDER RING 12" LONG X 6" WIDE X 8" DEEP CONSTRUCTION: SOLID STEEL RING WITH STRONG CAMO STEEL FRAME WITH DURABLE MESH HOLDER CAMO MESH SCREWS INTO TREE **BUILT-IN CUP HOLDER** WEIGHT LIMIT: 10 LBS. WEIGHT LIMIT: 20 LBS.

MODEL CR70-V

MODEL TA030




MODEL CR94-V (SINGLE) | MODEL CR94-V3 (3 PACK) | MODEL BH012 (12 PACK)

-11

A

H









-11

G

B	
Ŷ	
*	
Ŕ	



MODEL NUMBER CONSTRUCTION FIBER-GUARD COATING FOOT PLATFORM FOOT PLATFORM STYLE

FOOTREST

SEAT SIZE

SEAT STYLE

SEAT FEATURES

SEAT HEIGHT

ADJUSTABLE ANGLE

BACKREST

SILENCERS: NO METAL ON METAL CONTACT

PACKABLE

DESIGNED TO PACK WITH: OUTFITTER STICKS - MCS100-3, THE PRO STICKS - MCS2000-4, & THE AEROLITE - MCS3000-3A (PG 30-32)

BACKPACK STRAPS INCLUDED

FASTENERS

PADDED ARMRESTS

ACCESSORY BAG

STAND WEIGHT

MINIMUM TREE SIZE: 9" DIAMETER

WEIGHT RATING

FULL-BODY FALL ARREST SYSTEM (WITH CLIMBING BELT)



BOSS	BOSS XL	BOSS™ ELITE AL	THE OUTFITTER	
MFP1075	MFP1200	MFP5100-A	MFP3205	
STEEL	STEEL	ALUMINUM	STEEL	
\checkmark	\checkmark	\checkmark	\checkmark	
24" WIDE X 30" DEEP	25" WIDE X 34" DEEP	20" WIDE X 37" DEEP	24" WIDE X 34" DEEP	
D-FORCE EXPANDED	D-FORCE EXPANDED	LYNX EXPANDED	D-FORCE EXPANDED	
FLIPS BACK	FIXED	FLIPS BACK	FLIPS BACK	
14" WIDE X 8" DEEP	20" WIDE X 13" DEEP	19" WIDE X 11" DEEP	15" WIDE X 11" DEEP	
FLEX-TEK	FLEX-TEK	FLEX-TEK	3″ TRI-PLEX FOAM	
FLIPS BACK	FLIPS BACK	FLIPS BACK	WATERPROOF, FLIPS BACK, REMOVABLE	
21″	22″	14″	24″	
			FOOT & SEAT PLATFORM	
			-	
\checkmark	\checkmark	\checkmark	\checkmark	
~	\checkmark	\checkmark	\checkmark	
			\checkmark	
		\checkmark		
(1) 2″ SILENT SLIDE BUCKLE STRAP	(1) 2″ SILENT SLIDE BUCKLE STRAP	SUPER MOUNT plus (1) 1" SILENT CAM-BUCKLE STRAP	(1) 1" SILENT CAM-BUCKLE & (1) 1" LOOPED RATCHET STRAP	
		~	\checkmark	
18 LBS.	20 LBS.	20 LBS.	22 LBS.	
\checkmark	\checkmark	\checkmark	\checkmark	
300 LBS.	300 LBS.	300 LBS.	300 LBS.	
\checkmark	\checkmark	\checkmark	\checkmark	

					Ĵ	Ì		GOMPARISON
	QUICK STEP XL	QUICK-STICK XL	ASCENDER	STAGGER STEPS	STAGGER STEPS 3-PK	PRO CLIMBING STICKS	AEROLITE CLIMBING STICKS	GHL
MODEL NUMBER	MC\$1020	MCS0120	MC\$0520	MC\$1200	MCS1200-3	MCS2000-4	MC\$3000-3A	H
CONSTRUCTION	STEEL	STEEL	STEEL, DX TUBING	STEEL	STEEL	ALUMINUM	ALUMINUM	
FIBER-GUARD COATING	~	~	1	~	~	\checkmark	~	
TOTAL HEIGHT (18" BETWEEN SECTIONS, SINGLE SECTIONS MEASURED FROM THE GROUND UP)	20′	20′	20′			12.5′	12.5′	E
HEIGHT PER SECTION	48″	48″	48″	31″	31″	20″	32″	第1 一世
SECTIONS	5	5	5	1	3	4	3	
SECTIONS CAN BE INSTALLED INDEPENDENTLY				~	~	√	~	6
WIDTH	9″	10.5″	11″	9″	9″	9.25″	10″	¥4
SILENCERS: NO METAL ON METAL CONTACT	\checkmark	~	~	~	~	~	\checkmark	
PACKABLE				~	~	~	\checkmark	A
DESIGNED TO PACK WITH SEVERAL COMPATIBLE FIXED POSITION STANDS						\checkmark	\checkmark	
FASTENERS (PER SECTION)	(1) 1″ CAM-BUCKLE STRAP	(1) 1" CAM-BUCKLE STRAP	(1) 1" CAM-BUCKLE STRAP	(1) 1" CAM-BUCKLE STRAP	(1) 1" CAM-BUCKLE STRAP	ROPE CAM ATTACHMENT SYSTEM	(1) 1" SILENT CAM-BUCKLE STRAP	
TOTAL WEIGHT	27 LBS.	25 LBS.	33 LBS.	4 LBS.	12 LBS.	10 LBS.	9 LBS.	運
WEIGHT PER SECTION	5 LBS.	5 LBS.	6.6 LBS.	4 LBS.	4 LBS.	2.5 LBS.	3 LBS.	
WEIGHT RATING	300 LBS.	350 LBS.	~					





STEEL CONSTRUCTION FIBER-GUARD COATING STAND HEIGHT TO SHOOTING RAIL FOOT PLATFORM EXPANDED METAL PLATFORM FOOTREST: FLIPS BACK

MODEL NUMBER

SEAT SIZE

SEAT STYLE

SEAT HEIGHT

SEAT FEATURES

BACKREST

SILENCERS: NO METAL ON METAL CONTACT

PADDED ARMRESTS

PADDED, FLIP-BACK SHOOTING RAIL

FASTENERS

ADJUSTABLE SUPPORT BAR

LADDER SECTIONS

EXTRAS

STAND WEIGHT

WEIGHT RATING


MINIMUM TREE SIZE: 9" DIAMETER

SAFETY HARNESS

HERCULES SYSTEM



H





BLACK BACKED, WATER BLACK BACKED, WATER

THE RAVAGE™

MGB0500

RESISTANT FABRIC

 \checkmark

64"

HUB

12

23"

34"

~

STRAPS \checkmark

(9) STEEL WITH STAKE

POCKET

18.5 LBS.

 \checkmark

EASY ACCESS DOOR WITH FULL-LENGTH ZIPPER



MGB2000

RESISTANT FABRIC

 \checkmark

70"

HUB

8

32" (ALL 4 SIDES)

OVERSIZED DELUXE

CARRY TOTE INCLUDED

 \checkmark

(9) STEEL WITH STAKE

POCKET

 \checkmark

19.5 LBS.

 \checkmark

EASY ACCESS DOOR WITH FULL-LENGTH ZIPPER

70



MODEL NUMBER

DIMENSIONS

CONSTRUCTION

EPIC CAMO

STANDING HEIGHT

ZIPPERED ROOF OPENING

STYLE

NUMBER OF WINDOWS

CORNER WINDOWS

HEIGHT TO BOTTOM OF WINDOWS

CENTER WINDOWS

WINDOW SECURING: REMOVABLE. SHOOT-THROUGH MESH WITH SILENT **ONE HAND RELEASE HOOKS TO ADJUST & LOWER**

CARRYING BAG

2 GEAR POCKETS

STAKES

4 TIE-DOWN ROPES (TO SECURE AGAINST WIND)

TOTAL WEIGHT

BRUSH STRIPS

BOTTOM WIND FLAP

DOOR

OTHER FEATURES

MGB6000 73 32

POWDER-COATED STEEL COVERED WITH **BLACK-BACKED**, WATER **RESISTANT DENIER** FABRIC + BURLAP

73" BALE 11

> 32" (ALL 4 SIDES), 4 = 6″W x 16″T, 6 = 12″W x 16″T, $1 = 64''W \times 27''T$ WATERFOWL WINDOW

REMOVABLE, ADJUSTABLE BUNGEES TO SLIDE WINDOWS

STANDARD CARRY **BAG WITH BACKPACK**

(4) STEEL

90 LBS.

 \checkmark

LARGE ZIPPERED DOOR WITH WINDOW

~

REVERSIBLE SHOOTING WINDOWS



#MUDDY MOMENT

UDD

Look through our comprehensive collection of hunting & shooting products right away.