

 MUZZY

# FeraDyne<sup>®</sup>

OUTDOORS



2019 Product Catalog

# TABLE OF CONTENTS

## **RAGE®**

RAGE® BROADHEADS .....	Page 4
CROSSBOW BROADHEADS .....	Page 4-5
EXTREME BROADHEADS .....	Page 5
HYPODERMIC® BROADHEADS.....	Page 5
PRACTICE BROADHEADS .....	Page 6
BROADHEAD REPLACEMENT COMPONENTS .....	Page 6
ACCESSORIES.....	Page 6

## **CARBON EXPRESS® ARROWS & BOLTS**

ADULT HUNTING ARROWS.....	Page 8-10
YOUTH HUNTING ARROWS .....	Page 11
SPECIALTY ARROWS .....	Page 11
CROSSBOLTS .....	Page 12
CROSSBOW ACCESSORIES.....	Page 13
HUNTING ARROW EXPLODED CHARTS.....	Page 14-16
TARGET ARROWS .....	Page 18-20
RECURVE TARGET ARROWS .....	Page 20
TARGET ARROWS EXPLODED CHARTS.....	Page 22-24
ARROW COMPONENTS .....	Page 26-29
ARROW COMPONENTS GUIDES.....	Page 30-31
ARROW ACCESSORIES .....	Page 32

## **MUZZY®**

CROSSBOW BROADHEADS.....	Page 34
TROCAR® BROADHEADS .....	Page 34
MX SERIES BROADHEADS .....	Page 34-35
MUZZY® STANDARD 6 PK BROADHEADS.....	Page 35
MUZZY® SMALL GAME HEADS.....	Page 35
MUZZY® REPLACEMENT BLADES.....	Page 35

## **MUZZY® BOWFISHING**

BOWS & KITS .....	Page 36
POINTS .....	Page 36
ARROWS.....	Page 37
REPLACEMENT TIPS.....	Page 38
RESTS.....	Page 38
ACCESSORIES.....	Page 38
REELS, REEL SEATS & ROD ATTACHMENTS.....	Page 39

## **TRU-FIRE®**

PATRIOT .....	Page 40
SMOKE .....	Page 40
BULLDOG MODELS .....	Page 40
EDGE .....	Page 40
HARDCORE .....	Page 40
CHICKENWING .....	Page 41
JUNIOR .....	Page 41
HAND-HELD HUNTING / 3D CROSSOVER .....	Page 42

## **IQ® BOWSIGHTS**

SIGHTS AND ACCESSORIES.....	Page 44
-----------------------------	---------

## **BLOCK® TARGETS**

.....	Page 46
-------	---------

## **GLENDEL® TARGETS**

.....	Page 47
-------	---------

## **HURRICANE® TARGETS**

.....	Page 47
-------	---------

## **BLACK HOLE® TARGETS**

.....	Page 48
-------	---------

## **SHOOTER™ 3D TARGETS**

.....	Page 48
-------	---------



**NOCKTURNAL® NOCKS**

LIGHTED CROSSBOW NOCKS ..... Page 50  
 LIGHTED ARROW NOCKS ..... Page 50  
 NOCK ACCESSORIES..... Page 50

**ROCKY MOUNTAIN®**

BROADHEADS..... Page 52  
 FIELD POINTS ..... Page 52  
 BOW SIGHTS ..... Page 52

**WAC'EM®**

BROADHEADS ..... Page 54





# Rage

## RAGE® BROADHEADS

### 2-BLADE SC BROADHEAD



Cut-on-Contact Tip • Anodized Aluminum Ferrule • Large .039" Leading Edge Blade • Tough, Razor Sharp .035" Stainless Steel Blades • SHOCK Collar for Blade Retention

#### RAGE® BROADHEAD ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
R61000	2	3 PK	100	2"

### 2-BLADE CHISEL TIP SC BROADHEAD



Steel Chisel Tip • Anodized Aluminum Ferrule • Tough, Razor Sharp .035" Stainless Steel Blades • SHOCK Collar for Blade Retention

#### RAGE® BROADHEAD ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
R65100	2	3 PK	100	2"

### 3-BLADE CHISEL TIP SC BROADHEAD



Steel Chisel Tip • Anodized Aluminum Ferrule • Tough, Razor Sharp .035" Stainless Steel Blades • SHOCK Collar for Blade Retention

#### RAGE® BROADHEAD ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
R60100	3	3 PK	100	1.6"

## RAGE® CROSSBOW BROADHEADS

### CROSSBOW X




Cut-on-contact Tip • Aluminum Construction F.A.T. (Ferrule Alignment Technology) • Tough Razor-Sharp .035" Stainless Steel Blades • SHOCK Collar for Blade Retention

#### RAGE® BROADHEAD ITEM SPECIFICATION

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
R53000	2	3 PK	100	2"
R54000	2	3 PK	125	2"

### 3-BLADE CHISEL TIP X




Newly Designed Steel Chisel Tip • Anodized Aluminum Ferrule • Tough, Razor Sharp .035" Stainless Steel Blades • SHOCK Collar for Blade Retention

#### RAGE® BROADHEAD ITEM SPECIFICATION

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
R60200	3	3 PK	100	1.6"

### CROSSBOW X EXTREME



Cut-on-Contact Tip • Anodized Aluminum Ferrule with F.A.T. (Ferrule Alignment Technology) • Large .039" Leading Edge Blade • Tough, Razor Sharp .035" Stainless Steel Blades • 2.3" Expandable Cut • SHOCK Collar for Blade Retention

#### RAGE® BROADHEAD ITEM SPECIFICATION

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
R52000	2	3 PK	100	2.3"

### HYPODERMIC® CROSSBOW



Hybrid Tip • Stainless Steel Hypodermic® Ferrule • .035" Blade Thickness • 2 Blade Broadhead • High Energy Series SHOCK Collar for Blade Retention

#### RAGE® BROADHEAD ITEM SPECIFICATION

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
R39600	2	3 PK	100	2"
R39700	2	3 PK	125	2"

### HYPODERMIC® TRYPAN® CROSSBOW **NEW**



Hybrid Chisel Tip • Titanium Ferrule • 0.039" Blade Thickness • Keyed ferrule • High Energy Series SHOCK Collar for Blade Retention

#### RAGE® BROADHEAD ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
R35200	2	3 PK	100	2"



## RAGE® X-TREME™ BROADHEADS

### X-TREME™ 4-BLADE *NEW*



Cut-on-Contact =Tip • Machined Aluminum Ferrule • .030" Cut-on-Contact Blade  
 • .035" Wing Blades • 7/8" Wide Fixed Blade Cut • 3.1" Total Cutting Diameter  
 • Standard and High Energy SHOCK Collar for Blade Retention

#### RAGE® BROADHEAD ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
R51200	4	2 PK	100	2.3"

### X-TREME™ CHISEL 2-BLADE



Steel Chisel Tip • Anodized Aluminum Ferrule • Tough, Razor Sharp .035"  
 Stainless Steel Blades • SHOCK Collar for Blade Retention

#### RAGE® BROADHEAD ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
R65100	2	3 PK	100	2.3"

### TURKEY X-TREME™



Meat Hook Cut-on-Contact Tip • Anodized Aluminum Ferrule • .035" Blade  
 Thickness • 0.35" Fixed Cut-on-Contact Blade • Standard and High Energy SHOCK  
 Collar for Blade Retention

#### RAGE® BROADHEAD ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
R43000	4	2 PK	100	2.125"

## RAGE® HYPODERMIC® BROADHEADS

### HYPODERMIC® +P



Exclusive Hybrid Tip • One Piece Stainless Steel Ferrule • .035" Thick Stainless  
 Blades • SHOCK Collar for Blade Retention

#### RAGE® BROADHEAD ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
R39800	2	3 PK	100	1.5"
R39900	2	3 PK	125	1.5"

### HYPODERMIC®



Exclusive Hybrid Tip • One Piece Stainless Steel Ferrule • .035" SS main blades  
 • SHOCK Collar for Blade Retention

#### RAGE® BROADHEAD ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
R39100	2	3 PK	100	2"

### HYPODERMIC® TRYPAN®



Exclusive Hybrid Tip • Titanium Streamlined Ferrule • .039" Blade Thickness  
 • Trypan® Specific SHOCK Collar for Blade Retention • Super Swept Back Blade  
 Design

#### RAGE® BROADHEAD ITEM SPECIFICATION

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
R35100	2	3 PK	100	2"

## NOTES

# Rage

## RAGE® HYPODERMIC® NC **NEW**



Hypodermic® Tip • Stainless Steel Ferrule • .035" Blade Thickness  
 • No Collar Blade Lock

### RAGE® BROADHEAD ITEM SPECIFICATION

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
R38100	2	3 PK	100	2"

## RAGE® PRACTICE BROADHEADS

### PRACTICE BROADHEADS



Practice tips for your RAGE® Broadheads.

## RAGE® BROADHEAD COMPONENTS

### REPLACEMENT SHOCK COLLARS



Replacement SHOCK Collars are available for all models

### REPLACEMENT BLADES



Replacement packs include tip, screw, blades, collars and wrenches to easily replace blades on all Rage® Broadheads

## RAGE® BROADHEAD ACCESSORIES

### RAGE® CAGE TRAVEL CASE



A small, easy to use travel case to protect your Rage® Broadheads.

### RAGE® BROADHEAD ITEM SPECIFICATION

PART #	MODEL
R32100	Rage® Cage Travel Case

## NOTES

Blank area for notes.



# Rage

LEADING THE EVOLUTION IN LETHAL TECHNOLOGY<sup>®</sup>



EXTREME  
X  
EXTREME  
EXTREME

## X-TREME<sup>™</sup> FOUR BLADE



- 4-Blade
- 100 Grain
- 7/8" Wide Cut-on-Contact Leading Blade
- Aluminum Ferrule
- .035" Blades
- 2.3" Expandable Cutting Diameter
- 3.2" Total Cutting Diameter
- Comes with Both Vertical Bow and High Energy Crossbow Shock Collars
- 2 Pack
- Replacement Blade Pack Available



# CARBON EXPRESS®

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

## HUNTING ARROWS

### MAXIMA® RED® SD

MAXIMA® RED SD IS NOW AVAILABLE IN 450 SIZE



The MAXIMA® RED® SD arrow is a breakthrough in controlling Dynamic Spine in a smaller diameter (.203" ID) shaft and now available in Badlands Approach camouflage. The smaller diameter MAXIMA® RED® SD delivers improved penetration and reduces wind-drift which enables more accurate shots at longer distances.

**RED ZONE**

**TRISPINE**  
TECHNOLOGY

**SD**  
SMALL DIAMETER  
IMPROVES  
DOWNRANGE PERFORMANCE



#### MAXIMA® RED® SD ITEM SPECIFICATIONS

SIZE	GPI*	LENGTH	SPINE	ID	OD
250	8.3	31.5"	0.403"	0.203"	0.264"
350	9.4	31.5"	0.335"	0.203"	0.272"
450	11.1	31.5"	0.280"	0.203"	0.279"

STRAIGHTNESS +- 0.0025" MAX // WEIGHT TOLERANCE: +- 1.0 GRAINS

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

Note: 6 Packs and 36 Packs are Fletched with Q2i 2" Rapt-X vanes

FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 14

### MAXIMA® RED®



Managing how an arrow flexes in flight (Dynamic Spine) is the key to arrow accuracy, and no one does a better job at this than Carbon Express®. The MAXIMA® RED® is a breakthrough in controlling Dynamic Spine.

**RED ZONE**

**TRISPINE**  
TECHNOLOGY



#### MAXIMA® RED® SPECIFICATIONS

SIZE	GPI*	LENGTH	SPINE	ID	OD
250	8.11	31.5"	0.417"	0.244"	0.295"
350	9.07	31.5"	0.342"	0.244"	0.300"

STRAIGHTNESS +- 0.0025" MAX // WEIGHT TOLERANCE: +- 1.0 GRAINS

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

Note: 6 Packs and 36 Packs are Fletched with Q2i 2" Rapt-X vanes

FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 14

### MAXIMA® XRZ™ NEW



The ultimate light-weight hunting arrow has arrived. Featuring Carbon Express' backbone technology which integrates thin strands of Kevlar into the carbon weave for added strength and impeccable 360 degree consistent spine. Paired with our famous RED ZONE® technology and you have a deadly recipe for un-matched broadhead accuracy.

**RED ZONE**

**TRISPINE**  
TECHNOLOGY

#### MAXIMA® XRZ™ ITEM SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
150	6.6	31.5"	0.500"	0.244"	0.285"
250	7.5	31.5"	0.400"	0.244"	0.290"
350	8.4	31.5"	0.340"	0.244"	0.296"

STRAIGHTNESS +- 0.0025" MAX // WEIGHT TOLERANCE: +- 1.0 GRAINS

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

Note: 6 Packs and 36 Packs are Fletched with Q2i 2" Rapt-X vanes

FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 14

### MAXIMA® HUNTER



The precision design of the Maxima® Hunter delivers tighter tolerances than traditional carbon arrows to retain more speed and deliver unparalleled accuracy.

**DUAL SPINE WEIGHT FORWARD**



#### MAXIMA® HUNTER SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
250	8.0	32.5"	0.417"	0.244"	0.295"
350	8.9	32.5"	0.337"	0.244"	0.297"
450	9.7	32.5"	0.298"	0.244"	0.303"

STRAIGHTNESS +- 0.0025" MAX // WEIGHT TOLERANCE: +- 1.0 GRAINS

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

Note: 6 Packs and 36 Packs are Fletched with 2" Rapt-X Vanes

FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 14

## NOTES



## PILEDRIVER® DS HUNTER



The Piledriver® DS Hunter is engineered for the hunter who wants ULTIMATE penetration. The heaviest arrow in the Carbon Express® line is designed to create maximum kinetic energy and greater knock-down power. Features patented Mossy Oak Break-Up BuffTuff® for extreme durability and quiet draw.

DUAL SPINE WEIGHT FORWARD



### PILEDRIVER® DS HUNTER SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
250	10.5	32.5"	0.402"	0.244"	0.304"
350	11.4	32.5"	0.345"	0.244"	0.308"
450	13.3	32.5"	0.300"	0.244"	0.318"

STRAIGHTNESS +- 0.0035" MAX // WEIGHT TOLERANCE: +- 1.0 GRAINS

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

Note: 3 Packs are 6 Packs and 36 Packs are fletched with Q2i 2" Rapt-X vanes

FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 14

## MAYHEM® SDS HUNTER



A performance hunting arrow engineered with proprietary Small Diameter Dual Spine Weight Forward® technology that delivers more speed, more accuracy, even more penetration, and less wind drift. It features our patented BuffTuff® arrow construction for extreme durability and quiet draw.

DUAL SPINE WEIGHT FORWARD



### MAYHEM® SDS HUNTER SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
250	10.25	32.5"	0.403"	0.203"	0.271"
350	11.25	32.5"	0.330"	0.203"	0.278"

STRAIGHTNESS +- 0.0035" MAX // WEIGHT TOLERANCE: +- 1.0 GRAINS

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

Note: 3 Packs are 6 Packs and 36 Packs are fletched with Q2i 2" Rapt-X vanes

FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 14

## MAYHEM® DS HUNTER & MAYHEM® DS HOT PURSUIT®



The Mayhem® DS Hunter and Mayhem DS Hot Pursuit® re-defines and elevates hunting arrow performance in the mid-tier price class. The Mayhem DS Hunter is engineered with our proprietary Dual Spine Weight Forward® technology to deliver more speed, accuracy and penetration. It features our patented BuffTuff® arrow construction for extreme durability and quiet draw.

DUAL SPINE WEIGHT FORWARD



### MAYHEM® DS HOT PURSUIT® & DS HUNTER SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
150	8.5	31.5"	0.495"	0.244"	0.294"
250	9.3	32.5"	0.380"	0.244"	0.298"
350	10.2	32.5"	0.333"	0.244"	0.300"

STRAIGHTNESS +- 0.0035" MAX // WEIGHT TOLERANCE: +- 1.0 GRAINS

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

Note: 3 Packs are 6 Packs and 36 Packs are fletched with Q2i 2" Rapt-X vanes

FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 15

## MAYHEM® DS



The Mayhem® DS re-defines and elevates hunting arrow performance in the mid-tier price class. The Mayhem® DS is engineered with our proprietary Dual Spine Weight Forward® technology to deliver more speed, accuracy and penetration. It features our arrow construction with patented BuffTuff® for extreme durability and quiet draw.

DUAL SPINE WEIGHT FORWARD

### MAYHEM® DS SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
250	8.9	31.5"	0.380"	0.244"	0.298"
350	9.8	31.5"	0.333"	0.244"	0.300"

STRAIGHTNESS +- 0.0035" MAX // WEIGHT TOLERANCE: +- 1.0 GRAINS

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

Note: 3 Packs are 6 Packs and 36 Packs are fletched with Q2i 2" Rapt-X vanes

FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 15

## NOTES

## HUNTING ARROWS

### ADRENALINE™ XSD



The Adrenaline™ is engineered for speed and accuracy while delivering outstanding strength and durability. The advanced layered carbon design allows for greater consistency in performance. The ultra-buffed finish delivers a quiet draw on the arrow rest for added stealth in the field. Comes standard with NRG 2" vanes for greater speed and accuracy



#### ADRENALINE™ XSD SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
250	9.9	31.5"	0.397"	0.166"	0.245"
350	10.7	31.5"	0.347"	0.166"	0.253"

STRAIGHTNESS  $\pm$  0.006" MAX // WEIGHT TOLERANCE  $\pm$  2.0 GRAINS  
 \*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS  
 Note: 6 Packs Fletched with 2" NRG Vanes

FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 17

### ADRENALINE™ & ADRENALINE™ HOT PURSUIT®



The Adrenaline™ is engineered for speed and accuracy while delivering outstanding strength and durability. The advanced layered carbon design allows for greater consistency in performance. The ultra-buffed finish delivers a quiet draw on the arrow rest for added stealth in the field. Comes standard with NRG 2" vanes for greater speed and accuracy

#### ADRENALINE™ & HOT PURSUIT® SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
150	8.4	30"	0.491"	0.234"	0.282"
250	8.96	30"	0.402"	0.244"	0.295"
350	9.98	31"	0.331"	0.244"	0.300"

STRAIGHTNESS  $\pm$  0.006" MAX // WEIGHT TOLERANCE  $\pm$  2.0 GRAINS  
 \*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS  
 Note: 6 Packs Fletched with 2" NRG Vanes

FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 17

### PREDATOR™ XSD



The Predator™ is designed to offer outstanding strength, durability and high-powered performance at a great value. The Predator™ features Carbon Express® 360° spine consistency, and the .166" ID shaft delivers hard hitting penetration and minimal wind drift..



FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 15

#### PREDATOR™ XSD SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
500	9.0	31.5"	0.491"	0.166"	0.237"
400	10	31.5"	0.397"	0.166"	0.245"
350	10.9	31.5"	0.347"	0.166"	0.253"
300	12.2	31.5"	0.299"	0.166"	0.260"

STRAIGHTNESS  $\pm$  0.006" MAX // WEIGHT TOLERANCE  $\pm$  2.0 GRAINS  
 \*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS  
 Note: 6 Packs and 36 Packs are Fletched with 2" Assault™ Vanes

FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 17

### PREDATOR™



The Predator™ is designed to offer outstanding strength, durability and high-powered performance for the hunter searching for performance and affordability in a lightweight arrow. The Predator™ is a reliable, affordable carbon arrow with spine sizes to fit archers of all sizes.

FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 16

#### PREDATOR™ SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
800	5.96	30"	0.799"	0.203"	0.244"
700	6.45	30"	0.694"	0.203"	0.247"
2040	7.04	30"	0.623"	0.234"	0.277"
3050	8.06	30"	0.491"	0.234"	0.281"
4560	8.97	30"	0.410"	0.244"	0.295"
6075	10.01	31"	0.331"	0.244"	0.300"

STRAIGHTNESS  $\pm$  0.006" MAX // WEIGHT TOLERANCE  $\pm$  2.0 GRAINS  
 \*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS  
 Note: 36 Packs are Fletched with 2" NRG or 4" Parabolic Feathers

FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 17

### MAXIMA® 360



The Maxima® 360 features 3K-T™ weaved carbon material for industry leading 360 degree spine consistency. It's a unique, high performance carbon construction is lightweight and fast, plus with 3K-T™- Weave technology offers extra strength that delivers the kinetic energy needed to drop any big game animal vs other arrows in its class.

#### MAXIMA® 360 SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
250	8.3	32"	0.400"	0.244"	0.295"
350	9.4	32"	0.350"	0.244"	0.300"

STRAIGHTNESS  $\pm$  0.0025" MAX // WEIGHT TOLERANCE:  $\pm$  1.0 GRAINS  
 \*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS  
 Note: 36 Packs are Fletched with 2" vanes  
**Dealer Only**

FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 17

### GAME SLAYER™ CARBON



The Game Slayer™ carbon arrow features a durable build and high performance 2" NRG speed vanes. or Parabolic Vanes

#### GAME SLAYER™ SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
250	8.99	30"	0.406"	0.244"	0.299"
350	10.3	31"	0.335"	0.244"	0.305"

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS  
 Note: Fletched with 2" NRG Vanes or Parabolic Vanes

FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 17



## MAXIMA® JR

## YOUTH ARROWS



The Maxima® Jr. is designed for hunting with up to 50 pound draw weight. It delivers high-performance with low poundage bows shooting field points and broadheads.

### MAXIMA®JR. SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
3050	8.06	30"	0.491"	0.234"	0.281"

STRAIGHTNESS +/- 0.006" MAX // WEIGHT TOLERANCE: +/- 2.0 GRAINS

*\* PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS*  
 Note: Fletched with 2" NRG Vanes or Parabolic Feathers

FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 16

## THUNDER EXPRESS®



The Thunder Express® is designed for youth archers and made of fiberglass, so it's safer than wood. It includes a weighted target point to ensure proper "front of center" balance and improved performance.

### THUNDER EXPRESS® SPECIFICATIONS

SIZE	LENGTH
FIBERGLASS SHAFTS - DESIGNED FOR DRAW WEIGHTS UP TO 29 LBS	
26"	26"
28"	28"
30"	30"

WOOD SHAFTS - DESIGNED FOR DRAW WEIGHTS UP TO 19 LBS

27"	27"
-----	-----

*\* PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS*

## HERITAGE®

## SPECIALTY ARROWS



The Heritage® arrow is designed for the hunter who wants the look and feel of classic cedar with the high-tech performance and toughness of carbon. This perfectly spined shaft is the ideal choice for recurve or longbows.

### HERITAGE® SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
75	8.99	30"	0.406"	0.234"	0.289"
90	10.3	30"	0.335"	0.234"	0.294"
150	8.99	32.5"	0.406"	0.244"	0.304"
250	10.3	32.5"	0.335"	0.244"	0.309"
350	8.99	32.5"	0.406"	0.244"	0.312"

STRAIGHTNESS +/- 0.006" MAX // WEIGHT TOLERANCE: +/- 2.0 GRAINS

*\* PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS*  
 Note: Fletched with Shield Cut Feathers

FOR ARROW COMPONENTS SEE EXPLODED DIAGRAM ON PAGE 16

## FLU FLU®



The Carbon Express® FLU FLU® is the #1 choice for bird and small game hunters. • It's carbon composite shaft offers excellent performance, strength and durability for a variety of shooting situations.

### FLU FLU® SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
45/60	9.92	30"	0.407"	0.244"	0.298"
60/75	10.61	31"	0.349"	0.244"	0.301"

*\* PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS*

## NOTES

## CROSSBOLTS

### MAXIMA® BADLANDS



The Maxima® Badlands Crossbolt provides Dual Spine Weight Forward technology® that fuses different carbon materials to create two spines in one crossbolt. This technology combined with our patented BuffTuff® and Carbon Weave delivers twice the accuracy, strength, and durability unmatched in other crossbolts.

#### MAXIMA® BADLANDS SPECIFICATIONS

SIZE	GRAINS	DIAMETER	VANES
20"	390	0.343"	3" Dragon®

STRAIGHTNESS +/- 0.0025"

Maxima Badlands is Available in 3 Packs, 6 Packs, & 36 PK Bulk (3 & 6 Packs include inserted Moon Nocks, plus C-Nocks, & Universal Nocks)  
\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

### MAXIMA® HUNTER®



The Maxima® Hunter® Crossbolt is the most proven and reliable premium-grade 100% carbon crossbow bolt in the Carbon Express® lineup. The precision design is faster and offers tighter tolerances than traditional carbon crossbow bolts.

#### MAXIMA® HUNTER® SPECIFICATIONS

SIZE	GRAINS	DIAMETER	VANES
20"	390	0.343"	3" Fusion™
22"	416	0.343"	3" Fusion™

STRAIGHTNESS +/- 0.0025"

Maxima® Hunter Bolt is Available in 6 Packs & 36 PK Bulk (6 Packs include inserted Moon Nocks, plus C-Nocks, & Universal Nocks)  
\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

### MAYHEM®



The Mayhem® crossbolt provides ultimate versatility through advanced carbon materials to meet the demands of today's high performance crossbows. Offering the ultimate combination of speed, accuracy, and penetration.

#### MAYHEM® SPECIFICATIONS

SIZE	GRAINS	DIAMETER	VANES
20"	420	0.348"	3" Dragon®
22"	449	0.348"	3" Dragon®

STRAIGHTNESS +/- 0.0035" MAX

Mayhem® is Available in 3 Packs, 6 Packs, & 36 PK Bulk (3 & 6 Packs include inserted Moon Nocks, plus C-Nocks, & Universal Nocks)  
\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

### PILEDRIVER®



The PileDriver® is engineered for the hunter who wants Bone Crushing penetration. Its the best all around durable bolt in the Carbon Express line to create bone crushing kinetic energy and greater knock down power. Innovative design provides exceptional toughness for greater confidence and overall performance shot after shot.

#### PILEDRIVER® SPECIFICATIONS

SIZE	GRAINS	DIAMETER	VANES
20"	442	0.348"	4" Fusion™
22"	479	0.348"	4" Fusion™

STRAIGHTNESS +/- 0.004" MAX

PileDriver® Bolt is Available in 3 Packs, 6 Packs, & 36 PK Bulk (3 & 6 Packs include inserted Moon Nocks, plus C-Nocks, & Universal Nocks)  
\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

### GAME SLAYER™ CARBON



The Game Slayer™ Carbon crossbolt features Carbon Express 360 spine consistency for more accuracy and higher performance.

#### GAME SLAYER™ CARBON SPECIFICATIONS

CARBON			
SIZE	GRAINS	DIAMETER	VANES
20"	425	0.348"	3" Fusion™

Game Slayer™ Bolt is Available in 3 Packs, 6 Packs and 36 Packs  
\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

## NOTES



## CROSSBOW ACCESSORIES

### CROSSBOW RELEASE BOLT



Strong & Safe Durable, woven-wrap, layered glass offers exceptional strength properly to disengage crossbow safely every time. • Easy Recovery Ultra-dense steel front-end tip is built to withstand ground impact without burrowing below the surface. Highly visible vanes make it easy to locate after discharge. • Multi-functional Release bolts are inserted with moon nocks that fit a majority of today's competitive crossbows.

#### ITEM SPECIFICATIONS

PART #	DESCRIPTION
55604	Crossbow Release Bolt

### THE NUB™ DE-COCKING TIP



If space in your crossbow quiver is at a premium, consider a release tip vs. a specialized release bolt for de-cocking your bow at the end of the hunt. The Nub™ Crossbow Arrow Release Tip is small, portable, and will attach to most standard crossbow bolts.

#### ITEM SPECIFICATIONS

PART #	DESCRIPTION
20900	The Nub™ De-Cocking Tip 1Pc

### CARBON EXPRESS® QUIET CRANK™



When in the woods and ready to crank up your bow, you want to be quiet. The revolutionary QUIET CRANK™ allows for dead silent motion since there is no ratcheting mechanism that makes a loud clicking noise when cranking. This fly wheel design is ultra compact works with all Intercept®, Covert™, and X-Force® crossbows that feature the QUIET CRANK™ port located in the rear of the butt stock.

#### ITEM SPECIFICATIONS

PART #	DESCRIPTION
20846	Carbon Express® Quiet Crank

### SLIMLINE CROSSBOW CASE



You need a good crossbow case to protect your crossbow during storage and transport. But bow cases can be bulky, and space is often at a premium when traveling to and from the hunt. The CX™ Slim Line Crossbow Case features a slimmer, sleeker design, but rest assured it will still hold your bow and all necessary accessories.

#### ITEM SPECIFICATIONS

PART #	DESCRIPTION
20852	Slimline Crossbow Case

### RAIL LUBE



A good rail lube is essential to keeping your crossbow in top working order. Carbon Express® Flight Rail White Stick Lubricant helps improve your performance in the field by reducing friction between the rail and string. It also increases string life and helps to prevent rust from forming, thus increasing the lifespan of your crossbow.

#### ITEM SPECIFICATIONS

PART #	DESCRIPTION
20817	Crossbow Rail Lubricant

### NOTES

Blank area for notes.



CARBON EXPRESS®

Components may be available in other colors. Please see components starting on page 26 for available options.

MAXIMA® RED® SD AND MAXIMA® RED SD BADLANDS COMPONENTS

ROCKY MOUNTAIN® SMALL DIAMETER PRACTICE POINT SEE PAGE 52

HALF OUT INSERT #1  
HALF OUT INSERT #3 SEE PAGE 27

MAXIMA RED SD

BULLDOG® NOCK COLLAR SEE PAGE 31

NOCKTURNAL-X OR NOCKTURNAL® FIT™ UNIVERSAL SEE PAGE 50

LAUNCHPAD® .203 NOCK INCLUDED SEE PAGE 26

MAXIMA® RED® AND MAXIMA® RED BADLANDS COMPONENTS

ROCKY MOUNTAIN® STANDARD DIAMETER PRACTICE POINT SEE PAGE 52

CARBON EXPRESS® INSERT #1 SEE PAGE 27

MAXIMA RED

BULLDOG® NOCK COLLAR SEE PAGE 31

NOCKTURNAL-S OR NOCKTURNAL® FIT™ UNIVERSAL SEE PAGE 50

LAUNCHPAD® .244 NOCK INCLUDED SEE PAGE 26

MAXIMA® XRZ™

ROCKY MOUNTAIN® STANDARD DIAMETER PRACTICE POINT SEE PAGE 52

CARBON EXPRESS® INSERT #0 & #1 SEE PAGE 27

MAXIMA XRZ

BULLDOG® NOCK COLLAR SEE PAGE 31

NOCKTURNAL-S OR NOCKTURNAL® FIT™ UNIVERSAL SEE PAGE 50

LAUNCHPAD® .244 NOCK INCLUDED SEE PAGE 26

MAXIMA® HUNTER COMPONENTS

ROCKY MOUNTAIN® STANDARD DIAMETER PRACTICE POINT SEE PAGE 52

CARBON EXPRESS® INSERT #1 & #2 SEE PAGE 27

MAXIMA HUNTER

BULLDOG® NOCK COLLAR SEE PAGE 31

NOCKTURNAL-S OR NOCKTURNAL® FIT™ UNIVERSAL SEE PAGE 50

LAUNCHPAD® .244 NOCK INCLUDED SEE PAGE 26

PILEDRIVER® DS HUNTER COMPONENTS

ROCKY MOUNTAIN® STANDARD DIAMETER PRACTICE POINT SEE PAGE 52

CARBON EXPRESS® INSERT #2 SEE PAGE 27

PILEDRIVER DS HUNTER

NOCKTURNAL-S OR NOCKTURNAL® FIT™ UNIVERSAL SEE PAGE 50

LAUNCHPAD® .244 NOCK INCLUDED SEE PAGE 26

MAYHEM® SDS COMPONENTS

ROCKY MOUNTAIN® SMALL DIAMETER PRACTICE POINT SEE PAGE 52

HALF OUT INSERT #3 SEE PAGE 27

MAYHEM SDS HUNTER

NOCKTURNAL-X OR NOCKTURNAL® FIT™ UNIVERSAL SEE PAGE 50

LAUNCHPAD® .203 NOCK INCLUDED SEE PAGE 26

## MAYHEM® DS AND DS HUNTER COMPONENTS

ROCKY MOUNTAIN® STANDARD DIAMETER PRACTICE POINT  
SEE PAGE 52

CARBON EXPRESS® INSERT #1 & #2  
SEE PAGE 27

MAYHEM DS

NOCKTURNALS OR NOCKTURNAL® FIT™ UNIVERSAL  
SEE PAGE 50

LAUNCHPAD® .244 NOCK INCLUDED  
SEE PAGE 26

## MAYHEM® DS HOT PURSUIT COMPONENTS

ROCKY MOUNTAIN® STANDARD DIAMETER PRACTICE POINT  
SEE PAGE 52

CARBON EXPRESS® INSERT #1  
SEE PAGE 27

MAYHEM DS  
HOT PURSUIT

NOCKTURNALS OR NOCKTURNAL® FIT™ UNIVERSAL  
SEE PAGE 50

LAUNCHPAD® .244 NOCK INCLUDED  
SEE PAGE 26

## ADRENALINE™ XSD COMPONENTS

ROCKY MOUNTAIN® STANDARD DIAMETER PRACTICE POINT  
SEE PAGE 52

IN-OUT INSERT #1 & #2  
SEE PAGE 27

ADRENALINE™ XSD

NOCKTURNAL-G OR NOCKTURNAL® FIT™ UNIVERSAL  
SEE PAGE 50

LAUNCHPAD® .166 NOCK INCLUDED  
SEE PAGE 26

## ADRENALINE™ COMPONENTS

ROCKY MOUNTAIN® STANDARD DIAMETER PRACTICE POINT  
SEE PAGE 52

CARBON EXPRESS® INSERT #1, #2 & #4  
SEE PAGE 27

ADRENALINE™

NOCKTURNALS OR NOCKTURNAL® FIT™ UNIVERSAL  
SEE PAGE 50

LAUNCHPAD® .244, .234 NOCK INCLUDED  
SEE PAGE 26

## ADRENALINE™ HOT PURSUIT COMPONENTS

ROCKY MOUNTAIN® STANDARD DIAMETER PRACTICE POINT  
SEE PAGE 52

CARBON EXPRESS® INSERT #4  
SEE PAGE 27

ADRENALINE™  
HOT PURSUIT

NOCKTURNAL-H OR NOCKTURNAL® FIT™ UNIVERSAL  
SEE PAGE 50

LAUNCHPAD® .234 NOCK INCLUDED  
SEE PAGE 26

## PREDATOR™ XSD COMPONENTS

ROCKY MOUNTAIN® STANDARD DIAMETER PRACTICE POINT  
SEE PAGE 52

IN-OUT INSERT #1 & #2  
SEE PAGE 27

PREDATOR™ XSD

NOCKTURNAL-G OR NOCKTURNAL® FIT™ UNIVERSAL  
SEE PAGE 50

LAUNCHPAD® .166 NOCK INCLUDED  
SEE PAGE 26





CARBON EXPRESS®

Components may be available in other colors. Please see components starting on page 26 for available options.

PREDATOR™ COMPONENTS



ROCKY MOUNTAIN® STANDARD DIAMETER PRACTICE POINT SEE PAGE 52

CARBON EXPRESS® INSERT #1 OR #4 SEE PAGE 27

HALF OUT INSERT #2 700-800 SPINES ONLY SEE PAGE 27

NOCKTURNALX, H, S OR NOCKTURNAL® FIT™ UNIVERSAL SEE PAGE 50  
LAUNCHPAD® .234 NOCK INCLUDED LAUNCHPAD® .244 NOCK SEE PAGE 26

MAXIMA® JR. COMPONENTS



ROCKY MOUNTAIN® STANDARD DIAMETER PRACTICE POINT SEE PAGE 52

CARBON EXPRESS® INSERT #4 SEE PAGE 27

NOCKTURNAL-H OR NOCKTURNAL® FIT™ UNIVERSAL SEE PAGE 50  
LAUNCHPAD® .234 NOCK INCLUDED SEE PAGE 26

HERITAGE® COMPONENTS



ROCKY MOUNTAIN® STANDARD DIAMETER PRACTICE POINT SEE PAGE 52

CARBON EXPRESS® INSERT #2 AND #4 SEE PAGE 27

NOCKTURNALX OR NOCKTURNAL® FIT™ UNIVERSAL SEE PAGE 50  
LAUNCHPAD® .234, 244 NOCK INCLUDED SEE PAGE 26

GAME SLAYER™ COMPONENTS



ROCKY MOUNTAIN® STANDARD DIAMETER PRACTICE POINT SEE PAGE 52

CARBON EXPRESS® INSERT #1 SEE PAGE 27

NOCKTURNALX OR NOCKTURNAL® FIT™ UNIVERSAL SEE PAGE 50  
LAUNCHPAD® .244 NOCK INCLUDED SEE PAGE 26

NOTES



CARBON  
EXPRESS®

**MAXIMA®**

**RED®**  
**SD**



TRISPINE TECHNOLOGY PROVIDES  
FASTER ARROW RECOVERY



SMALL DIAMETER IMPROVES  
DOWNRANGE PERFORMANCE

**RED ZONE®**  
TECHNOLOGY

RED ZONE® TECHNOLOGY FOR  
MAXIMUM BROADHEAD FLIGHT



AVAILABLE IN BADLANDS APPROACH CAMO



## TARGET ARROWS

### TANK® 27



Birthered from the leader in carbon competition arrows, Carbon Express, the TANK® 27 combines a heavy build with industry leading consistent 360 degree spine. The result is the most accurate and forgiving 27 series arrow on the market.

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

#### TANK® 27 ITEM SPECIFICATIONS

GPI	LENGTH	SPINE	ID	OD
9.9	32.5"	0.250"	0.378"	0.420"

STRAIGHTNESS +/- 0.0025" MAX // WEIGHT TOLERANCE +/- 1.0 GRAINS

INCLUDES: FREE BULLDOG™ NOCKCOLLARS

FOR ARROW COMPONENTS ON PAGE 22

### TANK® 25 NEW



A breakthrough in large diameter target arrows, the TANK® 25 combines a forgiving .400" spine with the durability, 360 degree spine consistency, and the superior accuracy of the TANK® series! No longer will you need to add massive point weight, lengthen your LENGTH or bump up your draw weight just to get a fat shaft to fly! With the proper spine you will finally find the forgiveness and accuracy needed to compete at the highest levels of tournament archery.

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

#### TANK® 25 ITEM SPECIFICATIONS

GPI	LENGTH	SPINE	ID	OD
7.1	32.5	0.400"	0.349"	.382"

STRAIGHTNESS +/- 0.0025" MAX // WEIGHT TOLERANCE +/- 1.0 GRAINS

INCLUDES: FREE BULLDOG™ NOCKCOLLARS

FOR ARROW COMPONENTS ON PAGE 22

### TANK® 23D



Industry leading front and rear end durability ensures your quiver will be stocked full of TANK® 23D™ arrows through the entire season. Combining this durable build with industry leading consistent 360 degree spine means this arrow will not only find the bonus rings, but has the toughness to endure those rear impacts when the competition goes for your nocks! The most accurate arrow to ever hit the 3D scene is offered in three spine sizes to accommodate shooters of all sizes.

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

#### TANK® 23D ITEM SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
500	6.8	32.5"	.500"	0.318"	0.352"
400	7.4	32.5"	0.400"	0.318"	0.355"
350	7.9	32.5"	0.350"	0.318"	0.357"

STRAIGHTNESS +/- 0.0025" MAX // WEIGHT TOLERANCE +/- 1.0 GRAINS

INCLUDES: FREE BULLDOG™ NOCKCOLLARS

FOR ARROW COMPONENTS ON PAGE 22

### NANO-PRO™ RZ®



The Nano-Pro™ RZ® is simply the best compound long distance field target arrow in the world. A parallel shaft with multi spine construction, and Red Zone® technology built to deliver pin point accuracy. Unlike aluminum core arrows the Nano-Pro™ RZ® won't take a set (permanent) bend, consistently holding their initial spine tolerance for several seasons.

Note: Nock collar must be used to maximize durability.

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

#### NANO-PPRO™ RZ® ITEM SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
650	6.5	32.5"	0.650"	0.124"	0.191"
600	6.9	32.5"	0.600"	0.124"	0.193"
550	7.2	33"	0.550"	0.124"	0.197"
500	7.6	33"	0.500"	0.124"	0.200"
450	8.1	33"	0.450"	0.124"	0.206"
400	8.7	33"	0.400"	0.124"	0.210"
350	9.6	33"	0.350"	0.124"	0.215"

STRAIGHTNESS +/- 0.0015" MAX // WEIGHT TOLERANCE +/- 1.0 GRAINS

FOR ARROW COMPONENTS ON PAGE 26

### X-BUSTER™



Designed for 9.3mm FITA and NAA rules, the X-Buster™ delivers the proper spine at the correct weight eliminating the need to stack additional weight into the point. Designed to be 50% stronger than competitor's indoor target arrows, the X-Buster™ arrows will last longer without giving up shooting performance or accuracy.

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

#### X-BUSTER™ ITEM SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
700	8.9	31"	0.701"	0.284"	0.327"
600	9.0	31"	0.584"	0.284"	0.329"
500	9.0	32.5"	0.493"	0.318"	0.358"
400	9.5	32.5"	0.396"	0.318"	0.360"
350	10.2	32.5"	0.353"	0.318"	0.363."

STRAIGHTNESS +/- 0.0025" MAX // WEIGHT TOLERANCE +/- 1.0 GRAINS

INCLUDES: FREE BULLDOG™ NOCKCOLLARS

FOR ARROW COMPONENTS ON PAGE 23



## MAXIMA® XRZ™ SELECT **NEW**



The ultimate light-weight hunting arrow has arrived. Featuring Carbon Express' backbone technology which integrates thin strands of Kevlar into the carbon weave for added strength and impeccable 360 degree consistent spine. When speed is a need and accuracy is a must, the Maxima® XRZ™ delivers the results you're looking for.

\* PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

### MAXIMA® XRZ™ SELECT ITEM SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
150	6.6	31.5"	0.505"	0.244	0.285"
250	7.5	31.5"	0.405"	0.244	0.290"
350	8.4	31.5"	0.335"	0.244	0.296"

STRAIGHTNESS +- 0.001" MAX // WEIGHT TOLERANCE +- 1.0 GRAINS  
INCLUDES: FREE BULLDOG™ NOCKCOLLARS

FOR ARROW COMPONENTS ON PAGE 23

## PREDATOR™



Great for beginners, the Predator™ series features a spine size to fit any archer and is durable enough to withstand the abuse!

\* PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

### PREDATOR™ SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
1000	5.48	29"	0.973"	0.184"	0.228"
900	5.91	29"	0.871"	0.184"	0.231"
800	5.96	30"	0.799"	0.203"	0.244"
700	6.45	30"	0.694"	0.203"	0.247"

STRAIGHTNESS +- 0.0006 MAX // WEIGHT TOLERANCE +- 1.0 GRAINS

FOR ARROW COMPONENTS ON PAGE 23

## NANO™ .166



The Nano™ .166 is a high performance, durable target arrow engineered from 24-ton carbon designed for beginner and intermediate target archers. Features an ultra-slim .166" ID shaft for reduced wind drift. Excellent choice for scholastic 3D, JOAD, Field, and FITA style target archery.

FOR ARROW COMPONENTS ON PAGE 23

\* PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

### NANO™ .166 ITEM SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
1200	5.5	31"	1.200"	0.166"	0.212"
1100	5.6	31"	1.100"	0.166"	0.214"
1000	6.2	31"	1.000"	0.166"	0.217"
900	6.4	32"	0.900"	0.166"	0.219"
800	6.6	32"	0.800"	0.166"	0.220"
700	7.4	32"	0.700"	0.166"	0.225"
600	8.0	32"	0.600"	0.166"	0.230"
500	9.0	31.5"	0.500"	0.166"	0.237"
400	10.0	31.5"	0.400"	0.166"	0.245"
350	10.9	31.5"	0.350"	0.166"	0.253"

STRAIGHTNESS +- 0.006" MAX // WEIGHT TOLERANCE +- 2.0 GRAINS  
NOTE: 350-500 SPINE SHIP WITH LAUNCHPAD® .166 NOCK PRE-INSTALLED.  
600-1200 SPINE SHIP WITH BOHNING F NOCK PRE-INSTALLED

## Medallion™ XR™



The Medallion™ hhXR™ is a precision ultra-slim target arrow engineered from 24-ton carbon to deliver exceptional downrange accuracy, consistency and overall strength. Crosswind drift is greatly reduced as a result of the ultra-slim diameter making the Medallion™ XR™ a logical yet economical arrow selection for FITA, NAA and NFAA long distance shooting. The advanced design and construction of the Medallion™ XR™ yields tightly controlled best-in-class tolerances while delivering a selection of spine offerings from 400 to 2000 making it ideal for low poundage bows and even youth archers aspiring to become future FITA or Olympic Champions.

FOR ARROW COMPONENTS ON PAGE 24

\* PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

### MEDALLION™ XR™ ITEM SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
2000	5.1	29"	2.000"	0.118"	0.176"
1800	5.3	29"	1.800"	0.118"	0.177"
1500	5.9	29"	1.500"	0.118"	0.183"
1300	6.4	29"	1.300"	0.118"	0.188"
1100	4.6	29"	1.100"	0.184"	0.224"
1000	4.85	29"	1.000"	0.184"	0.226"
900	5.2	30"	0.900"	0.184"	0.228"
800	5.5	30"	0.800"	0.184"	0.230"
700	6.05	31"	0.700"	0.184"	0.233"
600	6.75	31"	0.600"	0.184"	0.239"
500	7.6	31"	0.500"	0.184"	0.244"
400	8.9	31"	0.400"	0.184"	0.253"

STRAIGHTNESS +- 0.003" MAX // WEIGHT TOLERANCE +- 1.0 GRAINS

## NOTES

Please see target arrow exploded diagrams starting on page 22 for specific arrow components.

## RECURVE TRI-SPINE ARROWS

### NANO-PRO™ X-TREME™



Nano-Pro™ X-Treme™ is specifically engineered for today's competitive recurve bows. When the difference of success can be that of mere millimeters in FITA, NAA and NFAA long-distance field shooting, the NANO-PRO™ X-Treme™ is sure to deliver pinpoint accuracy as a result of its multi-spine construction.

Tri-Spine design delivers increased fletching clearance and faster recovery than competitors.

FOR ARROW COMPONENTS ON PAGE 24

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

#### NANO-PRO™ XTREME™ ITEM SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD	BEITER OUTNOCK COLLAR	BULLDOG COLLAR
900	5.19	30"	0.900"	0.118"	0.176"	4.5"	800 NP
800	5.62	30"	0.800"	0.118"	0.180"	4.5	800 NP
750	5.85	30"	0.750"	0.118"	0.182"	4.5	800 NP
700	6.00	31"	0.700"	0.118"	0.184"	4.5	800 NP
650	6.20	31"	0.650"	0.118"	0.187"	4.5	800 NP
600	6.70	31"	0.600"	0.118"	0.190"	4.7	650 NP
550	7.10	32"	0.550"	0.118"	0.194"	4.7	650 NP
500	7.75	32"	0.500"	0.118"	0.199"	4.92	550 NP
450	8.02	32"	0.450"	0.118"	0.202"	4.92	550 NP
400	8.69	32"	0.400"	0.118"	0.206"	5.0	450 NP
350	9.3	32"	0.350"	0.118"	0.209"	N/A	400 NP

STRAIGHTNESS +- 0.0015" MAX // WEIGHT TOLERANCE +- 1.0 GRAINS

### MAXIMA® PRO RECURVE RZ®



The Maxima® Pro Recurve RZ® is a breakthrough arrow design for the recurve indoor archer. Like the Nano-Pro™ X-Treme™, the MAXIMA®PRO Recurve RZ® features a stiffer middle section and weaker ends to provide proper flex to achieve the ideal fletching clearance around the cushion plunger and arrow rest for greater accuracy for recurve shooters. Features BuffTuff® construction for extreme durability to withstand the hardest targets.

FOR ARROW COMPONENTS ON PAGE 24

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

#### MAXIMA® PRO RECURVE RZ® ITEM SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD
650	5.8	31.5"	0.653"	0.234"	0.270"
580	6.1	31.5"	0.592"	0.234"	0.272"
500	6.9	32.5"	0.504"	0.234"	0.277"
420	7.5	32.5"	0.430"	0.234"	0.281"
350	8.4	32.5"	0.370"	0.234"	0.286"

STRAIGHTNESS +- 0.0025" MAX // WEIGHT TOLERANCE +- 1.0 GRAINS

### NANO™ SST™



Building off of the heritage of the Nano-XR®, the Nano SST™ is an ultra-slim diameter shaft designed specifically for recurve bows. The Nano SST™ features Tri-Spine™ technology, with three specific spine areas with the stiffest being in the mid section of the shaft and the weakest spine configured to the back-end to allow for proper fletching clearance through the shot on a recurve bow. Nano SST™ has an ultra-slim parallel shaft profile that dramatically reduces cross-wind drift and is the ideal arrow for FITA, NAA and NFAA long-distance field shooting.

FOR ARROW COMPONENTS ON PAGE 24

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES AND PART NUMBERS

#### NANO™ SST™ ITEM SPECIFICATIONS

SIZE	GPI	LENGTH	SPINE	ID	OD	BEITER DIAMETER
1000	5.11	29"	1.000"	0.144"	0.195"	1880
900	5.57	30"	0.900"	0.144"	0.198"	4.92
800	5.88	30"	0.800"	0.144"	0.201"	4.92
750	6.38	30"	0.750"	0.144"	0.204"	5.0
700	6.46	31"	0.700"	0.144"	0.205"	5.0
650	6.95	31"	0.650"	0.144"	0.209"	5.2
600	7.33	31"	0.600"	0.144"	0.212"	5.2
550	7.79	32"	0.550"	0.144"	0.215"	5.4
500	8.18	32"	0.500"	0.144"	0.219"	5.4
450	8.97	32"	0.450"	0.144"	0.225"	5.5
400	9.62	32"	0.400"	0.144"	0.229"	5.7

STRAIGHTNESS +- 0.002" MAX // WEIGHT TOLERANCE +- 1.0 GRAINS

## NOTES



Stephan Hansen

**CARBON EXPRESS**<sup>®</sup>



SERIES



**TANK**<sup>®</sup>



WHEN DURABILITY & DEADLY ACCURACY COLLIDE



WARNING!

use. Made in Korea.





**CARBON EXPRESS®**

Components may be available in other colors. Please see components starting on page 26 for available options.

**TANK® 25 COMPONENTS**

**TANK 25**

- PIN POINT SEE PAGE 28
- WEIGHT SYSTEM SEE PAGE 27
- INSERT PAGE 28
- BULLDOG™ NOCK COLLAR SEE PAGE 31
- PIN NOCK ADAPTER SEE PAGE 26
- SOMA PIN NOCK SEE PAGE 26
- NOCK BUSHING .244 SEE PAGE 26
- LAUNCHPAD® .244 NOCKS SEE PAGE 26

**TANK® 23D COMPONENTS**

**TANK 23D**

- PIN POINT SEE PAGE 29
- WEIGHT SYSTEM SEE PAGE 27
- INSERT PAGE 28
- BULLDOG™ NOCK COLLAR SEE PAGE 31
- PIN NOCK ADAPTER SEE PAGE 30
- SOMA PIN NOCK SEE PAGE 26
- NOCK BUSHING .244 SEE PAGE 26
- LAUNCHPAD® .244 NOCKS SEE PAGE 26
- NOCK BUSHING .166 SEE PAGE 26
- LAUNCHPAD® .166 NOCKS SEE PAGE 26

**TANK® 27 COMPONENTS**

**TANK 27**


- WEIGHT SYSTEM SEE PAGE 29
- BULLDOG™ NOCK COLLAR SEE PAGE 31
- NOCK BUSHING .244 SEE PAGE 26
- LAUNCHPAD® .244 NOCKS SEE PAGE 26

**NANO-PRO™ RZ®**

**NANO-PRO™ RZ**

- (350 - 450 SPINE)
- 130GR - 110GR STAINLESS - STEEL POINT (CUT OFF) SEE PAGE 29
- 500 - 650 SPINE)
- 120GR - 100GR STAINLESS STEEL POINT (CUT OFF) SEE PAGE 29
- 350 - 450 SPINE)
- 140GR - 120GR TOOL STEEL POINT (CUT OFF) SEE PAGE 29
- 500 - 650 SPINE)
- 120GR - 100GR TOOL STEEL POINT (CUT OFF) SEE PAGE 29
- BULLDOG™ NOCK COLLAR SEE PAGE 31
- PIN NOCK ADAPTER SEE PAGE 26
- SOMA PIN NOCK SEE PAGE 26

## X-BUSTER™



## MAXIMA® XRZ™



## PREDATOR™



## NANO™ .166





# CARBON EXPRESS

Components may be available in other colors. Please see components starting on page 26 for available options.

## MEDALLION™ XR™

- (400 - 600 SPINE)  
120GR - 100GR PIN POINT  
SEE PAGE 28
- (700 - 1100 SPINE)  
110GR - 90GR PIN POINT  
SEE PAGE 28
- (1300 - 2000 SPINE)  
60GR - 40GR TARGET POINT (CUT OFF)  
SEE PAGE 28



PIN NOCK ADAPTER  
SEE PAGE 26



SOMA PIN NOCK  
SEE PAGE 26

## NANO™ SST™

- (350 - 420 SPINE)  
120GR - 100GR / 100GR - 90GR  
STAINLESS STEEL POINT (CUT OFF)  
SEE PAGE 28
- (700 - 1000 SPINE)  
110GR - 100GR / 90GR - 80GR  
STAINLESS STEEL POINT (CUT OFF)  
SEE PAGE 28



PIN NOCK ADAPTER  
SEE PAGE 26



SOMA PIN NOCK  
SEE PAGE 26

## NANO-PRO™ X-TREME™

- (350 - 400 SPINE)  
120GR - 100GR TOOL STEEL POINT (CUT OFF)  
SEE PAGE 29
- (450 - 550 SPINE)  
120GR - 100GR TOOL STEEL POINT (CUT OFF)  
SEE PAGE 29
- (600 - 900 SPINE)  
110GR - 90GR TOOL STEEL POINT (CUT OFF)  
SEE PAGE 29
- (350 - 550 SPINE)  
120GR - 100GR TUNGSTEN POINT (CUT OFF)  
SEE PAGE 29
- (600 - 900 SPINE)  
110GR - 90GR TUNGSTEN POINT (CUT OFF)  
SEE PAGE 29
- (450 - 550 SPINE)  
120GR - 110GR / 100GR - 90GR  
STAINLESS STEEL POINT (CUT OFF) OFF SEE PAGE 29
- (600 - 900 SPINE)  
110GR - 100GR / 90GR - 80GR  
STAINLESS STEEL POINT (CUT OFF) OFF SEE PAGE 27 SEE PAGE 29
- (350 - 400 SPINE)  
120GR-110GR STAINLESS STEEL POINT (CUT OFF)  
SEE PAGE 29



BULLDOG™ NOCK COLLAR  
SEE PAGE 31



PIN NOCK ADAPTER  
SEE PAGE 26



SOMA PIN NOCK  
SEE PAGE 26

## MAXIMA® PRO RECURVE RZ®

- (350 - 420 SPINE)  
190GR - 140GR PIN POINT .234 (CUT OFF)  
SEE PAGE 29
- (350 - 420 SPINE)  
130GR - 110GR PIN POINT .234 (CUT OFF)  
SEE PAGE 29
- (500-650 SPINE)  
120GR - 100GR PIN POINT (CUT OFF)  
SEE PAGE 29



PIN NOCK ADAPTER  
SEE PAGE 26



SOMA PIN NOCK  
SEE PAGE 26



LAUNCHPAD® .234  
NOCKS  
SEE PAGE 26



# Rage



TRUFIRE



**SMOKE**

Buckle **FOLDBACK** **MAX**  
strap

ULTIMATE PENETRATING BROADHEAD

FEATURE PACKED RELEASE

**FeraDyne**  
OUTDOORS

SUPERIOR TRI-SPINE

DYNAMIC DURABLE LIGHTED NOCK

**CARBON**  
EXPRESS

**MAXIMA**

**RED**<sup>SD</sup>

**MAXIMA**

**RED**<sup>SD</sup>

Badlands



**NOCKTURNAL**  
LIGHTED NOCKS  
**UNIVERSAL FIT**

**FeraDyne**  
OUTDOORS

## LAUNCHPAD® PRECISION NOCKS



A Precision Nock will fit arrow to bowstring tightly, yet with enough space to allow for a natural draw and release. Built with precise manufacturing techniques which produces the most consistent 4-axis straightness on the market.

### LAUNCHPAD® PRECISION NOCKS SPECIFICATIONS

DESC.	ID.	WT.	QTY.
LAUNCHPAD® Nock.244 ID	.244	9.9	12 PK
LAUNCHPAD® Nock.234 ID	.234	9.0	12 PK
LAUNCHPAD® Nock.203 ID	.203	8.8	12 PK
LAUNCHPAD® Nock.166 ID	.166	8.3	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

## SOMA PIN NOCKS



Polycarbonate construction for extra strength. Premier performance in 4-axis straightness. Offered in 2 throat sizes; #1 fits 14-18 strand strings and #2 fits 20-24 strand strings.

### SOMA PIN NOCKS SPECIFICATIONS

DESCRIPTION	WT.	QTY
Soma Pin Nock #1 Small	3.4	12 PK
Soma Pin Nock #2 Large	3.4	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

## AMPED -XS TCX NOCK



Fits Predator™ 700-800 Spine.

### AMPED -XS TCX NOCK SPECIFICATIONS

DESCRIPTION	WT.	QTY
Amped-Xs Tcx Nock	9.0	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

## NOCK BUSHINGS



"Engineered for precise fit providing consistent alignment on each and every arrow.

### NOCK BUSHINGS SPECIFICATIONS

DESC.	ID.	WT.	FITS	QTY.
.284	.166	15.0	CXL™ 150 / X-Buster™ 600-700	12 PK
.284	.244	9.4	CXL™ 150 / X-Buster™ 600-700	12 PK
.318 #1	.244	16.0	CXL™ 250-350	12 PK
.318 #2	.166	20.0	X-Buster™ 350-500 / -Tank® 23D	12 PK
.318 #2	.244	16.0	X-Buster™ 350-500 / -Tank® 23D	12 PK
.348	.244	25.0	Line Jammer® Pro™ / Tank 25®	12 PK
.378 #1	.244	33.0	X-Jammer® 27 Pro	12 PK
.378 #2	.244	33.0	Tank® 27™	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

## NANO SERIES PIN NOCK ADAPTERS



Carbon Express® pin nock adapters fit all standard pin nocks. Combining premier materials with industry leading manufacturing processes, makes for the most durable and reliable pin nock adapter on the market.

Available in Inside Diameter Size: .118, .124, .130, .144, .166, .187

### NANO SERIES PIN NOCK ADAPTERS SPECIFICATIONS

DESC.	FITS	WT.	QTY
.118 #1	Nano™ Pro X-Treme™ 350 - 550	7.1	12 PK
.118 #2	Nano™ Pro X-Treme™ 600 - 900	7.1	12 PK
	Medallion™ XR™ 1300 - 2000		
.124 #1	Nano™ Pro RZ® 350 - 450	7.5	12 PK
.124 #2	Nano™ Pro RZ® 500 - 650	7.5	12 PK
.130 #1	Nano™ -XR 380 - 490	7.5	12 PK
.130 #2	Nano™ XR 530 - 630	7.5	12 PK
.144 #1	Nano™ SST™ 400 - 650	9.5	12 PK
.144 #2	Nano™ SST™ 700 - 1000	9.5	12 PK
.166 #1	Nano™ 166 600-900 / Nano-XRZ™ 500-600	7.6	12 PK
.166 #2	Nano™ 166 1000-1200 / Nano-XRZ™ 700-800	7.6	12 PK
.166 #3	Nano™ .166 350 - 500 / Nano-XRZ™ 350 - 400	7.6	12 PK
.187	Medallion XR 400 - 1100	8.0	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

## LARGE DIAMETER PIN NOCK ADAPTERS



Carbon Express® pin nock adapters fit all standard pin nocks. Combining premier materials with industry leading manufacturing processes, makes for the most durable and reliable pin nock adapter on the market.

Available in Inside Diameter Size: .234, .244, .284, .318, .348, .378

### LARGE DIAMETER PIN NOCK ADAPTERS SPECIFICATIONS

DESC.	FITS	WT.	QTY.
.234	Arrows with .234 ID	10	12 PK
.244	Arrows with .244 ID	10.2	12 PK
.284	CXL™ 150 / X-Buster™ 600-700	16.5	12 PK
.318 #1	CXL™ 250-350	17.6	12 PK
.318 #2	X-Buster™ 350-500 / -TANK® 23D	17.6	12 PK
.348	Line Jammer® Pro / TANK® 25	17.6	12 PK
.378	X-Jammer® 27 Pro / TANK® 27	32.4	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

## THREADED TARGET POINT WEIGHTS



Fits all CX™ parabolic and pin points sizes .284 - .378 • Threaded weights available: 20 grains; 45 grains; • 60 grains; 85 grains. • \*Requires 3mm Weight Adjustment Wrench (Model 58003).

### THREADED TARGET POINT WEIGHTS SPECIFICATIONS

DESC.	QTY
20 Grains	12 PK
45 Grains	12 PK
60 Grains	12 PK
85 Grains	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

## BULLDOG™ NOCK COLLARS



Get the most out of your arrows by protecting them with a Bulldog™ nock collar.

Please see Nock Collar Chart on Page 35 for Proper Fitting

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

## CARBON EXPRESS® INSERTS



The screw in insert allows for the use of any standard screw-in field point or broadhead.

Please see Insert guide on page 34 for proper fitting and price sheet for part number and quantities.

### CARBON EXPRESS® INSERTS SPECIFICATIONS

DESC.	WT.	QTY.
Carbon Express® Inserts #0	11	12 PK
Carbon Express® Inserts #1	11	12 PK
Carbon Express® Inserts #2	11	12 PK
Carbon Express® Inserts #4	11	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

## HALF-OUT INSERT .203



The Carbon Express® Half-Out Insert is designed for small diameter shafts. This insert is built out of premium steel to ensure broadheads spin true through the entire season. The flush fit to the outside of the arrow shaft eliminates hang-ups when removing the arrow from a target. The additional weight forward delivers increased accuracy and penetration on long distance shots.

### HALF-OUT INSERT .203 SPECIFICATIONS

DESC.	WT.	QTY.
Half-Out Insert #1	44	12 PK
Half-Out Insert #2	44	12 PK
Half-Out Insert #3	44	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

## XSD IN-OUT INSERT .166



The Carbon Express® XSD In-Out Insert .166 is designed specifically for .166 diameter shafts. The XSD In-Out insert gives you the added weight forward needed to maximize broadhead accuracy. Fits' Nano™ .166, Predator™ XSD and Adrenaline™ XSD. Allows for the use of any standard screw-in field point or broadhead.

Please see Insert guide on page 34 for proper fitting and price sheet for part numbers and quantities.

### XSD IN-OUT INSERT .166 SPECIFICATIONS

DESC.	WT.	QTY.
XSD In-Out insert .166 #1	33	12 PK
XSD In-Out insert .166 #2	33	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

## NOTES



## LARGE DIAMETER TARGET ARROW INSERTS



The Carbon Express screw-in insert allows for the use of any standard screw-in field point or broadhead to be used with large diameter arrows.

### LARGE DIAMETER TARGET ARROW INSERTS SPECIFICATIONS

DESC.	WT.	FITS	QTY
.284 Insert	21	X-BUSTER™ 600-800	12 PK
.318 Insert	25	X-BUSTER™ 350-500 - TANK® 23D	12 PK
.348 Insert	37	TANK® 25	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

## NANO-XR® SERIES POINTS



Offered in 100% stainless steel construction or premium tool steel. Features 10 grain cut off section to customize weight.

### NANO-XR® SERIES POINTS SPECIFICATIONS

DESC.	WT.	FITS	QTY.
.130 Tool Steel Point #1	120-100	Nano-XR® 380-490	12 PK
.130 Tool Steel Point #2	110-90	Nano-XR® 530-730	12 PK
.130 Stainless Steel Point #1	120-110	Nano-XR® 380-490	12 PK
.130 Stainless Steel Point #1	100-90	Nano-XR® 380-490	12 PK
.130 Stainless Steel Point #2	110-100	Nano-XR® 530-730	12 PK
.130 Stainless Steel Point #2	90-80	Nano-XR® 530-730	12 PK
.130 Stainless Steel Point #3	100-90	Nano-XR® 830-1100	12 PK
.130 Stainless Steel Point #3	80-70	Nano-XR® 830-1100	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

## MEDALLION™ XR SERIES POINTS



Steel construction featuring two 10 grain cut off sections to customize point weight.

### MEDALLION™ XR SERIES POINTS SPECIFICATIONS

DESC.	WT.	FITS	QTY
Pin Point .187 #1	120 - 100	Medallion™ XR™ 400-600	12 PK
Pin Point .187 #2	110 - 90	Medallion™ XR™ 700-1100	12 PK
Parabolic Point .187 #1	120 - 100	Medallion™ XR™ 400-600	12 PK
Parabolic Point .187 #2	90 - 70	Medallion™ XR™ 700-1100	12 PK
Parabolic Point .118	60 - 40	Medallion™ XR™ 1300-2000	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

## NANO™ SST™ SERIES POINTS



100% stainless steel construction. Features 10 grain cut off section to customize weight.

### NANO™ SST™ SERIES POINTS SPECIFICATIONS

DESC.	WT.	FITS	QTY.
Nano SST™ .144 Stainless Steel Point #1	120-110	Nano SST™ 400-650	12 PK
Nano SST™ .144 Stainless Steel Point #1	100-90	Nano SST™ 400-650	12 PK
Nano SST™ .144 Stainless Steel Point #2	110-100	Nano SST™ 700-1000	12 PK
Nano SST™ .144 Stainless Steel Point #2	90-80	Nano SST™ 700-1000	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

## PREDATOR™ SERIES POINTS



Steel construction featuring two 10 grain cut off sections to customize point weight.

### PREDATOR™ SERIES POINTS SPECIFICATIONS

DESC.	WT.	FITS	QTY.
Parabolic Point .234	90	Predator™ 2040 - 3050	12 PK
Parabolic Point .203	90 - 70	Predator™ 700 - 800	12 PK
Pin Point .187 #3	110 - 90	Predator™ 900 - 1000	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

## .166 SERIES POINTS



Steel construction featuring two 10 grain cut off sections to customize point weight.

### .166 SERIES POINTS - SPECIFICATIONS

DESC	WT.	FITS	QTY.
.166 #1	120 - 100	Nano.166 350 - 500/Nano-XRZ™ 350 - 400	12 PK
.166 #2	110 - 90	Nano.166 600 - 900/Nano-XRZ™ 500 - 600	12 PK
.166 #3	100 - 80	Nano.166 1000 - 1200/Nano-XRZ™ 700 - 800	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

## NOTES

### NANO-PRO™ .118 POINTS



Offered in 100% stainless steel construction, tungsten or premium tool steel. Features 10 grain cut off section to customize weight.

#### NANO-PRO™ .118 POINTS SPECIFICATIONS

DESC.	WT.	FITS	QTY.
.118 Tool Steel Point #1	120-100	Nano-Pro™ 450-550, Nano-Pro™ X-treme™ 450-550	12 PK
.118 Tool Steel Point #2	110-90	Nano-Pro™ 600-750, Nano-Pro™ X-treme™ 600-900	12 PK
.118 Tool Steel Point #3	120-100 grains	Nano-Pro™ 350-400, Nano-Pr™ X-treme™ 350-400	12 PK
.118 Tungsten Point #1	120-100 grains 110-90 grains	Nano-Pro™ 450-550, Nano-Pro™ 600-750, Nano-Pro™ X-treme™ 600-900	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

### LARGE DIAMETER TARGET POINTS



100% stainless steel construction. Steel construction inner chamber is tapped to fit threaded weight system.

#### LARGE DIAMETER TARGET POINTS SPECIFICATIONS

DESC.	WT.	FITS	QTY.
.284 Parabolic Point	70, 120	CXL™ 150 / X-Buster™ 600 - 700	12 PK
.284 Pin Point	90, 120	CXL™ 150 / X-Buster™ 600 - 700	12 PK
.318 Parabolic Point #1	70, 120	CXL™ 250 -350 / X-Buster™ 350-500	12 PK
.318 Pin Point #1	70, 120	CXL™ 250 -350	12 PK
.318 Pin Point #2	80, 120	X-Buster™ 350-500 / -TANK® 23D	12 PK
.348 Pin Point	100, 150	Line Jammer® Pro / TANK® 25	12 PK
.378 Pin Point #1	80, 140, 210	X-Jammer® 27 Pro	12 PK
.378 Pin Point #2	120, 210	TANK® 27	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

### STANDARD DIAMETER TARGET POINTS



100% stainless steel construction. Features 10 grain cut off sections to customize weight.

#### STANDARD DIAMETER TARGET POINTS SPECIFICATIONS

DESC.	WT.	FITS	QTY.
.234 Pin Point	120 - 100	Maxima® Pro Recurve RZ® 500 - 650	12 PK
.234 Pin Point	130 - 110	Maxima® Pro Recurve RZ® 350 - 420	12 PK
.234 Pin Point	190 - 140	Maxima® Pro Recurve RZ® 350 - 420	12 PK
.244 Parabolic Point	120 - 100	Arrows with .244 ID	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

### NANO PRO RZ .124 POINTS



Available in Tool Steel or Stainless Steel Construction • Weight ranges from 100 to 140 grains • Glue-In Target Point • 12 per pack

#### NANO PRO RZ .124 POINTS SPECIFICATIONS

DESC.	WT.	FITS	QTY.
.124 Steel Point #1	130 - 110	Nano Pro RZ® 350-450	12 PK
.124 Steel Point #2	120 - 100	Nano Pro RZ® 500-650	12 PK
.124 Tool Steel Point #1	140 - 120	Nano Pro RZ® 350-450	12 PK
.124 Tool Steel Point #2	120 - 100	Nano Pro RZ® 500-650	12 PK

\*PLEASE SEE PRICE SHEET FOR AVAILABLE QUANTITIES, COLORS & PART NUMBERS

### NOTES

Blank area for notes.



CARBON EXPRESS®

INSERT GUIDE

2019



INNER .166 DIAMETER

**IN - OUT #1**



**33 gr**

Indicated: with 1 ring on insert

Fits: Predator® XSD 300 - 350  
Adrenaline® XSD 350

**IN - OUT #2**



**33 gr**

Indicated: with 2 rings on insert

Fits: Predator® XSD 400 - 500  
Adrenaline® XSD 250

INNER .234 DIAMETER

**INSERT #4**



**11 gr**

Indicated: with Half - Grid

Fits: Predator® 2040 - 3050  
Heritage® 75 - 90  
Adrenaline® 90 - 150  
Maxima® Jr.  
Mayhem® Jr.

INNER .203 DIAMETER

**HALF - OUT #1**



**44 gr**

Indicated: with 1 ring on insert

Fits: Maxima® RED® SD 250

**HALF - OUT #2**



**44 gr**

Indicated: with NO rings on insert

Fits: Predator® 700 - 800

**HALF - OUT #3**



**44 gr**

Indicated: with 2 rings on insert

Fits: Maxima® RED® SD 350-450  
Mayhem® SDS 250 - 350

INNER .244 DIAMETER

**INSERT #0**



**11 gr**

Indicated: with NO rings on insert

Fits: Maxima® XRZ 150 - 250

**INSERT #1**



**11 gr**

Indicated: with 1 ring on insert

Fits: Maxima® RED® 250 - 350  
Maxima® XRZ 350  
Maxima® Hunter® 250 - 350  
Mayhem® DS 150 - 250  
Predator® 4560 - 6075  
Adrenaline® 250 - 350

**INSERT #2**



**11 gr**


Indicated: with 2 rings on insert

Fits: Maxima® Hunter® 450  
Mayhem® DS 350  
Pile Driver® DS 250 - 450  
Heritage® 150 - 350

P5100



## NOTES

	<b>Maxima Jr.</b> Predator 3050 Predator HoPursuit 3050 Adrenaline 150 Adrenaline HoPursuit 150	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>W3406</b>		275"	283"

	<b>Maxima HTR 350</b> Blu RZ 350 RED 350 Heritage 90 Predator 4560 Adrenaline 250 Terminator Lite 6075	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>W3409</b>		290"	297"

	<b>Maxima Hunter 250</b> Maxima RED 250 Terminator LITE 4560	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>W3408</b>		286"	294"

	<b>Maxima HTR 350/450</b> Blu RZ 350 RED 350 Carbon Rebel 4560/6075 Predator 6075 Adrenaline 350 Terminator Lite 6075 Mayhem DS series 350	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50190</b>		295"	303"

	<b>Maxima HTR 250</b> Blu RZ 250 RED 250 Heritage 75	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>W3416</b>		284"	292"

	<b>RED SD 250</b>	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50327</b>		257"	265"

	<b>Blu/Pnk RZ 150</b> Predator 3050 Predator HoPursuit 3050 Adrenaline 150	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50207</b>		276"	284"

	<b>RED SD 350</b>	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50328</b>		265"	273"

	<b>Blu RZ 250</b> Heritage 75	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50208</b>		282"	290"

	<b>Maxima HTR 250</b> Blu RZ 350 RED 250 Heritage 90 Predator 4560 Adrenaline 250 Terminator Lite 4560	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50209</b>		287"	295"

	<b>Maxima HTR 350</b> Blu RZ 350 RED 350 Heritage 90 Terminator Lite 6075 Carbon Rebel 4560 Predator 4560 Adrenaline 250 Mayhem DS series 250	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50192</b>		290"	298"

	<b>Maxima HTR 450</b> Terminator XP 4560/6075 Carbon Rebel 6075 Predator 6075 Mayhem DS series 350 Adrenaline 350	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50193</b>		295"	303"

	<b>Maxima HTR 350</b> Blu RZ 350 RED 350 Heritage 90 Terminator Lite 6075 Carbon Rebel 4560 Predator 4560 Adrenaline 250 Mayhem DS series 250	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50194</b>		290"	298"


	<b>Maxima HTR 450</b> Terminator XP 4560/6075 Carbon Rebel 6075 Predator 6075 Adrenaline 350 Mayhem DS series 350	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50195</b>		295"	303"

	<b>Maxima HTR 350</b> Blu RZ 350 RED 350 Heritage 90 Terminator Lite 6075	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50220</b>		290"	297"

	<b>Pile Driver DS Hunter 350</b> Carbon Rebel HTR 4560/6075 Heritage 150 Terminator XP 4560/6075	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50217</b>		.300"	.308"

	<b>Maxima HTR 250</b> Blu RZ 250 RED 250 Heritage 75	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50219</b>		284"	292"

	<b>Pile Driver DS Hunter 450</b> Heritage 250/350	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50218</b>		.310"	.318"

	<b>Maxima HTR 450</b> Pile Driver DS Hunter 250 Carbon Rebel 6075 Predator 6075 Adrenaline 350 Mayhem DS series 350	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50200</b>		296"	304"

	<b>Maxima HTR 350</b> Blu RZ 350 RED 250 Mayhem DS series 250 Heritage 90 Predator 4560 Adrenaline 250 Terminator XP 4560 Terminator LITE 6075	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50203</b>		291"	299"

	<b>Maxima HTR 350</b> Blu RZ 350 RED 350 Heritage 90 Terminator Lite 6075 Carbon Rebel 4560 Predator 4560 Adrenaline 250 Mayhem DS series 250	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50256</b>		290"	298"

	<b>Maxima HTR 350/450</b> RED 350 Mayhem DS series 350 Heritage 90 Predator 6075 Adrenaline 350 Terminator XP 6075	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50204</b>		294"	302"

	<b>Maxima HTR 250</b> Blu RZ 250 RED 250 Heritage 75 Terminator Lite 4560 Predator 4560 Adrenaline 250	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50255</b>		285"	293"


	<b>Maxima HTR 350</b> Blu RZ 350 RED 250 Mayhem DS series 250 Heritage 90 Predator 4560 Adrenaline 250 Terminator XP 4560 Terminator LITE 6075	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50205</b>		291"	299"

	<b>Maxima HTR 450</b> Mayhem DS Series 350	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>W2025</b>		297"	305"

	<b>Maxima HTR 450</b> Mayhem DS Series 350	<b>Shaft Diameter</b>	
		Min OD	Max OD
<b>50206</b>		296"	304"

## RECREATIONAL ARCHERY AND YOUTH

### ATLATL KIT



An ATLATL is a tool that uses leverage to achieve greater velocity in dart-throwing, and includes a throwing handle which allows the user to launch the dart with high velocity during the throw.

#### ITEM SPECIFICATIONS

PART #	DESC.	QTY
55203	ATLATL KIT	1 PK
55205	ATLATL (2 PACK DART)	1 PK

### ARCHERY GOLF



- Archery Golf Kit (Net, Arrow, Scorecards & Bow)
- Archery Golf Kit (Net, Arrow & Scorecards)
- Archery Golf Arrow
- Universal Recurve Bow (29 Lbs.)

#### ITEM SPECIFICATIONS

PART #	DESC.	QTY
55204	Archery Golf Kit (NET, ARROW, BOW)	1 PK
55207	Archery Golf Kit (NET, ARROW & SCORECARDS)	1 PK
50500	Archery Games Universal Recurve Bow (29 LBS.)	1 PK
55206	Archery Golf Arrow	1 PK

## QUIVERS AND POUCHES

### FIELD QUIVER



Water-Resistant PVC-Backed Fabric • Diamond-Lock Fabric • Drain Holes in Body and Pocket • Pen Sleeve • Two D-Rings • 2 Sleeve Pockets • Main Zipper Compartment

#### ITEM SPECIFICATIONS

PART #	COLOR	HAND	QTY
58901	Red/Black	RH	1 PK
58902	Black/Silver	RH	1 PK
58903	Blue/Black	RH	1 PK
58904	Purple/Black	RH	1 PK
58905	Black /Silver	LH	1 PK

### TARGET QUIVER



The Carbon Express® Target Quiver sports a sleek and fast design that provides plenty of space for archery essentials. The CX™ Target quiver is perfect for a full day on the range, with two large zipper pockets and D-clip for additional accessories.

#### ITEM SPECIFICATIONS

PART #	COLOR	HAND	QTY
58906	Red/Black	RH	1 PK
58907	Black/Silver	RH	1 PK
58908	Blue/Black	RH	1 PK
58909	Purple/Black	RH	1 PK
58910	Black /Silver	LH	1 PK

### ADJUSTABLE QUIVER BELT



Carbon Express® quiver belt sold in black and silver is one size and fits most shooters. This belt is Velcro adjustable with a quick clip buckle made for a fast and secure

#### ITEM SPECIFICATIONS

PART #	QTY
58915	1 PK

### RELEASE POUCH



Diamond-Lock Fabric • Quick-Draw Closure • Rear Accessory Pocket • 2" Belt Receiver • Soft, Protective Lining

#### ITEM SPECIFICATIONS

PART #	COLOR	QTY
58911	Red/Black	1 PK
58912	Black/Silver	1 PK
58913	Blue/Black	1 PK
58914	Purple/Black	1 PK

## CARBON EXPRESS® ARROW TUBES



Carbon Express® Arrow Tube made with durable material will protect your valuable arrows. Quick cap and Convenient strap makes this arrow tube a valuable piece of your accessory collection.

#### ITEM SPECIFICATIONS

PART #	QTY
98146	1 PK

# TRAIL BLAZING

TROCAR<sup>®</sup>  
HB



- 100 GRAIN
- 2 FIXED BLADES
- 2 EXPANDING BLADES
- 1 DEVASTATING BROADHEAD

SPAWNED FROM THE TROCAR HB, THE HB TI IS FORGED FROM TITANIUM GIVING IT A LONGER, MORE AGGRESSIVE FERRULE, HOOKED SHOULDERS, TWO .05" FIXED BLADES AND SWIVELING .035" EXPANDING BLADES. THE TROCAR HB TI COMBINES THE ACCURACY AND DEVASTATION OF AN EXPANDING HEAD, WITH THE RELIABILITY OF AN FIXED BLADE. NOTHING OUT PERFORMS THE TROCAR HB TI.





## CROSSBOW BROADHEADS

### TROCAR® 100 GRAIN 3-BLADE



Trocar® Tip • Trocar® Solid Stainless Steel Ferrule • .035 Right Helical SS Blades  
• 1 3/16" Cutting Diameter

#### MUZZY® ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
292	3	3 PK	100	1 3/16"
293	3	3 PK	125	1 3/16"

### TROCAR® HBX CROSSBOW HYBRID BROADHEAD



Chisel Tip • 1 Stainless Steel Ferrule • 5/8" Expandable Cutting Diameter  
• .035" Thickness Blades • Offset Fixed Blades To Induce Spin

#### MUZZY® ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
298	4	3 PK	100	1 5/8" x 1"
299	4	3 PK	125	1 5/8" x 1"

### MUZZY® 3-BLADE CROSSBOW BROADHEAD



Trocar® Tip • Aluminum Anodized Ferrule • .020" Thick Stainless Steel Blades

#### MUZZY® ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
225-X	3	6 PK	100	1 3/16"
235-X	3	6 PK	125	1 3/16"

## BROADHEADS

### ONE™ NEW



Hybrid cut-on-contact/chisel tip • One piece Machines Stainless Steel • .046" Thickness Blades

#### MUZZY® ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
283	3	3 PACK	100	1 1/16"

### TROCAR® HB HYBRID BROADHEAD



Chisel Tip • Steel Ferrule with Standard • .035" Thickness Blades • Offset Fixed Blades To Induce Spin

#### MUZZY® ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
297	4	3 PK	100	1 5/8" x 1"

### TROCAR® 100 GRAIN 3-BLADE



Trocar® Solid Stainless Steel Ferrule • .035" Right Helical Stainless Steel Blades • 1 3/16" Cutting Diameter • Trocar® Tip

#### MUZZY® ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
290	3	3 PK	100	1 3/16"

### TROCAR® HB-TI



Chisel Tip • Machined Titanium Ferrule • .050" Thick Fixed Blade • .039" Thick Mechanical Blades • Stainless Steel Fixed Blade Retention Collar

#### MUZZY® ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
297-TI	4	3 PK	100	1 5/8" x 1"

### MERC™ 3-BLADE BROADHEAD



Hybrid Tip • Stainless Steel Ferrule • .030" Thick Replaceable Blades  
• Aluminum Blade Retention Collar

#### MUZZY® ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
281	4	3 PK	100	1 1/8"

## MX-4<sup>®</sup> 4-BLADE BROADHEAD



Trocar<sup>®</sup> Tip • Anodized Aluminum Ferrule • .025" Thickness Blades

### MUZZY<sup>®</sup> ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
209-MX4-3	4	3 PK	100	1 1/8"

## MX-3<sup>®</sup> 3-BLADE BROADHEAD



Trocar<sup>®</sup> Tip • Aluminum Anodized Ferrule • .025" Thickness Blades

### MUZZY<sup>®</sup> ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
225-MX3-3	3	3 PK	100	1 1/4"

## MUZZY<sup>®</sup> 4-BLADE BROADHEAD



Trocar<sup>®</sup> Tip • Aluminum Anodized Ferrule • .020" Stainless Steel Blades

### MUZZY<sup>®</sup> ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
209	4	6 PK	100	1"

## MUZZY<sup>®</sup> 3-BLADE BROADHEAD




Trocar<sup>®</sup> Tip • Aluminum Anodized Ferrule • .020" Stainless Steel Blades

### MUZZY<sup>®</sup> ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
207	3	6 PK	75	1"
225	3	6 PK	100	1 3/16"
235	3	6 PK	125	1 3/16"

## SG-X SMALL GAME BROADHEAD



Trocar<sup>®</sup> Tip • Stainless Steel Ferrule • Spring Loaded Arms

### MUZZY<sup>®</sup> ITEM SPECIFICATIONS

PART #	BLADES	QUANTITY	GRAIN	CUTTING DIAMETER
112	1	3 PK	100	NA
113	1	3 PK	125	NA

## REPLACEMENT BLADES



Muzzy<sup>®</sup> Replacement Blades

## NOTES

## BOWFISHING KITS

### VICE™ BOWFISHING KIT **NEW**



Muzzy® Compound Bowfishing Bow with Finger Guards • An XD Pro Reel with attached Reel Seat and Prespooled with 150' of 150lb of Tournament Test Line  
• A Fish Hook Arrow Rest • Classic White Fiberglass Arrow with a Muzzy® Carp Point

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
7905	Vice™ BowFishing Kit RH
7905-L	Vice™ Bowfishing Kit LH
7900	Vice™ Bowfishing Bow RH
7900-L	Vice™ Bowfishing Bow LH

RH and LH bow only

### XD BOWFISHING KIT



Everything You Need to Get Your Bow Ready to Bowfish • Includes Tac Rail Reel Seat, Fish Hook Arrow Rest, Finger Savers, Classic White Fiberglass Fish Arrow With Carp Point, and Xd Reel With Extended Hood for Smoother Line Flow.

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
7507	Xtreme Duty Spincast Style Bowfishing Kit- W/Extended Hood

### ADDICT™ BOWFISHING KIT



Includes: Bow, New Reel, with 150# line installed, Rest, Fish Bone Arrow with Carp Point, and Finger Guards. Addict™ Bowfishing Bow Tool-less take down assembly, 58" Length, 40# Draw Weight at 28", Magnesium Riser, Arched Shelf, Non-slip, soft grip 2.25 LB Mass Weight.

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
7505	Recurve Bowfishing Kit 40# @ 28" 58" Length: Includes Bow, Reel with 150# line Installed, Rest, 1020-C Arrow, & Finger Guards

## FISHING POINTS

### QUICK RELEASE GAR & CARP POINT FOR TOUGH SKINNED FISH W/REPLACEABLE TIP



Muzzy® Gar Points feature full stainless steel ferrules with Muzzy's famous Trocar® Tip for deep penetration through tough skin and bone. A simple 2 turns of the tip allows barb to fold opposite direction and release fish. Improved shorter design.

Muzzy® Carp Points feature full stainless steel ferrules with Muzzy's specially designed Carp Tip for proper penetration on soft fleshed fish such as carp. A simple 2 turns of the tip allows barb to fold opposite direction and release fish.

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1010	Quick Release Gar Point for tough skinned fish w/replaceable tip
1011	Quick Release Carp Point for tough skinned fish w/replaceable tip

### IRON FISH POINTS



Machined Steel Construction • Knurled and Slotted Tip for Easy Grip to Release Blades • Streamlined Design for Excellent Penetration

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1005	Muzzy® Iron 2-Barb
1006	Muzzy® Iron 3-Barb



## ARROWS

### CLASSIC FISH ARROWS



Classic White Fish Arrow with either Gar Point OR Carp Point (nock, bottle slide installed)

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1020-G	Classic White Fish Arrow with Gar Point (nock installed)
1020-C	Classic White Fish Arrow with Carp Point (nock installed)
1020-GBS	Classic White Fish Arrow with Gar Point (nock, bottle slide installed)
1020-CBS	Classic White Fish Arrow with Carp Point (nock, bottle slide installed)
1420-G	Classic Chartreuse Fish Arrow with Gar Point (nock installed)
1420-C	Classic Chartreuse Fish Arrow with Carp Point (nock installed)
1420-CBS	Classic White Fish Arrow with Gar Point (nock, bottle slide installed)
1420-GBS	Classic Chartreuse Fish Arrow with Gar Point (nock, bottle slide installed)

### BIG FISH POINT ADAPTER



The Muzzy® Big Fish Point Adapter allows you to turn any Muzzy® Fish Point or any fish point with 1/4 - 28 tip threads into a Big Fish Point. Fits between the fish body and tip to provide a second set of Barbs that provide Maximum holding power.

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1100	Big Fish Point Adapter

### WHITE & CHARTREUSE FIBERGLASS SHAFT 32"



White Fiberglass Shaft 32" (bare w/cross hole drilled & nock end tapered)

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1200-W	White Fiberglass Shaft 32" (bare w/cross hole drilled & nock end tapered)
1200-CHART	Chartreuse Fiberglass Shaft 32" (bare w/cross hole drilled & nock end tapered)

### IRON FISH ARROW



High-Vis Chartreuse Color • Length: 32" • Diameter: 5/16" • Cross-hole Drilled • Nock Installed • Choice of Fish Tip Installed

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1039	Iron 3-blade Fish Point w/ Chartreuse arrow (nock installed)
1039-CBS	Iron 3-blade w/Chartreuse arrow (nock, bottle slide installed)
1034	Iron 2-blade Fish Point w/Chartreuse arrow (nock installed)
1034-CBS	Iron 2-blade w/ Chartreuse arrow (nock, bottle slide installed)

### NOTES

Blank area for notes.

## REPLACEMENT TIPS

### CLASSIC WHITE FISH ARROW WITH GAR OR CARP POINT **NEW**



Replacement Tips Available for: • Carp Point • Gar Point • Iron 2- 3-Blade

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1050	Gar Point replacement tips (2 pack)
1051	Carp Point replacement tips (2 pack)
1061	Iron 2- 3-Blade Replacement Tips

## BOWFISHING REST

### FISH HOOK BOWFISHING REST



The Muzzy® Fish Hook Bowfishing Rest allows you to fish with total confidence no matter the conditions. It's unique design allows the line to lay in the groove under the arrow while providing a 3 sided capture making it almost impossible for your arrow to come off of your rest, but still allows quick and easy arrow loads.

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1080	Fish Hook Bowfishing Rest

### MANTIS II BOWFISHING REST **NEW**



Anodized Aluminum Frame • Full Containment • No-Wear Delrin Arrow Pad • High Visibility, Spring-Loaded Trap Door • Laser Etched Markings for Windage Adjustments • Rotatable Frame for Elevation Adjustments and Alignment

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1099	Mantis II Bowfishing Rest

## MISC ACCESSORIES

### GLOVE FREE RUBBER FINGER GUARDS GREEN COLOR



Allows Accurate shooting even with wet hands and your fingers will thank you.

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1089	Glove Free Rubber Finger Guards Green Color

### REPLACEMENT BOTTLE SLIDES 2 PACK OF SLIDE



Allows Accurate shooting even with wet hands and your fingers will thank you.

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1032	Replacement Bottle Slides 2 Pack of Slides and stops

### 24" GAFF **NEW**



24" aluminum handle • Steel Hook • Foam Rubber Grip •

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1038	24" Gaff

## REELS & REEL SEAT & ROD ATTACHMENTS

### XD PRO REEL WITH BUTTON



Elongated Hood • Spin-cast Style Reel • Integrated Mount • Push-Button Activation • Pro-Spooled with 150' of 150lb Tournament Line

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1069	Improved Spin style bowfishing reel with integrated Reel Mounting system With 150# Line Installed

### XD PRO REEL WITH SWITCH



Elongated Hood • Spincast Style Reel • Integrated Mount • Switch Style Activation • Pro-Spooled with 150' of 150lb Tournament Line

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1079	Improved Spin style bowfishing reel with integrated Reel Mounting system With 150# Line Installed Push Button

### XD REEL



Offers an elongated hood for better line flow and smoother shooting • 150# line installed • Extended hood

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1097	Muzzy® XD Bowfishing Reel with 150# Line Installed & Extended Hood

### MUZZY® TAC RAIL LINE PULLER



Machined Aluminum Construction • Mounts to Sight Mounting Locations on Bow Riser • Tac Rail for Accessories

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1054	Muzzy® Tac Rail Line Puller - Green

### MUZZY® SHOOT THROUGH ROD **NEW**



Extends the life of your reel by reducing side torque on the main shaft • Allows line to flow freely from spool • Nothing for line to get wrapped around • Stainless-steel construction • Available for Spincast and Bottle Reels

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1058	Shoot Through Rod for Pro Reel RH
1059	Shoot Through Rod for Bottle Reels RH
1059-L	Shoot Through Rod for Bottle Reels LH

### REEL SEAT



Machined Aluminum Construction • Quickly and Easily Install or Change Reels • Single Bolt Installation Ensures Secure Fit on Riser • Tac Rail Allows Mounting of Lights or Cameras • Accessory Hole Accepts Shoot Thru Rods

#### MUZZY® BOWFISHING ITEM SPECIFICATIONS

PART #	DESCRIPTION
1098	Reel Seat

### NOTES

Blank area for notes.





# TRUFIRE

## PATRIOT™

### PATRIOT™



Padded black nylon power strap • Velcro closure system • Fits both left and right hand • Adjustable trigger travel • Economical and affordable

#### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
PT	Patriot™
PTPB	Patriot™ Pro Buckle (DEALER ONLY)
PTM	Patriot™ Flex

## SMOKE™

### SMOKE™ EXTREME BUCKLE



Extreme style wrist strap • Locking length adjustment • Adjustable trigger travel

#### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
SMEB	Smoke™ Extreme Buckle

### SMOKE BUCKLE FOLDBACK



Fits both left and right hand • Dime-sized compact head • Threaded length adjustment and **FOLDBACK** option • Fits both right and left hand • Adjustable trigger travel • Comfortable buckle strap

#### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
SMBF	Smoke™ Buckle Foldback® - black
MXSMBF	Smoke™ Max Buckle Foldback

## BULLDOG™

### BULLDOG™ BUCKLE FOLDBACK



Customizable Length Adjustment • Single Jaw Design • Adjustable Trigger Travel • Anodized, Machined Aluminum Body • **FOLDBACK** Buckle Strap

#### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
BDBF	Bulldog™ Buckle Foldback

## EDGE

### EDGE EXTREME BUCKLE FOLDBACK® (DEALER ONLY) - CAMO



Camo nylon foldback® Evolution buckle strap • **FOLDBACK** design for glassing rattling or climbing into your tree stand • Adjustable trigger travel • Functions on a Linear motion bearing for a super smooth trigger • Lockable Length adjustment • Over 1" length adjustment which can be locked in place

#### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
EGEXBF	Edge™ Extreme Buckle Foldback® (DEALER ONLY) - camo

### EDGE™ BUCKLE



Camo nylon foldback® Evolution buckle strap • **FOLDBACK** design for glassing rattling or climbing into your tree stand • Adjustable trigger travel • Functions on a Linear motion bearing for a super smooth trigger • Lockable Length adjustment • Over 1" length adjustment which can be locked in place

#### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
EGBBLKF	Edge™ Buckle Black Foldback
MXEGBBLKF	Max Edge™ Buckle Black Foldback® (DEALER ONLY)
EGBF	Edge™ Buckle Foldback® - camo

## HARDCORE™

### HARDCORE™ BUCKLE



Trigger pressure adjusts from 3 to over 16 ounces • Super plush black buckle strap • Over 1" length adjustment • Fully adjustable trigger travel • Swept back trigger • Guaranteed not to slip off loops • Available in Black or Camo

**FOLDBACK**

#### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
HDBBLKF	Hardcore™ Buckle Black Foldback® (DEALER ONLY)
HDBF	Hardcore™ Buckle Foldback® - camo
MXHDBBLKF	Max Hardcore™ Buckle Black Foldback

## CHICKEN WING™

### CHICKEN WING™



Interchangeable single or double trigger • Smaller, more streamlined head design • Tru-Forward Design • Tru-Centering Technology • Adjustable Trigger Travel

**FOLDBACK**

#### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
CWING	Chickenwing™

## EVA SHOCKEY SIGNATURE SERIES RELEASE WITH FOLDBACK



Adjustable Trigger Travel • Customizable Length Adjustment • Custom Honey Leather Strap with Bold Teal Stitching • Hook Design • **FOLDBACK** Buckle Strap

#### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
ESBF	Eva Shockey Signature Series Release with Foldback

## JUNIORS

### PATRIOT™ JUNIOR



Same release head as its big brother • Economical and comfortable nylon power strap w/fast and simple • Velcro closure system, less than 5 seconds and its on, fits both right and left hand • Guaranteed to fit the smallest of hands, including a child's • The most economical American made junior release on the market

#### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
PTJR	Patriot Junior

## MAX SPARK™ BUCKLE FOLDBACK® (YOUTH RELEASE) NEW




Junior version of Smoke™ Max™ • Max™ strap • Locking length adjustment with 360 rotation • Adjustable trigger travel

**FOLDBACK**

#### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
SPEB	Spark Extreme Buckle (youth release)
MXSPBF	Max Spark Buckle Foldback® (youth release) NEW
SPBF	Spark Buckle Foldback® (youth release)

## EDGE™ BUCKLE FOLDBACK® SMALL - CAMO



Camo nylon foldback® Evolution buckle strap • **FOLDBACK** design for glassing rattling or climbing into your tree stand • Adjustable trigger travel • Functions on a Linear motion bearing for a super smooth trigger • Lockable Length adjustment • Over 1" length adjustment which can be locked in place

#### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
EGBFS	Edge Buckle Foldback® Small - camo

## DRAW CHECK TOOL



The TruFire Draw Check Tool eliminates accidents caused by dry firing a bow. Used to safely adjust draw length, peep sights or any other adjustments.

#### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
DCT	Draw Check Tool
DCTS	Draw Check Tool - Small

## NOTES



# TRUFIRE

## WRIST STRAP ASSIST™ FOR HAND HELD RELEASES



Rope style length adjustment • Buckle wrist strap • Crimping rope lock • Works on any hand held release - hand held only

### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
WAHR	Wrist Strap Assist™ for Hand held Releases

## HAND-HELD / 3D CROSSOVER

### EDGE 4-FINGER - CAMO



Head rotates 360° • Thumb knob is totally adjustable • Adjustable trigger travel

### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
EG4C	Edge 4-Finger - camo

## SEAR™ BACK TENSION



Fully Machined Components • Heavy Brass Handle • Adjustable Hot / Cold Setting • 4 sided Sear with Variable Click Options • Adjustable Fourth Finger Positioning • 3 Position Adjustable Thumb Placement

### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
BTO	SEAR™ Back Tension Orange
BTR	SEAR™ Back Tension Red
BTG	SEAR™ Back Tension Green
BTB	SEAR™ Back Tension Blue
BTS	SEAR™ Back Tension Silver
BTO-S	SEAR™ Back Tension Orange SMALL
BTR-S	SEAR™ Back Tension Red SMALL
BTG-S	SEAR™ Back Tension Green SMALL
BTB-S	SEAR™ Back Tension Blue SMALL
BTS-S	SEAR™ Back Tension Silver SMALL

## SYNAPSE®



Precision milled internal components • Adjustable trigger travel • Adjustable trigger pressure • Weighted brass handle • Aluminum anodized cover and components • Crisp operation • Multi-position thumb • Cord loop • Available in the following colors: Blue, Orange, Red, Green & Silver

### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
SYN-B	Synapse® - Blue
SYN-O	Synapse® - Orange
SYN-R	Synapse® - Red
SYN-G	Synapse® - Green
SYN-S	Synapse® - Silver

## CLUTCH™ NEW




Precision milled caliper jaws • Adjustable trigger travel • Rubber over-molded trigger (reduces noise and provides finger comfort when closing) • 1-piece steel body • -Locking 360 length adjustment

### TRU-FIRE® ITEM SPECIFICATIONS

PART #	DESCRIPTION
CBF	Clutch™ Buckle Foldback
CBCF	Clutch™ Buckle Camo Foldback
CEXBF	Clutch™ Extreme Buckle Foldback

## NOTES





# TRUEFIRE


COMFORT . CONTROL . PRECISION

## SEAR™

### FEATURES

- 3 Position Adjustable Thumb Placement
- Fully Machined Components
- 4 Sided Sear with Variable Click Option
- Adjustable Hot / Cold Setting
- Weighted Brass Handle
- Adjustable Fourth Finger Positioning

AVAILABLE IN:



## SYNAPSE®

### FEATURES

- Independent Travel and Tension Adjustments
- Infinite Position Thumb Barrel
- Full Loop Capture
- Powered by a Double Sear Activation
- Weighted Brass Handle
- Adjustable 3 or 4 finger positioning
- Hardened and Polished Stainless Steel Components

AVAILABLE IN:



Tension Adjust from  
1.25oz to 20oz



RELEASE PERFECTION

## IQ® SIGHT LIGHT



Fits IQ® and most Sure-Loc® sights • Adjustable Rheostat control • Purple low glare light • Works on RH and LH sights • Batteries included - (3) Energizer 392

### IQ® BOWSIGHTS ITEM SPECIFICATIONS

PART #	DESCRIPTION
S15000	IQ® Sight light

## IQ® MICRO



The NEW IQ® MICRO BOW SIGHT offers RETINA LOCK® TECHNOLOGY which provides instant feedback that will identify even the slightest torque or anchor point change. Micro adjustment knobs that allow quick and simple adjustment of the elevation and windage to precise positions. Dual position mounting gives you the ability to mount your sight to your particular shooting style. Tool-free locking knobs allow you to lock your windage and elevation positions in place without the use of any tools.

### IQ® BOWSIGHTS ITEM SPECIFICATIONS

PART #	DESCRIPTION
IQ00321	IQ® Micro 3-pin, RH
IQ00324	IQ® Micro 3-pin, LH
IQ00355	IQ® Micro 5-pin, RH
IQ00356	IQ® Micro 5-pin, LH

## IQ® PRO ONE



Single Moveable Pin • 2 Sight Tapes • Shooter's Perspective • Visible from Side • Fully Captured .019 Pins • Micro Adjust Windage and Elevation • Adjustable Zero Stop for Moveable Pin • Optional Light and Magnifier

### IQ® BOWSIGHTS ITEM SPECIFICATIONS

PART #	DESCRIPTION
IQ00348	IQ® Pro ONE RH
IQ00349	IQ® Pro ONE LH

## IQ® PRO HUNTER RH **NEW**



Designed with versatility in mind the 2018 IQ® Pro Hunter features two fixed pins for shots at shorter distances and a third "floater" pin that can be dialed to specific yardages for precision aiming when shots call for a stretch of the tape.

### IQ® BOWSIGHTS ITEM SPECIFICATIONS

PART #	DESCRIPTION
IQ00353	IQ® Pro Hunter RH

## DEFINE™ RANGE FINDING SIGHT RH 5-PIN **NEW**



OLED Display with blue yardage and yellow battery indicator • 2 min scan mode • External trigger with adhesive • Separate red dot visible laser for calibration • CR-2 battery • Yardage displayed is always horizontal distance (angle compensation built-in) • .019 pins • 5 pin model only • Range to 99 yards • Weight: 18.25 oz

### IQ® BOWSIGHTS ITEM SPECIFICATIONS

PART #	DESCRIPTION
IQ00354	Define™ Range Finding Sight RH 5-Pin
IQ00357	Define™ Range Finding Sight LH 5-Pin
IQ00354-OR	Define™ Range Finding Sight - Shop Only

## DEFINE™ PRO RH 7-PIN **NEW**



All the same features of the existing DEFINE sight but with a further ranging capability • Smaller Range Finder for weight reduction • Magnesium Frame • 30% Lighter than original version • Includes Retinal Lock • 7 pin • 3 Digit Ranging Feature • 150 yard Max Range

### IQ® BOWSIGHTS ITEM SPECIFICATIONS

PART #	DESCRIPTION
IQ00358	Define™ Pro 7-Pin w/ Retina Lock Magnesium

## NOTES



# DEFINE™

99

## RANGE FINDER SIGHT

A Trusted 5-Pin IQ® Sight.  
A 99yd Range Finder.  
Intuitively Joined to Create the  
Ultimate Bow Hunting Tool.



# IQ



## BOWSIGHTS

®



# BLOCK® Targets!

Patented open-layered design stops arrows with friction, not force. • The BLOCK's patented friction layered design lets arrows enter between open, unglued layers of friction foam. The heat generated by high speed arrow penetration, along with friction, literally grabs the arrow shaft. In seconds, the heat dissipates and releases the arrow shaft making arrow removal as easy as it can get. • STOPS ALL Broadheads & Field Tips.

## GEN Z™



The BLOCK® GenZ™ was designed specifically with the young archer in mind. It is intended for bows of 40 pounds of draw weight or less. The GenZ™ features the legendary open-layered technology which allows easy arrow removal and longer target life no matter what kind of arrow tip the GenZ™ shooter is using. High-contrast white-on-black aiming points offer great visibility, so your child can move up from the larger aiming points to the smaller spots for a greater degree of difficulty and superior accuracy.

BLOCK® GENZ: 18" X 16" X 8" - BLOCK® GENZ XL: 22" X 20" X 8"

### BLOCK® TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
B51000	GenZ™

## CLASSIC



BLOCK® CLASSIC ARCHERY TARGET - It is based on the original, legendary BLOCK® target and is simply the best 2-sided archery target on the market.

AVAILABLE IN THREE SIZES:  
BLOCK® CLASSIC 18 - SIZE: 18"X18"X14"  
BLOCK® CLASSIC 20 - SIZE: 20"X20"X14"  
BLOCK® CLASSIC 22 - SIZE: 22"X22"X14"

### BLOCK® TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
B51100	Classic 18
B51200	Classic 20
B51300	Classic 22

## RANGE



Because the BLOCK® Range Archery Targets stops arrows with friction, not force, it will last far longer than other targets. Arrow removal is dramatically easier which is especially important with today's speed bows. All BLOCK® Range Targets are designed to butt together with minimal seams between targets. On a shots-per-dollar basis, the long lasting BLOCK® Range Target is, by far, the best investment for pro shops. And, archers love them too which means more happy customers!

AVAILABLE IN THREE SIZES:  
BLOCK® RANGE 24 SIZE: 24"X18"X48"  
BLOCK® RANGE 28 SIZE: 28"X18"X48"  
BLOCK® RANGE 48 SIZE: 48"X18"X48"

### BLOCK® TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
B50902	Range 24
B50900	Range 28
B50901	Range 48

## BULLSEYE



Made specifically for the National Archery in the Schools Program (NASP), the BLOCK® Bullseye Archery Target features an easy-on, easy-off 2-sided replaceable target sleeve. It has integrated and removable wheels for easy transport.

TARGET DIMENSIONS: 34" X 34" X 11"

### BLOCK® TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
B50801	Bullseye

## CROSSBOW



Open Layered Polyfusion™ technology • Easy arrow removal • Stops all field points and broadheads • Four-sided shooting • Multiple aiming points on all sides

THE BLOCK® BLACK CROSSBOW TARGET NOW COMES IN 2 SIZES!  
BLOCK® BLACK CROSSBOW 16 - SIZE: 16"X16"X12"  
BLOCK® BLACK CROSSBOW 20 SIZE: 20"X20"X16"

### BLOCK® TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
B56500	Crossbow 16
B56600	Crossbow 20

## BLOCK® VAULT



Open Layered Polyfusion™ technology • Easy arrow removal • Stops all field points and broadheads • Four-sided shooting • Multiple aiming points on all sides • Provides shooters specific practice shots

BLOCK® VAULT ARCHERY TARGET COMES IN 4 DIFFERENT SIZES:  
BLOCK® VAULT M SIZE: 16"X16"X12"      BLOCK® VAULT XL SIZE: 20"X20"X16"  
BLOCK® VAULT L SIZE: 18"X18"X16"      BLOCK® VAULT XXL SIZE: 22"X22"X16"

### BLOCK® TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
B56005	Block® Vault M
B56105	Block® Vault L
B56205	Block® Vault XL
B56305	Block® Vault XXL

## BLOCK® 6X6



Polyfusion™ layered technology • Easy arrow removal • Stops all field points and broadheads • Unique 6-sided shooting • Multiple aiming points on all sides • Built in convenient carrying handle


BLOCK® 6X6 SIZE: 18"X18"X16"

### BLOCK® TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
B56700	Block® 6x6



## GLENDEL® BUCK



Large economical 3-D buck • 25% larger than comparable targets  
 • Replaceable inserts available • Perfect addition to any backyard range • Easy arrow removal • Stops all field points and broadheads



FULL RUT BUCK 62" TALL - SHOULDER HEIGHT 37"  
 PRE-RUT BUCK 60" TALL - SHOULDER HEIGHT 36"  
 BUCK 48" TALL - SHOULDER HEIGHT 34"

### GLENDEL® ITEM SPECIFICATIONS

PART #	DESCRIPTION
G71000	GLENDEL® Buck w/4-sided insert
G71200	GLENDEL® Buck point-of-purchase
G73000	GLENDEL® Pre-Rut Buck w/ 4-sided insert
G73500	GLENDEL® Pre-Rut Buck point-of-purchase
G75000	GLENDEL® Full-Rut Buck w/4-sided insert
G75500	GLENDEL® Full-Rut Buck point-of-purchase

## GLENDEL® CROSSBOW BUCK



Shoulder Height: Stands 34" at the shoulders • Total Height: 56" • Rack Size: 150" B&C antlers • Insert Size: 11" X 11" X 11" • Open Layered Polyfusion Technology • Easy Arrow Removal • Longer target life • Replaceable insert for longer target life • Stop ALL Broadheads & Field Tips

CROSSBOW BUCK 56" TALL - SHOULDER HEIGHT 34"

### GLENDEL® ITEM SPECIFICATIONS

PART #	DESCRIPTION
G71010	GLENDEL® Crossbow Buck

## GLENDEL® BUCK INSERTS OR REPLACEMENT CORE



4 Sided Core STOPS ALL Broadheads & Field Tips. GlenDel's core design has 4 sides with different vital positions. This prepares you for shooting deer that would be broadside, quartering away and from a 20 ft tree stand at 20 yards.

BUCK - 11" X 11" X 11"  
 PRE-RUT - 12" X 12" X 12"  
 FULL-RUT - 14" X 14" X 14"

### GLENDEL® ITEM SPECIFICATIONS

PART #	DESCRIPTION
G71100	GLENDEL® Buck Replacement Core
G71500	GLENDEL® Full-Rut Buck insert core
G73100	GLENDEL® Pre-Rut insert core

## H20, H25, H28



High visibility aiming points • Off-center deer vitals • Tri-Core Technology • Heavy-Duty handle

HURRICANE® H-20 - SIZE: 20W"X10D"X20H"  
 HURRICANE® H-25 - SIZE: 25W"X12D"X23H"  
 HURRICANE® H-28SIZE: 28W"X12D"X28H"

### HURRICANE® TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
H60450	H20
H60700	H25
H60800	H28

## H21 CROSSBOW



High visibility aiming points • Off-center deer vitals  
 • Designed for Crossbows • Heavy-duty handle

CROSSBOW H-21 - SIZE: 21" X 12" X 21"

### HURRICANE® TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
H60410	H21 CROSSBOW

## STORM 2



Proprietary material stops arrows and bolts over 600 FPS. Weather proof fill prevents mold and decomposition.

STORM 2-20 - SIZE: 20"  
 STORM 2-25 - SIZE: 25"

### HURRICANE® TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
H63000	STORM 2 20
H63100	STORM 2 25

## NOTES

Blank area for notes.

TARGETS

## BLACK HOLE® CROSSBOW 16



4-sided shooting for longer life • Broadheads and field points on front and back • Polypropylene wrapped sides for field points only • Stops all 400fps+ crossbows • Aiming points on all 4 sides • Economical and durable • Lightweight for portability

BLACK HOLE CROSSBOW - SIZE: 16"X16"X14"

### BLACK HOLE® TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
B61212	Black Hole® Crossbow 16

## BLACK HOLE®



4-sided shooting • "Wrapped" Sides - Shoot field points (only) at both woven polypropylene wrapped sides! • "Open-face" layered design - Shoot field tips, fixed blade, & expandable broadheads at front and back of target! • Stops all field points and broadheads • Economical and long lasting • Contrasting aiming points on all 4 sides

BLACK HOLE 18 - SIZE: 18"X16"X11"

BLACK HOLE 22 - SIZE: 22"X20"X11"

### BLACK HOLE® TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
B61110	Black Hole® 18"
B61210	Black Hole® 22"

## SHOOTER™ BUCK



Economical 3-D buck • Replaceable inserts available • Perfect addition to any backyard range • Easy arrow removal • Stops all field points and broadheads

SHOOTER BUCK - SIZE: 48" TALL

### SHOOTER™ TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
G71600	Shooter Buck
G71630	Shooter Buck Replacement Insert

## SHOOTER™ BUCK CROSSBOW



Economical 3-D buck • Replaceable inserts available • Perfect addition to any backyard range • Easy arrow removal • Stops all Crossbow bolts with field points and broadheads

SHOOTER BUCK CROSSBOW - SIZE: 48" TALL

### SHOOTER™ TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
G71610	Shooter™ Buck Crossbow
G71630	Shooter™ Buck Replacement Insert

## BIG SHOOTER™ BUCK



Large economical 3-D buck • 25% larger than comparable targets • Replaceable inserts available • Perfect addition to any backyard range • Easy arrow removal • Stops all field points and broadheads

BIG SHOOTER BUCK - SIZE: 48" TALL

### SHOOTER™ TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
G72000	Big Shooter™ Buck
G72200	Big Shooter™ Buck Replacement Insert

## SHOOTER™R BEAR



Realistic design for realistic practice • Solid body design • Scoring ring in vitals • Includes ground stakes • Dimensions: 24"H x 38"W

BEAR - SIZE: 24"H X 38"W

### SHOOTER™ TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
G71300	Shooter™ Bear

## SHOOTER™ HOG



Realistic design for realistic practice • Solid body design • Includes ground stakes • Scoring ring in vitals • Dimensions: 19"H x 32.5"W

HOG - SIZE: 19"H X 32.5"W

### SHOOTER™ TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
G71300	Shooter™ Turkey

## SHOOTER™ TURKEY



Realistic design for realistic practice • Solid body design • Scoring ring in vitals • Includes ground stakes • Dimensions: 32"H x 31.5"W

TURKEY - SIZE: 32"H X 31.5"W

### SHOOTER™ TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
G71300	Shooter™ Hog

## GRAND STAND



The GrandStand is a fantastic device for use with any 3-D archery target. It is quickly and easily adjustable to accommodate most target leg widths. Simply twist the shaft and adjust to the desired size, then twist back to lock it in place.

STAKES HAVE A SPREAD OF 18.25" TO 29"

### SHOOTER™ TARGETS ITEM SPECIFICATIONS

PART #	DESCRIPTION
G79000	Grand Stand



# Hurricane®

# STORM



STORM 2 20" item #H63000  
STORM 2 25" item #H63100

⦿ LIGHTWEIGHT ⦿ PORTABLE ⦿ DURABLE

## STOPS 600+ FPS

EASY, ONE HAND ARROW REMOVAL

AVAILABLE IN 20" AND 25"

[hurricanebagtarget.com](http://hurricanebagtarget.com)

**FeraDyne**  
OUTDOORS

# NOCKTURNAL<sup>®</sup> LIGHTED NOCKS

## UNIVERSAL FIT

### NOCKTURNAL<sup>®</sup> LIGHTED NOCKS

#### NOCKTURNAL<sup>®</sup> FIT<sup>™</sup> UNIVERSAL



Super Strong Clear Polycarbonate Construction • Available in Strobing or Non-Strobing Versions • Available Colors: Red/Green, Blue/Green, Red/Blue, Red, Green, Blue, Orange, White • Fits X, H, S, and GT Arrows • 20+ Hour Battery Life • 3-Pack



#### NOCKTURNAL<sup>®</sup> ITEM SPECIFICATIONS

PART #	DESCRIPTION
NT-300	Nockturnal <sup>®</sup> FIT <sup>™</sup> Universal Size Strobing Red & Green Lighted Nock
NT-302	Nockturnal <sup>®</sup> FIT <sup>™</sup> Universal Size Red Lighted Nock
NT-305	Nockturnal <sup>®</sup> FIT <sup>™</sup> Universal Size Green Lighted Nock
NT-310	Nockturnal <sup>®</sup> FIT <sup>™</sup> Universal Size Strobing Red & BLUE Lighted Nock
NT-312	Nockturnal <sup>®</sup> FIT <sup>™</sup> Universal Size Pink Lighted Nock
NT-314	Nockturnal <sup>®</sup> FIT <sup>™</sup> Universal Size Blue Lighted Nock
NT-315	Nockturnal <sup>®</sup> FIT <sup>™</sup> Universal Size Orange Lighted Nock
NT-317	Nockturnal <sup>®</sup> FIT <sup>™</sup> Universal Size White Lighted Nock
NT-320	Nockturnal <sup>®</sup> FIT <sup>™</sup> Universal Size Strobing Blue & Green Lighted Nock

### NOCKTURNAL<sup>®</sup> LIGHTED NOCKS



Bowstring activated linear switch • Fool proof operation in any condition • Long life lithium battery • Super bright LEDs • Water and weather proof • Unsurpassed reliability • Available in Red, Green, Blue, and Pink

3 lighted nocks per pack

Please see fit chart for specific arrow types and fit.

- Nockturnal<sup>®</sup> GT - Fits: Gold Tip shafts except Kinetic
- Nockturnal<sup>®</sup> S - Fits: Carbon Express, Beman ICS, Easton, PSE, Victory, CT, Carbon Impact, Alum. W/UNI Bushing.
- Nockturnal<sup>®</sup> H - Fits: Easton ST Epic & ST Excel
- Nockturnal<sup>®</sup> X - Fits: Gold Tip Kinetic, Easton Axis/FMJ, Trophy Ridge, Carbon Impact HOT, Easton ACC with X-UNI Bushing
- Nockturnal<sup>®</sup> G - Fits: Victory VAP, Easton ACC, or G-UNI arrows

#### NOCKTURNAL<sup>®</sup> GT - Fits standard carbon .246 ID shafts

PART #	DESCRIPTION
NT-100	Nockturnal-GT Red Single
NT-102	Nockturnal-GT Red 3-pack
NT-103	Nockturnal-GT Green Single
NT-105	Nockturnal-GT Green 3-pack

#### NOCKTURNAL<sup>®</sup> S - Fits standard carbon .244 ID shafts

NT-200	Nockturnal-S Red Single
NT-202	Nockturnal-S Red 3-pack
NT-203	Nockturnal-S Green Single
NT-205	Nockturnal-S Green 3-pack

#### NOCKTURNAL<sup>®</sup> H - Fits standard carbon .233 ID shafts

NT-400	Nockturnal-H Red Single
NT-402	Nockturnal-H Red 3-pack
NT-403	Nockturnal-H Green Single
NT-405	Nockturnal-H Green 3-pack

#### NOCKTURNAL<sup>®</sup> X - Fits standard carbon .204 ID shafts

NT-500	Nockturnal-X Red Single
NT-502	Nockturnal-X Red 3-pack
NT-503	Nockturnal-X Green Single
NT-505	Nockturnal-X Green 3-pack

#### NOCKTURNAL<sup>®</sup> G - Fits standard carbon .165 ID shafts

NT-602	Nockturnal-G Red 3-pack
NT-605	Nockturnal-G Green 3-pack
NT-614	Nockturnal-G Blue 3-pack
NT-616	Nockturnal-G Pink 3-pack
NT-615	Nockturnal-G Orange 3-pack

### PREDATOR<sup>™</sup> CROSSBOW NOCKS

#### PREDATOR<sup>™</sup> CROSSBOW NOCK



Nocks can go straight from the package to the shaft in fully operational condition. No prep work needed. Just insert it, and you are ready to shoot. Shoot it at dusk, and with 20+ hours of battery life, you can still find your arrow the next day. Piston driven contact switch ensures L.E.D. Illumination every time. Waterproof and shock resistant design is second to none.

#### NOCKTURNAL<sup>®</sup> ITEM SPECIFICATIONS

PART #	DESCRIPTION
NT-722	Predator <sup>™</sup> Crossbow Nock - Red Size 1
NT-725	Predator <sup>™</sup> Crossbow Nock - Green Size 1
NT-732	Predator <sup>™</sup> Crossbow Nock - Red Size 2
NT-735	Predator <sup>™</sup> Crossbow Nock - Green Size 2

#### LAUNCHPAD<sup>®</sup> CROSSBOW NOCK



Nockturnal<sup>®</sup> lighted nocks are a breakthrough design that combines ultra-light performance with a high visibility light source and "instant-on" simplicity that activates upon release.

#### NOCKTURNAL<sup>®</sup> ITEM SPECIFICATIONS

PART #	DESCRIPTION
NT-772	Launchpad <sup>®</sup> Crossbow Nock - Red
NT-775	Launchpad <sup>®</sup> Crossbow Nock - Green

#### NOCK TOOL NEW



Works with new and old style nocks • More ergonomic design • Stronger hook for turning off nocks

#### NOCKTURNAL<sup>®</sup> ITEM SPECIFICATIONS

PART #	DESCRIPTION
NT-901	Nock Tool



# NOCKTURNAL<sup>®</sup> **Fit**<sup>™</sup>

LIGHTED NOCKS

## UNIVERSAL

brighter  
**STROBING**  
colors



brighter  
**SOLID**  
colors



### NOCKTURNAL<sup>®</sup>

LIGHTED NOCKS

Nockturnal lighted nocks are a breakthrough design that combines ultra-light performance with a high visibility light source and "instant-on" simplicity that activates upon release. The patented, string-activated "hidden linear switch" is protected deep within the nock and will not turn on or off inadvertently. Turn the LED off by locating the "reset hole" on the side of the nock and slide the interior switch away from the arrow.

### Fit<sup>™</sup> BUSHINGS

Press proper nock bushing into arrow shaft to verify you have the correct bushing size. Bushing should press securely into shaft.



no bushing needed for X sized arrow

\* DESIGNED TO FIT ALL BUT "G" SIZED ARROWS



**FeraDyne**  
OUTDOORS





### ROCKY MOUNTAIN® SWITCHBLADE **NEW**




4-Blade Broadhead • 100 Grain • Cut-on-Contact • Aerodynamic Ferrule  
• 2" x 7/8" inch Cut • 3 PK

#### ROCKY MOUNTAIN® ITEM SPECIFICATIONS

PART #	DESCRIPTION
RM56010	Rocky Mountain® Switchblade

### ROCKY MOUNTAIN® FIRST CUT X CROSSBOW **NEW**



4-Blade Broadhead • 100 Grain • Cut-on-Contact Main Blade • .040 Main Blade • .030" Bleeder Blade • 1 1/8" x 3/4" inch Cut • 3 PK

#### ROCKY MOUNTAIN® ITEM SPECIFICATIONS

PART #	DESCRIPTION
RM56009	Rocky Mountain® First Cut X Crossbow

### ROCKY MOUNTAIN® ADVANTAGE



4-Blade Broadhead • 100 Grain • Cut-on-Contact • Aluminum Ferrule • .040 Main Blade • .036 Bleeder Blade • 1 1/8" x 1" inch Cut • 3 PK

#### ROCKY MOUNTAIN® ITEM SPECIFICATIONS

PART #	DESCRIPTION
RM56004	Rocky Mountain® Advantage

### ROCKY MOUNTAIN® WARHEAD



2-Blade Expandable • 100 Grain • Cut-on-Contact • Aluminum Ferrule  
• .035" Blades • 1 3/4" Cutting Diameter • Jackknife Blade Deployment  
• 3 PK

#### ROCKY MOUNTAIN® ITEM SPECIFICATIONS

PART #	DESCRIPTION
RM56002	Rocky Mountain® Warhead

### ROCKY MOUNTAIN® WARHEAD XBOW



2-Blade Expandable • 100 Grain • Cut-on-Contact • Aluminum Ferrule  
• .035" Blades • 1 3/4" Cutting Diameter • Jackknife Blade Deployment  
• 3 PK

#### ROCKY MOUNTAIN® ITEM SPECIFICATIONS

PART #	DESCRIPTION
RM56003	Rocky Mountain® Warhead Xbow

### ROCKY MOUNTAIN® WARHEAD SS



2-Blade Expandable • 100 Grain • Hybrid Cut-on-Contact • Machined Stainless Steel Ferrule • .035" thick blades • 1 1/2" Cutting Diameter  
• Over the top blade deployment • Weight impregnated substrate  
• Vertical and Crossbow versions • 3 PK

#### ROCKY MOUNTAIN® ITEM SPECIFICATIONS

PART #	DESCRIPTION
RM56005	Rocky Mountain® Warhead SS

### ROCKY MOUNTAIN® WARHEAD SS-X



2-Blade Expandable • 100 Grain • Hybrid Cut-on-Contact • Machined Stainless Steel Ferrule • .035" thick blades • 1 1/2" Cutting Diameter  
• Over the top blade deployment • Weight impregnated substrate  
• Vertical and Crossbow versions • 3 PK

#### ROCKY MOUNTAIN® ITEM SPECIFICATIONS

PART #	DESCRIPTION
RM56006	Rocky Mountain® Warhead SS-X

### ROCKY MOUNTAIN® PRACTICE POINTS



Premium Rocky Mountain® Practice Points 100 and 125 grains and Available in small and standard diameter.

#### ROCKY MOUNTAIN® ITEM SPECIFICATIONS

## ROCKY MOUNTAIN<sup>®</sup> 5-PIN DIRECT MOUNT SIGHT



All Aluminum Construction • 5-Pin • Fully Captured .019" Pins  
 • Tool Free, Micro Adjust Windage and Elevation • Built-In Light Adapter • 2nd and 3rd Axis Adjustable • Laser Etched Windage and Elevation Markers • Right Hand models only

### ROCKY MOUNTAIN<sup>®</sup> ITEM SPECIFICATIONS

PART #	DESCRIPTION
RM56100	Rocky Mountain <sup>®</sup> 5-Pin Direct Mount Sight

## ROCKY MOUNTAIN<sup>®</sup> 5-PIN DOVETAIL MOUNT SIGHT



All Aluminum Construction • 5-Pin • Fully Captured .019" Pins  
 • Tool Free, Micro Adjust Windage and Elevation • Built-In Light Adapter • 2nd and 3rd Axis Adjustable • Laser Etched Windage and Elevation Markers • Right Hand models only

### ROCKY MOUNTAIN<sup>®</sup> ITEM SPECIFICATIONS

PART #	DESCRIPTION
RM56101	Rocky Mountain <sup>®</sup> 5-Pin Dovetail Mount Sight

## ROCKY MOUNTAIN<sup>®</sup> SLIDER 1 PIN WITH DOVETAIL MOUNT



All Aluminum Construction • 1-Pin or 3 pin • Fully Captured .019" Pins • Tool Free, Micro Adjust Windage and Elevation  
 • Built-In Light Adapter • 2nd and 3rd Axis Adjustable • Laser Etched Windage and Elevation Markers • Adjustable Reset Block for Quick Return • Radial Arc Elevation Adjustment Keeps Bezel Square to Eye • Right Hand models only

### ROCKY MOUNTAIN<sup>®</sup> ITEM SPECIFICATIONS

PART #	DESCRIPTION
RM56200	Rocky Mountain <sup>®</sup> Slider 1 Pin with Dovetail Mount

## ROCKY MOUNTAIN<sup>®</sup> SLIDER 3 PIN WITH DOVETAIL MOUNT



All Aluminum Construction • 1-Pin or 3 pin • Fully Captured .019" Pins • Tool Free, Micro Adjust Windage and Elevation  
 • Built-In Light Adapter • 2nd and 3rd Axis Adjustable • Laser Etched Windage and Elevation Markers • Adjustable Reset Block for Quick Return • Radial Arc Elevation Adjustment Keeps Bezel Square to Eye • Right Hand models only

### ROCKY MOUNTAIN<sup>®</sup> ITEM SPECIFICATIONS

PART #	DESCRIPTION
RM56201	Rocky Mountain <sup>®</sup> Slider 3 Pin with Dovetail Mount

## NOTES



### WAC'EM® FIXED 3 BLADE



1 1/32" Cut Diameter • .027" Replaceable Blades • 100% Hardened Stainless Steel • Patented Cut on Impact Head • Sharpens on Any Flat Stone • Unmatched Penetration • 100 or 125 Grain

#### WAC'EM® ITEM SPECIFICATIONS

PART #	DESCRIPTION
WA3100	Wac'Em® 3 Blade 100 Grain 3-Pack with Free Strobing FIT™ Nock (3 Bushings Inc)
WA3125	Wac'Em® 3 Blade 125 Grain 3-Pack with Free Strobing FIT™ Nock (3 Bushings Inc)

### WAC'EM® XL 3-BLADE



1 1/4" Cut Diameter • .030" Replaceable Blades • 100% Hardened Stainless Steel • 3 Blade Cut on Impact Head • Sharpens on Any Flat Stone • Unmatched Penetration • 100 Grain

#### WAC'EM® ITEM SPECIFICATIONS

PART #	DESCRIPTION
WA1003	Wac'Em® XL 3 Blade 100 Grain 3-Pack with Free Strobing FIT™ Nock (3 Bushings Inc)

### WAC'EM® CROSSBOW



1 1/4" Cut Diameter • .030" Replaceable Blades • 100% Hardened Stainless Steel • 3 Blade Cut on Impact Head • Sharpens on Any Flat Stone • Unmatched Penetration • 100 or 125 Grain

#### WAC'EM® ITEM SPECIFICATIONS

PART #	DESCRIPTION
WA1100	Wac'Em® Crossbow 100 Grain 3-Pack with Free Nockturnal® Xbow Nock (Rebate)
WA1125	Wac'Em® Crossbow 125 Grain 3-Pack with Free Nockturnal® Xbow Nock (Rebate)

### WAC'EM® 4-BLADE



1 1/16" Cut Diameter • .027" Replaceable Blades • 100% Hardened Stainless Steel • 4 Blade Cut on Impact Head • Sharpens on Any Flat Stone • Unmatched Penetration • True Field Tip Accuracy • 100 Grain

#### WAC'EM® ITEM SPECIFICATIONS

PART #	DESCRIPTION
WA4100	Wac'Em® 4 Blade 100 Grain 3-Pack with Free Strobing FIT™ Nock (3 Bushings Inc)

### WAC'EM® 4-BLADE HYBRID CROSSBOW **NEW**



Hybrid Tip • 1 1/8" Cut Diameter • .1 5/8" Gator Style Expandable Blade • 1 Piece Precision Machined Stainless Steel Ferrule • Dental Band Blade Retention • 100 Grain

#### WAC'EM® ITEM SPECIFICATIONS

PART #	DESCRIPTION
WAS4100	Wac'Em® 4-Blade Hybrid Crossbow w/ Free Strobing FIT™ Nock (3 Bushings Inc)

### WAC'EM® 4-BLADE HYBRID W/ SLIPCAM **NEW**



Penetrator Tip • 1 1/8" Cut Diameter • .1 5/8" Slip Cam Expandable Blade • Precision Machined Aluminum Ferrule • Dental Band Blade Retention • 100 Grain

#### WAC'EM® ITEM SPECIFICATIONS

PART #	DESCRIPTION
WAS4200	Wac'Em® 4-Blade Hybrid w/ Slipcam w/ Free Strobing FIT™ Nock (3 Bushings Inc)

### WAC'EM® SHOCKER SMALL GAME HEAD **NEW**



Five spring steel claws grip turf to prevent the arrow from burrowing into the ground • Available in 100 or 125 grain • Tremendous shocking power for small-game hunting • Perfect for stump shooting • 2 PK

#### WAC'EM® ITEM SPECIFICATIONS

PART #	DESCRIPTION
WA5100	Wac'Em® Shocker Small Game Head 100gr 2pk
WA5125	Wac'Em® Shocker Small Game Head 125gr 2pk

### REPLACEMENT BLADES & RINGS



Replacement blades for Wac'Em® Broadheads

### NOTES