


















**CATALOGUE 2019**

MODEL NAME AND PRODUCT NUMBER	DESCRIPTION	EAN Barcode	units per shipping carton inner carton/ outer carton	IMAGES	SIZE AND WEIGHT (NET)
<b>PORTABLE NAVIGATION LIGHTS w/Magnetic base</b>					
<b>Navilight 360° 2NM 001</b>	Multifunctional portable All-round white Navilight with magnetic base - US Coast Guard approved for 2 nautical miles - 5 Modes: 360° All-round light / Anchoring light, 225° Masthead light, 135° Sternlight, Flashing light, Cabin light - Floats light facing up - Submersible to 20 m / 66 ft. - Powered by three AAA batteries (not included) Includes - Magnet bracket, mounting screw, 2 lanyards and one adjustable Velcro strap for multiple fixing and securing	7090017580032	10 / 50		113 g H = 35 mm, Ø = 68 mm
<b>Navilight 360° Rescue 2NM 010</b>	Multifunctional portable All-round white Navilight with magnetic base in rescue color - US Coast Guard approved for 2 nautical miles - 5 Modes: 360° All-round light / Anchoring light, 225° Masthead light, 135° Sternlight, Flashing light, Cabin light - Fluorescent glowing around the on/off switch - Floats light facing up - Submersible to 20 m / 66 ft. - Powered by three AAA batteries (not included) Includes - Magnet bracket, mounting screw, 2 lanyards and one adjustable Velcro strap for multiple fixing and securing	7090017580063	10 / 50		115 g H = 35 mm, Ø = 68 mm
<b>Navilight Tricolor 2NM 305</b>	Multifunctional portable Tricolor Navilight with magnetic base - US Coast Guard approved for 2 nautical miles - 5 Modes: Tricolor Masthead light (135° white, 112,5° red, 112,5° green), BiColor side light, red side light, green side light, white Sternlight - Floats light facing up - Submersible to 20 m/66 ft. - Powered by three AAA batteries (not included) Includes - Magnet bracket, mounting screw, 1 lanyard and 1 adjustable Velcro strap for multiple fixing and securing	7090017580087	10 / 50		118 g H = 35 mm, Ø = 68 mm
<b>Bendable Suction-mount 910</b>	Designed for the Navilight 360° / 001, Navilight Tricolor / 305, Navilight 360° Rescue /010 - Secure suction cup base - Quick release suction cup - Bendable through 180 degrees Includes - Self adhesive mounting pad	7090017580124	10 / 50		80 g L = 68 mm, H = 157 mm
<b>Clamp-on Rail mount 920</b>	Designed for the Navilight 360° / 001, Navilight Tricolor / 305, Navilight 360° Rescue / 010 - Secure adjustable clamp - Save mounting on 25/32 mm (1"/1 ¼") rails - Rotates through 180 degrees	7090017580131	10 / 50		80 g L = 97 mm, W = 50 mm, Ø = 55 mm
<b>PFD attachment 120</b>	Designed for the Navilight 360° / 001, Navilight Tricolor / 305 and Navilight 360° Rescue / 010 - Fits perfectly to a PFD lash tab	7090017580155	10 / 50		45 g L = 55 mm, W = 40 mm, H = 58 mm
<b>Spare Magnet bracket 110</b>	Spare single magnet bracket for the - Navilight 360° / 001 - Navilight Tricolor /305 - Navilight 360° Rescue / 010	7090017580148	5		25 g Ø = 57 mm
<b>PORTABLE NAVIGATION LIGHTS w/Navimount base</b>					
<b>Navilight 360° 2NM w/Navimount base 040</b>	Portable All-round white Navilight with Navimount base, compatible with Navisafe Navimount system and many GoPro® / Action camera mounts - US Coast Guard approved for 2 nautical miles - 5 Modes: 360° All-round light / Anchoring light, 225° Masthead light, 135° Sternlight, Flashing light, Cabin light - Floats light facing up - Submersible to 20 m / 66 ft. - Corrosion resistant - Powered by three AAA batteries (not included)	7090017580360	10 / 50		109 g H = 90 mm, Ø = 68 mm
<b>Navilight Tricolor 2NM w/Navimount base 340</b>	Portable Tricolor Navilight with Navimount base, compatible with Navisafe Navimount system and many GoPro® / Action camera mounts - US Coast Guard approved for 2 nautical miles - 5 Modes: Tricolor Masthead light (135° white, 112,5° red, 112,5° green), BiColor side light, red side light, green side light, white Sternlight - Floats light facing up - Submersible to 20 m/66 ft. - Corrosion resistant - Powered by three AAA batteries (not included)	7090017580377	10 / 50		109 g H = 90 mm, Ø = 68 mm









MODEL NAME AND PRODUCT NUMBER	DESCRIPTION	EAN Barcode	units per shipping carton inner carton/ outer carton	IMAGES	SIZE AND WEIGHT (NET)
<b>Navilight ALL RED 360° 2NM w/Navimount base 045</b>	<p>Portable All-round RED Navilight with Navibolt base, compatible with Navisafe Navimount system. This is an extremely durable and strong solution. This is a very low and tight mounting solution together with any of the Navimount.</p> <ul style="list-style-type: none"> <li>- 5 Modes: 360° All-round light / Anchoring light, 225° Masthead light, 135° Sternlight, Flashing light, Cabin light</li> <li>- Floats light facing up</li> <li>- Submersible to 20 m / 66 ft.</li> <li>- Corrosion resistant</li> <li>- Powered by three AAA batteries (not included)</li> </ul>	7090017580360	10 / 50		109 g H = 90 mm, Ø = 68 mm
<b>Navilight 360° 2NM w/Navibolt base 042</b>	<p>Portable All-round white Navilight with Navibolt base, compatible with Navisafe Navimount system. This is an extremely durable and strong solution. This is a very low and tight mounting solution together with any of the Navimount.</p> <ul style="list-style-type: none"> <li>- US Coast Guard approved for 2 nautical miles</li> <li>- 5 Modes: 360° All-round light / Anchoring light, 225° Masthead light, 135° Sternlight, Flashing light, Cabin light</li> <li>- Floats light facing up</li> <li>- Submersible to 20 m / 66 ft.</li> <li>- Corrosion resistant</li> <li>- Powered by three AAA batteries (not included)</li> </ul>	7090017580636	10 / 50		109 g H = 90 mm, Ø = 68 mm
<b>Navilight Tricolor 2NM w/Navibolt base 342</b>	<p>Portable Tricolor Navilight with Navibolt base, compatible with Navisafe Navimount system. This is an extremely durable and strong solution. This is a very low and tight mounting solution together with any of the Navimount.</p> <ul style="list-style-type: none"> <li>- US Coast Guard approved for 2 nautical miles</li> <li>- 5 Modes: Tricolor Masthead light (135° white, 112,5° red, 112,5° green), BiColor side light, red side light, green side light, white Sternlight</li> <li>- Floats light facing up</li> <li>- Submersible to 20 m/66 ft.</li> <li>- Corrosion resistant</li> <li>- Powered by three AAA batteries (not included)</li> </ul>	7090017580643	10 / 50		109 g H = 90 mm, Ø = 68 mm
<b>Navimount Pole Pack 905</b>	<p>The Navimount Pole (max. extension 1 m / 3.4 feet) works on all Navilights with Magnetic base, Navimount base and Suction base (model 001, 010, 040, 041,200, 205, 305, 340, 341, 771). The Navimount Pole Pack contains all mounts needed for fixing the Pole on a horizontal or vertical surface:</p> <ul style="list-style-type: none"> <li>- 1 x 4-piece-pole</li> <li>- 1 x Magnet holder</li> <li>- 1 x Navimount Vertical/950</li> <li>- 1 x Navimount Horizontal/952</li> <li>- 1 x Neoprene stowaway bag</li> </ul>	7090017580100	2 / 10		550 g, incl. neoprene stowaway bag
<b>Navimount bendable pole - Black 915 NEW 2019</b>	<p>Designed for the Navilight 360° / 040, Navilight Tricolor / 340, Navilight 360° All Red /045, all lights with GoPro hinges</p> <ul style="list-style-type: none"> <li>- Bendable pole with Navimount base</li> <li>- Bendable through 180 degrees</li> </ul> <p>Includes</p> <ul style="list-style-type: none"> <li>- Bendable pole with GoPro top and Navimount base</li> </ul>	7090017580575	10 / 50		100 g L = 68 mm, H = 257 mm
<b>Navimount Vertical 950</b>	<p>The Navimount Vertical is designed to attach the Navimount Pole or the Navilights with Navimount base (model 040, 340) to vertical surfaces - e.g. the transom of an inflatable boat, canoe &amp; kayak cockpit or steering console.</p> <ul style="list-style-type: none"> <li>- Vertical mount</li> </ul> <p>Includes</p> <ul style="list-style-type: none"> <li>- Two self tapping stainless steel screws</li> </ul>	7090017580216	10 / 50		44 g (w/o screws) H = 45 mm, W = 62 mm, D = 55 mm
<b>Navimount Vertical (black) 951</b>	<p>The Navimount Vertical is designed to attach the Navimount Pole or the Navilights with Navimount base (model 040, 340) to vertical surfaces - e.g. the transom of an inflatable boat, canoe &amp; kayak cockpit or steering console.</p> <ul style="list-style-type: none"> <li>- Vertical mount</li> </ul> <p>Includes</p> <ul style="list-style-type: none"> <li>- Two self tapping stainless steel screws</li> </ul>	7090017580667	50 / 10		44 g (w/o screws) H = 45 mm, W = 62 mm, D = 55 mm
<b>Navimount Horizontal 952</b>	<p>The Navimount Horizontal is designed to attach the Navimount Pole or the Navilights with Navimount base (model 040, 340) to horizontal surfaces - e.g. the boat deck or cabin roof.</p> <ul style="list-style-type: none"> <li>- Horizontal mount</li> </ul> <p>Includes</p> <ul style="list-style-type: none"> <li>- Two self tapping stainless steel screws</li> </ul>	7090017580223	10 / 50		44 g (w/o screws) H = 26 mm, Ø = 65 mm











MODEL NAME AND PRODUCT NUMBER	DESCRIPTION	EAN Barcode	units per shipping carton inner carton/ outer carton	IMAGES	SIZE AND WEIGHT (NET)
<b>Navimount Horizontal (black) 953</b>	The Navimount Horizontal is designed to attach the Navimount Pole or the Navilights with Navimount base (model 040, 340) to horizontal surfaces - e.g. the boat deck or cabin roof. - Horizontal mount Includes - Two self tapping stainless steel screws	7090017580674	10 / 50		44 g (w/o screws) H = 26 mm, Ø = 65 mm
<b>Navimount RIB 954</b>	The Navimount RIB is designed to securely attach the Navilights with magnetic base, Navimount base or Suction base to the tube of inflatable boats. - Navilight models 001, 010, 040, 305, 340 require in addition the Navisafe converter Navimount / 960 - Navilight models 041 and 341 do not require additional converters and can be mounted directly Includes - "3M" self-adhesive sticker working on boats made from Hypalon, Polyethylene or PVC.	7090017580230	10 / 50		102 g L = 120 mm, W = 81 mm, H = 37 mm
<b>Navimount RIB (black) 955</b>	The Navimount RIB is designed to securely attach the Navilights with Magnetic base, Navimount base or Suction base to the tube of inflatable boats. - Navilight models 001, 010, 040, 305, 340 require in addition the Navisafe converter Navimount / 960 - Navilight models 041 and 341 do not require additional converters and can be mounted directly Includes - "3M" self-adhesive sticker working on boats made from Hypalon, Polyethylene or PVC.	7090017580681	10 / 50		102 g L = 120 mm, W = 81 mm, H = 37 mm
<b>Navimount RAIL mount 956</b>	The Navimount RAIL mount is designed to attach the Navilights with magnetic base, Navimount base or Suction base onto any 25 or 35 mm/1" or 1 1/4" rail. - Navilight models 001, 010, 040, 305, 340 require in addition the Navisafe converter Navimount / 960 - Navilight models 041 and 341 do not require additional converters and can be mounted directly	7090017580247	50 / 10		120 g H = 67 mm, Ø = 65 mm
<b>Navimount RAIL mount (black) 957</b>	The Navimount RAIL mount is designed to attach the Navilights with Magnetic base, Navimount base or Suction base onto any 25 or 35 mm / 1" or 1 1/4" rail. - Navilight models 001, 010, 040, 305, 340 require in addition the Navisafe converter Navimount / 960 - Navilight models 041 and 341 do not require additional converters and can be mounted directly	7090017580698	10 / 50		120 g H = 67 mm, Ø = 65 mm
<b>Navisafe converter Navimount 960</b>	The Navisafe converter Navimount is designed to be fixed in any Navimount (model 950, 952, 954, 956) and holds the Navilights with magnetic base (model 001, 010, 305).	7090017580193	10 / 50		52 g H = 71 mm, Ø = 50 mm
<b>Navisafe converter pack RAILBLAZA 932</b>	The Navisafe converter pack RAILBLAZA is designed to be mounted into the RAILBLAZA StarPorts™ EASY-TO-USE Mounting System and enables the use of all Navilights with magnetic base, Navimount base and Suction base (model 001, 010, 040, 041, 305, 340, 341, 771) either with or without Navimount Pole. The pack contains - Navisafe converter RAILBLAZA - RAILBLAZA base with GoPro hinge - Magnet holder	7090017580292	10 / 50		70 g H = 71 mm, Ø = 50 mm
<b>Navisafe converter pack Scotty 933</b>	The Navisafe converter pack Scotty is designed to be mounted into the Scotty Mounting System and enables the use of all Navilights with magnetic base, Navimount base and Suction base (model 001, 010, 040, 041, 305, 340, 341, 771) either with or without Navimount Pole. The pack contains - Navisafe converter Scotty - Scotty base with GoPro hinge - Magnet holder	7090017580285	10 / 50		70 g H = 71 mm, Ø = 50 mm
<b>Navisafe Polelight Pack 763</b>	"Total solution pack" for small tenders, dinghies, canoes, kayaks or fishing boats with transom or vertical cockpit that require an all-round white Navigation light (COLREGS 72, Rule 23 part (d)(iii)). The Navisafe Pole & Light Basic contains - Navilight 360° 2NM - 4-piece-pole - Navimount Vertical/950 - Neoprene stowaway bag	7090017580278	10 / 50		610 g, incl. neoprene stowaway bag H = 36 mm, Ø = 80 mm
<b>Navilight Dinghy Complete 769 NEW 2019 - replaces 767 and 768</b>	"Total solution pack" for all dinghies, inflatables and skiffs - contains the lights and mountings needed to equip most boats up to 12 m with Navigation lights in compliance with COLREG 72. The Navilight Inflatable Dinghy Complete contains: - Navilight 360° 2NM - 4-piece-pole - Navimount vertical / black + Navimount horizontal / black - Navilight Tricolor 2NM w/Navimount base / 340 - Navimount RIB with "3M" self-adhesive sticker / 954 - Soft stowaway nylon bag	7090017580926	2 / 10		1,070 g, incl. stowaway bag and Navimounts L = 390 mm, W = 115 mm, H = 80 mm











MODEL NAME AND PRODUCT NUMBER	DESCRIPTION	EAN Barcode	units per shipping carton inner carton/ outer carton	IMAGES	SIZE AND WEIGHT (NET)
<b>Bendable Dinghy Pack black 775</b> <b>NEW 2019</b>	<p>"Total solution pack" for small boats (bass boats, john boats) - contains the lights and mountings needed to equip most boats up to 12 m with Navigation lights in compliance with COLREG 72. The Bendable Dinghy Pack contains:</p> <ul style="list-style-type: none"> <li>- Navilight 360° 2NM w/GoPro base</li> <li>- two bendable poles w/Navimount base</li> <li>- Navimount vertical - black 951</li> <li>- Navilight Tricolor 2NM w/GoPro base</li> <li>- Navimount horizontal - black / 953</li> <li>- Soft stowaway nylon bag</li> </ul>	7090017580933	2 / 10		1.070 g, incl. stowaway bag and Navimounts L = 390 mm, W = 115 mm, H = 80 mm
<b>PORTABLE NAVIGATION LIGHTS w/Suction base</b>					
<b>Navilight 360° 2NM w/Suction base 041</b>	<p>Multifunctional portable All-round white Navilight with Suction base. The Suction base can also be used for GoPro® /Action cameras when lights are not needed.</p> <ul style="list-style-type: none"> <li>- US Coast Guard approved for 2 nautical miles</li> <li>- 5 Modes: 360° All-round light / Anchoring light, 225° Masthead light, 135° Sternlight, Flashing light, Cabin light</li> <li>- Floats light facing up</li> <li>- Submersible to 20 m/66 ft.</li> <li>- Corrosion resistant</li> <li>- Powered by three AAA batteries (not included)</li> </ul> <p>Includes</p> <ul style="list-style-type: none"> <li>- 3M self-adhesive "mounting pad" to securely attach the light on abrasive surfaces</li> <li>- 3M self-adhesive "curved mounting pad" to securely attach the light on inflatable boats</li> <li>- Neoprene stowaway bag</li> </ul>	7090017580612	10 / 50		139 g H = 95 mm, Ø = 68 mm
<b>Navilight Tricolor 2NM w/Suction base 341</b>	<p>Multifunctional portable Tricolor Navilight with Suction base. The Suction base can also be used for GoPro®/Action cameras when lights are not needed.</p> <ul style="list-style-type: none"> <li>- US Coast Guard approved for 2 nautical miles</li> <li>- 5 Modes: Tricolor Masthead light (135° white, 112,5° red, 112,5° green), BiColor side light, red side light, green side light, white Sternlight</li> <li>- Floats light facing up</li> <li>- Submersible to 20 m</li> <li>- Corrosion resistant</li> <li>- Powered by three AAA batteries (not included)</li> </ul> <p>Includes</p> <ul style="list-style-type: none"> <li>- 3M self-adhesive "mounting pad" to securely attach the light on abrasive surfaces</li> <li>- 3M self-adhesive "curved mounting pad" to securely attach the light on inflatable boats</li> <li>- Neoprene stowaway bag</li> </ul>	7090017580629	10 / 50		141 g H = 95 mm, Ø = 68 mm
<b>NavilightSUP, Kayak &amp; Dinghy pack 771</b>	<p>Contains the lights and mountings needed to equip most boats up to 12m with Navigation lights in compliance with COLREG 72 - if the boats infrastructure allows, that the Masthead light can be positioned at least 1 m or 3.3 ft above the sidelights. The Suction base can also be used for GoPro® / Action cameras when lights are not needed.</p> <ul style="list-style-type: none"> <li>- Floats light facing up, Submersible to 20 m, Corrosion resistant</li> <li>- Each light powered by three AAA batteries (not included)</li> </ul> <p>The Navisafe SUP, Kayak &amp; Dinghy pack contains</p> <ul style="list-style-type: none"> <li>- 1 x Navilight 360° 2NM w/Suction base/041</li> <li>- 1 x Navilight Tricolor 2NM w/Suction base/341</li> <li>- 2x "3M" self-adhesive "mounting pad" to securely attach the light on abrasive surfaces</li> <li>- 2x "3M" self-adhesive "curved mounting pad" to securely attach the light on inflatable boats</li> <li>- 2x neoprene stowaway bags</li> </ul>	7090017580919	2		520 g, complete box L = 190 mm, W = 73 mm, H = 220 mm
<b>3M VHB mounting pad 112</b>	<p>Self-adhesive "mounting pad" to securely attach the Bendable Suction Mount / 910 and all Navilights w / Suction base (model 041, 200, 205, 341, 771) on abrasive /textured surfaces.</p> <p>Contains</p> <ul style="list-style-type: none"> <li>- 2x "3M" self-adhesive "mounting pad"</li> </ul>	7090017580452	10 / 50		Single unit: 9 g H = 2 mm, Ø = 90 mm
<b>FCS mount 114</b>	<p>Designed to securely attach the Navilights (040, 041, 340, 341, 771) to Kayaks, Surfboards or Stand-Up Paddling boards using the FCS mounting.</p> <p>Contains</p> <ul style="list-style-type: none"> <li>- 2 x FCS mount</li> </ul>	7090017580469	10 / 50		



**CATALOGUE 2019**

MODEL NAME AND PRODUCT NUMBER	DESCRIPTION	EAN Barcode	units per shipping carton inner carton/ outer carton	IMAGES	SIZE AND WEIGHT (NET)
<b>PORTABLE NAVIGATION LIGHTS w/RAILBLAZA StarPorts™ base</b> 					
<b>Navilight 360° 2NM w/ RAILBLAZA base 055</b>	Multifunctional portable All-round white Navilight compatible with RAILBLAZA StarPorts™ EASY-TO-USE Mounting System - US Coast Guard approved for 2 nautical miles - 5 Modes: 360° All-round light / Anchoring light, 225° Masthead light, 135° Sternlight, Flashing light, Cabin light - Floats light facing up - Submersible to 20 m/66 ft. - Powered by three AAA batteries (not included)	7090017580049	10 / 50		87 g H = 62 mm, Ø = 68 mm
<b>Navilight Tricolor 2NM w/ RAILBLAZA base 355</b>	Multifunctional portable Tricolor Navilight compatible with RAILBLAZA StarPorts™ EASY-TO-USE Mounting System - US Coast Guard approved for 2 nautical miles - 5 Modes: Tricolor Masthead light (135° white, 112,5° red, 112,5° green), BiColor side light, red side light, green side light, white Sternlight - Floats light facing up - Submersible to 20 m/66 ft. - Powered by three AAA batteries (not included)	7090017580056	10 / 50		93 g H = 62 mm, Ø = 68 mm
<b>PORTABLE NAVIGATION LIGHTS w/Scotty base</b> 					
<b>Navilight 360° 2NM w/Scotty base 061</b>	Multifunctional portable All-round white Navilight compatible with Scotty Deck Mounting System. - US Coast Guard approved for 2 nautical miles - 5 Modes: 360° All-round light / Anchoring light, 225° Masthead light, 135° Sternlight, Flashing light, Cabin light - Floats light facing up - Submersible to 20 m/66 ft. - Powered by three AAA batteries (not included)	7090017580438	10 / 50		89 g H = 85 mm, Ø = 68 mm
<b>Navilight Tricolor 2NM w/Scotty base 361</b>	Multifunctional portable Tricolor Navilight compatible with Scotty Deck Mounting System. - US Coast Guard approved for 2 nautical miles - 5 Modes: Tricolor Masthead light (135° white, 112,5° red, 112,5° green), BiColor side light, red side light, green side light, white Sternlight - Floats light facing up - Submersible to 20 m/66 ft. - Powered by three AAA batteries (not included)	7090017580445	10 / 50		91 g H = 85 mm, Ø = 68 mm
<b>PORTABLE UNDERWATER LIGHTS w/Suction base</b>					
<b>Navilight Glowtube 60 200</b>	Portable underwater light with Suction base - Double "V" shaped mounted LED strips with 60 super bright LEDs - 3 Modes: all LEDs on, one LED strip on, flash - Floats vertical, light facing up - Submersible to 60 m/200 ft. - Corrosion resistant - Standard Navisafe suction cups for easy attachment - Powered by 8 AA batteries (not included) Includes - Padded polyester bag for safe and comfortable transportation - 2 x 3M VHB self-adhesive mounting pads	7090017580551	2 / 10		580 g L = 590 mm, W = 70 mm, H = 70 mm, Tube Ø = 40 mm, L = 410 mm
<b>Navilight Glowtube 114 205</b>	Portable underwater light with Suction base - Double "V" shaped mounted LED strips with 114 super bright LEDs - 3 Modes: all LEDs on, one LED strip on, flash - Floats vertical, light facing up - Submersible to 60 m/200 ft. - Corrosion resistant - Standard Navisafe suction cups for easy attachment - Powered by 16 AA batteries (not included) Includes - Padded polyester bag for safe and comfortable transportation - 2 x 3M VHB self-adhesive mounting pads	7090017580568	2 / 10		770 g L = 1.100 mm, W = 70 mm, H = 70 mm, Tube Ø = 40 mm, L = 800 mm



MODEL NAME AND PRODUCT NUMBER	DESCRIPTION	EAN Barcode	units per shipping carton inner carton/ outer carton	IMAGES	SIZE AND WEIGHT (NET)
<b>HEADLAMP/WATERPROOF LED TORCHES</b>					
<b>Navisafe Headlamp 220</b>	<ul style="list-style-type: none"> <li>Headlamp</li> <li>- 7 lumens red floodlight</li> <li>- 14 lumens white floodlight</li> <li>- 30 lumens warm CREE LED distance light</li> <li>- 110 lumens warm CREE LED distance light</li> <li>- Flashing white light</li> <li>- Beam distance up to 70m, tilt function for exact beam positioning</li> <li>- IPX6 waterproof standard, protected against heavy splashing and rain</li> <li>- Powered by one AA battery (not included)</li> </ul>	7090017580650	10 / 50		48 g L = 63 mm, W = 31 mm, H = 37 mm
<b>Navilight Glow torch 251</b>	<ul style="list-style-type: none"> <li>The Navilight Glow is a powerful torch, instantly found in the dark through its glowing body.</li> <li>- 3 Watt CREE LED</li> <li>- Waterproof 60 m/200 ft.</li> <li>- Powered by 2 AA batteries (not included)</li> <li>- Glow time: up to 8 hours after being exposed only 10 minutes to daylight</li> <li>- Modes: 50%, 100%, flashing</li> </ul>	7090017580391	10 / 50		70 g H = 110 mm, Ø = 40 mm
<b>Navilight Mini torch - Black 400</b>	<ul style="list-style-type: none"> <li>Mini torch</li> <li>- 1 white LED - 1 red night vision LED</li> <li>- Waterproof 100 m/300 ft.</li> <li>- Powered by 2 AAA batteries (not included)</li> <li>- Compact and robust - tiny yet useful</li> <li>- Fits perfectly in any pocket</li> </ul>	7090017580506	10 / 50		31 g L = 59 mm, W = 39 mm, H = 18 mm
<b>Navilight Mini torch - White 401</b>	<ul style="list-style-type: none"> <li>Mini torch</li> <li>- 1 white LED - 1 red night vision LED</li> <li>- Waterproof 100 m/300 ft.</li> <li>- Powered by 2 AAA batteries (not included)</li> <li>- Compact and robust - tiny yet useful</li> <li>- Fits perfectly in any pocket</li> </ul>	7090017580513	10 / 50		31 g L = 59 mm, W = 39 mm, H = 18 mm
<b>Navilight Mini torch - Pink 403</b>	<ul style="list-style-type: none"> <li>Mini torch</li> <li>- 1 white LED - 1 red night vision LED</li> <li>- Waterproof 100 m/300 ft.</li> <li>- Powered by 2 AAA batteries (not included)</li> <li>- Compact and robust - tiny yet useful</li> <li>- Fits perfectly in any pocket</li> </ul>	7090017580537	10 / 50		31 g L = 59mm, W = 39mm, H = 18 mm
<b>Navilight Mini torch - Yellow 404</b>	<ul style="list-style-type: none"> <li>Mini torch</li> <li>- 1 white LED - 1 red night vision LED</li> <li>- Waterproof 100 m/300 ft.</li> <li>- Powered by 2 AAA batteries (not included)</li> <li>- Compact and robust - tiny yet useful</li> <li>- Fits perfectly in any pocket</li> </ul>	7090017580544	10 / 50		31 g L = 59 mm, W = 39 mm, H = 18 mm
<b>NAVISAFE POINT OF SALE MARKETING MATERIAL</b>					
<b>Inflatable Demo Boat 266</b>	<ul style="list-style-type: none"> <li>Real mini inflatable boat to present the Navilight range, especially the Navisafe Polelight Pack / 763 as well as the Navisafe Dinghy complete/767.</li> <li>- Inflatable boat for demonstration purposes</li> <li>Includes <ul style="list-style-type: none"> <li>- Navimount RIB / 954 mounted on the bow</li> <li>- Navimount Vertical / 950 mounted on the transom</li> <li>- Pump</li> </ul> </li> <li>Please contact us to get more information about our promotion program.</li> </ul>	7090017580728	1		3,0 Kg L = 950 mm, W = 650 mm, H = 230 mm
<b>Floor Display 730</b>	<ul style="list-style-type: none"> <li>Navisafe POS Floor Display, carton</li> <li>- Please ask for separate information and offers</li> </ul>	7090017580858	1		Packed: L = 320 mm, W = 220 mm, H = 100 mm Unfolded: L = 500 mm, W = 400 mm, H = 1700 mm
<b>Customs code number/Harmonized code: 8541400000</b>					