

2 CR123

TACTICAL WEAPON MOUNTED LIGHT

TWM-350/S, TWM-850XL/S

NIGHTSTICK[®]
Life Depends on Light™

UNIVERSAL
**RAIL
MOUNT**

350 LUMENS (TWM-350)

Designed with a tight beam for **precision lighting**

Completely ambidextrous toggle switch operates momentary-on and constant-on lighting modes.



Designed with a wide beam for **broader surface lighting**

850 LUMENS (TWM-850XL)



Ambidextrous toggle switch operates identically for right handed and left handed owners (UP-ON, DOWN-MOMENTARY)



Mounts to weapon quickly with universal rail mounting system and pistol-specific insert set (included).



Lightweight, compact design minimizes mass added to muzzle end of pistol.



Strobe feature easily activated with two momentary presses (TWM-350S and TWM-850XLS models only)

TACTICAL WEAPON MOUNTED LIGHT

2 CR123

ITEM NUMBER/UPC

TWM-350, 0 17398 80542 1
TWM-350S, 0 17398 80563 6

CERTIFICATIONS

- CE

CASE MATERIAL

- Aircraft grade 6061-T6 aluminum

LUMENS/RUNTIME

FLASHLIGHT
- HIGH: 350L, 2.5 hrs runtime

CANDELA

FLASHLIGHT
- HIGH: 12,000

BEAM DISTANCE

FLASHLIGHT
- HIGH: 215 m

WATER RATING

- IP-X7

DROP RATING

- 2 m

DIMENSIONS

- LENGTH: 3.5 in (89 mm)
- WIDTH: 1.5 in (38 mm)
- DEPTH: 1.5 in (38 mm)
- WEIGHT: 4.5 oz (128 g)

BATTERY

- 2 CR123 batteries (included)

WARRANTY

- Limited Lifetime

WHAT'S INCLUDED

- Weapon light
- Allen wrench
- 2 CR123 batteries

ITEM NUMBER/UPC

TWM-850XL, 0 17398 80543 8
TWM-850XLS, 0 17398 80559 9

CERTIFICATIONS

- CE

CASE MATERIAL

- Aircraft grade 6061-T6 aluminum

LUMENS/RUNTIME

FLASHLIGHT
- HIGH: 850L, 1.75 hrs runtime

CANDELA

FLASHLIGHT
- HIGH: 15,000

BEAM DISTANCE

FLASHLIGHT
- HIGH: 245 m

WATER RATING

- IP-X7

DROP RATING

- 2 m

DIMENSIONS

- LENGTH: 3.5 in (89 mm)
- WIDTH: 1.5 in (38 mm)
- DEPTH: 1.5 in (38 mm)
- WEIGHT: 4.5 oz (128 g)

BATTERY

- 2 CR123 batteries (included)



WARRANTY

- Limited Lifetime



WHAT'S INCLUDED

- Weapon light
- Allen wrench
- 2 CR123 batteries

TWM-350/S



TWM-850XL/S



CERTIFIED

CE

TWM-350

Tactical Weapon-Mounted Light

MARKET APPLICATIONS

Law enforcement, fire & rescue, security, hunting/recreation.

DESCRIPTION

The TWM-350 Tactical Weapon-Mounted Light uses a CREE® LED rated 350 lumens working in conjunction with a high-efficiency deep parabolic reflector to create a usable beam of light rated at 215 meters. This weapon light features a unique and completely ambidextrous toggle switch on each side of the light to operate the momentary-on and constant-on lighting modes. The housing of the TWM-350 is constructed from aircraft-grade 6061-T6 aluminum with a glass-filled nylon polymer battery door and toggle switch. Includes 4 Sets of Cross-Rail Inserts (2 inserts each to fit GLOCK®, 1913, TSW/99, 90two), 4 Cross-Rail Mounting Cap Head Screws, Allen Wrench, and 2 CR-123 Lithium batteries.

CASE MATERIAL

Aircraft-grade 6061-T6 Aluminum with a Type 3 Hard Anodized Finish - Black

DIMENSIONS

Length: 6.25 inches (159 mm) • Handle diameter: 1.035 inches (26 mm) • Head diameter: 1.25 inches (32 mm)

WEIGHT

Weight: 5.4 oz (155 g)

LENS

Unbreakable polycarbonate with scratch resistant coating.

LIGHT SOURCE

Cree® LED. Impervious to shock with a 50,000 hour lifetime.

LIGHT OUTPUT

350 Lumens

ON/OFF

Momentary or Constant-on Flashlight

RUN-TIME

2.5 Hours

BATTERY

2 CR-123

FEATURES

- CREE® LED technology – 50,000 + hours LED life
- Ambidextrous toggle switch
- Momentary or constant-on flashlight
- Sharp focused beam for distance illumination
- Aircraft-grade 6061-T6 aluminum housing
- Glass-filled nylon polymer toggle switch
- Type III hard anodized finish
- Beam distance rated at 215 meters
- Waterproof
- Impact & chemical resistant
- Serialized for personal identification
- 2 CR-123 batteries (included)
- Limited Lifetime Warranty

WARRANTY


Limited Lifetime Warranty • Includes the LEDs, housing and lenses. Rechargeable batteries, chargers, switches, electronics and included accessories are warranted for a period of two years with proof of purchase. Disposable, non-rechargeable batteries are excluded from this warranty. Normal wear and failures which are caused by accidents, misuse, abuse, faulty installation and lightning damage are also excluded.

APPROVALS



OPTIONAL ACCESSORIES

TWM-SS



| FL 1 STANDARD | | |
|---------------|------|------|
| 350 LUMENS | 2.5h | 215m |
| 12,000cd | 2m | 1m |