TACTICAL WEAPON MOUNTED LIGHT

TWM-350/S, TWM-850XL/S



UNIVERSAL

RAIL

MOUNT

350 LUMENS (TWM-350)

Designed with a tight beam for **precision lighting**

Completely ambidextrous toggle switch operates momentary-on and constant-on lighting modes.

Patent Pendina Designed with a wide beam for broader surface lighting

850 LUMENS (TWM-850XL)



Ambidextrous toggle switch operates identically for right handed and left handed owners (UP-ON, DOWN-MOMENTARY)



Mounts to weapon quickly with universal rail mounting system and pistol-specific insert set (included).



Lightweight, compact design minimizes mass added to muzzle end of pistol.



Strobe feature easily activated with two momentary presses (TWM-350S and TWM-850XLS models only)

TACTICAL WEAPON MOUNTED LIGHT

2 CR123

ITEM NUMBER/UPC TWM-350, 0 17398 80542 1 TWM-350S, 0 17398 80563 6

CERTIFICATIONS - CE

CASE MATERIAL - Aircraft grade 6061-T6 aluminum

LUMENS/RUNTIME FLASHLIGHT - HIGH: 350L, 2.5 hrs runtime

CANDELA FLASHLIGHT - HIGH: 12,000

BEAM DISTANCE FLASHLIGHT - HIGH: 215 m

WATER RATING - IP-X7

DROP RATING

DIMENSIONS

- LENGTH: 3.5 in (89 mm)
- WIDTH: 1.5 in (38 mm)
- DEPTH: 1.5 in (38 mm)
- WEIGHT: 4.5 oz (128 g)

BATTERY

- 2 CR123 batteries (included)

WARRANTY

- Limited Lifetime

WHAT'S INCLUDED

- Weapon light
- Allen wrench
- 2 CR123 batteries

ITEM NUMBER/UPC TWM-850XL, 0 17398 80543 8 TWM-850XLS, 0 17398 80559 9

CERTIFICATIONS

CASE MATERIAL - Aircraft grade 6061-T6 aluminum

LUMENS/RUNTIME FLASHLIGHT - HIGH: 850L, 1.75 hrs runtime

CANDELA FLASHLIGHT - HIGH: 15,000

BEAM DISTANCE FLASHLIGHT - HIGH: 245 m

WATER RATING - IP-X7

DROP RATING

DIMENSIONS

- LENGTH: 3.5 in (89 mm) - WIDTH: 1.5 in (38 mm) - DEPTH: 1.5 in (38 mm) - WEIGHT: 4.5 oz (128 g)

BATTERY


- 2 CR123 batteries (included)


WARRANTY - Limited Lifetime

WHAT'S INCLUDED


Weapon light
 Allen wrench
 2 CR123 batteries


TWM-350/S





TWM-850XL/S





CERTIFIED





TWM-850XL

Tactical Weapon-Mounted Light

	law enforcement fire & rescue security hunting/respection
MARKET APPLICATIONS	Law enforcement, fire & rescue, security, hunting/recreation.
DESCRIPTION	The TWM-850XL Xtreme Lumens [™] Tactical Weapon-Mounted Light uses a CREE [®] LED rated 850 lumens working in conjunction with a high-efficiency deep parabolic reflector to create a usable beam of light rated at 245 meters. This weapon light features a unique and completely ambidextrous Dual Dependent Toggle Switch on each side of the light to operate the momentary-on and constant-on lighting modes. The housing of the TWM-850XL is constructed from aircraft-grade 6061-T6 Aluminum with a Glass-filled Nylon Polymer battery door and toggle switches. Includes 4 Sets of Cross-Rail Inserts (2 inserts each to fit GLOCK [®] , 1913, TSW/99, 90two), 4 Cross-Rail Mounting Cap Head Screws, Allen Wrench, and 2 CR-123 Lithium batteries.
CASE MATERIAL	Aircraft-grade 6061-T6 Aluminum with a Type 3 Hard Anodized Finish - Black
DIMENSIONS	Length: 6.25 inches (159 mm) • Handle diameter: 1.035 inches (26 mm) • Head diameter: 1.25 inches (32 mm)
WEIGHT	Weight: 5.4 oz (155 g)
LENS	Unbreakable polycarbonate with scratch resistant coating.
LIGHT SOURCE	Cree [®] LED. Impervious to shock with a 50,000 hour lifetime.
LIGHT OUTPUT	850 Lumens
ON/OFF	Momentary or constant-on flashlight
RUN-TIME	1.75 Hours
BATTERY	2 CR-123
FEATURES	 CREE® LED technology – 50,000 + hours LED life Ambidextrous toggle switch Momentary or constant-on flashlight Sharp focused beam for distance illumination Aircraft-grade 6061-T6 aluminum housing Glass-filled nylon polymer toggle switch Type III hard anodized finish Beam distance rated at 245 meters Waterproof Impact & chemical resistant Serialized for personal identification 2 CR-123 batteries (included) Limited Lifetime Warranty
WARRANTY	Limited Lifetime Warranty • Includes the LEDs, housing and lenses. Rechargeable batteries, chargers, switches, electronics and included accessories are warranted for a period of two years with proof of purchase. Disposable, non-rechargeable batteries are excluded from this warranty. Normal wear and failures which are caused by accidents, misuse, abuse, faulty installation and lightning damage are also excluded.
APPROVALS	CE 15,000cd 1m
OPTIONAL ACCESSORIES	TWM-SS