

FAST & BUILT TO LAST

1460EMS CASE: GET ORGANIZED



THE 1460EMS



Sharps
storage
bracket
included

Specifically designed in conjunction with Fire department and EMS personnel, the Pelican 1460EMS case is the one case you will want in an emergency.

Features include a three-level, fully customizable tray system with a lockable tray compartment for secure controlled substance storage.

Plus, it's water resistant and dustproof, to ensure that both you and your gear are ready on arrival for any emergency.


1460: A place for everything, and



Also available: **1460 CASE** without trays. (shown with Pick N Pluck™ foam)



Lockable compartment
for controlled substances



Adjustable tray dividers
allow for easy customization

SPECIFICATIONS

- EXTERIOR:
20.85" X 12.73" X 12.75"
(52.9 x 32.3 x 32.4 cm)
- INTERIOR:
18.54" X 9.92" X 10.92"
(47.1 x 25.2 x 27.7 cm)



1460EMS

Protector

EMS Case

Sensitive equipment needs protection, and since 1976 the answer has been the Pelican™ Protector Case. These cases are designed rugged, and travel the harshest environments on earth. Against the extreme cold of the arctic or the heat of battle, Pelican cases have survived.

Made in the USA, these tough cases are designed with an automatic purge valve, that equalizes air pressure, a watertight silicone O-ring lid, over-molded rubber handles and stainless steel hardware.

- Also available without EMS Organizer and Dividers
- Personalized nameplate service available
- **Lockable compartment for controlled substances**
- **Specifically designed in conjunction with Fire department and EMS personnel**
- **Top lid opens up to 180° for on-the-field anti-roll stability when open**
- Adjustable tray dividers allow for easy customization
- Automatic Pressure Equalization Valve - balances interior pressure, keeps water out
- Each tray has an overall internal dimension of: 17" x 7.65" x 1.36" (43.18 x 19.43 x 3.45cm) LxWxD
- Easy open Double Throw latches
- Lifetime Guarantee of Excellence (Tray system not covered by lifetime warranty)
- O-ring seal for dust and water resistant seal (IP66)
- Open cell core with solid wall design - strong, light weight
- Sharps storage bracket included
- Stainless steel hardware and padlock protectors
- *Sharps container not included



DIMENSIONS

Interior (LxWxD)	18.54 x 9.92" x 10.92 (47.1 x 25.2 x 27.7 cm)
Exterior (LxWxD)	20.85 x 12.73" x 12.75 (53 x 32.3 x 32.4 cm)
Lid Depth	4.91" (12.5 cm)
Bottom Depth	6.01" (15.3 cm)
Total Depth	10.92" (27.7 cm)
Int Volume	1.16 ft ³ (0.033 m ³)
Padlock Hole Diameter	5/16" (12.7 cm)

MATERIALS

Body	Polypropylene
Latch	EXL
O-Ring	Polymer
Pins	Stainless Steel
Foam	Polyurethane
Purge Body	ABS
Purge Vent	3 Micron Hydrophobic Non-Woven

COLORS

■ Orange

WEIGHT

Weight 18.20 lbs (8.3 kg)

TEMPERATURE

Minimum Temperature -40°F (-40 °C)

Maximum Temperature 210°F (98.9 °C)

CERTIFICATIONS

IP66

NTOA Approved

OTHER

Military yes

ACCESSORIES



1463
Replacement O-ring



1466
Tray System for 1460EMS



1506TSA
TSA Lock



1500D
Desiccant Silica Gel



PL2
Padlock (2 pack)

DATE: MAY 12, 2011

TITLE: 1460 EMS CASE TRAYS AVAILABLE AS INDIVIDUAL PART NUMBER

PRODUCTS AFFECTED: 1460 EMS CASE

DETAILS:

The 1460 EMS Case tray system is now available for purchase as an individual part number.

NOTE: This part is for replacement only and not meant to be a conversion kit to change a standard 1460 Case into a 1460 EMS Case.

Catalog #: 1466

PART #:1466-932-230

BAR CODE #: 0019428105785

Please contact your sales representative for pricing and availability.



1460 EMS Case Tray Set

