MATERIAL SAFETY DATA SHEET

| | CTION 1: PRODUCT A | | | |
|---|-----------------------|--------------------|-------------|------------------|
| MSDS #: 0058KA | Issue Date: | B/4/2011 | ATESTED SIL | 29 Ahnean |
| • | eel & Sole Edge Color | Ken e w | E S | |
| GENERAL USE: Aqueous based bla | ack shoe polish. | | ROTHCO | A FANILY CONPANY |
| PRODUCT DESCR: Black liquid. | | | | |
| | | | | |

| | SEC | TION 2 -HAZAF | DOUS IN | GREDIENTS | | | |
|--|----------|------------------|-------------|-----------------------|--------------|-------------|-------------|
| HAZARDOUS COMPONENTS | CAS # | % (by weight) | OSHA | PEL | ACGIH TWA | SARA 302 | SARA 313 |
| ETHYLENE GLYCOL | 107211 | 3 TO 5 | TWA STEL | None None | 100 mg/m3 | No | Yes |
| CARBON BLACK | 1333864. | 1 TO 2 | TWA STEL | 3.5 MG/M3 None | 3.5 mg/m3 | No | No |
| PROPANÓL, (2- METHOXYMETHYLETHOXY)- | 34590948 | 1 TO 2 | TWA STEL | 100 PPM PPM 150 | 100 ppm | No | No |

In Canada, Not a WHMIS Controlled Product (Consumer Commodity)

SECTION 3 - HAZARDS IDENTIFICATION

May cause eye or skin irritation. Ingestion may cause nausea, vomiting or gastrointestinal upset. Material can stain skin.

| | SECTION #- FIRST AID MEASURES |
|---|--|
| INHALATION Remove | subject to fresh air. Contact a physician if irritation continues. |
| SKIN / EYE CONTACT: | Eyes: Flush eyes with water. Contact a physician if initation occurs. Skin: Wash with soap and water. Contact a physician if initation occurs. |
| INGESTION: Contact a | nedical expert. |
| | SECTION 5 - FIRE FIGHTING MEASURES |
| FLASH POINT: > 93 C (> | • 200 F) Closed Cup |
| FLAMMABLE LIMITS | LEL: N.D. UEL: N.D. |
| AUTOIGN.TEMP N.D NFPA AEROSOL LEVEL: | Does not apply to non-aerosol |
| EXTIN.MEDIA Water spra | ay or fog, dry chemical or carbon dioxide. |
| FIRE FIGHT PROC : Use | self-contained breathing apparatus. |
| UNUSUAL FIRE _EXP : | None known. |
| HAZ COMBUST. PROD. | Combustion will yield carbon dioxide and/or carbon monoxide. |

SECTION 6: ENVIRONMENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED -

Contain and collect spilled liquid. Mop up spill area and rinse with water.

| SECTIO | N 7: HANDLING AND STORAGE |
|--|---|
| PRECAUTIONS TO BE TAKEN IN HANDLING AND | STORAGE - |
| Store upright in original container at less than 120 F. | |
| Shake well if product has been subjected to freezing. | |
| SECTION B: EXPOSU | JRE CONTROLS/PERSONAL PROTECTION |
| ENGINEERING CONTROLS Local exhaust requarea. | uired only if using large amounts of product in a confined |
| PERSONAL PROTECTION: RESPIRATORY PROTECTION (SPECIFY TYPE): None required. | |
| PROTECT.GLOVES Required only if skin sensitiv | ities exist. |
| EYE PROTECTION: Not required unless specific a | use could cause splashing. |
| OTHER PROECTION: Shake well if product has been | n subjected to freezing. |
| | afe workplace habits. Minimize body contact with this as well as all in general. |
| SECTION 9 - PH | YSICAL AND CHEMICAL PROPERTIES |
| VAPOR PRESSURE (MM HG) N.D. | VAPOR DENSITY (AIR =1) N.D. |
| SPECIFIC GRAVITY (WATER = 1) 1.04 | EVAPORATION RATE (WATER =1) N.D. |
| SOLUBILITY IN WATER Dispersible. | FREEZING POINT N.D. ODOR Characteristic. 67-75% |
| SH N.D. | ODOR Characteristic. 67-75% VOLATILE ORGANIC COMPOUND (Total VOC's) |
| 30ILING POINT Approximately 212F | |
| | Q-STABILITY AND REACTIVITY |
| TABILITY: Stable. | |
| ONDITIONS TO AVOID: Shake well if product his | as been subjected to freezing. |
| NCOMPATIBILITY (MATERIALS TO AVOID) | |

Strong oxidizing materials.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

Combustion will yield carbon dioxide and/or carbon morioxide.

HAZARDOUS POLYMERIZATION Will not occur.

| | SECTION | 111 - TOXICOL | ogical informa | TION | |
|--|---------|---------------|----------------------------------|--------------|---|
| Hazardous Ingredients | °/o | CAS # | LD50 of Ingr (Specify Species | | LC50 of ingredients (Secify Species) |
| ETHYLENE GLYCOL | 3 TO 5 | 107211 | 4700 mg/k g | Rat- oral | N.AV. |
| PROPANOL, (2- METHOXYMETHYLETH DXY)- | 1 TO 2 | 34590948 | 5135 | | N.AV. |
| | | | mg/k g | Rat- oral | |
| CARBON BLACK | 1 TO 2 | 1333864 | N.AV. | | N.AV. |

SECTION 13 - DISPOSAL INFORMATION

Dispose of in compliance with federal, state and local regulations.

SECTION 14 - TRANSIT INFORMATION

TSCA (Toxic Substance Control Act):

Components of this prodcut are listed on the TSCA Inventory.

SARA TITLE III (Superfund Amendments and Reauthorization Act)

| Chemical Name | CAS # | SARA 313 | SÁRA 302 | CANADA IDL | DSL | NDSL |
|--|----------|----------|----------|------------|-----|------|
| ETHYLENE GLYCOL | 107211 | Yes | No | Yes | Yes | No |
| PROPANOL, (2- METHOXYMETHYLETHO XY)- | 34590948 | No | No | Yes | Yes | No |
| CARBON BLACK | 1333864 | No | No | Yes | Yes | No |

| Chemical Name | CAS # | Prop65 Cancer | Prop65 Developmental | Prop65 Female Reproductive | Prop65 Male Reproductive |
|--|----------|------------------|-------------------------|-------------------------------|-----------------------------|
| ETHYLENE GLYCOL | 107211 | No | Na | No | No |
| PROPANOL, (2- METHOXYMETHYLETHOXY)- | 34590948 | No | No | No | No |
| CARBON BLACK | 1333864 | No | No | No | No |

US SKU 030001, 119011, 125011, 416000, 455000, 841011, 842000

| Canada SKU 20410 | | |
|----------------------|---------------|-------------------|
| HMIS HAZARD RATINGS: | HEALTH: | 0 = INSIGNIFICANT |
| | FLAMMABILITY: | 1 = SLIGHT |
| | DEACTS STA | |

REACTIVITY: PERSONAL PROTECTION-EQUIPMENT: None 0 = INSIGNIFICANT 3 = HIGH 1 = SLIGHT 4 = EXTREME 2 = MODERATE

MSDS Prepared By: SARA LEE / SCJ Global Safety Assessment Regulatory Affairs (GSARA)

The information contained herein is believed to be accurate but is not warranted to be so. Users are advised to confirm in THE INFORMATION AND RECOMMENDATIONS CONTAINED HEREIN ARE BASED UPON DATA BELIEVED TO BE CORRECT. HOWEVER, NO GUARANTEE OR WARRANTY OF ANY KIND EXPRESSED OR IMPLIED IS MADE WITH RESPECT TO THE INFORMATION CONTAINED HEREIN.