HEN BRIGHTNESS COUNTS[™]



ARCHERY / CROSSBOW 2017

R

TABLE OF CONTENTS

BOW SIGHTS

MULTI-PIN SIGHTS

NEW	HYPER•STRIKE [™]	4-5
NEW	CARBON•HYBRID [™] MICRO	6-7
	CARBON XS [™] XTREME	8-9
	STORM [™]	10
	CARBON XS [™]	11
	TSX [™] PRO SERIES	11
	RITE•SITE [™] XS	
	BRITE•SITE [™] XTREME	

SINGLE-PIN SIGHTS

NEW	ARCHER'S CHOICE®	
	RANGE•ROVER [™] PRO13	
	ARCHER'S CHOICE®	
	RANGE•ROVER [™] SERIES14-15	
	PENDULUM SERIES	

ARROW RESTS

NEW LOCK•FIRE	[™]
UP•DRAFT	[™] 20
DOWN•DR	AFT [™] 21
CARBON X	S [™]
STORM [™]	

RELEASES

NEW	ACTIVATOR™	25
NEW	NITRUS™	26
NEW	DETONATOR™	27
	TRU•FIT [™] BOA®	
	RELEASE STRAP	28
	SPEED SHOT [™] XS	29

QUIVERS

NEW TRU•TEC [™] LT	51
CARBON XS [™]	2
LOC•DOWN [™]	3
TUFF•LOC [™]	4

STABILIZERS

	TRU•TEC [™] CARBON PRO	.36
NEW	CARBON XS [™]	. 37
	DEADENATOR™	.38

BROADHEADS

NEW TITANIUM X [™] BROADHEADS
NEW TITANIUM X [™] CROSSBOW BROADHEADS

BOW ACCESSORIES

NEW	BOW•JACK [™]	
	GREEN LED BOW LIGHT	
	BOW ACCESSORY MOUNT	
NEW	DUAL STABILIZER MOUNT	
	CENTRA [™] SLING PRO	
	CENTRA [™] SLING	
	BOW ACCESSORY KIT	
	PEEP SIGHTS	
	PEEP SILICONE TUBING	
	REPLACEMENT FIBERS & PINS	
NEW	BOW SIGHT LIGHTS	
	ARROW PULLER	
	TRU-BLOCK [™] STRING SILENCERS	
	REPLACEMENT BATTERIES	
	TRU•BRITE [™] BINOCULARS	

CROSSBOW OPTICS & ACCESSORIES

CROSSBOW SCOPES

COMPACT 4x32MM	5	3
CROSS•TEC [™] 4x32MM	54	4

CROSSBOW DOT OPTICS

TRITON [™] 30MM TRI•COLOR	55
TRADITIONAL 30MM RED.DOT	55
DUAL•COLOR OPEN RED DOT	56

CROSSBOW ACCESSORIES

NEW	HIP•SHOT [™] CROSSBOW SHOOTING REST	57
NEW	CROSSBOW BOLT PULLER	58
	CROSS•TEC [™] STRING SILENCERS	58
	REPLACEMENT BATTERIES	58

BOWFISHING

NEW SPEED•SHOT [™] BOWFISHING ARROW	60
SPRING•SHOT [™] BOWFISHING ARROW REST	61
SPRING•SHOT [™] BOWFISHING KIT	61
ACCU•X [™] BOWFISHING ARROW REST	62
BOWFISHING NOCKS	62
STRING FINGER GUARDS	62
BOWFISHING SLIDES, STOPS, & NOCKS	63
SPEED•SHOT [™] POINT	63
SPEED•SHOT [™] REPLACEMENT TIPS	63



BOW SIGHTS

Bright multi-pin and single-pin sights – providing accuracy and versatility to modern hunting bows.





Long-range precision alignment and torque reduction.

New for 2017, HYPER•STRIKE[™] combines fan-favorite features with brand new innovations in the world of bow sights. Decreasing Diameter Pins increase your effective range, while the new TRU•LITE[™] PRO rotary light illuminates your pins to extend your hunt through crucial low-light prime-time. The MAXAMOUNT[™] bracket provides more setup options than ever before while the available SIGHTLINE[™] system assists in lining up long-range shots while monitoring and perfecting shooting technique.

TRUGLO

NEW 5-Pin - Black TG5405SB





Decreasing Diameter Pin Design

With smaller pin sizes for longer distances, the patented DDP[™] design blocks less of the target, resulting in more precise pin placement and more accurate aiming. SOFT-FEEL TECHNICAL COATING

PRODUCT FEATURES

- Lightweight carbon-composite and aluminum construction
- SIGHTLINE[™] system (Model TG5405SB) for long-range precision, alignment and torque reduction
- Micro-adjustable windage and elevation
- 2nd and 3rd axis adjustable level
- Extra-long fibers for maximum brightness
- Large circular field of view (1.9 in. dia.)
- Decreasing Diameter Pin design uses smaller pins for longer distances
- MAXAMOUNT[™] bracket offers three sight radius positions with high / low mounting holes for numerous mounting options
- Glow-in-the-dark shooter's ring
- Adjustable for left and right-handed shooters
- TRU•TOUCH[™] soft-feel technical coating
- Patented









Three sight radius positions with high / low mounting holes for numerous mounting options.

TRU•LITE[™] PRO Included

NEW for 2017, TRU•LITE[™] PRO (TG57) gives you more pin illumination options with 3 brightness levels controlled by positive twist-click knob. See page 49 for details.



MODEL SPECS

	MODEL	i4055B DDP" Black i405B 5 (3x.019" / 2x.010" dia.) LOST® XD	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION	TRU•TOUCH [™]	
NEW	TG5405SB	DDD ^{1M}	Black	Lightweight		Adjustable Level with SIGHTLINE™ long-distance alignment system				
NEW	TG5405B			carbon composite and aluminum	NEW TRU•LITE™ PRO Rotary Light		1.9 in.	Ultra-fine click	Yes	
NEW	TG5405M	2x.010'' dia.)	LOST® XD	construction	PRO Rotary Light	Adjustable 2nd and 3rd axis		adjustment		
NEW	TG5405J		Realtree [™] XTRA [™]							

MICRO ADJUST LARGE CIRCULAR FIELD OF VIEW

GLOW-IN-THE-DARK SHOOTER'S RING

DECREASING DIAMETER **PIN DESIGN**

PRO•BRITE **PIN TECHNOLOGY**

BLACK XTRA LOST®XD

LIGHT INCLUDED

CARBON HYBRID[™] MICRO

LIGHTWEIGHT CARBON / ALUMINUM HYBRID BOW SIGHT

With TRU•FUSION[™] Hybrid Technology, CARBON HYBRID[™] Micro is the first and only micro-adjustable bow sight constructed with the optimum combination of carbon composites and aluminum, providing an excellent strength-to-weight ratio and unparalleled durability. Featuring PRO•BRITE[™] Pin Technology, CARBON HYBRID Micro is the new standard for ultra-lightweight, multi-pin, micro-adjustable bow sights.



PROBRITE PIN TECHNOLOGY

Push-Button LED Included Removable violet push-button sight light.



PRODUCT FEATURES

TRU·TOUCH

- Lightweight carbon-composite and aluminum construction
- Hybrid construction transfers less vibration
- Micro-adjustable / tool-less design
- Unique PRO•BRITE[™] pin design for increased durability and brightness
- Extra-long fibers for maximum brightness
- Extra-long bracket increases sight radius
- Reversible bracket for increased vertical adjustment range
- For both left and right-handed shooters
- TRU•TOUCH[™] Soft-Feel Technical Coating
- Patent pending

6



5-Pin Micro - Black **TG7515B**

TRU.FUSION

TRUGLO® TRU•FUSION™ Hybrid Technology combines a carbon composite and aluminum construction, creating a durable, ultra-lightweight sight that can't be matched.

5-Pin - Black **TG7415B**





NEW 5-Pin Micro - LOST® XD TG7515M

MODEL SPECS

	MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION	TRU∙TOUCH [™]	
- I	TG7415B		Diack	Lightweight carbon composite and aluminum				Standard adjustment		
	TG7515B	5 (5x.019" dia.)	Black		Removable push-button LED - violet	Adjustable 2nd and 3rd axis	1.9 in.	Micro-adjustable	Yes	
NEW	TG7515M	5 (5X.019 'Uld.)	LOST® XD							
			Realtree [™] XTRA [™]							
							В	LACK	LOST [®] XD	

ULTRA LIGHTWEIGHT

MICRO ADJUST LARGE CIRCULAR FIELD OF VIEW

GLOW-IN-THE-DARK SHOOTER'S RING

LIGHT **PIN TECHNOLOGY**

PRO-BRITE

INCLUDED



8

BOW SIGHTS

CARBON XS[™] XTREME

ULTRA-LIGHTWEIGHT, CARBON-COMPOSITE BOW SIGHTS



You asked, we listened. CARBON XS[™] Xtreme is the next generation carbon composite bow sight for any aspiring bowhunter. We added more shooter-suggested features than ever before, including a longer mounting bracket, extended windage and elevation adjustments, larger aperture and PRO•BRITE[™] Pin Technology for even brighter pins. With a little bit of everything, CARBON XS Xtreme is the go-to sight for any bowhunter, at any skill level.

> 5-Pin - Black **TG5805B**



Push-Button LED Included Removable violet push-button

sight light.



PRODUCT FEATURES

- Ultra-lightweight carbon-composite construction – weighs less than 4.2 oz.
- Unique PRO•BRITE[™] pin design for increased durability and brightness
- TRU•FLO[™] Fiber Design

TRU-TOUCH

- Extra-long fibers for maximum brightness
- Reversible bracket for greater vertical adjustability
- Adjustable for left and right-handed shooters
- Glow-in-the-dark shooter's ring for improved peep alignment
- TRU•TOUCH[™] Soft-Feel Technical Coating





Maximizes light transmission to pins and eliminates glare from the LED light.

5-Pin - Black TG5805B



5-Pin - XTRA[™] **TG5805J**

MODEL SPECS

MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION	тпи∙тоисн™
TG5805B		Black	Ultra-lightweight carbon composite				Standard adjustment	Yes
TG5805F	TRU•FLO™ Fiber Design	LOST AT®		Removable push-button LED - violet	High-visibility	1.9 in.		
TG5805J	Fiber Design 5 (5x.019'' dia.)	Realtree™ XTRA™						
TG5805P		Realtree™ APC™ PINK						
						BLACK	XTRA" LOST AT	• APC PINK


ULTRA LIGHTWEIGHT LARGE CIRCULAR FIELD OF VIEW

GLOW-IN-THE-DARK SHOOTER'S RING

PRO•BRITE **PIN TECHNOLOGY**

LIGHT INCLUDED





10



TG3014

Adjustable **Brightness LED**

(Included on model TG3015B) TRU•LITE" XTREME (TG56) removable violet rheostat LED sight light. See page 49 for details.

Technology By

CAMMAN



Ultra-lightweight STORM[™] provides incredible performance at an attractive price. Available in 3, 4, or 5-pin models, STORM features incredibly bright PRO•BRITE[™] Pin Technology, a large aperture, and durable CNC-machined aluminum construction, making it one of the best value sights in the TRUGLO® lineup.



PRODUCT FEATURES

- Lightweight and compact
- Unique metal pin design for increased durability and brightness
- Enlarged circular field of view
- Adjustable for left and right-handed shooters

ULTRA

LIGHTWEIGHT

What is TFD?

GLOW-IN-THE-DARK

SHOOTER'S RING

TFO[®] refers to our patented combination of Tritium and Fiber-Optic technologies. The Tritium maintains the brightness level of the sight in low-light (or NO light) conditions. That means you can see your sight even in complete darkness with perfect transition through all lighting conditions. Tritium does not need batteries and does not need to be charged with light - it simply glows!

MODEL SPECS

PRO•BRITE

PIN TECHNOLOGY

MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION
TG3013B	3 (3x.019" dia.)			California			
TG3014T	4 (3x.019" dia., TFO® 1x.029" dia.)	Black	CNC-machined	Sold separately	High-visibility	2 in.	Standard adjustment
TG3015B	5 (5x.019" dia.)		aluminum	Removable adjustable rheostat LED - violet			

LARGE CIRCULAR

FIELD OF VIEW



from the LED light.

CARBON XSTM

LIGHTWEIGHT, CARBON-COMPOSITE BOW SIGHTS



11

4-Pin - APG™ TG5704C Maximizes light transmission to pins and eliminates glare

Ultra-lightweight carbon-composite construction - weighs less than 3.5 oz.

- TRU•FLO[™] Fiber Design
- Extra-long, fully-protected fibers
 - Reversible bracket for greater vertical adjustability
- Adjustable for left and right-handed shooters
- TRU•TOUCH[™] Soft-Feel Technical Coating

Push-Button LED Included Removable violet push-button sight light.



MODEL SPECS

MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION	TRU-TOUCH"
TG5704B		Black						
TG5704C	TRU•FLO™ Fiber Design	Realtree™ APG™	Ultra-lightweight	Removable	Liele dellaille d	10	Characterial and setting the	t Vee
TG5704F	4 (4x.019" dia.)	LOST AT®	carbon composite	push-button LED - violet	High-visibility	1.8 in.	Standard adjustmer	it Yes
TG5704P	- (-1.015 Gld.)	Realtree™ APC™ Pink		LED VIOlet				
					BLACK	APG	XTRA	T AT [®] APC [™] PINK
		Technology By	ULTRA LIGHTWE		RGE CIRCULAR ELD OF VIEW	GLOW-IN-TH SHOOTER'S		RBON-COMPOSITI



TSX[™] PRO SERIES

BASED ON THE AWARD-WINNING TRU•SITE™ XTREME SERIES

- Based on the original award-winning TRU•SITE[™] Xtreme Series
- Micro-adjustable / tool-less design
- Unique stainless steel tube pin design for increased durability and brightness
- Ultra-strong, lightweight construction
- Reversible bracket for greater vertical adjustability
- Adjustable for left and right-handed shooters
- TRU•TOUCH[™] Soft-Feel Technical Coating

Adjustable Brightness LED

TRU•LITE™ XTREME (TG56) removable violet rheostat LED sight light. See page 49 for details.







MODEL SPECS

MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION	TRU•TOUCH [™]
TG7113B	3 (3x.019" dia.)						Chara da ral a aliu atua a at	
TG7115B		Disala	CNC-machined	Removable adjustable rheostat LED - violet	Adjustable	0.5	Standard adjustment	Yes
TG7215B	5 (5x.019" dia.)	Black	aluminum		2nd and 3rd axis	2 in.	Tool-less	
TG7315B	5 (5x.019" dia.)						Micro-adjustable	



TOOL-LESS DESIGN

MICRO

ADJUST

LARGE CIRCULAR FIELD OF VIEW

GLOW-IN-THE-DARK SHOOTER'S RING

STAINLESS STEEL **TUBE PIN DESIGN** LIGHT INCLUDED

BLACK





RITE•SITE[™] XS

LIGHTWEIGHT, CARBON-COMPOSITE BOW SIGHTS

- Unique pin design increases brightness
- Removable rheostat light
- Ultra-durable construction
- Ultra-strong, lightweight pin guard
- Markings for elevation and windage
 Adjustable for left and
- Adjustable for left and right-handed shooters

Adjustable Brightness LED TRU•LITE™ XTREME (TG56) removable violet rheostat LED sight light. See page 49 for details.





MODEL SPECS

MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION	
TG3513B	3 (3x.019" dia.)	Black	CNC-machined aluminum	Removable adjustable	High-visibility	2 in.	Standard adjustment	
TG3515B	5 (5x.019" dia.)	BIACK	CINC-machined aluminum	rheostat LED - violet	High-visibility	∠ I∩.	Standard adjusti herit	





T FIELD OF VIEW

GLOW-IN-THE-DARK SHOOTER'S RING



BRITE•SITE[™] XTREME

BASED ON THE AWARD-WINNING TRU•SITE™ XTREME SERIES

- Lightweight, composite pin guard
- BRITE•DOT[™] wrapped pin design
- Markings for elevation and windage
- Adjustable for left and right-handed shooters

Push-Button LED Included

TRU+LITE[™] (TG55) removable violet rheostat LED sight light. See page 49 for details.







MODEL SPECS

MODEL	PINS	FINISH	CONSTRUCTION	LIGHT		APERTURE DIAMETER	WINDAGE / ELEVATION	
TG550XB	5 (5x.029" dia.)	Black	CNC-machined aluminum / composite	Removable LED - violet	High-visibility	2 in.	Standard adjustment	

Technology By

ULTRA LIGHTWEIGHT

LARGE CIRCULAR FIELD OF VIEW GLOW-IN-THE-DARK SHOOTER'S RING

BLACK

12

13



RANGE•ROVER[™] PRO

THE INDUSTRY'S BEST LED BOW SIGHT



Adjustment Dial

provides remarkably precise Micro-adjustable elevation tuning giving hunters an extra edge.



TRUGLO[®] NEOPRENE LENS COVER INCLUDED





Micro LED Illuminated Center•Dot technology appears finer as you decrease brightness for pinpoint accuracy.

PRODUCT FEATURES

- ZERO-IN[™] Adjustment Dial with over 80 included pre-marked yardage tapes for simple setup
- Scope housing has 1/2 in. diameter circle with lighted center dot for superior long distance accuracy

NEW

1-Pin - Black TG6401GB

- Adjustable green LED with 11 brightness settings with included CR2032 battery
- Micro-adjustable windage precision click design
- Tool-less yardage and windage lock
- Sight housing accepts 1.87 in. scope lens (sold separately)
- Adjustable end-of-travel stop customizes maximum yardage setting
- Laser marks for windage and elevation adjustments
- Adjustable for left and right-handed shooters
- Adjustable quiver mount included
- Lens cover included
- Patent pending

PWR•DOT

AVAILABLE ACCESSORIES	DESCRIPTION
TG70A - Range•Rover Lens Kit	2x Magnification, +/5 diopter adjustment, includes locking ring
TG6401RT - Replacement yardage tape set	80+ multi-colored yardage tapes

MODEL SPECS

SHOOTER'S RING

	MODEL	PINS	FINISH	CONSTRUCTION	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION	
NEW	TG6401GB	1 (Adjustable green LED with 11 brightness settings)	Black	CNC-machined aluminum	Adjustable 2nd and 3rd axis illuminated	1.8 in.	ZERO-IN [™] elevation adjustment dial, Ultra-fine click tool-less micro-adjustable windage	
							BLACK	
				ILLUMINATED M	ICRO TOOL-L	ESS LARG	GLOW-IN-THE-DAR	К

ADJUST

DESIGN

FIELD OF VIEW

NEW TACTILE BRIGHTNESS CONTROL

Push-button brightness control for easy adjustment. Idle auto-off feature conserves battery life.





ARCHER'S CHOICE® RANGE•ROVER[™] SERIES


SINGLE-PIN BOW SIGHTS



Adjustment Dial provides remarkably precise Micro-adjustable elevation tuning giving hunters an extra edge. The TRUGLO® RANGE•ROVER[™] Series has long been synonymous with premium single-pin bow sights. Now, there's even more reason to join Ralph and Vicki in their enthusiasm for these beautifully simple and effective hunting tools. Innovative ZERO-IN[™] Adjustment Dial provides ultra-smooth, remarkably precise micro-adjustable elevation tuning, giving hunters an extra edge in difficult conditions.

> 1-Pin - Black **TG6411B**







PRODUCT FEATURES

- ZERO-IN[™] Adjustment Dial with over 80 included pre-marked yardage tapes for simple setup
- Tool-less yardage lock
- Clean, circular sight picture with all-metal pin
- Extra-long, fully-protected wrapped fiber
- Ultra-smooth bracket movement for easy one-hand adjustment
- Sight housing accepts 1.87 in. scope lens (sold separately)
- Adjustable end-of-travel stop customizes maximum yardage setting
- Laser marks for windage and elevation adjustments
- Quiver can be mounted directly to bracket
- Available in dedicated left-handed and right-handed configurations
- Adjustable quiver mount included (except TG6211B)
- Patent pending



Adjustable **Brightness LED**

TRU•LITE[™] XTREME (TG56) removable violet rheostat LED sight light. See page 49 for details.





AVAILABLE ACCESSORIES	DESCRIPTION
TG70A - Range-Rover Lens Kit	2x Magnification, +/5 diopter adjustment, includes locking ring
TG6401RT - Replacement yardage tape set	80+ multi-colored yardage tapes
TG399G - Optional Quiver Mount	For TG6211B

MODEL SPECS

MODEL	ORIENTATION	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION	тки∙тоисн™	
TG6211B					Sold separately			Standard adjustment		
TG6311B	Right-handed	1 (.019" dia.)	Black						No	
TG6311BLH	Left-handed	1 (.019 Gla.)						Ultra-fine click windage adjustment		
TG6311J		Right-handed		Realtree™ XTRA™	CNC-machined	Removable	Adjustable		Lever arm elevation adjustment	
TG6321B			1 (.010" dia.)		aluminum	adjustable	2nd and 3rd axis	1.8 in.	adjustment	
TG6411B			Black		rheostat LED - violet			ZERO-IN [™] elevation adjustment dial	Yes	
TG6411BLH	Left-handed	1 (.019" dia.)						Ultra-fine click tool-less micro-adjustable windage		

MICRO ADJUST TOOL-LESS DESIGN

LARGE CIRCULAR FIELD OF VIEW

DEDICATED LEFT-HANDED MODEL

GLOW-IN-THE-DARK SHOOTER'S RING

LIGHT INCLUDED



16

BOW SIGHTS

PENDULUM SERIES

THE ULTIMATE TREESTAND BOW SIGHTS

Experienced hunters are familiar with the incredible advantage of shooting from an elevated position. For years, PENDULUM Series sights have been the top choice of treestand hunters, due to their unique Pendulum Adjustment System, which automatically compensates for distances of up to 35 yards. Extremely quiet and constructed with lightweight, durable CNC-machined aluminum, these tool-less sights can also be locked in place for ground shooting.

> 1-Pin - Black **TG701**







Removable LED Light

TRU•LITE[™] (TG55) included with model TG700. See page 49 for details.

Adjustable **Brightness LED**

(Included on model TG701) TRU•LITE" XTREME (TG56) removable violet rheostat LED sight light. See page 49 for details.

PRODUCT FEATURES

Extremely quiet

1-Pin - Black **TG700**

- The most advanced treestand sights available
- Automatically compensates for distances of up to 35 yards
- Pendulum can be locked in place for ground shooting
- Extra-long protected, wrapped fiber
- Adjustable for left and right-handed shooters
- Pre-printed yardage tapes included (TG701 only)
- Patent Pending

MODEL SPECS

MODEL	PINS	FINISH	BRACKET	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION
TG700	1 (.029" dia.)		Fixed	CNC-machined	Removable LED - violet		1.8 in.	Lever arm elevation adjustment Standard windage adjustment
TG701	1 (.019" dia.)	Black	Adjustable	aluminum	Removable adjustable rheostat LED - violet	High-visibility		

ULTRA LIGHTWEIGHT

LARGE CIRCULAR **FIELD OF VIEW**

GLOW-IN-THE-DARK SHOOTER'S RING

LIGHT INCLUDED



ARROW RESTS

Advanced methods of holding your arrow for each shot.



Colored Inserts

Choose between 5 included color-matching SILENT•DRAW inserts for a custom look and quiet arrow loading. Red shown on product.



Speed-Activated Hammer

When firing, launcher remains up for maximum arrow support, then rapidly drops to avoid vane contact. Arrow remains captured even during let down. Load, Lock, Fire! Brand new for this year, LOCK•FIRE[™] has it all. Lock the launcher in the upward position using the ergonomic thumb lever, or simply draw the bow to raise the launcher automatically. When fired, delayed-drop actuation allows the launcher to support the arrow longer for increased accuracy. The speed-activated hammer rapidly drops the launcher as the vanes approach. Fitting all bows and arriving in dedicated left-handed and right-handed models, LOCK•FIRE brings innovation and accuracy to any high-performance bow.

> NEW Black TG650B

PRODUCT FEATURES

- Full-capture rest holds arrow in place
- Independent windage and elevation adjustments
- Arrow is supported on SILENT•DRAW polymer insert (5 replaceable colored inserts included)
- Easy setup and tuning for all bow types
- Ergonomic thumb lever can also be used to lock the launcher up

GLO

- Raises when you draw, then locks up when you let down
- Operated by downward-moving buss cable cable clamp included
- No launcher movement or vertical arrow movement during draw when launcher is locked up
- Delayed drop actuation supports arrow longer for increased accuracy and consistency, then drops rapidly as vanes approach
- Cushioned adjustable down-stop absorbs launch momentum
- Available in dedicated left-handed and right-handed models
- Patent pending

18



MODEL SPECS

	MODEL	FINISH	ORIENTATION	ТҮРЕ	CONSTRUCTION	LAUNCHER ARM	VANE CLEARANCE	WINDAGE / ELEVATION	REFERENCE MARKS	COMPATIBILITY	
NEW	TG650B	Black	Right-handed	• Hammer-fired • Click-up	Lightweight carbon composite	• Ultra-fast movement	Maximum	Full adjustments	Laser engraved	Carbon and aluminum arrows	
NEW	TG650BLH	DIACK	Left-handed	Drop-awayFull-containment	and aluminum construction	 Stainless steel 	Maximum	ruii aujust nents	Laser engraveu	All shaft diameters	

ultra **Quiet** BLACK

ULTRA FAST DROP-AWAY DELAYED-DROP

DEDICATED LEFT-HANDED MODEL COLOR-MATCHING



UP•**DRAFT**[™]

LIMB-DRIVEN, FULL-CONTAINMENT, DROP-AWAY ARROW REST

Colored Inserts

Choose between 5 included color-matching inserts for a custom look and quiet arrow loading. Red shown on product.



Left-Handed Conversion Simple / Quick conversion for left-handed shooters





PRODUCT FEATURES

- Limb-driven for longer support and fine tuning
- Full-containment drop-away arrow rest
- High-strength torsion spring increases launcher arm performance
- Sealed bushings increase downward speed at launch
- Quick and easy installation no bow press required
- Attaches to either top or bottom limb
- No unwanted bounce-back when firing
- Technical rubber dampeners for silent arrow loading no more felt!
- Universal design for left and right-handed shooters
- Patented

							MOD	EL SPECS	1
MODEL	FINISH	ТҮРЕ	CONSTRUCTION	LAUNCHER ARM	VANE CLEARANCE	WINDAGE / ELEVATION	REFERENCE MARKS	COMPATIBILITY	
TG640B	Black	• Limb-driven • Drop-away	Lightweight, all-metal	• High-speed movement	Maximum	Full adjustments	Laser engraved	Carbon and aluminum arrows	
TG640J	Realtree™ XTRA™	Full-containment	Lightweight, all-metai	• Stainless steel	Maximum	i uli adjusti nents	Laser englaved	• All shaft diameters	
							BLA	CK XTRA™	
			-						
		ULTRA LIGHTWEIGHT	HIGH-SPEED DROP-AWAY	ULTRA QUIET	ALL-METAL CONSTRUCTI	ON LEFT-H.		OLOR-MATCHING	Ĵ

21



DOWN•**DRAFT**[™]


CABLE-DRIVEN, FULL-CONTAINMENT, DROP-AWAY ARROW REST

Colored Inserts

Choose between 5 included color-matching inserts for a custom look and quiet arrow loading. Red shown on product.



Left-Handed Conversion Simple / Quick conversion for left-handed shooters





PRODUCT FEATURES

- Full-containment drop-away arrow rest
- High-performance drop-away design
- Sealed bushings increase downward speed at launch
- Quick and easy installation no bow press required
- Attaches to downward-moving buss cable
- No unwanted bounce-back when firing
- Technical rubber dampeners for silent arrow loading no more felt!
- Universal design for left and right-handed shooters
- Patented







Left-Handed Conversion Simple / Quick conversion for left-handed shooters





PRODUCT FEATURES

- Full-containment drop-away arrow rest
- High-strength torsion spring increases launcher arm performance
- Sealed bushings increase downward speed at launch
- Quick and easy installation no bow press required
- Attaches to downward-moving buss cable
- No unwanted bounce-back when firing
- Universal design for left and right-handed shooters
- Patented

								MODEL SFEC	5
MODEL	FINISH	ТҮРЕ	CONSTRUCTION	LAUNCHER ARM	VANE CLEARANCE	WINDAGE / ELEVATION	REFERENCE MARKS	COMPATIBILITY	
TG625B	Black	• Cable-driven • Drop-away	Ultra-lightweight carbon composite	 High-speed movement Stainless steel 	Maximum	Full adjustments	Laser engraved	Carbon and aluminum arrows All shaft diameters	
								BLACK	
				rra Shtweight	HIGH-SPEED DROP-AWAY	ULTRA QUIET	CARBON-CON CONSTRUCTI		



Colored Inserts

Choose between 5 included color-matching dual-coil inserts for a custom look and quiet arrow loading. Red shown on product.



Left-Handed Conversion Simple / Quick conversion for left-handed shooters



For archers preferring a capture-style rest, STORM[™] combines waterproof nylon brushes with a technical rubber launcher – avoiding the wear and tear of felt and providing a full-containment system with minimal friction.



PRODUCT FEATURES

- Capture-style arrow rest
- Adjustable brushes hold arrow at almost any angle
- Dual-coil launcher is adjustable / replaceable
- Reduced arrow contact increases speed and accuracy
- Fast and quiet arrow release
- Easy tuning adjustments
- Technical rubber insert for silent arrow loading no more felt!
- Ultra-tough all-weather design
- Great for traditional target shooting, 3-D and hunting
- Quick and easy installation
- Universal design for left and right-handed shooters

MODEL	FINISH	ТҮРЕ	CONSTRUCTION	LAUNCHER ARM	VANE CLEARANCE	WINDAGE / ELEVATION	REFERENCE MARKS	COMPATIBILITY
TG620B	Black	Capture-style	Lightweight composite and aluminum constructior	Dual-coil	Optimal	Full adjustments	Laser engraved	Carbon and aluminum arrows All shaft diameters
								BLACK
		ULTRA LIGHTW	FULL CONTAINI			N-COMPOSITE RUCTION	LEFT-HAND CONVERSIC	



RELEASES

The critical link between the hunter and the bow.





NEW BOA® - APG[™] **TG2570MBC**

- I CO

Jaw-And-A-Half Design

Single stainless steel moving jaw with fixed flat opposing jaw. Smooth release like a single-jaw, locks-on like a dual-jaw.



Leather Strap Available TG2570MLB features a leather wrist strap and steel single-buckle closure.



BOA[®] Closure System For glove-like fit and all-day comfort. Included with TG2570MBC.



Side•Lock Connector

Connector locks release-head out of the way.



New for 2017, we've combined all of the advantages of a dual-jaw release with the simplicity and accuracy of our popular DETONATOR[™] single-jaw design. The active jaw opens quickly and smoothly while the opposing side remains constant. An active spring reset quickly sets the action for your next shot. ACTIVATOR[™] comes standard with a roller sear adjustable trigger and is available with the BOA[®] wrist strap or a leather strap and steel buckle.

PRODUCT FEATURES

- Quiet, fast and accurate
- Automatic / active spring trigger reset
- Jaw opens away from the shooter for more comfort
- Roller sear design for a smooth trigger pull with a crisp break
- Adjustable trigger sensitivity
- Micro-adjustable trigger travel
- Uncompromising rock-solid connection system for ultra-precise length adjustments
- Precision stainless steel wear-free jaw
- Ergonomic hand and finger position
- 360° rotating head eliminates string torque
- Premium release strap for long-lasting comfort
- Patented

MODEL	CLOSURE TYPE	CONNECTION SYSTEM	STRAP FINISH	TRIGGER DESIGN	JAW DESIGN	CONSTRUCTION
TG2570MLB	Steel Buckle	Side•Lock	Black Leather	Crisp roller sear with adjustable	Stainless steel moving jaw with	Stainless steel jaw and
TG2570MBC	BOA® Closure System	SIDE+LOCK	Realtree™ APG™	sensitivity / travel	opposing non-moving jaw	firing mechanism
					BLACK LE	EATHER APG [™]
						STAINLESS STEEL JAW





ULTRA-SMOOTH, DUAL-JAW ARCHERY RELEASE



BOA[®] - Black TG2550SBB

26

Dual-Jaw Design

Breakthrough stainless steel caliper jaw design with forward trigger position.



Leather Strap Available TG2550MLB features a leather wrist strap and steel single-buckle closure.



BOA® Closure System For glove-like fit and all-day comfort. Included with most NITRUS[™] models.



Side•Lock Connector Connector locks release-head out of the way.



BOA® - APG™ **TG2550MBC**

PRODUCT FEATURES

- Extremely quiet
- Breakthrough stainless steel dual-jaw design provides a perfectly balanced release
- Ultra-smooth, micro-adjustable trigger pull with a crisp feel
- No unwanted trigger travel
- Streamlined jaw design for fast and easy loading perfect for string loops
- Stainless steel firing mechanism for increased durability and repeatability
- Forward trigger position enables faster arrow speeds
- Ergonomic hand and finger position
- 360-degree rotating head eliminates string torque
- Premium release strap for long-lasting comfort
- Precision stainless steel wear-free jaws
- Patented

MODEL SPECS

	MODEL	CLOSURE TYPE	CONNECTION SYSTEM	STRAP FINISH	TRIGGER DESIGN	JAW DESIGN	CONSTRUCTION	
NEW	TG2550MLB	Steel Buckle	Side•Lock	Black Leather				
	TG2550SBC		Durable Nylon	Realtree™ APG™	Ultra-smooth and crisp			
	TG2550SBB	BOA® Closure System	Durable Nylon	Black	with micro-adjustable sensitivity / travel		Jaws: stainless steel Firing mechanism: stainless steel	
	TG2550MBB	BOA- Closule system	Side•Lock	BIACK	sensitivity / travel	, ,	3	
	TG2550MBC		SIGE·LOCK	Realtree™ APG™				
						BLACK LEATHE	R BLACK APG"	
					SIDE-LOCK	R BOA® CLOSURE SYSTEM	STAINLESS STEEL JAW & FIRING MECHANISM	

RELEASES



RELEASES

BOA® - Black

TG2560SBB

Single-Jaw Design

Stainless steel single-jaw design with magnetic hook for fast, easy loading and crisp, consistent release.



Leather Strap Available

TG2560MLB features a leather wrist strap and steel single-buckle closure.



BOA[®] Closure System For glove-like fit and all-day comfort. Included with most DETONATOR[™] models.



Side•Lock Connector

Connector locks release-head out of the way.



NEW Black Leather

TG2560MLB

PRODUCT FEATURES

- Quiet, fast and accurate
- Streamlined open-hook single-jaw design for fast and easy loading – perfect for string loops
- Hook opens away from shooter for more comfort
- Ultra-smooth, micro-adjustable trigger pull with a crisp feel
- Precision stainless steel wear-free jaw
- Stainless steel firing mechanism for increased durability and repeatability
- Forward trigger position enables faster arrow speeds
- Ergonomic hand and finger position
- 360-degree rotating head eliminates string torque
- Premium release strap for long-lasting comfort
- Patented

	MODEL	CLOSURE TYPE	CONNECTION SYSTEM	STRAP FINISH	TRIGGER DESIGN	JAW DESIGN	CONSTRUCTION
NEW	TG2560MLB	Steel Buckle	Side•Lock	Black Leather			
	TG2560SBC		Durable Nylon	Realtree™ APG™	Ultra-smooth and crisp	Breakthrough stainless steel single-jaw design	
	TG2560SBB	POA® Closura Surtam	Durable Nylon	Black	with micro-adjustable		Jaws: stainless steel Firing mechanism: stainless steel
	TG2560MBB	BOA® Closure System	Sidoul ack	BIOCK	sensitivity / travel	5,5	
	TG2560MBC		Side•Lock	Realtree™ APG™			
						BLACK LEATHE	R BLACK APG"
					SIDE·LOCK	BOA® CLOSURE SYSTEM	STAINLESS STEEL JAW & FIRING MECHANISM

TRU•FIT[™] UNIVERSAL



REPLACEMENT RELEASE STRAP

BOA® Closure System

The patented BOA® Closure System makes finding the perfect fit easy. DIAL-IN all-day custom comfort with a simple twist.



Universal **Connection System**

The universal connection system fits most popular styles.





Universal

Nylon strap





Scott[™]



Cobra®

Scott™

Rope



Tru-Fire®







PRODUCT FEATURES

- Replaces your broken / worn-out wrist strap
- Fits almost any connection system
- Adjustable BOA® Closure System for a glove-like fit and all-day custom comfort
- Quick on / quick off, one-hand adjustment
- Easy-to-clean BOA® closure sheds mud, dirt and even ice
- Patented

MODEL SPECS

CONNECTOR

QUIET

ADJUST


MODEL	CLOSURE TYPE	CONNECTION SYSTEM	STRAP FINISH	CONSTRUCTION	
TG2590BB		Universal – fits most popular styles (see above)	Black		
TG2590BC	BOA® Closure System	Includes optional nylon rope connector	Realtree [™] APG [™]	Machined aluminum universal joint	
				BLACK APG"	
				ULTRA MICRO SIDE•LOCK	



SPEED SHOT[™] XS

DUAL-JAW ARCHERY RELEASES

29



all-day comfort.



Colored Covers Choose from 5 color-matching covers to customize your release.



Dedicated Junior Model

Designed to comfortably and safely fit smaller shooters. (Models TG2511BC & TG2511VB)





BOA® Standard - APG[™] **TG2510BC**

PRODUCT FEATURES

- Comfort-fit strap design
- Torque-free 360-degree rotating head
- Synchronized, compact dual-jaw design for smooth trigger pull
- Compact dual-jaw design, perfect for string loops
- Precision wear-free jaws
- Over 1 inch of total length adjustment
- Junior model features scaled-down wrist strap for smaller shooters

ULTRA

QUIET

MICRO

ADJUST

BOA®

CLOSURE SYSTEM

Patented

MODEL SPECS

COLOR

MATCHING

MODEL	SIZE	CLOSURE TYPE	CONNECTION SYSTEM	STRAP FINISH	TRIGGER DESIGN	JAW DESIGN	CONSTRUCTION	
TG2510BC	Standard		Dealtra	Realtree™APG™				
TG2511BC	Junior	BOA® Closure System	Silent rotary adjustable length connector	Realifee APG	Contoured, adjustable one-piece trigger	Synchronized, compact dual-jaw design	All-metal	
TG2510VB	Standard	Standard hook-and-loop		Black				
TG2511VB	Junior	standard hook-and-loop						
						BLA	СК АРG™	1





Carry your arrows safely and effectively.

TRUCI



31

Hanging Loop

For treestands or ground blinds.



Colored Inserts Choose from 5 color-matching inserts to customize your quiver.



POSITIVE•LOCK Mounting System

For smooth one-hand removal and ultra-secure attachment.



Optional LED Light Install TRU•LITE[™] (TG55) or TRU•LITE[™] XTREME (TG56) removable light for ultimate lowlight visibility. (Sold separately) See page 49 for details.



PRODUCT FEATURES

- Ultra-lightweight aluminum construction
- Weighs less than 10 oz.
- Interchangeable colored vibration dampening inserts
- POSITIVE•LOCK mounting bracket
- Smooth, one-hand removal
- Hanging loop for treestands or ground blinds
- Mounting bracket adjusts up / down to better fit all bows
- Rubber hood insert reduces noise and won't dull broadheads
- Fits both carbon and aluminum arrows
- Fits both mechanical and fixed broadheads
- Fits both left and right-handed bows
- TRU•TOUCH[™] Soft-Feel Technical Coating
- Patented

AVAILABLE ACCESSORY

TG399E - TRU•TEC[™] Quiver Mount



ARROW QUIVER NEW

LOST® XD TG315M2

MODEL SPECS

ASTON

COMPATIBLE

- 1	MODEL	FINISH	ARROWS	MOUNTING SYSTEM	GRIPPER DESIGN	ARROW COMPATIBILITY	CONSTRUCTION	TRU•TOUCH [™]	
	TG315B2	Black		POSITIVE+LOCK		Fits both carbon and aluminum arrows with shafts	CNC reachinged		
NEW	TG315M2	LOST® XD	Up to 5	Smooth one-hand removal and ultra-secure attachment	Rubberized, secure double-grippers	.229" diameter and larger Fits both mechanical	Cite machinea	Yes	
	TG315J2	Realtree™ XTRA™		and ditta-secure attachment		and fixed broadheads	daminarri		
							BLACK XTR	A [™] LOST [®] XD	



ALUMINUM CONSTRUCTION

ULTRA

QUIET

VIBRATION CO

Color Matching



CARBON XSTM LIGHTWEIGHT, CARBON COMPOSITE QUIVER

32


QUIVERS

Hanging Loop For treestands or ground blinds.



POSITIVE+CAM+LOCK **Mounting System**

For smooth one-hand removal holds quiver tight against bow riser for superior balance.



PRODUCT FEATURES

- Durable carbon-composite spine
- Weighs less than 12 oz.
- POSITIVE•CAM•LOCK mounting system
- Secure double-gripper design
- Hanging loop for treestands or ground blinds
- Mounting bracket adjusts to fit all bows
- Rubber hood insert reduces noise and won't dull broadheads
- Fits both left and right-handed bows
- TRU•TOUCH[™] Soft-Feel Technical Coating

AVAILABLE ACCESSORY

TRU-TOUCH

Patented

TG399L - CARBON XS™ Quiver Mount

ARROW QUIVER



ULTRA

QUIET

APG™

TG335A

EASTON MICRO SHAFT MPATIBLE

IGLO

CARBON-COMPOSITE

CONSTRUCTION

MODEL SPECS

VIBRATION

FREE

MODEL	FINISH	ARROWS	MOUNTING SYSTEM	GRIPPER DESIGN	ARROW COMPATIBILITY	CONSTRUCTION	TRU•TOUCH [™]
TG335A	Realtree™ APG™		POSITIVE+CAM+LOCK		Fits both carbon and		
TG335B	Black		Smooth one-hand removal -	Rubberized, secure	aluminum arrows with shafts	Ultra-lightweight,	
TG335F	Lost AT®	Up to 5	moves quiver tight against bow riser for superior	double-grippers	.229" diameter and larger Fits both mechanical	durable carbon composite	Yes
TG335J	Realtree [™] XTRA [™]		balance (patented)		and fixed broadheads		

ULTRA

LIGHTWEIGHT



33

TWIST-LOCK **Mounting System** TRUGLO For easy, smooth and quiet **PRODUCT FEATURES** one-hand removal - locks securely for added stability. TWIST•LOCK mounting system Weighs less than 8 oz. Secure double-gripper design XTRA™ TG324J Mounting bracket adjusts up / down to better fit all bows Rubber hood insert reduces noise and won't dull broadheads Fits both left and right-handed bows ■ TRU•TOUCH[™] Soft-Feel Technical Coating Patented **Quiver Mount** (TG399D) Additional / replacement AVAILABLE ACCESSORY quiver mounts available separately. TG399D - LOC•DOWN[™] Quiver Mount EASTON ARROW QUIVER TRU·TOUCH **MODEL SPECS**

MODEL	FINISH	ARROWS	MOUNTING SYSTEM	GRIPPER DESIGN	ARROW COMPATIBILITY	CONSTRUCTION	TRU•TOUCH [™]
TG324A	Realtree™ APG™						
TG324X	Black		TWIST+LOCK		Fits both carbon and aluminum arrows, with shafts		
TG324F	Lost AT®	Up to 4	Smooth one-hand removal – moves quiver tight against bow riser for superior balance (patented)	Rubberized, secure double-grippers	229" diameter and larger Fits both mechanical and fixed broadheads	Lightweight composite	Yes
TG324J	Realtree™ XTRA™						
TG324P	Realtree [™] APC [™] PINK						
					BLACK APG™	XTRA [™] LOST AT	APC PINK

ULTRA LIGHTWEIGHT VIBRATION FREE

ULTRA

QUIET





LIGHTWEIGHT, COMPACT COMPOSITE QUIVER

Quick-Release CAM•LOCK

For easy, smooth and quiet one-hand removal – locks securely for added stability.



Contrasting Color Rubber Hood Liner

Reduces noise and won't dull broadheads. Contrasting color helps reflect light for visibility.



Black TG344B

TRUGLO

PRODUCT FEATURES

- Lightweight / compact design
- Weighs less than 7 oz.
- Quick-release CAM•LOCK mounting system
- Thumb-tab style gripper design allows quick and quiet arrow removal
- Contrasting color rubber hood liner reduces noise and won't dull broadheads
- Fits both left and right-handed bows
- Compatible with most crossbows
- Patent pending

AVAILABLE ACCESSORY

TG399J - TUFF•LOC[™] Quiver Mount





MODEL SPECS

MODEL	FINISH	ARROWS	MOUNTING SYSTEM	GRIPPER DESIGN	ARROW COMPATIBILITY	CONSTRUCTION	
TG344B	Black	Up to 4	Quick-release CAM+LOCK for easy, smooth one-hand removal	Rubberized, secure single-gripper	Fits both carbon and aluminum arrows with shafts .229" diameter and larger Fits both mechanical and fixed broadheads	Lightweight, compact durable composite	
						BLACK	

ultra **Lightweight**



ULTRA

QUIET



STABILIZERS

Balance your bow while reducing vibration and noise.



TRU•TEC[™] CARBON PRO

ADJUSTABLE-WEIGHT, CARBON-COMPOSITE STABILIZER

High-Modulus Carbon Fiber

Provides superior strength and stability under virtually any conditions.



Adjustable Weight

1 oz. weights can be added or removed to achieve ideal bow balance.



6 in. - XTRA TG855 TG

PRODUCT FEATURES

- High-modulus carbon fiber rod for superior strength
- Carbon-composite exoskeleton
- Tri-Foil shape for optimal rigidity
- Vibration dampening adjustable weight suspension system (includes 3 stainless steel 1 oz. weights)
- Performance-based composites for vibration / noise reduction
- Engineered for performance bows
- TRU•TOUCH[™] Soft-Feel Technical Coating

MODEL SPECS

MODEL	FINISH	LENGTH	WEIGHT	MOUNTING SYSTEM	DAMPENER DESIGN	CONSTRUCTION	COMPATIBILITY	TRU•TOUCH [™]
TG855B	Black	6 in.	Adjustable from 4 to 7 oz.	Standard threaded	ded adjustable weight with high-modulus carbon	Fits all bows	Yes	
TG855J	Realtree™ XTRA™	6 IN.		mount			Fits all DOWS	Tes

ADJUSTABLE WEIGHT CARBON-COMPOSITE



NEW CARBON XSTM

VIBRATION-DAMPENING, ADJUSTABLE-WEIGHT STABILIZER WITH SLING

Sling Included

- Tough anodized metal mounting bracket
- Stiff, adjustable fit paracord sling
- Black sling included with TG840B and TG845B, camo sling included on camo models.)



Colored Dampening Rings

Choose from 6 color-matching dampening rings to customize your stabilizer.



Adjustable Weight

1 oz. weights can be added or removed to achieve ideal bow balance.





PRODUCT FEATURES

- ÷. Performance-based composites for vibration / noise reduction
- Interchangeable colored dampening rings
- Includes stiff black paracord sling
- Vibration dampening adjustable weight suspension system (includes 2 stainless steel 1 oz. weights)
- Continuously curving design for balanced energy transfer

CARBON-COMPOSITE

CONSTRUCTION

- Engineered for performance bows
- TRU•TOUCH[™] Soft-Feel Technical Coating
- Patented

ADJUSTABLE

WEIGHT

MODEL SPECS

XTRA™

LOST[®] XD

COLOR

MATCHING

BLACK

ABSORBING TECHNOLOGY

VIBRATION / NOISE

	MODEL	FINISH	LENGTH	WEIGHT	MOUNTING SYSTEM	DAMPENER DESIGN	CONSTRUCTION	COMPATIBILITY	TRU•TOUCH [™]	
•	TG840B	Black	9 in.	Adjustable from		Vibration-dampening adjustable weight suspension system	Ultra-lightweight carbon composite	Fits most bows	Yes	
	TG840J	Realtree™ XTRA™	9 in.	4 to 7 oz.	Standard					
	TG845B	Black			threaded					
	TG845J	Realtree™ XTRA™	7 in.	Adjustable from 5 to 7 oz.	mount					
•	TG845M	LOST [®] XD								



PRODUCT FEATURES

- Large selection of licensed camouflage patterns
- Rubber molded dampening fins increase surface area to reduce noise and vibration
- Engineered for performance hunting bows
- TRU•TOUCH[™] Soft-feel Technical Coating

MODEL SPECS

MODEL (SINGLE)	FINISH	LENGTH	WEIGHT	MOUNTING SYSTEM	DAMPENER DESIGN	CONSTRUCTION	COMPATIBILITY	тпи∙тоисн™	
TG818A	Realtree™ APG™			Standard threaded			Fits all bows	Yes	
TG818B	Black				Rubber-molded dampening fins	Durable rubber-molded			
TG818F	Lost AT®	4.6 in.	Appx. 4 oz.						
TG818J	Realtree™ XTRA™			mount					
TG818P	Realtree™ APC™ Pink								

STABILIZERS

38

VIBRATION / NOISE ABSORBING TECHNOLOGY





Leading your arrow to an effective shot and successful hunt.

TITANIUM XTM BROADHEADS

HIGH-PERFORMANCE TITANIUM BROADHEADS

TITANIUM X[™] fixed blade broadheads are available in both an innovative 4-blade design and industry proven 3-blade configuration. Whether you want more cutting edges or more penetration, TITANIUM X delivers the strength, accuracy, and destructive power to get it done.



Grade 5 Titanium Ferrule

Provides the strength needed to punch through bone, but also to prevent bends and dings that wear out other broadheads over time. Maximize your killing potential with broadheads that hit accurately, cut amazingly, and last longer.



Precision broadheads for hunters, by hunters. TITANIUM X[™] broadheads are spin tested and sharpness tested to ensure ultimate performance and quick kills. A CNC-machined titanium ferrule provides the unwavering strength and consistency needed to fly like a field point and punch through bone. The TRU•CUT[™] titanium tip slices hide and flesh immediately upon impact and the tough stainless steel blades cut a devastating wound channel for maximum lethality and easier tracking.



PRODUCT FEATURES

- Grade 5 CNC-machined one-piece titanium ferrule
- Tough .031" thick stainless steel blades
- TRU•THRU[™] precision sharpened blades for quick pass-throughs
- TRU•CUT[™] one-piece titanium tip slices hide and flesh immediately upon impact
- 100 grains for optimum flight and compatibility
- Spin tested and sharpness tested for ultimate performance
- 3 Broadheads per package
- Broadhead installation wrench and one set of replacement blades included

MODEL SPECS

	MODEL	ТҮРЕ	WEIGHT	CONSTRUCTION	BLADES	CUTTING DIAMETER	
IEW	TG3203AV	Fixed blade	100 ar	Titanium ferrule and tip,	3	1 3/16 in.	
IEW	TG3204AV	FIXEU DIAUE	Fixed blade 100 gr Stair		4	1 3/16 in. (outer blades) 7/8 in. (inner blades)	

BROADHEADS



Mechanical Blade Broadheads

TITANIUM X[™] mechanical blade broadheads are available in a classic 2-blade design and a vicious 4-blade arrangement for maximum hemorrhaging. Torque-balancing blades expand immediately on impact and self-adjust to navigate around bones and apply the full payload to soft tissue.



NEW 2-Blade, Mechanical TG3201AV

NEW 4-Blade, Mechanical TG3202AV

	MODEL	ТҮРЕ	WEIGHT	CONSTRUCTION	BLADES	FLIGHT DIAMETER	CUTTING DIAMETER	
NEW	TG3201AV		100 mm	Titanium ferrule and tip,	2	7/8 in.	2 3/16 in.	
NEW	TG3202AV Mechanical blade	ioo gr	100 gr Stainless steel blades		7/8 in. (outer blades) 5/8 in. (inner blades)	1 3/4 in. (outer blades) 7/8 in. (inner blades)		

TITANIUM XTM CROSSBOW BROADHEADS

HIGH-PERFORMANCE CROSSBOW BROADHEADS

Grade 5 Titanium Ferrule

Provides the strength needed to punch through bone, but also to prevent bends and dings that affect accuracy and wear out other broadheads over time. Maximize your killing potential with broadheads that hit accurately, cut amazingly, and last longer.



Modern crossbows provide the energy needed to take advantage of all the cutting potential of a 4-blade broadhead — which is why we have created crossbow-specific TITANIUM X[™] models to capitalize on this power by pairing our 4-blade designs with a ferrule shaped for maximizing the power of crossbow bolts.



PRODUCT FEATURES

- Grade 5 CNC-Machined one-piece titanium ferrule
- Tough .031" thick stainless steel blades
- TRU•THRU[™] precision sharpened blades for quick pass-throughs
- TRU•CUT[™] one-piece titanium tip slices hide and flesh immediately upon impact
- 100 grains for optimum flight and compatibility
- Spin tested and sharpness tested for ultimate performance
- 3 Broadheads per package
- Broadhead installation wrench and set of replacement blades included

	MODEL	ТҮРЕ	WEIGHT	CONSTRUCTION	BLADES	FLIGHT DIAMETER	CUTTING DIAMETER	
NEW	TG3204AX	Fixed blade	100 mm	Titanium ferrule and tip,	4	1 3/16 in. (outer blades) 7/8 in. (inner blades)	1 3/16 in. (outer blades) 7/8 in. (inner blades)	
NEW	TG3202AX	Mechanical blade	100 gr	Stainless steel blades	4	7/8 in. (outer blades) 5/8 in. (inner blades)	1 3/4 in. (outer blades) 7/8 in. (inner blades)	



BOW ACCESSORIES

The details that complete your archery system and give you the edge you need on the range and in the woods.



NEW TG393BR Wide Model

Features extended width grippers to hold the Mathews® HALON™ and other wide limb bows.



Crossbow Compatible

Use two BOW•JACK[™] stands to create a portable crossbow stand. (Depending on crossbow model.)



We've all been there – your bow is optimized with the best accessories, tuned, and ready to go – then you need to set it down. Rather than laying your bow in the dirt or leaning it against something and hoping it won't fall, utilize BOW•JACK[™] – the lightweight portable bow stand that goes with you and provides the support you need at the range or in the field.



PRODUCT FEATURES

- Lightweight and durable
- Rubber grips the limb for secure no slip fit
- Easy one-hand operation with integrated finger tabs
- Won't scratch limb surface
- Recessed spring won't snag
- Stainless steel hardware
- Fits most bows and crossbows
- Patent Pending

MODEL SPECS

	MODEL	FINISH	LENGTH	WEIGHT	APPLICATION	COMPATIBILITY	
NEW	TG393BR	Black / Red	5.8 in. Black / Red	Аррх. 3.9 ог.		Most bows and crossbows up to 3 1/8 in. limb width	
	TG394BR			D.0 IN.	Аррх. 3.2 ог.	Ideal for shorter axle-to-axle bows	Most be seen a second
	TG395BR		7.25 in.	Appx. 3.5 oz.	Ideal for longer axle-to-axle bows	Most bows and crossbows up to 2 3/4 in. limb width	

BLACK

BOW ACCESSORIES

LIGHTWEIGHT AND DURABLE ONE-HAND STAINLESS STEEL HARDWARE

GREEN LED BOW LIGHT

POWERFUL LIGHT WITH PICATINNY RAIL ACCESSORY MOUNT

Universal - fits most existing stabilizers

Great for Hog, Varmint & Predator Hunting







BOW ACCESSORY MOUNT

PICATINNY RAIL ACCESSORY MOUNT

Accessory Mount Attaches to Stabilizer



- Universal fits most existing stabilizers
- Designed for any accessories that mount to a Picatinny / Weaver-style base
- Rail can be rotated for greater versatility
- 9 Rail slots for maximum compatibility or multiple accessories



MODEL SPECS

MODEL	FINISH	LENGTH	WEIGHT	CONSTRUCTION	COMPATIBILITY
TG85B	Black	Rail is appx. 4 in.	Appx. 4 oz.	Lightweight, rigid CNC-machined aluminum	Universal

BLACK

ALL-ALUMINUM CONSTRUCTION

Black

TG85BLG

NEW DUAL STABILIZER MOUNT OFFSET MOUNT WITH SLING

- Balance your bow!
- Integrated sling mount (Bonus sling included)
 All metal construction
 - All metal construction
- No-slip meshed teeth joints

- Corrects bow tilt and roll
- Laser engraved angular markings
- Fits all stabilizers
- Fully assembled

MODEL	FINISH	CONSTRUCTION	ADJUSTMENT	COMPATIBILITY
TG87B	Black	Precision machined aluminum	Full 360° tilt and pan	All stabilizers, right-handed bows

TG81A



- Custom braided high-quality paracord
- Double-wide for comfortExtra-long length for
- maximum adjustability
- CNC-machined mounting adapter performs better than leather slings
 Easy to mount

M	
Ŋ	9

TG81B

MODEL	BRACKET FINISH
TG81A	Realtree™ APG™
TG81B	Black
TG81J	Realtree™ XTRA™

TG81J

BLACK APG" XTRA"



BLACK

- Extra-long cord fits virtually all bows
- Specially braided to hold its shape
- Extra-long length for maximum adjustability
- CNC-machined mounting adapter performs better than leather slings
- Easy to mount

MODEL	STRAND COLOR	BRACKET FINISH
TG80	Camo	Black
TG80P	Pink / Black	BIACK

NEW TG87B

ALL-METAL CONSTRUCTION

TG80P

TG80

BOW ACCESSORY KIT

- Includes 5 popular accessories
- Slotted Kisser Button
- 3 TRU•BLOCK[™] string silencers
- 36 in. high-tension BCY string serving
- 5 in. finished BCY D-loop material
- 3/16 in. CENTRA[™] PEEP XTREME with premium silicone tubing
- Ready to install
- Patented Kisser button design



KISSER BUTTON MODEL	KISSER BUTTON MODEL (50-pack)	BOW ACCESSORY KIT	COLOR	CONSTRUCTION	COMPATIBILITY
TG73A	TG73AN	TG601A	Black		
TG73B	TG73BN	TG601B	Red		
TG73C	TG73CN	TG601C	Blue	Soft, durable rubber	Fits all bows
TG73D	TG73DN	TG601D	Pink		
TG73E	TG73EN	TG601E	Green		
			BLA	ACK RED BLUE	PINK GREEN

46

BOW ACCESSORIES

NEW

VERSA[™] PEEP

- Versatile interchangeable inserts allow the shooter to customize peep for preferred size / color
- Lightweight aluminum construction
- Precision CNC-machined
- Metal peep sight is 1/4 in. dia. without insert
- Angled design for shorter axle-to-axle bows
- Patented

Customize Peep Size

Change peep size / color with included interchangeable inserts.



Included with TG75X

MODEL	COLOR	INSERT SIZES
TG75X	Black	Includes 1/8 in., 5/32 in. and 3/16 in. insert in each color

CENTRA[™] PRO•SERIES

- Lightweight aluminum construction
- Precision CNC-machined
- Angled design for shorter axle-to-axle bows
- Aperture diameter is 1/8 in., 3/16 in. or 1/4 in.
- Available in bulk



CENTRA[™] PEEP XTREME

- Smaller, lightweight design
- Tubing for proper positioning
- Aperture diameter is 1/8 in. or 3/16 in.

	None of the second seco
MODEL	COLOR
TG78X	1/8 in. Peep
TG78Y	3/16 in. Peep
TG78YN	3/16 in 50 pk.
TG78YP	3/16 in. Peep / Pink

CENTRA[™] PEEP

- Unique, angled design allows for perfect peep alignment
- Tubing for proper positioning
- Aperture diameter is 1/8 in.

MODEL	COLOR
TG78	1/8 in. Peep
TG78A	1/8 in 100 pk. (no tubing)
TG78B	1/8 in 100 pk. (with tubing)



- Performs in low-light conditions
- Adjustable green insert has three different settings
- Tubing for proper positioning
- Aperture diameter is 3/16 in.



PEEP SILICONE TUBING

- Premium silicone peep tubing
- Resists cracking drying out for extended use
- Fits most peep sights
- Available in 5 colors



CESSORIES

BOW ACCESSORIES

- Replacement fiber-optic material for firearm and archery sights
- Efficient light transmission and vibrant color
- Available in a wide variety of colors and sizes

•			

MODEL	DIAMETER	COLOR / QUANTITY
TG59R	.029" (0.75mm)	Red (1)
TG59G	.029" (0.75mm)	Green (1)
TG59Y	.029'' (0.75mm)	Yellow (1)
TG59M	.029" (0.75mm)	Red (1), Green (1) Yellow (1)

MODEL	LENGTH	DIAMETER	COLOR / QUANTITY
TG08A		.029'' (0.75mm)	Ded (1) Creen (2) Vellous (2)
TG08D		.019" (0.50mm)	Red (1), Green (2), Yellow (2)
TG08M	9 in.	Multi-diameter: .019" / .029" (0.50mm) / (0.75mm)	Red (1x .019", 1x .029"), Green (1x .019", 1x .029"), Yellow (1x .019", 1x .029")
TG09B		.010" (0.25mm)	Blue (5)
TG09G			Green (5)
TG05A		.029" (0.75mm)	
TG05B		.040" (1mm)	
TG05C		.060" (1.5mm)	Red (1), Green (1), Yellow (1), Ruby Red (1), Orange (1)
TG05D		.019" (0.50mm)	Kaby Kea (i), Olange (i)
TG05E	5.5 in.	.078" (2mm)	
TG05F		.100" (2.5mm)	Ruby Red (3), Green (2)
TG05CD		.060" (1.5mm)	
TG05ED		.078" (2mm)	DUAL•COLOR Red center / Green outside (5)
TG05FD		.100" (2.5mm)	Red center / Green outside (5)

Please note: Fiber diameter and length may vary per sight or installation application. Please check actual sight model before ordering.

TRITIUM + FIBER-OPTIC PINS

- The most revolutionary innovation since we introduced fiber-optic sight pins
- Tritium source keeps the fiber bright under any lighting condition, including complete darkness
- Fits 3/16 in. slotted sights
- Perfect transition through all lighting conditions
- Glow-in-the-dark
- Uses the brightest Swiss tritium available
- Patented



MODEL	DIAMETER	COLOR / QUANTITY
TG19G	000!! (0.7E page)	Green (1)
TG19Y	.029" (0.75mm)	Yellow (1)
TG20G	.040" (0.75mm)	Green (1)
TG20Y		Yellow (1)

PRO•WRAP[™] PINS


- Machined, black zinc-coated hardened brass
- Fits 3/16 in. slotted sights
- Wrapped fiber provides
- greater brightnessThinner pin body (no "shoulder") for better visibility



MODEL	DIAMETER	COLOR
TG844WG	.019"	Green
TG844WR		Red
TG844WY		Yellow
TG842WG	.029"	Green
TG842WR		Red
TG842WY		Yellow

PRO•DOT[™] **PINS**

- Unique, precision-machined all-steel pins
- Fits 3/16 in. slotted sights
- Our original looped fiber sight pins



MODEL	DIAMETER	COLOR
TG841G		Green
TG841R	.019"	Red
TG841Y		Yellow
TG842G	.029"	Green
TG842R		Red
TG842Y		Yellow
TG843G	.040"	Green
TG843R		Red
TG843Y		Yellow

BRITE•**DOT**[™] **PINS**

- Machined, black zinc-coated hardened brass
- Fits 3/16 in. slotted sights
 Wrapped fiber provides
- Wrapped fiber provides greater brightness



MODEL	DIAMETER	COLOR
TG851G	.029"	Green
TG851R		Red
TG851Y		Yellow
TG852		3-pack (Green, red, yellow)



- Easy ON / OFF and brightness selection
- Replaceable battery (TG988G, CR927)
- Battery included

NEW

Sight housing adapters included

MODEL DESCRIPTION TG57 Blue LED Rotary Light, 3 brightness levels

Sight Housing Adapters

All TRU•LITE[™] series sight lights include adapters fit 3/8-32, 3/8-36 and 7/16-20 threads. Fits sights by Copper John™, PSE™, Spot-Hogg®, Trophy Ridge™, TRUGLO[®] and others.



3/8 in. 36 threads 7/16 in. 20 threads

Adapter plate

TRU•LITE[™] XTREME Adjustable rheostat allows for infinite brightness settings Violet LED

- Replaceable batteries (TG988A, 1.5VLR41)
- Battery included
- Sight housing adapters included

MODEL DESCRIPTION TG56

Violet LED Light, Rheostat brightness control

TG56

TG57

NEW

TRU•LITE[™]



- Push-button ON / OFF Violet LED
- Replaceable batteries
- (TG988A, 1.5VLR41)
- Battery included

Sight housing adapters included

MODEL	DESCRIPTION
TG55	Violet LED Light, Push-button

HUNTER'S LITE[™]

- Multi-functional task light
- Hands-free operation
- Dual-position ON / OFF switch
- Flexible neck retains desired position
- Includes removable clip for convenient attachment to hats, belts, or jackets
- Attaches directly to your sight, bow or other sporting equipment
- Super-bright blue LED

MODEL	LIGHT COLOR
TG982B	Blue



ARROW PULLER







- Technical weather-resistant mat
- Lightweight / durable design
- Engineered for hunting and targ
- Designed to fit all bowstrings

MODEL(4-pack)

TG830B

TG830R

tion aterial				S.	TG830B
rget bows		-11			
			TG830R		
00-pack)	COLOR				
	Black				

REPLACEMENT BATTERIES

MODEL (1

TG830N

TG830RN

Red

Replacement batteries for TRUGLO® and other brand archery sights, lights and electro-optical sights

MODEL	DESCRIPTION
TG988A	For models TG55 and TG56 (3 per pack) (1.5V-LR41)
TG988B	For HUNTER'S LITE™ model TG982B (2 per pack) (3V-CR2016)
TG988C	For all TRUGLO® Dot Optics and Illuminated Scopes (2 per pack) (3V-CR2032)
TG988D	For push-button light (3 per pack) (1.5V-SR60)
TG988F	For GREEN LED Bow Light (3V-CR123A)
TG988G	For TRU•LITE™ PRO model TG57 (2 per pack) (TG927, 3V Lithium)





TRU•BRITE[™]

10x42MM OPEN-BRIDGE BINOCULARS

Neoprene Strap Included Comfortable padded neck strap supports your TRU•BRITE™ binoculars for easy access.



Single Wheel Adjustment

Click adjustment wheel back to set diopter adjustment, then lock-in your diopter setting and click the wheel forward to adjust focus.



TG91042G

PRODUCT FEATURES

- Compact roof / BAK-4 prism design with phase coated prisms
- Single, ergonomic adjustment wheel for both focus and diopter settings
- Lockable diopter
- Long eye relief for use with eyewear
- Twist-up eyecups with click stops
- High transmission silver coating on prisms
- Textured surface provides a non-slip grip in all weather conditions
- Non-reflective matte finish
- Includes protective case

MODEL SPECS

MODEL	TG91042G
MAGNIFICATION	10x
OBJECTIVE DIAMETER	42mm
FOV (ANGULAR)	6.5 degrees
FOV (FT @ 1000 YDS)	345
CLOSE FOCUS	8.2 feet
EXIT PUPIL DIAMETER	4.20mm
INTERPUPILLARY DISTANCE	58-73mm
EYE RELIEF	15mm
DIOPTRIC COMPENSATION	-4 / +4
DIOPTRIC ADJUSTMENT	Lockable diopter / center adjustment wheel
PRISM TYPE / COMPOSITION	Roof / BAK-4 Glass
COATING	Fully multi-coated / phase coated prisms
PROTECTIVE CASE	Yes
NEOPRENE SHOULDER STRAP	Yes
UNIT DIMENSIONS (HxWxD)	146x128x51mm
WEIGHT (OUNCES)	23.77

WATER PROOF

SHOCK RESISTANT NITROGEN GAS-FILLED FOG





Optics and accessories.









RANGE FINDER



Replacement Batteries

(3V-CR2032) Battery included with illuminated model.

See page 58 for replacement batteries.

TG988C



PRODUCT FEATURES

- Includes DUAL•COLOR illuminated reticle (TG8504B3L)
- Reticle can be used in black without illumination
- Generous 4 in. eye relief
- Fully-coated lenses provide maximum brightness, clarity and contrast
- Durable, scratch-resistant, non-reflective matte finish
- Includes Weaver-style rings

MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	RINGS	BATTERY
TG8504B3L	Range finder / Anodized		One-piece aircraft	Rheostat controlled			Weaver-style	3V-CR2032 Included	
TG8504B3	4 x 32mm	trajectory compensating	matte black	quality aluminum tube	_	spring – fingertip adjustments	Standard	rings included	_
TG8504C3			Realtree [™] APG [™]		_	5			
							APG [™]	ANODIZED MA	TTE BLACK
		DUAL COLOR	WATER RESISTAN	SHOCK RESISTANT	NITROGEN GAS-FILLEI	FOG PROOF	RINGS INCLUDE		D LIFETIME ANTY

CROSS•TEC[™] 4X32MM

ILLUMINATED-RETICLE CROSSBOW SCOPE

4x fixed magnification gives hunters the precision needed for accuracy at the end of crossbow range while maintaining the speed and wide field of view that is advantageous for close-range hunting. CROSS•TEC[™] builds on this concept with a compact design, multi-coated lenses, and a glass etched reticle with available red and green illumination.

> 4 x 32mm - Black **TG8504AL4**

> > 4 x 32mm - Black

TG8504A

TG8504A

DUAL[®] COLOR

ILLUMINATED BOLT-DROP-COMPENSATING / RANGE FINDING RETICLE

TG8504AL4

BOLT-DROP-COMPENSATING / RANGE FINDING RETICLE



Replacement Batteries

(3V-CR2032) Battery included with illuminated model.

See page 58 for replacement batteries.

TG988C

o ror replacement batteries.

PRODUCT FEATURES

- DUAL•COLOR illuminated reticle allows choice of red or green for faster target acquisition in low-light conditions (TG8504AL4)
- Waterproof / fog-proof / nitrogen gas-filled
- Fully-coated lenses provide maximum brightness, clarity and contrast

RESISTANT

GAS-FILLED

- Adjustable rheostat brightness control
- Durable leaf-spring click adjustments for windage and elevation
- Wide field of view

COLOR

- 1/2-MOA Windage / Elevation adjustments
- Weaver-style rings included
- Includes 3V-CR2032 battery

MODEL SPECS

PROOF

INCLUDED

RESISTANT



- Decending diameter dot reticle for multi-distance
 - shooting (Smaller dot for longer shots)

CROSSBOW RED DOT SIGHT

- Unlimited eye relief
- Wide field of view Flip-up lens caps /
- lanyard system Lightweight / easy
- to mount Integrated Weaver-style mounting system

LIFETIME WARRANT

Black

TG8030B3

DOT RETICI E

Replacement Batteries (3V-CR2032) Battery included.

See page 58 for replacement batteries.

TG988C

MODEL SPECS

LIMITED LIFETIME

WARRANTY

MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	BATTERY	
TG8030B3	170	Descending	Anodized matte black	Lightweight	Rheostat controlled	Click windage	Flip-up	3V-CR2032 Included	
TG8030C3	1 x 30mm	Diameter Dots	Realtree™ APG™	aircraft-grade aluminum		and elevation			
						APG™	ANODIZED	MATTE BLACK	

WATER

RESISTANT

SHOCK

RESISTANT

FOG

PROOF

augi



- Lightweight / compact design
- Unlimited eye relief
- Wide field of view
- Anti-reflective coating on target side
- Parallax free from 30 yards
- Integrated Weaver-style mounting system

DUAL[®]COLOR

MODEL SPECS

	ELEVATION	BRIGHTNESS	CONSTRUCTION	TICLE TYPE FINISH CONS		POWER / OBJECTIVE	MODEL
3V-CR2032 Included	Click windage and elevation	Rheostat controlled	Lightweight CNC-machined aluminum	Anodized matte black	DUAL•COLOR Descending Diameter Dots	1 x 34mm	TG8380B4
n		Rheostat controlled	Lightweight CNC-machined aluminum	Anodized matte black		1 x 34mm	TG8380B4

DUAL COLOR

WATER RESISTANT SHOCK LIMI RESISTANT WAR

LIMITED LIFETIME WARRANTY



CROSSBOW OPTICS CHART

DOT•OPTICS

SERIES / MODEL	LENGTH (inches)	LENGTH WITH SUNSHADE (inches)	WEIGHT (ounces)	POWER / OBJECTIVE LENS (x / mm)	OPTIC HEIGHT**	CO-WITNESS HEIGHT* (inches)	FIELD OF VIEW (feet@ 100yards)	EYE RELIEF (inches)	PARALLAX SETTING (in yards)	CLICK VALUE (inches@100yds)	RANGE OF ADJUSTMENT (inches@100yds)	RETICLE COLOR	RETICLE TYPE	BATTERY
TG8030B3/C3	3.82	_	7.0	1X30	1.59	1.00	68	Unlimited	30	1	30	•	3 Dot, Descending Diameter	CR2032
TG8380B4	3.27	_	5.5	1x34	2.00	1.53	74	Unlimited	30	1	30	••	4 Dot, Descending Diameter	CR2032
TG8230B3	3.85	_	8.0	1x30	1.61	1.02	68	Unlimited	30	1	30	•••	3 Dot, Descending Diameter	CR2032

* Measured as the height between the top of the Weaver / Picatinny rail and the center of the optic.

** Measured from top of Weaver / Picatinny rail to the top of optic (excluding turrets, buttons, etc)

SCOPES

SERIES / MODEL			DIMEN	SIONS	(inches)			WEIGHT (ounces)	MAG.	OBJ. DIA.		OF VIEW 100yards)		R ELIEF .75 diopter)	PARALLAX SETTING	CLICK VALUE (inches	RANGE OF ADJUSTMENT (inches, all	RETICLETYPE	BATTERY
								(ounces)	unces) (X) (mm)							(inches @100yds.)	directions from center @100yds.)		
TG8504B3/C3	9.80	3.80	1.60	1.06	1.46	1.46	1.00	12.5	4	32	-	20.79	_	5.50	0.25	0.30	30.0	Trajectory / Ranging	-
TG8504B3L	9.80	3.80	1.60	1.06	1.67	1.46	1.00	15.4	4	32	-	20.79	_	5.50	0.25	0.30	30.0	2 Color IR Trajectory / Ranging	CR2032
TG8504A	8.07	3.09	0.84	1.01	1.61	1.54	1.00	12.5	4	32	5.8°	-	4.50	-	100	0.50	40.0	Duplex	-
TG8504AL	8.06	3.24	1.1	0.97	1.58	1.54	1.00	13.2	4	32	5.6°	-	4.50	-	100	0.50	40.0	IR Duplex	CR2032





Universal Thread Pattern HIP•SHOT[™] can also be used as a

camera, light or optics support.



Wrist Strap

Adjustable wrist strap keeps HIP•SHOT at close reach with a buckle that easily attaches to a pack or belt.



An unsupported shot with a crossbow is often uncomfortable, inaccurate, or even dangerous. HIP•SHOT[™] Crossbow Shooting rest provides a stable platform that easily goes with you on any hunt. By bracing against your hip or the ground, you can take advantage of a stable 3-point support that works while sitting, standing or kneeling. Compact and lightweight, HIP•SHOT is a trusted hunting companion for any crossbow shooter.

PRODUCT FEATURES

- Increases stability for greater accuracy
- Great for tree stands and ground blinds
- Makes large / heavy crossbows easier to shoot
- Comfortably shoot from standing, sitting, kneeling or prone positions
- Vertical grip moves hand safely away from crossbow rail
- Lightweight folding design stores easily in a pack or on a belt
- Telescoping design fits all sized shooters
- Fully assembled

NEW TG8930XB

MODEL SPECS

10000

	MODEL	LENGTH	WEIGHT	CONSTRUCTION	
NEW	TG8930XB	Adjustable from 20-29 in.	10 oz.	Lightweight aluminum and composite materials	

NEW CROSSBOW BOLT PULLER

Modern crossbows lodge bolts deep inside targets – easily grip and pull bolts from targets without damaging the shafts or vanes.



CROSS•TEC[™] STRING SILENCERS

- Quick and easy installation no bow press required!
- Triple-arm design for increased 3D dampening
- Reduces string noise and vibration
- Lightweight and durable
- Engineered for crossbows
- Weather-resistant material



MODEL (4-PACK) CC	LOR COMPATIBIL	ITY
TG832B Bla	ck All crossbows	

REPLACEMENT BATTERIES

 Replacement batteries for TRUGLO[®] Illuminated crossbow optics.



MODEL DESCRIPTION

 TG988C
 For all TRUGLO® Crossbow Dot Optics and Illuminated Scopes (2 per pack) (3V-CR2032)



actor sector

TRI Bów

Extend the thrill of bowhunting all year long!



SPEED•SHOT[™] BOWFISHING POINT 250gr stainless steel point

(TG145A1) included.



SLIDE SAFETY SYSTEM

Safely tie your arrow into your retrieval system to provide a smooth and accurate shot, followed by a consistent and reliable retrieve. Included on model TG140C1G.





PRODUCT FEATURES

- Premium grade, hardened stainless steel tip
- 250 grain point with pivoting barb for quick fish removal and improved penetration
- Premium fiberglass high-visibility fluorescent colored shaft
- Ultra-slim nock diameter improves accuracy
- Most arrow slides can be easily installed over the nock
- Patented

AVAILABLE ACCESSORIES

MODEL	DESCRIPTION
TG146A1	Replacement Tips (2-Pack)
TG144A1	Replacement Bowfishing Nocks (6-Pack)

MODEL SPECS

	MODEL	POINT	SHAFT	SLIDE SYSTEM	NOCK
	TG140F3G	CDEED CHOT staislags staal a sist	El constant anno El constant	Pre-drilled for easy installation	Fluorescent bowfishing nock
W	TG140C1G	SPEED•SHOT stainless steel point	Fluorescent green fiberglass	Slide / Stop / Nock safety system (TG147A1)	Huorescent bownshing hock



60



SPRING•SHOT[™]

COIL SPRING BOWFISHING ARROW REST

On a good bowfishing trip, mud, water and even fish slime inevitably gets on your gear. The SPRING•SHOT™ patented stainless steel coil spring shucks off water and muck for safe, reliable and accurate shooting in even the nastiest conditions.

- Fast and easy arrow loading
- Revolutionary ultra-durable stainless steel coil spring provides full arrow containment
- Full windage / elevation adjustment
- For left and right-handed bows
- Patented

MODEL SPECS

MODEL	DESCRIPTION
TG690B1	Full 360° containment-style bowfishing rest

BLACK



SPRING•SHOT[™] **BOWFISHING KIT**

BOWFISHING ACCESSORY SYSTEM

Convert your bow to a dedicated bowfishing setup with the essentials – SPRING•SHOT[™] Bowfishing Kit includes two SPEED•SHOT[™] arrows with nocks, points, and slide systems pre-installed and our patented SPRING•SHOT arrow rest.

- Includes two SPEED•SHOT[™] bowfishing arrows (See TG140F3G for details) and SPRING•SHOT[™] bowfishing arrow rest (See TG690B1 for details).
- Pivoting barb for quick fish removal and improved penetration
- Revolutionary spring-coil arrow rest
- Patented

TG140F1G

MODEL	DESCRIPTION
TG140F1G	Bowfishing Kit





Waterproof and Durable

With nylon brushes, a composite body, and stainless steel hardware, ACCU•X[™] provides an accurate and sturdy rest for your next bowfishing adventure.



DESCRIPTION



PRODUCT FEATURES

- Fast and easy arrow loading
- Replaceable waterproof brushes
- Ultra-lightweight and compact design
- Full windage / elevation adjustment
- For left and right-handed bows

MODEL SPECS

MODEL TG680B1

Nylon brush capture-style bowfishing rest

BLACK

BOWFISHING NOCKS

DESCRIPTION

Bowfishing Nocks (6-Pack)

- Contoured string groove improves arrow release
- High-visibility green stands out in a variety of water and lighting conditions
- Designed specifically for tapered bowfishing arrows

MODEL

TG144A1



STRING FINGER GUARDS





BOWFISHING SLIDES, STOPS & NOCKS

ARROW-SLIDE SAFETY SYSTEM



Safe and Accurate

The arrow slide stays in front of the riser, preventing dangerous tangles, snags, or contact with the wrong side of the arrow rest.

When fired, the slide moves back and the line trails directly behind the arrow – following the shot without influencing it.



PRODUCT FEATURES

- Includes three nocks, three arrow slides and three slide stops
- Balanced 360° slide stop
- Compatible with fiberglass or carbon arrows
- Nocks fit 5/16 in. diameter tapered bowfishing arrows
- Patented

MODEL SPECS

MODEL DESCRIPTION TG147A1 Arrow slide safety

Arrow slide safety system (Slides, Stops & Nocks)

SPEED•SHOT™ BOWFISHING POINT		D•SHOT™ ACEMENT TIPS		
Whether using TRUGLO® arrows, or upgrading other arrows, bowfishermen can now take advantage of our 5-sided hardened stainless steel point, complete with reversible barb for easy fish removal.	occasional is why we r quickly and	 Unfortunately, everyone misses at some point, occasionally hitting rocks and damaging tips – which is why we made it as easy as possible to replace tips quickly and get back in the water. Elongated tip improves penetration 		
 250 grain, premium grade, hardened stainless steel tip with pivoting barb Pivoting barb for quick fish removal and improved penetration 		d stainless steel stays d resists rust		
MODEL DESCRIPTION	MODEL	DESCRIPTION		
TG145A1 SPEED•SHOT [™] Bowfishing Point	TG146A1	SPEED•SHOT [™] Bowfishing Point		

REN BRIGHTNESS COUNTS^M



HUNTING / OPTICS 2017

TABLE OF CONTENTS

DOT-OPTICS

TRITON [™] 30MM TRI•COLOR DOT SIGHT	4-5
TRITON [™] 28MM MULTI-RETICLE TRI•COLOR OPEN DOT SIGHT	6
TRITON [™] 20MM ULTRA-COMPACT TRI•COLOR DOT SIGHT	7
TRU•BRITE [™] OPEN DOT SIGHTS	8
DUAL•COLOR OPEN DOT SIGHTS	9
GOBBLE•STOPPER [™] DUAL•COLOR TURKEY HUNTING SIGHTS	10
MULTI•RETICLE DUAL•COLOR DOT SIGHTS	11
DUAL•COLOR & TRADITIONAL DOT SIGHTS	2-13

SCOPES

TRU•BRITE [™] 30 HUNTER	
TRU•BRITE [™] XTREME IR RIFLE	
TRU•BRITE [™] XTREME IR MUZZLELOADER	
HUNT•TEC [™] 4 x 32 COMPACT	
4 x 32MM COMPACT	
TRUSHOT [™] RIFLE SCOPE SERIES	

FIBER•OPTIC SIGHTS

TURKEY HUNTING SHOTGUN SIGHTS	23-24
WING & CLAY SHOTGUN SIGHTS	25-28
SLUG / RIFLE / MUZZLELOADER SIGHTS	
RIMFIRE / AIRGUN SIGHTS	

CHOKE TUBES

STRUT•STOPPER [™] XTREME TURKEY CHOKE COMBO	34
GOBBLE•STOPPER [™] XTREME TURKEY CHOKE COMBO	34
TITAN [™] ADJUSTABLE CHOKE TUBE	.35

TARGETS & ACCESSORIES

TRU•SEE [™] HIGH VISIBILITY REACTIVE / SPLATTER TARGETS	
TRU•BRITE [™] 10 x 42MM OPEN BRIDGE BINOCULARS	
HUNTER'S LITE [™]	
GLO•BRITE [™] PAINT KITS	
REPLACEMENT FIBERS	
REPLACEMENT BATTERIES	
PICATINNY RAIL MOUNT RISERS / ADAPTER	

CHARTS

DOT-OPTICS TECHNICAL SPECIFICATIONS	40
SCOPE TECHNICAL SPECIFICATIONS	41
GUN MODEL COMPATIBILITY CHART	42-43



DOT-OPTICS

Whether you are hunting turkeys with a shotgun, hogs with a rifle, or plinking targets at the range, TRUGLO[®] DOT•OPTICS offer the ideal combination of brightness and speed for close and medium-range shooting.







TRI<mark>C</mark>OLOR

3-MOA CENTER DOT Illuminated circle equals 24" at 30 yards. TRITON[™] Series dot optics are designed for every situation – any season, any target. TRI•COLOR reticle illumination gives you options for the ultimate contrast against any background while the ON / OFF pressure-sensitive switch will make your movements virtually undetectable. TRITON dot optics offer a bright and versatile targeting system, providing the perfect combination of comfort, clarity, and control.

PERFECT FOR TURKEY HUNTING

(TG8230GB) Included sunshade, pressure switch and specialized reticle make for a deadly combination in the turkey woods.

> 30mm - Black **TG8230GB**

Replacement Batteries

(3V-CR2032) Battery included. See page 39 for replacement batteries.

TG988C



Included Pressure Switch


Remote ON / OFF momentary pressure switch puts the power of the TRITON[™] at your fingertips.



PRODUCT FEATURES

- Three choices of reticle color for contrast against any target / background (red, green or blue)
- 30mm objective lens
- Remote momentary ON / OFF pressure switch included
- Flip-up lens caps / lanyard system
- Integrated Weaver-style mounting system
- Model TG8230GB includes a detachable, extended sunshade that eliminates glare from the front lens
- Model TG8230GB includes a precise 3-MOA Center Dot reticle – perfect for turkey hunting
- Includes all the award-winning features of our TRADITIONAL Red•Dot Series (see page 12)

TRI



Riser Mounts Additional mounting options available. See page 39 for details.



30mm - Black

TRUGES

1111

e

MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	BATTERY	
TG8230GB	1 x 30mm	3-MOA TRI•COLOR Center Dot	Anodized	Lightweight	Rheostat controlled	Click windage		3V-CR2032	
TG8230B		5-MOA TRI•COLOR Dot	matte black	CNC-machined aluminum	Pressure switch ON / OFF	and elevation	Flip-up	Included	
							ANODIZED M	ATTE BLACK	


						МЕ
--	--	--	--	--	--	----


TRITON[™] 28MM



28mm - Black TG8365B

MULTI-RETICLE TRI•COLOR OPEN DOT SIGHT






Detachable Sunshade Lightweight aluminum sunshade eliminates glare from the lens.



Replacement Batteries

(3V-CR2032) Battery included. See page 39 for replacement batteries.

TG988C



This compact TRITON[™] reflex sight is designed to easily adapt to a wide variety of shooting and lighting conditions. Along with the innovative TRI•COLOR technology, this sight also includes the ability to choose between four reticle patterns, each with individual brightness settings. In addition to being compatible with any Picatinny or Weaver rail, TRITON 28mm sits at the ideal height for most modern sporting rifles.

MSR CO-WITNESS HEIGHT

TRITON[™] 28mm sits at the ideal height for flattop AR-15s and other modern sporting rifles.

PRODUCT FEATURES


- Quickly toggle between 4 reticles with the intuitive rotary selector switch
- Lightweight / compact design
- Unlimited eye relief
- Wide field of view
- Anti-reflective coating on target side
- Parallax free from 30 yards
- Included detachable sunshade
- Integrated Weaver-style mounting system
- Ideal for shotguns, handguns, rifles, muzzleloaders, airguns and crossbows

MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCT	ION		STABLE HTNESS	WINDAGI ELEVATIO		BATTERY	
TG8365B	1x 28mm	TRI•COLOR Multi-reticle	Anodized matte black	Lightweight CNC-machinec aluminum	1	Rheost	tat controlled	Click winda and elevati		3V-CR2032 Included	
									ANODIZ	ED MATTE BLACK	1
				TRI COLOR			WATER RESISTANT	SHOCK RESIST		LIMITED LIFETIME WARRANTY	Ξ





ULTRA-COMPACT TRI•COLOR DOT SIGHT



Replacement Batteries

(3V-CR2032) Battery included. See page 39 for replacement batteries.

TG988C



The ultra-lightweight, compact 20mm TRITON[™] sight also features our innovative TRI•COLOR technology with individual brightness settings. This sight can be adapted to a variety of weapon systems, providing a wide range of options with minimal weight and bulk.



PRODUCT FEATURES

- Three choices of reticle color for contrast against any target / background (red, green or blue)
- Lightweight / ultra-compact design
- Unlimited eye relief
- Wide field of view
- Integrated Weaver-style mounting system
- Ideal for shotguns, handguns, rifles muzzleloaders, airguns and crossbows

MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH	INCLUDED MOUNT	CONST	RUCTION		STABLE ITNESS	WINDA ELEVA		LENS CAPS	BATTERY	
TG8020B	1 x 20mm	5-MOA TRI•COLOR Dot	Anodized matte black	Low	Lightweig CNC-ma aluminur	chined	Rheost	at controlled	Click wir and elev		Rubber	3V-CR2032 Included	
										A	NODIZED M/	ATTE BLACK	1
					DLOR	WATER RESISTA	ANT	SHOCK RESISTA		fog Proo f		D LIFETIME	



TRU-BRITE



MULTI-RETICLE DUAL•COLOR OPEN DOT SIGHT

8



Riser Mounts

Additional mounting options available. See page 39 for details.



Replacement Batteries (3V-CR2032) Battery included.

See page 39 for replacement batteries.

TG988C



PRODUCT FEATURES

- Two choices of reticle color for contrast against any target / background (red or green)
- Durable / compact design
- Unlimited eye relief
- Wide field of view
- 34mm x 24mm window for ultra-fast target acquisition
- Anti-reflective coating on target side
- Parallax free from 30 yards
- Integrated Weaver-style mounting system

MODEL SPECS

2.5-MOA CENTER DOT

	POWER / OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	BATTERY	
G8385B		5-MOA						
G8385BN (Boxed)	1 x 34mm	DUAL•COLOR Dot	Anodized matte black	Lightweight CNC-machined	Rheostat controlled	Click windage and elevation	3V-CR2032 Included	
G8380B	1 X 34mm	DUAL.•COLOR		aluminum				
G8380BN (Boxed)		Multi-reticle						


TRUGLO® HUNTING / OPTICS 2017



DUAL•COLOR MULTI-RETICLE DUAL•COLOR OPEN DOT SIGHT



DOT-OPTICS



All the features of our original DUAL•COLOR dot sights for those who

- Two choices of reticle color for contrast against any target / background (red or green)
- Lightweight / compact design
- Unlimited eye relief
- Wide field of view
- 34mm x 24mm window for ultra-fast target acquisition
- Anti-reflective coating on target side
- Parallax free from 30 yards
- Integrated Weaver-style mounting system

POWER / OBJECTIVE FINISH LENS CAPS BATTERY MODEL **RETICLE TYPE** BRIGHTNESS ELEVATION TG8370B Anodized matte black 5-MOA Liahtweiaht 3V-CR2032 Click windage Rubber DUAL COLOR Dot CNC-machined TG8370C 1 x 34mm Realtree™ APG™ Rheostat controlled and elevation slip cover Included aluminum TG8360B DUAL •COLOR Multi-reticle Anodized matte black ANODIZED MATTE BLACK APG"

DUAL

COLOR

MODEL SPECS

MULTI RETICLE

WATER RESISTANT SHOCK

RESISTANT



LIMITED LIFETIME

available. See page 39 for details.



Replacement Batteries

(3V-CR2032) Battery included. See page 39 for replacement batteries.

TG988C



DUAL[®] COLOR

3-MOA CENTER DOT

24" at 30 yards

GOBBLE-STOPPERTM



30mm - APG™

TG8030GA

30MM DUAL•COLOR DOT SIGHT FOR TURKEY HUNTING

30mm - Black

TG8030GB

10

Designed to fit any railed shotgun, GOBBLE•STOPPER[™] is your ideal hunting companion during turkey season. The DUAL•COLOR Center Dot reticle allows you to choose between red or green for ideal target contrast and the included sunshade prevents the glare of low-angle morning light and reflection of the objective lens. Spare battery storage inside the brightness adjustment cap ensures that you will be ready when that big tom steps out.

Riser Mounts

Additional mounting options available. See page 39 for details.



Replacement Batteries

(3V-CR2032) Battery included.

See page 39 for replacement batteries.

TG988C

PRODUCT FEATURES

- Specially designed reticle for turkey hunting
- Two choices of reticle color for contrast against any target / background (red or green)
- Detachable, extended sunshade eliminates glare from the front lens
- Spare battery storage compartment
- Flip-up lens caps / lanyard system
- Lightweight / easy to mount
- Integrated Weaver-style mounting system
- Includes 3V-CR2032 batteries (main and spare)
- Includes all the award-winning features of our TRADITIONAL Red•Dot Series (see page 12)

PERFECT FOR TURKEY HUNTING

Included sunshade and specialized reticle make for a deadly combination in the turkey woods.

MODEL SPECS

LIMITED LIFETIME

WARRANTY

MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	BATTERY
TG8030GB	4 70	3-MOA DUAL•COLOR	Anodized matte black	Lightweight		Click windage	-	3V-CR2032
TG8030GA	1 x 30mm	Center Dot	Realtree™APG™	CNC-machined aluminum	Rheostat controlled	and elevation	Flip-up	Included

DUAL

COLOR

WATER

RESISTANT

SHOCK

RESISTANT

FOG

PROOF



MULTI·RETICLE

MULTI-RETICLE DUAL•COLOR DOT SIGHT

DUAL[®] COLOR

5-MOA DOT

6-MOA CENTER DOT

CROSSHAIRS


20-MOA PEEP

•

٠

TG8030MB

30mm - Black **TG8030MB** 11



10-MOA PEEP

DUAL[®] COLOR



Riser Mounts

Additional mounting options available. See page 39 for details.



Replacement Batteries

(3V-CR2032) Battery included. See page 39 for replacement batteries.

TG988C

PRODUCT FEATURES

TRUCCO

- Two choices of reticle color for contrast against any target / background (red or green)
- Lightweight / compact design
- Unlimited eye relief
- Wide field of view
- Flip-up lens caps / lanyard system
- Integrated Weaver-style mounting system
- Includes all the award-winning features of our TRADITIONAL Red. Dot Series (see page 12)



Extend the advantages of your dot optic a bit further with 2x magnification and a bright 42mm objective lens.

				BRIGHTNESS	ELEVATION		
TG8030MB 1x 30mm	DUAL•COLOR	Anodized matte black	Lightweight CNC-machined	Rheostat controlled	Click windage	Flip-up	3V-CR2032
TG8030MB2 2 x 42mm	Multi-reticle	Anouzed matte black	aluminum	Kineostat controlled	and elevation		Included

MULTI

RETICLE

MODEL SPECS

LIMITED LIFETIME

dual **Color** WATER RESISTANT

NT RES

Shock **Resistant** FOG LIM

WARRANTY

DUAL-COLOR & TRADITIONAL



OUR ORIGINAL AWARD-WINNING DOT OPTIC SERIES



Riser Mounts

Additional mounting options available. See page 39 for details.



PRODUCT FEATURES


- Models TG8030DB and TG8030DBR include DUAL•COLOR reticle illumination (red or green)
- Unlimited eye relief
- Wide field of view
- Flip-up lens caps / lanyard system (included on all models except TG8030P)
- Lightweight / easy to mount
- Integrated Weaver-style mounting system
- Ideal for shotguns, handguns, rifles, muzzleloaders, airguns and crossbows
- Model TG8030DBR Includes an integral saddle mount for Remington[®] 12 ga. shotguns (Models 870 / 1100 / 11-87 only)

Ē

DUAL[®] COLOR

TG8030DBR, TG8030DB

5-MOA DOT



Replacement Batteries (3V-CR2032) Battery included.

See page 39 for replacement batteries.

TG988C



30mm - Black

REMINGTON[®] SADDLE MOUNT

SADDLE MOUNT Integrated saddle mount fits Remington® 12 ga. shotgun receivers. (Models 870 / 1100 / 11-87 only) Integral mount and optic housing are machined from a single piece of aluminum for maximum accuracy and mounting consistency.

MODEL SPECS

MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	BATTERY
TG8030A			Realtree™ APG™				Elia	
TG8030B		5-MOA Red Dot					Flip-up	
TG8030P	1 x 30mm			Lightweight			Standard	
TG8030DB		5-MOA DUAL•COLOR Dot	An a dimension at the lateratu	CNC-machined	Rheostat controlled	Click windage and elevation		3V-CR2032 Included
TG8030DBR		5-MOA DUAL•COLOR Dot	Anodized matte black	aluminum			Elia	mendeded
TG8040B	1 x 40mm	5-MOA Red Dot					Flip-up	
TG8030B2	2 x 42mm	2.5-MOA Red Dot						

ORUGES

DUAL COLOR WATER

RESISTANT

SHOCK RESISTANT FOG

PROOF

LIMITED LIFETIME WARRANTY





ZXV

Bright telescopic sights for rifles, muzzleloaders, and shotguns.



TRU-BRITE 30 HUNTER

30MM COMPACT SCOPE




TRU•BRITE[™] 30 HUNTER offers the perfect combination of clarity, precision, and speed for shotguns and rifles. Featuring a 30mm tube and variable 1-4 x 24mm magnification, the HUNTER model boasts an extremely wide field of view — ideal for turkey, deer, hog, and varmint hunting or other medium-range precision shooting. With true 1x magnification, hunters can now utilize an extremely fast sight picture and even take the shot with both eyes open.

1-4 x 24mm - Black **TG8514BC**

WEAVER-STYLE RINGS INCLUDED

Riser Mounts Additional mounting options





PRODUCT FEATURES

EXTREMELY WIDE FIELD OF VIEW

- 1-4x magnification for fast target acquisition
- 30mm tube for increased brightness and click adjustments
- 3.75" eye relief
- Fully-coated lenses provide maximum brightness, clarity and contrast
- Durable leaf-spring click adjustments for windage and elevation
- Waterproof / fog-proof / nitrogen gas-filled
- Extremely wide field of view
- 1/2-MOA Windage / Elevation adjustments
- Weaver-style rings included
- Bright 24mm objective lens

MODEL SPECS


MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH		CONST	RUCTION		DAGE / /ATION	LENS C	APS	RINGS
TG8514BC	1-4 x 24mm	Circle Duplex	Anodized ma	tte black	One-piec aluminur	ce 30mm m tube		ble leaf spring – rtip adjustments			Weaver-style
			ANODIZED MATTE BLACK								
									· · · · ·	ANODIZI	ED MATTE BLACK
		147	ATER	SHOCK		NITROGEN		FOG	RINGS		

SCOPES

TRU-BRITE XTREME



ILLUMINATED-RETICLE RIFLE SCOPE SERIES



DUAL[®] COLOR

TRU•BRITE[™] Xtreme Series scopes are built with high-quality optics that offer shooters a bright, clear, high contrast field of view in any situation. The DUAL•COLOR illuminated reticle helps ensure exact shot placement in low-light conditions. The large diameter fingertip windage and elevation knobs allow for easy adjustments when sighting in. With all these features in hand, you can be extremely confident when the time comes to take the shot.

4-16 x 50mm - Black **TG8514BXB**

PRODUCT FEATURES

- Ultra-high contrast, high resolution mechanical and optical design
- DUAL•COLOR illuminated reticle allows choice of red or green for faster target acquisition in low-light conditions
- Reticle can be used in black without illumination
- BDC (Bullet-Drop Compensating) can be easily calibrated to most centerfire cartridges and accommodate targets up to 600 yards away

- Rubber-coated, speed-focus eye piece
- Specially formulated multi-coating provide maximum brightness, clarity and contrast even in the poorest of light conditions
- Special internal anti-reflective coating on metal parts
- Zoom index at 9 o'clock for more ergonomic use

FOG

PROOF

NITROGEN

GAS-FILLED

 Low-profile, large diameter fingertip adjustments for W/E under screw cap

MODEL SPECS

LIMITED LIFETIME

WARRANTY

MODEL	POWER / OBJECTIVE	ACTION LENGTH	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	RINGS	BATTERY
TG8539LXB	7.0	6.46"								
TG8539BXB	3-9 x 44mm	4.25"	BDC (Bullet-Drop	Anodized	One-piece aircraft	Rheostat	Durable leaf	-		3V-CR2032
TG8531BXB	3-12 x 44mm	5.00"	Compensating)	matte black	quality aluminum tube	controlled	spring – fingertip adjustments	Flip-up	-	Included
TG8541BXB	4-16 x 50mm	5.12"								

SHOCK

RESISTANT

WATER

RESISTANT

DUAL

COLOR

Replacement Batteries

(3V-CR2032) Battery included. See page 39 for replacement batteries.

TG988C



TRU-BRITE[™] XTREME MUZZLELOADER

ILLUMINATED-RETICLE MUZZLELOADER SCOPE

DUAL[®] COLOR

ILLUMINATED MUZZLELOADER BDC

(Bullet Drop Compensating)

Based on the effectiveness and popularity of the TRU•BRITE[™] rifle scope series, we created a model dedicated to muzzleloader hunters. The Muzzleloader BDC reticle helps shooters more accurately predict bullet drop for trajectories of slower projectiles, and can be easily calibrated to many bullet / powder combinations to provide aiming points out to 300 yards.

> 3-12 x 44mm - Black TG8531BLM

Riser Mounts Additional mounting options available. See page 39 for details.



PRODUCT FEATURES

- BDC Muzzleloader reticle can be easily calibrated to many bullet / powder combinations and provides aiming points out to 300 yards
- DUAL•COLOR illuminated reticle allows choice of red or green for faster target acquisition in low-light conditions
- Reticle can be used in black without illumination
- Durable, textured, non-reflective matte finish
- Includes all the award-winning features of our TRU•BRITE[™] XTREME Scope Series (see previous page)

MODEL SPECS

	POWER /	ACTION				ADJUSTABLE	WINDAGE /				
MODEL	OBJECTIVE	LENGTH	RETICLE TYPE	FINISH	CONSTRUCTION	BRIGHTNESS	ELEVATION	LENS CAPS	RINGS	BATTERY	
TG8531BLM	3-12 x 44mm	4.80"	BDC (Bullet-Drop Compensating)	Anodized matte black	One-piece aircraft quality aluminum tul	Rheostat controlled	Durable leaf spring – fingertip adjustments	Flip-up	-	3V-CR2032 Included	
								ANOD	IZED MA	TTE BLACK	J
							NITROGEN GAS-FILLED	FOG PROOF	LIMITEI WARRA	D LIFETIME	

17





ILLUMINATED-RETICLE 4 x 32MM COMPACT RIFLE SCOPE

SCOPES

TG8504AL FLOATING ILLUMINATED DUPLEX RETICLE

DUAL[®]COLOR

The 4x fixed magnification scope is a proven and popular choice for riflemen all over the world. HUNT•TEC[™] builds on this tradition with a compact design, multi-coated lenses, and a glass etched reticle with available red and green illumination.

TG8504A



Replacement Batteries

(3V-CR2032) Battery included with illuminated model.

See page 39 for replacement batteries.

TG988C

PRODUCT FEATURES

- Model TG8504AL includes a DUAL•COLOR illuminated reticle for increased contrast in low-light conditions
- Water-resistant / fog-proof / nitrogen gas-filled
- Generous 4" eye relief
- Fully-coated lenses provide maximum brightness, clarity and contrast
- Wide field of view

TG8504A

4 x 32mm - Black

4 x 32mm - Black **TG8504AL**

- Durable leaf-spring click adjustments for windage and elevation
- 1/2-MOA Windage / Elevation adjustments
- Weaver-style rings included
- Bright 32mm objective lens

MODEL SPECS

MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	RINGS	BATTERY
TG8504AL	4 x 32mm	Illuminated Duplex	Anodized matte	One-piece aircraft	Rheostat controlled	Durable leaf spring – fingertip	Elastic	Weaver-style	3V-CR2032 Included
TG8504A		Duplex	black	quality aluminum tube	_	adjustments		,	-

DUAL COLOR

WATER RESISTANT SHOCK RESISTANT

NITROGEN GAS-FILLED

FOG PROOF RINGS INCLUDED



4 X 32MM COMPACT SCOPE SERIES FOR RIMFIRE AND SHOTGUNS



19



4 x 32mm - AP0 **TG8504CD**

Riser Mounts

Additional mounting options available. See page 39 for details.



PRODUCT FEATURES

- Diamond reticle is specially designed for shotgun hunting and is perfect for turkey and deer
- Fully-coated lenses provide maximum brightness, clarity and contrast
- Rubber eye guard
- Durable, scratch-resistant, non-reflective matte finish
- Model TG8504BR includes 3/8" rings for rimfire and air rifles
- Models TG8504BD/CD include Weaver-style rings

MODEL SPECS

MODEL	POWER / OBJECTIVE	ACTION LENGTH	RETICLE TYPE	FINISH	CONSTRUCTION	WINDAGE / ELEVATION	LENS CAPS	RINGS	BATTERY
TG8504BR			Duplex	Anodized matte black		Durable leaf		3/8"	
TG8504BD	4 x 32mm	4.80"	Diamond	Anodized Malle black	One-piece aircraft guality aluminum tube	spring – fingertip	Elastic	Weaver-style	-
TG8504CD			Diamond	Realtree™ APG™		adjustments		weaver-style	
							APG [™] A	NODIZED MAT	TTE BLACK
			WATE	R SHOCK RESISTA	NITROGEN GAS-FILLED	FOG PROOF	RINGS INCLUDED) LIFETIME INTY





Scope Rings Available with Weaver-style or

3/8" rings. See chart for details.



PRODUCT FEATURES

- Duplex reticle
- Generous eye relief
- Fully-coated lenses provide maximum brightness, clarity and contrast
- Rubber-coated, speed-focus eye piece
- Durable, scratch-resistant, non-reflective matte finish
- Model TG850432B does not include mounting rings
- Waterproof / fog-proof / nitrogen gas-filled



MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	WINDAGE / ELEVATION	LENS CAPS	RINGS	BATTERY	
TG853940B	3-9 x 40mm				Durable leaf spring - fingertip adjustments		Weaver-style		
TG853932B	3-9 x 32mm	Duplex	Anodized matte black	One-piece aircraft		Elastic	3/8"	-	
TG852732B	2-7 x 32mm	Duplex		quality aluminum tube		EldSUC	Weaver-style		
TG850432B	4 x 32mm						-		
							ANODIZED MA	TTE BLACK	l

WATER RESISTANT SHOCK NITROGEN FOG PROOF

RINGS INCLUDED



FIBER-OPTIC SIGHTS

Redirecting the light of your environment to create a vivid and fast sight picture.



TURKEY HUNTING

FRONT AND REAR SHOTGUN SIGHT SETS

NEW F.A.S.T.™ UNIVERSAL SHOTGUN SIGHTS

FOCUS ASSISTING SIGHT TECHNOLOGY

- Ramp-style rear sight for fast and easy sight alignment
- Front fiber diameter is .060"
- Adjustable windage and elevation
- Compatible with most 12 and 20 ga. shotgun barrels with ventilated ribs
- Great for: Turkey hunting, still target shooting, slugs, and buckshot
- Patent pending



MODEL TG940

Front Sight: Red fiber-optic; Rear Sight: Green Battue-style ramp



GOBBLE•DOT[™] UNIVERSAL / DUAL•COLOR

3-DOT SIGHTS FOR VENTILATED RIB SHOTGUNS

- Our original turkey sight available in red or DUAL•COLOR
- Fits all ventilated rib shotguns regardless of width or tapering
- Model TG94D front diameter is .120"; rear diameter is .040"
- Model TG94 front diameter is .060"; rear diameter is .035"
- Endorsed by the National Wild Turkey Federation

MODEL	DESCRIPTION	
MODEL TG94	DESCRIPTION Notched rear sight / Red front sight	

UNIVERSAL



NWTI

TRU•BEAD[™] TURKEY UNIVERSAL SERIES

3-DOT SIGHTS FOR VENTILATED RIB SHOTGUNS

- The industry's most popular fiber-optic turkey sight series – now in DUAL•COLOR
- Universal mounting system for ventilated rib shotguns with ribs up to 3/8"
- Front sight includes different sized "clips" to eliminate twisting
- Full windage and elevation adjustment
- CNC-machined
- Hardware included
- Includes two interchangeable rear sights
- Model TG950XD, Front diameter is .120"; rear diameter is .035"
- Model TG950X, Front diameter is .060"; rear diameter is .035"
- Endorsed by the National Wild Turkey Federation





DUAL

COLOR

INTERCHANGEABLE REAR SIGHTS

MODEL	DESCRIPTION
TG950XD	Rear ghost ring and notched rear sight / DUAL•COLOR threaded front sight
TG950X	Rear ghost ring and notched rear sight / standard threaded front sight

UNIVERSAL

DUAL INTERC

INTERCHANGEABLE REAR SIGHTS



FRONT AND REAR SHOTGUN SIGHT SETS

TRU•POINT[™] XTREME UNIVERSAL TURKEY / DEER

3-DOT SIGHTS WITH ELEVATION RAMP FOR VENTILATED RIB SHOTGUNS

- Rifle-style elevated sights for the serious turkey and deer hunter
- Universal fit for ventilated rib shotguns
- Includes two interchangeable rear sights
- All-metal construction
- Full windage and elevation adjustment
- Front diameter is .060"; rear diameter is .029"
- Endorsed by the National Wild Turkey Federation

COMPATIBLE GUN MODELS

Fits most Charles Daly and Remington models

Stoeger Model 2000 and Savage models



MODEL

TG960

FIT

UNIVERSAL ALL-METAL CONSTRUCTION INTERCHANGEABLE **REAR SIGHTS**

NWT

PRO•SERIES[™] MAGNUM GOBBLE•DOT[™]

Fits most Mossberg, Weatherby and Winchester (excluding SX3) models

- 3-DOT SIGHTS WITH ELEVATION RAMP FOR VENTILATED RIB SHOTGUNS.
- Our ultimate turkey sight
- All-steel construction

MODEL

TG944A

TG944B

TG944C

TG944D

- Securely mounts to your rib without tape or magnets
- Front diameter is .029"; rear diameter is .035"
- Endorsed by the National Wild Turkey Federation



Please check gun chart on pages 42-43 for specific gun models



MAGNUM GOBBLE-DOT[™] XTREME SERIES

Fits most Beretta Field Grade, Franchi, Browning Gold / A-5 and Winchester SX3 models Fits most Benelli Super Black Eagle / M1 / Nova, Browning BPS / Ruger Red Label,

3-DOT SIGHTS FOR VENTILATED RIB SHOTGUNS

- Each model easily snaps over rib without need for screws
- Front diameter is .060"; rear diameter is .035"
- Endorsed by the National Wild Turkey Federation

STANDARD MODEL	COMPATIBLE GUN MODELS
TG941XA	1/4" rib width fits most Remington, Browning Gold (camo) and Charles Daly
TG941XB	3/8" rib width fits most Mossberg, Weatherby, Winchester (excluding SX3) and popular 10 ga. models
TG941XC	6mm rib width fits most Beretta Field Grade, Benelli 20 ga., Browning Gold / A-5, Franchi and Winchester SX3 models
TG941XD	5/16" rib width fits most Benelli, Browning BPS, Ithaca, Ruger Red Label, Savage and 8mm ribs



MAGNETIC MODEL	COMPATIBLE GUN MODELS
TG942XA	1/4" rib width, see left for models
TG942XB	3/8" rib width, see left for models

Please check gun chart on pages 42-43 for specific gun models.



GLO•DOT[™] UNIVERSAL PRO•SERIES

FRONT SIGHT FOR VENTILATED RIB SHOTGUNS

- Helps eliminate problems with eye dominance
- Promotes shooting with both eyes open
- Promotes proper gun mounting / shouldering
- Extremely low-profile
- Easy installation
- Universal fits any rib width
- Quick target acquisition
- Single color fiber diameter is .078"
- DUAL•COLOR fiber diameter is .120"

MODEL	COLOR
TG104G	Green
TG104R	Red
TG104D	DUAL•COLOR

DUAL


UNIVERSAL FIT



GLO•DOT[™] UNIVERSAL

FRONT SIGHT FOR VENTILATED RIB SHOTGUNS

- Our original wing and clay sight
- Fits all ventilated rib shotguns regardless of width or tapering
- Extremely low profile
- Models TG90, TG91, Fiber diameter is .060"
- Model TG90D. Fiber diameter is .120"
- Endorsed by Ducks Unlimited



MODEL	COLOR
TG90	Red
TG91	Green
TG90D	DUAL-COLOR

DUAL

COLOR

UNIVERSAL FIT



WING•STOPPER[™] / STRUT•STOPPER[™] UNIVERSAL

FRONT SIGHT FOR VENT RIB SHOTGUNS

- Front dot can only be seen when shooter is perfectly aligned
- Universal model fits all ventilated rib shotguns regardless of width or tapering
- Aids correct eye dominance

STRUT•STOPPER™

Fiber diameter is .060"
WING•STOPPER [™] endorsed

- by Ducks Unlimited
- STRUT•STOPPER[™] endorsed by the National Wild **Turkey Federation**

WING•STOPPER[™]

STANDARD MODEL	COLOR	STANDARD MODEL	COLOR	UNIVERSAL MODEL	COLOR
TG945R	Red	TG103R	Red	TG103UR	Red
TG945G	Green	TG103G	Green	TG103UG	Green

Please check gun chart on pages 42-43 for specific gun models.

DUCKS UNLIMITED

FIBER-OPTIC SIGHTS





SHOTGUN FRONT SIGHTS


GLO•DOT[™] XTREME UNIVERSAL

MAGNETIC FRONT SIGHT FOR VENTILATED RIB SHOTGUNS



FRONT SIGHT FOR VENTILATED RIB SHOTGUNS

- Each model easily snaps over rib without need for screws
- Fiber diameter is .060"
- Endorsed by Ducks Unlimited



STANDARD MODEL	MAGNETIC MODEL	COLOR	RIB WIDTH	COMPATIBLE GUN MODELS		
TG901XA	TG902XA	Red	1/4"	Fite most Depineton Drowing Cold (correct) and Charles Dely		
TG901XB	TG902XB	Green	1/4	Fits most Remington, Browning Gold (camo) and Charles Daly		
TG911XA	TG912XA	Red	3/8"	Fits most Mossberg, Weatherby, Winchester (excluding SX3) and popular 10 ga. models		
TG911XB	TG912XB	Green	5/0	FILS MOSL MOSSberg, Weatherby, Winchester (excluding SAS) and popular to ga. models		
TG905XA	-	Red	6.0000	Fits most Beretta Field Grade, Benelli 20 ga., Browning Gold / A-5, Franchi and Winchester SX3 models		
TG905XB	-	Green	6mm			
TG904XA	-	Red	5/16"	Fits most Benelli Browning BPS, Ithaca, Ruger Red Label, Savage and 8mm ribs		
TG904XB	-	Green	01 \C	FIS MOST BEHEIII BIOWHING BPS, Ithaca, Ruger Red Label, Savage and omminos		


Please check gun chart on pages 42-43 for specific gun models.



TRU•POINT[™] WING AND CLAY

FRONT SIGHT FOR VENTILATED RIB SHOTGUNS

- Patented Slide-Lok[™] Mounting System
- Mounts to the rib without tape, screws or magnets
- Special nylon liner protects rib and locks metal sight in place
- CNC-machined
- Fiber diameter is .060"
- Endorsed by Ducks Unlimited



MODEL	COMPATIBLE GUN MODELS	
TG957A	Remington (excluding 2007 or later 870 Express)	
TG957C	Beretta Field Grade	
TG957E	Ruger Red Label	

Please check gun chart on pages 42-43 for specific gun models.


INTERCHANGEABLE FIBER COLORS





TRU•BEAD[™] UNIVERSAL DUAL•COLOR

BEAD REPLACEMENT SIGHT FOR VENTILATED RIB SHOTGUNS



TRU•BEAD[™] UNIVERSAL

BEAD REPLACEMENT SIGHT FOR VENTILATED RIB SHOTGUNS

- Fits any rib width
- Replaces front bead
- Includes interchangeable fibers
- Front sight includes different sized
- "clips" to eliminate twistingExtremely low profile
- Extremely low profile
- Available in two different fiber diameters
- CNC-machined
- Hardware included
- Endorsed by Ducks Unlimited



GLO•DOT[™] II UNIVERSAL

FRONT SIGHT FOR PLAIN BARREL SHOTGUNS

COLOR

Red

Red

Green

Green

- Designed for plain barrel shotguns
- Easy installation

MODEL

TG92A

TG93A

TG92B

TG93B

Extremely low profile

GAUGE

12-20

.410

- Ultra-tough construction
- Fiber diameter is .078"
 - Endorsed by Ducks Unlimited







FAT•BEAD[™] & FAT•BEAD[™] UNIVERSAL

BEAD REPLACEMENT SIGHT FOR VENTILATED RIB SHOTGUNS

- Our largest diameter bead replacement
- CNC-machined
- Single color fiber diameter is .0100"; DUAL•COLOR fiber diameter is .120"
- Fiber length is 0.5"



MODEL	COLOR	THREAD SIZE
TG948AD [†]		6-48
TG948BD		3-56
TG948CD	DUAL•COLOR	2.6mm
TG948DD		5-40
TG948ED		3mm
TG948AR [†]		6-48
TG948BR		3-56
TG948CR	Red	2.6mm
TG948DR		5-40
TG948ER		3mm
TG948AG [†]		6-48
TG948BG		3-56
TG948CG	Green	2.6mm
TG948DG		5-40
TG948EG		3mm
TG948UD*	DUAL•COLOR	
TG948UR*	Red	Universal
TG948UG*	Green	

Please check gun chart on pages 42-43 for specific gun models. * Please note: TG948UD / TG948UR / TG948UG includes thread adapters for 6-48 / 3-56 / 2.6mm / 5-40 / 3mm threads. † On some REMINGTON® Shotguns, sight will install properly, but end of sight may extend slightly beyond end of ventilated rib.

UNIVERSAL DUAL



LONG•BEAD[™] & LONG•BEAD[™] UNIVERSAL

BEAD REPLACEMENT SIGHT FOR VENTILATED RIB SHOTGUNS

- CNC-machined
- Fiber diameter is .078"
- Fiber length is 0.5"
- Universal model includes different size mounting screws

UNIVERSAL MODEL	COLOR
TG947UR*	Red
TG947UG*	Green



MODEL	COLOR	THREAD SIZE
TG947ARM [†]		6-48
TG947BRM		3-56
TG947CRM	Red	2.6mm
TG947DRM		5-40
TG947ERM		3mm
TG947AGM [†]		6-48
TG947BGM		3-56
TG947CGM	Green	2.6mm
TG947DGM		5-40
TG947EGM		3mm

Please check gun chart on pages 42-43 for specific gun models. * Please note: TG947UR / TG947UG includes thread adapters for 6-48 / 3-56 / 2.6mm / 5-40 / 3mm threads. † On some REMINGTON® Shotguns, sight will install properly, but end of sight may extend slightly beyond end of ventilated rib.

UNIVERSAL

STARBRITE DELUXE[™]

BEAD REPLACEMENT SIGHT FOR VENTILATED RIB SHOTGUNS

- Our smallest diameter bead replacement
- CNC-machined
- Fiber diameter is .060"
- Fiber length is 0.25"
- Endorsed by Ducks Unlimited



MODEL	COLOR	THREAD SIZE
TG954AR		6-48
TG954BR		3-56
TG954CR	Red	5-40
TG954DR	Reu	2.6mm
TG954ER		3mm
TG954FR		3-56 short thread (Ruger)
TG954AG		6-48
TG954BG		3-56
TG954CG	Green	5-40
TG954DG	Green	2.6mm
TG954EG		3mm
TG954FG		3-56 short thread (Ruger)

Please check gun chart on pages 42-43 for specific gun models.







SLUG / RIFLE / MUZZLELOADER

FRONT AND REAR SIGHT SETS

PRO•SERIES[™] SLUG GUN SIGHTS

3-DOT SIGHTS WITH ELEVATION RAMP FOR VENTILATED RIB SHOTGUNS

- Our ultimate slug gun sight
- All steel construction
- Securely mounts to your rib without tape or magnets
- Full windage and elevation adjustment
- Front diameter is .029"
- Rear diameter is .035"

MODEL COMPATIBLE GUN MODELS

TG962A	Fits most Charles Daly and Remington models
TG962B	Fits most Mossberg, Weatherby and Winchester (excluding SX3) models
TG962C	Fits most Beretta Field Grade, Franchi, Browning Gold / A-5 and Winchester SX3 models
TG962D	Fits most Benelli Super Black Eagle / M1 / Nova, Browning BPS / Ruger Red Label, Stoeger Model 2000 and Savage models

Please check gun chart on pages 42-43 for specific gun models.







SLUG GUN SERIES

3-DOT REPLACEMENT SIGHTS FOR FACTORY DOVETAILS

- Dovetail mount built to manufacturers' specifications
- Full windage and elevation adjustment
- CNC-machined metal and composite construction
- Front fiber diameter is .035"
- Rear fiber diameter is .035"

MODEL	COMPATIBLE GUN MODELS
TG961M	Mossberg
TG961R	Remington
TG961W	Winchester







SLUG / RIFLE / MUZZLELOADER

FRONT AND REAR SIGHT SETS

TFX[™] PRO REMINGTON[®] SIGHTS

TRITIUM + FIBER-OPTIC XTREME SIGHT SET FOR REMINGTON MODELS

Uses the brightest Swiss

Front sight utilizes TFO[®] technology for 24/7 Brightness

tritium available

Quick and Accurate U-Notch rear sight design.



 No batteries Concealed f be seen by t Fits Reming 	îber cannot			1	
MODEL	REAR SIGHT	FRONT SIGHT	FIBER-OPTICS	TRITIUM	NOTCH STYLE

ASSEMBLED IN	TFX [™] SEALED	FOCUS	U-NOTCH	ALL-STEEL
	CAPSULE	LOCK	REAR SIGHT	CONSTRUCTION

FIBER-OPTIC REMINGTON[®] SIGHTS

FIBER-OPTIC SIGHT SET FOR REMINGTON MODELS

Fits most newer model Remingtons, including 700 Series muzzleloaders

- Full windage and elevation adjustment
- Includes front and rear fiber holders
- CNC-machined steel construction
- Front diameter is .050"
- Rear diameter is .035"



MODEL TG110W

> Excludes newer 700 / 7500 / 760 models with one-piece front sight design. Excludes Takedown® model

30

31



SLUG / RIFLE / MUZZLELOADER

FRONT AND REAR SIGHT SETS

LEVER ACTION RIFLE

3-DOT REPLACEMENT SIGHTS FOR POPULAR LEVER ACTION MODELS

- Replaces existing factory sights
- Front diameter is .060"

CNC-machined

- Rear diameter is .035"
- Full windage and elevation adjustment

MODEL	HEIGHT (FRONT)	COMPATIBLE GUN MODELS
TG109	.343"	Marlin 336 Rifle Set
TG112	.450"	Winchester 94 / Henry Golden Boy .22LR / Marlin Guide Rifles / Henry Big Boy .44MAG
TG114	.500"	Henry Golden Boy .22MAG / .17HMR / Henry Big Boy .357 / .45 Colt

Listed heights are measured from the bottom of the dovetail. For rifle length barrels – Not for carbine barrels.






3/8" METAL DOVETAIL FRONT SIGHTS

REPLACEMENT FIBER-OPTIC FRONT SIGHTS FOR A VARIETY OF FIREARMS.

- Fits any standard 3/8" dovetail
- CNC-machined steel construction
- Fiber diameter is .060"

MODEL	COLOR	HEIGHT
TG95343RR	Red	.343"
TG95450RR		.450"
TG95500RR		.500"
TG95530RR		.530"
TG95343RG	Green	.343"
TG95450RG		.450"
TG95500RG		.500"
TG95530RG		.530"

Listed heights are measured from the bottom of the dovetail.





MUZZLE•BRITE[™] XTREME UNIVERSAL SERIES

REPLACEMENT FIBER-OPTIC SIGHT SETS FOR MUZZLELOADERS


- Universal mounting system for in-line muzzleloaders
- Model TG131ML includes Tritium + Fiber-Optic Technology for 24/7 brightness
 - **TFO**[®] Tritium + Fiber-Optic technology for a bright sight picture in all lighting conditions.

MODEL



TFO®

TRITIUM / FIBER OPTIC



- Full windage and elevation adjustment
- Front diameter is .040"







DESCRIPTION


TG131ML TFO® Notched rear sight / TFO® Standard front sight MODEL DESCRIPTION

TG958X Interchangeable rear ghost ring and notched rear sight / Standard front sight



CONSTRUCTION

CNC MACHINED



RIMFIRE / AIRGUN

FRONT AND REAR SIGHTS

RIMFIRE PISTOL FIBER-OPTIC FRONT SIGHT

Easy installation

REPLACEMENT SIGHT FOR POPULAR RIMFIRE TARGET PISTOLS

- Replaces existing front sight
- Extremely bright in low-light conditions
- Front diameter is .060"
- Height is approximately .445"
- CNC-machined

ALL-METAL CONSTRUCTION

MODEL	COLOR	DESCRIPTION
TG965R	Red	Fits most Ruger® MKII™, MKIII™, 22 / 45™ and
TG965G	Green	Browning [®] Buck Mark [™] rimfire pistols

Please note: Not suited for use with Ruger® tapered barrel designs or 22/45 LITE models. Does not fit Buck Mark[™] contour models.



Replaces existing front sights

CNC-machined

MODEL

TG975R

TG975G

- Front diameter is .060"
- Height is approximately .400"





Please note: Not suited for use with Marlin® hooded front sight models.

COLOR

Red

Green



RIMFIRE RIFLE FIBER-OPTIC SIGHT SET

REPLACEMENT SIGHT FOR POPULAR RIMFIRE RIFLES

FIBER-OPTIC FRONT SIGHT FOR COMPETITION AIRGUNS

- Replaces existing factory sight
- Front diameter is .060"
- **CNC-machined**
- Rear diameter is .035"

"Match" models thread into existing

precise canting alignment

18mm and 22mm front sight housings

"Match" models include locking ring for

dovetails and includes optional sunshade

Model TG925G fits most popular airgun front







CNC

MACHINED

MODEL	HEIGHT (FRONT)	COMPATIBLE GUN MODELS
TG111W	.500"	Ruger® 10/22 rifle

AIRGUN GLOBE SIGHTS

Please note: Not compatible with TAKEDOWN™ Models

Revolutionary design for airguns

Extra-long, wrapped fiber-optics

in a protective housing

Easy installation

Ultra-bright aiming point



	Shown with detachable
0	sunshade

MODEL	COLOR	FIBER DIAMETER	DESCRIPTION
TG920G	Green	.029"	Globe Sight Match M18
TG921G			Globe Sight Match M22
TG925G			Globe Sight Airgun





CHOKETUBES

Make the most of your pattern, shot after shot.





GSX GOBBLE•STOPPER[™] XTREME

PATTERN

MACHINED

TURKEY CHOKE TUBE COMBO

PRODUCT FEATURES

- Our best selling turkey choke
- Precision CNC-machined
- Accepts most turkey loads. including Hevi•Shot
- Endorsed by the National Wild Turkey Federation
- Includes TG94 GOBBLE•DOT[™] Universal Fiber-Optic Sights (See page 23 for features)

TG173XC

Fiber-Optic Sights Included

TG94 GOBBLE•DOT[™] Universal Fiber-Optic Sights.



MODEL SPECS

GAUGE	SSX MODEL	GSX MODEL	COMPATIBLE GUN MODELS	
	TG150XC (.643)	TG170XC (.665)	Remington® Remchoke 870 / 1100 / 11-87 / 887; Charles Daly® pumps / semi-automatics / Mossberg® Pro-Factor™ PF3	
	TG150AXC (.643)	TG170AXC (.665)	Remington® Pro Bore	
	TG151XC (.670)	TG171XC (.695)	Mossberg® 3.5 AccuChoke 835 Ulti-Mag / 935 Magnum	
12	TG152XC (.643)	TG172XC (.665)	Winchester® Winchoke 1200 / 1300 / 1400; Browning® Invector Series; Charles Daly® O/U; H&R® (excluding Excell automatic); Ithaca; Maverick Arms® 88™; Mossberg® 500 / 535 / 9200 / 930; New England Firearms®; SKB®; Stoeger® Coach / Condor / Uplander; Weatherby® / Mossberg® Pro-Factor™ PF1	
-	TG153XC (.643)	TG173XC (.665)	Benelli® Crio	
	TG154XC (.643)	TG174XC (.665)	Beretta® OptimaChoke Plus	
	TG154AXC (.643)	TG174AXC (.665)	Beretta® OptimaChoke HP	
	TG155XC (.643)	TG175XC (.665)	Benelli® / Beretta® Mobilchoke; Franchi®; Stoeger® pumps / semi-automatics / Mossberg® Pro-Factor™ PF2 Silver Reserve	
	TG156XC (.643)	TG176XC (.665)	Browning® Invector Plus; Winchester® Super X2 / X3 / Supreme; Sako / Tikka	
20	TG157XC (.550)	TG177XC (.565)	Remington® Remchoke and most Charles Daly® / Mossberg® Pro-Factor™ PF3	
20	TG158XC (.550)	TG178XC (.565)	Winchester® WinChoke; Maverick Arms® 88°; Mossberg® AccuChoke 500 / 505 / 510 Mini / Mossberg® Pro-Factor® PF1	

CHOKE TUBES

AWARD WINNING

CNC MACHINED










PRODUCT FEATURES

- The ultimate "screw-in" choke tube for waterfowl, wing and clay
- Allows shooter to quickly change settings without tools - simply turn the collar and click into position
- Choke settings are laser engraved
- Patterns from Cylinder to XX Full
- Recommended for shot sizes up to No. 1
- Endorsed by Ducks Unlimited



ruglo

Please note: All settings are approximate.

MODEL SPECS

GAUGE	TITAN MODEL	COMPATIBLE GUN MODELS	
	TG1000 (Adj.)	Remington® Remchoke 870 / 1100 / 11-87 / 887; Charles Daly® pumps / semi-automatics / Mossberg® Pro-Factor™ PF3	
	TG1002 (Adj.)	Winchester® Winchoke 1200 / 1300 / 1400; Browning® Invector Series; Charles Daly® O/U; H&R® (excluding Excell automatic); Ithaca; Maverick Arms® 88"; Mossberg® 500 / 535 / 9200 / 930; New England Firearms®; SKB®; Stoeger® Coach / Condor / Uplander; Weatherby® / Mossberg® Pro-Factor [™] PF1	
12	12 TG1004 (Adj.) Beretta® OptimaChoke Plus		
	TG1005 (Adj.)	Benelli® / Beretta® Mobilchoke; Franchi®; Stoeger® pumps / semi-automatics / Mossberg® Pro-Factor™ PF2 Silver Reserve	
	TG1006 (Adj.)	06 (Adj.) Browning® Invector Plus; Winchester® Super X2 / X3 / Supreme; Sako / Tikka	
20	TG1007 (Adj.)	Remington® Remchoke and most Charles Daly® / Mossberg® Pro-Factor™ PF3	

35



ACCEPTS ALL WATERFOWL LOADS **INCLUDING STEEL & HEVI-SHOT**

TG1005

CLICK SHOOT

10214.21





TARGETS & ACCESSORIES

The critical components that help you make the most of your gear and your time – at the range or in the field.

RUGLE

37

TRU-SEE[™] TARGETS HIGH-VISIBILITY REACTIVE / SPLATTER TARGETS




Self-Adhesive Repair Dots

Cover your hits and shoot again! Included repair dots extend target life.



ACCU•GRID Precision Sighting System

Accurate 1/4" measurements help you make precise sight adjustments.



PRODUCT FEATURES

- Ideal for shotguns, handguns, rifles, muzzleloaders and airguns
- Point-of-impact visibility is enhanced by a fluorescent green or pink halo
- Flat finish with fluorescent green or pink background is easy to see downrange
- Self-adhesive replacement dots extend target life (Not available on Turkey target)
- Shoot target as is or peel-and-stick the target to your favorite backstop
- Printed on heavy stock paper with a self-adhesive backing for increased target life

6-PACK	12-PACK	50-PACK	DESCRIPTION	COLOR
TG11A6	TG11A12	TG11A50	5 D #	Green
TG11P6	-	-	5-Bullseye	Pink
TG14A6	TG14A12	TG14A50	5-Diamond	Green
TG14P6	-	-	5-Diamond	Pink
TG13A6	TG13A12	TG13A50	Handgun	Green
TG13P6	-	-	Handgun	Pink
TG10A6	TG10A12	TG10A50	100 Yard	Green
TG12A6	TG12A12	-	Turkey	Green

MODEL SPECS

EASY TO SEE ACCU•GRID DOWNRANGE SIGHTING SYSTEM

SYSTEM TARGETS

PEEL-AND-STICK SELF-TARGETS REPA

GREEN

SELF-ADHESIVE REPAIR DOTS

PINK



TRU•BRITE[™]

10 x 42MM OPEN BRIDGE BINOCULARS

PRODUCT FEATURES

- Compact roof / BAK-4 prism design with phase coated prisms
- Single, ergonomic adjustment wheel for both focus and diopter settings
- Lockable diopter
- Long eye relief for use with eyewear
- Twist-up eyecups with click stops
- High transmission silver coating on prisms
- Textured surface provides a non-slip grip in all weather conditions
- Non-reflective matte finish
- Includes protective case

Neoprene Strap Included

Comfortable padded neck strap supports your TRU•BRITE™ binoculars for easy access.



Single Wheel Adjustment

Click adjustment wheel back to set diopter adjustment, then lock-in your diopter setting and click the wheel forward to adjust focus.



5	15	
R		9
		TG91042G

MODEL	TG91042G
MAGNIFICATION	10x
OBJECTIVE DIAMETER	42mm
FOV (ANGULAR)	6.5 degrees
FOV (FT @ 1000 YDS)	345
CLOSE FOCUS	8.2 feet
EXIT PUPIL DIAMETER	4.20mm
INTERPUPILLARY DISTANCE	58-73mm
EYE RELIEF	15mm
DIOPTRIC COMPENSATION	-4 / +4
DIOPTRIC ADJUSTMENT	Lockable diopter / center adjustment wheel
PRISM TYPE / COMPOSITION	Roof / BAK-4 Glass
COATING	Fully multi-coated / phase coated prisms
PROTECTIVE CASE	Yes
NEOPRENE SHOULDER STRAP	Yes
UNIT DIMENSIONS (HxWxD)	146x128x51mm
WEIGHT (OUNCES)	23.77

WATER SHOCK NITROGEN FOG MATTE FROOF RESISTANT GAS-FILLED PROOF FINISH

HUNTER'S LITE[™]

- Multi-functional task light
- Hands-free operation
- Dual-position ON / OFF switch
- Flexible neck retains desired position
- Includes removable clip for convenient attachment to hats, belts, or jackets
- Attaches directly to clothing or other sporting equipment
- Bright blue LED

IODEL	LIGHT COLOR
G982B	Blue

GLO•BRITE[™] PAINT KITS

- Increase visibility of firearm sights, adjustment knobs, and other details with high-visibility paints
 Adhere to match, plastic
- Adheres to metal, plastic, and many other materials with proper application

GHOST GLOW PAINT KIT

MODEL	DESCRIPTION
TG985B	3 high-visibility gun sight coatings (green, orange and yellow) / 3 light-activated luminescent gun sight coatings (yellow, orange and green)

BRITE SIGHT PAINT KIT

MODEL DESCRIPTION

TG985A 5 high-visibility gun sight coatings (red, white, green, orange and yellow)

38

REPLACEMENT FIBERS

- Replacement fiber-optic material for firearm and archery sights
- Efficient light transmission and vibrant color
- Available in a wide variety of colors and sizes



MODEL	LENGTH	DIAMETER	COLOR / QUANTITY
TG08A		.029'' (0.75mm)	Dad (1) Graan (2) Valley (2)
TG08D		.019" (0.50mm)	Red (1), Green (2), Yellow (2)
TG08M	9"	Multi-diameter: .019" / .029" (0.50mm) / (0.75mm)	Red (1x .019", 1x .029"), Green (1x .019", 1x .029"), Yellow (1x .019", 1x .029")
TG09B		.010" (0.25mm)	Blue (5)
TG09G		.010 (0.23(11(1))	Green (5)
TG05A		.029" (0.75mm)	
TG05B		.040" (1mm)	
TG05C		.060" (1.5mm)	Red (1), Green (1), Yellow (1), Ruby Red (1), Orange (1)
TG05D		.019" (0.50mm)	Kaby Ked (I), Olarige (I)
TG05E	5.5"	.078" (2mm)	
TG05F		.100" (2.5mm)	Ruby Red (3), Green (2)
TG05CD		.060" (1.5mm)	
TG05ED		.078" (2mm)	DUAL•COLOR Red center / Green outside (5)
TG05FD		.100" (2.5mm)	

Please note: Fiber diameter and length may vary per sight or installation application. Please check actual sight model before ordering.

REPLACEMENT BATTERIES

 Replacement lithium batteries for TRUGLO[®] and other brand lights and electro-optical sights

MODEL	DESCRIPTION
TG988B	For HUNTER'S LITE [™] model TG982B (2 per pack, 3V-CR2016)
TG988C	For all TRUGLO® Dot Optics and Illuminated Scopes (2 per pack, Lithium 3V-CR2032)



PICATINNY RISER MOUNTS

- Mounts to existing Picatinny rail
- CNC-machined aluminum
- Easy to install without modification
- Ideal for mounting scopes or dot optic sights
- Great for any AR-15 flattop

MODEL	STYLE	LENGTH	HEIGHT	MOUNTING	FINISH	
TG8970B			1/2"			
TG8980B		4"	3/4"	Picatinny rail mount with recoil lug	Anodized matte black	
TG8990B	1-Piece					
TG8971B (Fits TG8020B Red Dot)		2"	1"			
TG8972B			1/2"	recoiling		
TG8982B	2-Piece	1.36" Each	3/4"			
TG8992B			1"			



PICATINNY MOUNTING ADAPTER

- Converts 3/8" mounting bases into Picatinny or Weaver-style mounts
- Mounts to existing 3/8" rail
- CNC-machined aluminum
- Integrated adjustable recoil lug

MODEL	MOUNTING	FINISH
TG8953B	Picatinny rail mount with recoil lug	Anodized matte black

Accommodates all standard scope setups

Easy to install without modification





SERIES / MODEL	LENGTH (inches)	LENGTH WITH SUNSHADE (inches)	WEIGHT (ounces)	POWER / OBJECTIVE LENS (x / mm)	OPTIC HEIGHT**	CO-WITNESS HEIGHT* (inches)	FIELD OF VIEW (feet@ 100yards)	EYE RELIEF (inches)	PARALLAX SETTING (in yards)	CLICK VALUE (inches@100yds)	RANGE OF ADJUSTMENT (inches@100yds)	RETICLE COLOR	RETICLE TYPE	BATTERY
DUAL-COLOR / N	IULTI•RETIC	LE												
TG8030MB	3.82	-	8.1	1X30	1.59	1.00	68	Unlimited	30	1	30	••	4 Reticle Patterns	CR2032
TG8030MB2	5.55	-	10.3	2X42	1.83	1.00	34	Unlimited	60	0.5	30	• •	4 Reticle Patterns	CR2032
DUAL+COLOR														
TG8030DB	3.82	-	7.0	1X30	1.59	1.00	68	Unlimited	30	1	30		5-MOA Dot	CR2032
TG8030DBR	4.37	-	8.5	1X30	_	-	68	Unlimited	30	1	30		5-MOA Dot	CR2032
TG8030GB/GA	3.82	5.83	8.1	1X30	1.59	1.00	68	Unlimited	30	1	30		Circle Dot	CR2032
TRADITIONAL														
TG8030B/A	3.82	-	7.0	1X30	1.59	1.00	68	Unlimited	30	1	30	•	5-MOA Dot	CR2032
TG8030P	3.82	-	7.0	1X30	1.59	1.00	68	Unlimited	30	1	30	•	5-MOA Dot	CR2032
TG8040B	3.82	-	7.9	1X40	1.94	1.15	80	Unlimited	30	1	30	•	5-MOA Dot	CR2032
TG8030B2	5.50	-	9.2	2X42	1.83	1.00	34	Unlimited	60	0.5	30	•	2.5-MOA Dot	CR2032
TRI-COLOR														
TG8020B	2.83	-	6.4	1x20	1.34	0.95	46	Unlimited	30	1	30		5-MOA Dot	CR2032
TG8230B	3.85	-	8.0	1x30	1.61	1.02	68	Unlimited	30	1	30		5-MOA Dot	CR2032
TG8230GB	3.85	5.83	9.1	1x30	1.61	1.02	68	Unlimited	30	1	30		Circle Dot	CR2032
OPEN (Tubeless)														
TG8360B	3.23	-	4.4	1X34	1.87	1.40	74	Unlimited	30	1	30	• •	4 Reticle Patterns	CR2032
TG8365B	3.43	4.25	5.5	1x28	2.13	1.58	68	Unlimited	30	1	30	$\bullet \bullet \bullet$	4 Reticle Patterns	CR2032
TG8370B/C	3.54	-	4.3	1x34	1.87	1.40	74	Unlimited	30	1	30		5-MOA Dot	CR2032
TG8380B/BN	3.27	_	5.5	1x34	2.0	1.53	74	Unlimited	30	1	30	••	4 Reticle Patterns	CR2032
TG8385B/BN	3.48	-	5.5	1x34	2.0	1.53	74	Unlimited	30	1	30	• •	5-MOA Dot	CR2032

Measured as the height between the top of the Weaver / Picatinny rail and the center of the optic.

** Measured from top of Weaver / Picatinny rail to the top of optic (excluding turrets, buttons, etc)

DOT

A traditional dot is great for simplicity, familiarity and speed. Our dot reticles are available in a variety of sizes and colors. A smaller dot is generally more precise, but a larger dot is faster to acquire and align.

CENTER DOT

Our Center Dot reticle combines a traditional dot with a reference ring for faster acquisition. Listed size (in MOA) identifies the size of the central dot.

CROSSHAIR

The illuminated Crosshair reticle provides a large shape that can be found quickly, and then centered for alignment like a traditional telescopic sight.

PEEP

Our Peep reticle combines the Crosshair and Center Dot designs. Vertical and horizontal bars help the reticle to be found and positioned quickly, then the small central dot is used for precise aiming. Listed size (in MOA) identifies the size of the peep opening. (Negative space)





41

SERIES / MODEL -		DIMENSIONS (inches)						WEIGHT MAG.	OBJ. DIA.	FIELD OF VIEW (feet@100yards)		EYE RELIEF (inches @ .75 diopter)		PARALLAX	CLICK VALUE	RANGE OF ADJUSTMENT (inches. all	RETICLE TYPE	BATTERY	
														(yards)	(inches @100yds.)	directions from center @100yds.)	KENIGEL I I I E	EstitEitt	
TRU•BRITE [™] XTRE	TRU-BRITE" XTREME																		
TG8539BXB	11.12	4.25	1.47	1.40	1.80	2.01	1.00	17.3	3-9	44	12.1	37.4	4.75	5.50	100	0.25	30.0	2 Color IR BDC (Centerfire)	CR2032
TG8539LXB	13.11	6.46	2.46	2.68	1.80	2.01	1.00	18.2	3-9	44	11.52	32.25	4.3	4.3	100	0.25	35.0	2 Color IR BDC (Centerfire)	CR2032
TG8531BXB	12.20	5.00	2.09	1.65	1.80	2.01	1.00	17.5	3-12	44	8.6	31.1	4.50	5.00	100	0.25	20.0	2 Color IR BDC (Centerfire)	CR2032
TG8541BXB	13.89	5.12	2.17	1.57	1.80	2.36	1.00	22.8	4-16	50	5.7	24.2	4.50	5.00	15 - ∞	0.25	20.0	2 Color IR BDC (Centerfire)	CR2032
TRU•BRITE [™] MUZZ	ZLELOAI	DER BD	с																
TG8531BLM	12.28	4.80	1.85	1.46	1.80	2.00	1.00	17.1	3-12	44	8.64	31.1	4.25	5.25	100	0.25	20.0	2 Color IR BDC (Muzzleloader)	CR2032
TRU•BRITE [™] 30 HU	INTER																		
T8514BC	9.88	5.70	2.81	1.50	1.67	1.18	1.18	13.0	1-4	24	23.03	92.60	3.15	3.70	50	0.50	50	Circle Duplex	-
COMPACT 4X32																			
TG8504BR	9.80	3.80	1.60	1.06	1.46	1.46	1.00	12.5	4	32	-	20.79	-	5.50	100	0.25	30.0	Duplex	-
TG8504BD/CD	9.80	3.80	1.60	1.06	1.46	1.46	1.00	12.5	4	32	_	20.79	-	5.50	100	0.25	30.0	Diamond Balllistic	-
TRUSHOT™																			
TG850432B	11.30	5.75	2.50	2.13	1.54	1.54	1.00	9.7	4	32	-	33.41	-	3.94	50	0.25	30.0	Duplex	-
TG852732B	12.72	6.54	2.95	2.36	1.65	1.54	1.00	12.9	2–7	32	12.67	41.47	3.15	3.35	100	0.25	30.0	Duplex	-
TG853932B	11.46	5.63	2.60	1.97	1.54	1.54	1.00	12.9	3–9	32	12.67	47.23	3.35	3.94	100	0.25	30.0	Duplex	-
TG853940B	12.12	5.62	2.54	1.93	1.54	1.85	1.00	13.7	3-9	40	12.67	41.47	3.15	3.94	100	0.25	30.0	Duplex	-
HUNT•TEC [™]																			
TG8504A	8.07	3.09	0.84	1.01	1.61	1.54	1.00	12.5	4	32	5.8°	-	4.50	-	100	0.50	40.0	Duplex	-
TG8504AL	8.06	3.24	1.1	0.97	1.58	1.54	1.00	13.2	4	32	5.6°	-	4.50	-	100	0.50	40.0	IR Duplex	CR2032

BDC

Bullet-Drop Compensating reticle can be easily calibrated to provide aiming points from 100 to 600 yards for centerfire loads and aiming points out to 300 yards for various muzzleloader bullet / powder combinations.

DUPLEX

Duplex reticle provides fast target acquisition in any lighting condition.

\bigcirc

CIRCLE DUPLEX

Duplex reticle provides fast target acquisition with a simple circular frame of reference for patterning shotguns, ranging targets, or simple holdover reference.

DIAMOND BALLISTIC

Specially designed for the deer or turkey hunter. Diamond reticle measures 5 inches at 40 yards.



UNIVERSAL SIGHTS	TURKEY / MUZZLELOADER SIGHTS	WING SIGHTS	BEAD REPLACEMENT SIGHTS	BEAD THREAD
Ribbed shotgun barrels (including tapered)	TG94, TG94D, TG950X, TG950XD, TG960	TG90, TG90D, TG90X, TG91, TG103UG, TG103UR, TG104G, TG104R	TG947UG, TG947UR, TG948UD, TG948UG, TG948UR, TG949, TG949D	_
Plain shotgun barrels — 12 or 20 ga.	_	TG92A, TG93A, TG92HA, TG93HA	_	-
Plain shotgun barrels — 410 ga.	_	TG92B, TG93B	_	-
Muzzleloaders – Round barrel contour only	TG131ML, TG958X	-	-	_
The above "Universal Sights" can be used in a	addition to any manufacturer specific sight listed be	elow.		
BERETTA®	TURKEY / SLUG SIGHTS	WING SIGHTS	BEAD REPLACEMENT SIGHTS	BEAD THREAD
AL390, AL391 Urika, A391 Xtrema, A400 Xplor Unico KO	TG941XC, TG944C, TG962C	TG905X, TG957C	TG947C, TG948C, TG948CD, TG954D	M2.6x0.45
Competition Models	_	_	TG947C, TG948C, TG948CD, TG954D	M2.6x0.45
BENELLI®	TURKEY / SLUG SIGHTS	WING SIGHTS	BEAD REPLACEMENT SIGHTS	BEAD THREAD
Legacy, M1 Field, Montefeltro, Super Black Eagle, Vinci. — 12 ga.	TG941XD, TG944D, TG962D	TG904X	TG947C, TG948C, TG948CD, TG954D	M2.6x0.45
Nova — 12 ga.	TG941XD, TG944D, TG962D	TG904X	TG947C, TG948C, TG948CD, TG954D	M2.6x0.45
Legacy, Montefeltro, Nova – 20 ga.	TG941XC, TG944C, TG962C	TG905X, TG957C	TG947C, TG948C, TG948CD, TG954D	M2.6x0.45
BROWNING®	TURKEY / SLUG SIGHTS	WING SIGHTS	BEAD REPLACEMENT SIGHTS	BEAD THREAD
Gold Series, A5	TG941XC, TG944C, TG962C	TG905X	_	M3x0.5
BPS, Gold Light 10	TG941XD, TG944D, TG962D	TG904X	TG947E, TG948E, TG948ED, TG954E	M3x0.5
BT-99, Citori, Cynergy	Ventilated ribs vary among 3/16" - 7/16"	Ventilated ribs vary among 3/16" - 7/16"	TG947E, TG948E, TG948ED, TG954E	M3x0.5*
Maxus, Silver	TG941XA, TG942XA, TG944A, TG945, TG962A	TG901X, TG902X, TG103	TG947E, TG948E, TG948ED, TG954E	M3x0.5
*M1200, Superposed & older Citori's have 3-5	6 threads. Bead replacement sights not recommer	nded for A5 series. Universal series sights are	e recommended for ribbed barrels.	
CAESAR GUERINI®			BEAD REPLACEMENT SIGHTS	BEAD THREAD
All Shotguns	_		TG947E, TG948E, TG948ED, TG954E	M3x0.5
CHARLES DALY®	TURKEY / SLUG SIGHTS	WING SIGHTS	BEAD REPLACEMENT SIGHTS	BEAD THREAD
All Shotguns	TG945, TG941XA, TG942XA, TG944A, TG962A	TG901X, TG902X, TG103	TG947E, TG948E, TG948ED, TG954E	M3x0.5
FRANCHI®	TURKEY / SLUG SIGHTS	WING SIGHTS	BEAD REPLACEMENT SIGHTS	BEAD THREAD
Field Models	TG941XC, TG944C, TG962C	TG905X	TG947E, TG948E, TG948ED, TG954E	M3x0.5
HENRY®	TURKEY / SLUG SIGHTS			
Golden Boy .22 LR / Big Boy .44 MAG	TG112		-	
Golden Boy .22 MAG / .17HMR, Big Boy .357 / .45 Colt	TG114		-	
ITHACA	TURKEY / SLUG SIGHTS	WING SIGHTS	BEAD REPLACEMENT SIGHTS	BEAD THREAD
Model 37 (with 5/16" ventilated rib)	TG941XD, TG944D, TG962D	TG904X	TG947A, TG948A, TG948AD, TG954A	6-48
All Shotguns	_	_	TG947A, TG948A, TG948AD, TG954A	6-48
MARLIN®	TURKEY / SLUG SIGHTS			
Rimfire Rifles	TG75G / TG75R		_	
Model 336 with front ramp	TG109		_	
Lever Action Guide Rifles with front ramp	TG112		-	
MOSSBERG®	TURKEY / SLUG SIGHTS	WING SIGHTS	BEAD REPLACEMENT SIGHTS	BEAD THREAD
500 Plain Barrel Shotgun	TG92A, TG93A	-	TG947D, TG948D, TG948DD, TG954C	5-40
500, 835, 9200 Shotgun	TG941XB, TG942XB, TG944B, TG962B	TG911X, TG912X	TG947D, TG948D, TG948DD, TG954C	5-40
Reserve Series O/U	_	_	TG947E, TG948E, TG948ED, TG954E	M3x0.5
695 Slug Gun	TG961M	_	_	_

NEW ENGLAND [®] / H&R [®] FIREARMS	TURKEY / SLUG SIGHTS	WING SIGHTS		
12 ga. Turkey Guns	_	TG92A, TG93A, TG92HA, TG93HA	_	
410 ga. Models	_	TG92B, TG93B	-	
Topper, Pardner, Excell	TG941XD, TG944D, TG962D	TG904X, TG945	_	
PERAZZI®			BEAD REPLACEMENT SIGHTS	BEAD THREAD
All Shotguns	—		TG947C, TG948C, TG948CD, TG954D	M2.6x0.45
REMINGTON®	TURKEY / SLUG / MUZZLELOADER SIGHTS	WING SIGHTS	BEAD REPLACEMENT SIGHTS	BEAD THREAD
870, 1100, 1187	TG941XA, TG942XA, TG944A, TG945, TG962A	TG957A*, TG901X, TG902X, TG103	TG947A [†] , TG948A [†] , TG948AD [†] , TG954A	***
SP-10	TG941XB, TG942XB, TG944B, TG962B	TG911X, TG912X	TG947A [†] , TG948A [†] , TG948AD [†] , TG954A	***
Shotgun Slug Barrels	TG961R, TG110W**	-	_	-
700 ADL, BDL, 7400, 7600 Rifles	TG961R, TG110W**	-	_	-
700 Series Muzzleloaders	TG110W	-	_	_
All Shotguns	_	-	TG947A [†] , TG948A [†] , TG948AD [†] , TG954A	6-48***

* ** ***

Excluding 2007 or later 870 Express. Only fits two-piece front sights. All 870 Express barrels and some 870, 1100 & 1187 barrels have pressed beads, which can easily be tapped by a gunsmith. Bead replacement not recommended for Model 11 series. Universal series sights are recommended for ribbed barrels. Sight will install properly, but end of sight may extend slightly beyond end of ventilated rib.

* Sight will install properly, but end of	sight may extend slightly beyond end of ventilated rib.			
RUGER®	TURKEY / SLUG / RIMFIRE RIFLE SIGHTS	WING SIGHTS	BEAD REPLACEMENT SIGHTS	BEAD THREAD
Red Label Shotguns	TG941XD, TG944D, TG962D	TG957E, TG904X	TG947B, TG948B, TG948BD, TG954F, TG954B	3-56
All Shotguns	_	-	TG947B, TG948B, TG948BD, TG954F, TG954B	3-56
10/22 Rifle (excludes Takedown®)	TG111W	-	-	-
SAVAGE [®] ARMS	TURKEY / SLUG SIGHTS	WING SIGHTS		
All Shotguns	TG941XD, TG944D, TG962D	TG904X	-	
SKB®			BEAD REPLACEMENT SIGHTS	BEAD THREAD
All Shotguns	-		TG947A, TG948A, TG948AD, TG954A	6-48
STOEGER®	TURKEY / SLUG SIGHTS	WING SIGHTS	BEAD REPLACEMENT SIGHTS	BEAD THREAD
Model 2000, P-350 Pump (all models)	TG941XD, TG944D, TG962D	TG904X	TG947C, TG948C, TG948CD, TG954D	M2.6x0.45
Condor Supreme, Uplander, Coach Gun & Double Defense	-	-	TG947D, TG948D, TG948DD, TG954C	5-40
TRADITIONS™	TURKEY / SLUG / MUZZLELOADER SIGHTS	WING SIGHTS		BEAD THREAD
Turkey II, Waterfowl II, ALS 2100 Field	TG945, TG941XA, TG942XA, TG944A, TG962A	TG901X, TG902X, TG103	-	_
VERONA	TURKEY / SLUG SIGHTS	WING SIGHTS	BEAD REPLACEMENT SIGHTS	BEAD THREAD
All Shotguns	TG945, TG941XA, TG942XA, TG944A, TG962A	TG901X, TG902X, TG103	-	Pressed Bead
WEATHERBY®	TURKEY / SLUG SIGHTS	WING SIGHTS	BEAD REPLACEMENT SIGHTS	BEAD THREAD
Orion (mfg by SKB)	TG941XB, TG942XB, TG944B, TG962B	TG911X, TG912X	TG947A, TG948A, TG948AD, TG954A	6-48
SA-08, PA-08 — 12 ga.	TG941XD, TG944D, TG962D	TG904X	TG947E, TG948E, TG948ED, TG954E	M3x0.5
Orion / Athena S/S — 12 / 20 ga. (tapered)	_	_	TG947E, TG948E, TG948ED, TG954E	M3x0.5
Orion / Athena O/U — 12 ga., 5A-08 — 20 ga.	TG941XA, TG942XA, TG944A, TG962A , No Tru•Point Sights	TG901X, TG902X, TG103	TG947E, TG948E, TG948ED, TG954E	M3x0.5
Orion / Athena O/U — 20 ga.	TG941XC, TG944C, TG962C	TG905X	TG947E, TG948E, TG948ED, TG954E	M3x0.5
WINCHESTER®	TURKEY / SLUG / RIFLE SIGHTS	WING SIGHTS	BEAD REPLACEMENT SIGHTS	BEAD THREAD
1200, 1300, 1400, Super X2 Shotguns	TG941XB, TG942XB, TG944B, TG962B	TG911X, TG912X	TG947B, TG948B, TG948BD, TG954B	3-56*
Super X3 Shotguns	TG941XC, TG944C, TG962C	TG905X	TG947E, TG948E, TG948ED, TG954E	M3x0.5**
1300 Slug Barrels	TG961W	-	-	_
1300 Defender	-	TG92A, TG93A, TG92HA, TG93HA	_	-
Model 94 Rifle (with front ramp only)	TG112	_	_	-

*Supreme and Super X2 barrels produced in 2003 or later have M3x0.5mm threads. **Current production WIN SX-3 have 3-56 front bead thread.

Please note that manufacturers may periodically change specifications. We suggest contacting the manufacturer directly regarding specifications before ordering.

COMMUNITY & CONSERVATION

TRUGLO[®] believes it is vitally important to support the hunting and shooting community in preservation of wild game, natural rights, youth training, and sporting competition.

NATIONAL WILD

TURKEY FEDERATION



ROCKY MOUNTAIN ELK FOUNDATION



ARCHERY TRADE ASSOCIATION MEMBER



YOUTH SHOOTING SPORTS ALLIANCE



HUNT OF A LIFETIME



DUCKS UNLIMITED, INC.



NATIONAL SHOOTING SPORTS FOUNDATION



AN INDUSTRY LEADER

IN OPTICS, FIREARM SIGHTS AND ACCESSORIES



Copyright © 2016 TRUGLO, Inc TRUGLO name, logo, and product trademarks are property of TRUGLO, INC. All other trademarks are property of their respective owners. TRUGLO reserves the right to change products, specifications, models and prices without notice. TRUGLO products are protected by one or more US and foreign patents.



TABLE OF CONTENTS

DOT-OPTICS

SCOPES

TACTICAL 30mm	
TRU•BRITE™ 30 SERIES	
TRU•BRITE™ XTREME	

HANDGUN SIGHTS

TFX™ PRO NEW MODELS AVAILABLE	18-19
TFX™ NEW MODELS AVAILABLE	
TFO [®]	
ALL NEW TRITIUM PRO	
TRITIUM	
FIBER-OPTIC	
GLOCK® FRONT SIGHT TOOL	

SHOTGUN & RIFLE SIGHTS

TFX™ PRO REMINGTON [®] SHOTGUN SIGHTS	26
TFO® TACTICAL SHOTGUN FRONT SIGHT	26
FIBER-OPTIC UNIVERSAL SHOTGUN SIGHT	26
FIBER-OPTIC AR-15 FRONT GAS BLOCK SIGHT	27
TFO® AR-15 FRONT SIGHT POST	27

LASERS

TRU•POINT™ LASER / LIGHT COMBO	
MICRO•TAC™ TACTICAL MICRO LASER	

ACCESSORIES & TARGETS

TAC•POD™ ADJUSTABLE BIPODS	32
TACTICAL SCOPE MOUNT	33
ALL NEW OFFSET PICATINNY MOUNT	33
PICATINNY RISER MOUNTS	33
MOUNTING ADAPTER	33
REPLACEMENT BATTERIES	34
TRU•SEE™ TARGETS	34

CHARTS

DOT-OPTICS TECHNICAL SPECIFICATIONS	5
SCOPE TECHNICAL SPECIFICATIONS	7
HANDGUN SIGHT FITTING CHART	3



TRU-TEC"XS

30MM RED DOT SIGHT WITH CANTILEVER MOUNT

2-MOA Red Dot



Absolute Co-Witness

Co-witness height matches A2 Front sight and standard flip-up sights for a consistent point of aim.



Motion-Sensing Wake / Sleep

When the optic or weapon is moved at all, the dot is on. When the weapon sits idle for a programmable amount of time (10min, 1hr, or 12hrs) the dot will sleep to save power, waiting for your next move.

Power Source

TG988C (3V-CR2032) Battery and spare battery tray included. See page 34 for replacement batteries.



Welcome the newest member of the TRU•TEC[™] team, TRU•TEC XS. Building on favorite features of TRU•TEC 20mm and 30mm units, the XS takes a bold new stance with a rugged cantilever mount, positioned perfectly for back-up iron sights and other optical accessories. With new motion-sensing technology, the dot wake ups instantly and powers down when sitting idle to provide years of battery life.

PRODUCT FEATURES

- Motion-sensitive wake feature automatically turns on the dot when the optic is moved
- 2-MOA reticle for precision aiming
- 30mm objective lens
- Digital push-button controls
- Multiple brightness settings
- Operates for thousands of hours on single CR2032 battery
- Programmable automatic sleep mode
- Click windage and elevation adjustments
- Machined aluminum cantilever Picatinny mount included

- Integrated lanyard system prevents loss of screw-down W/E caps
- Wide field of view

TRUGLO

- · Unlimited eye relief
- Optimal co-witness height for backup iron sights
- Flip-up lens caps included
- Ultra-durable design
- Water-resistant / fog-proof
- Mounts to standard Picatinny or Weaver-style rails
- Owner's manual included
- Requires one CR2032
 battery (included)



MODEL SPECS

MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	MOUNTING	BATTERY	
NEW TG8135BN	1 x 30mm	2-MOA Red Dot	Anodized Matte Black	Lightweight CNC- machined aluminum	Digital push- button controls	Click windage and elevation	Flip-up	Cantilever Picatinny mount included	3V-CR2032 Included	
								See page 36 for	additional specs	
				TION SENSITIVE	IDLE AUTO-OFF	ULTRA-LONG BATTERY LIFE	WATER RESISTAN	SHOCK RESISTANT	FOG PROOF	

TRU-TEC" 30MM

30MM RED DOT SIGHT WITH INTEGRATED LASER



TG8130GN Green Laser

2-MOA Red Dot

Power Source

See page 34 for

TG988F (3V-CR123A)

replacement batteries.

TRU•TEC[™] 30mm combines industry-leading features with tactile digital controls and an integral laser. Whether you want the dot in your optic or on your target, control is at your fingertips. Coated optics and a precise 2-MOA dot provide a bright, crisp image for superior accuracy. This robust system is shock resistant, water-resistant / fog-proof, and ready for just about anything.

PRODUCT FEATURES

TRUGLO

- Ultra-durable design
- 2-MOA Reticle for precision aiming
- Water-resistant / fog-proof
- 30mm objective lens
- Digital push-button controls
- Programmable auto-off feature
- Flip-up lens caps included
- Next-generation, high-efficiency Green (520nm, TG8130GN) or Red (650nm, TG8130RN) laser diode

- Laser is independently adjustable for windage and elevation
- Mounts to standard Picatinny or Weaver-style rails
- Integrated wire lanyard system prevents loss of screw-down W/E caps
- Wide field of view
- Requires one CR123A battery (included)
- Multi-coated lenses for enhanced clarity and contrast



Quick Detach Lever quickly attaches to any Picatinny rail.



Laser

can be independently adjusted for windage and elevation.





MODEL SPECS

MODEL	POWER / OBJECTIVE	RETICLE TYPE	LASER	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	MOUNTING	BATTERY	
TG8130BN			_								
TG8130GN	1 x 30mm	2-MOA Red Dot	Green	Anodized Matte	Lightweight CNC- machined aluminum	Digital push-button controls	Click windage and elevation	Flip-up	Integrated quick-detach	3V-CR123A Included	
TG8130RN			Red	Black					rail mount		
								and the second sec	THE WE	THE R. L.	0.

See page 36 for additional specs.

IDLE UL AUTO-OFF BA

ULTRA-LONG BATTERY LIFE WATER RESISTANT

T SHOCK RESISTANT

ANT FOG PROOF NTOA APPROVED & RECOMMENDED

TRU-TEC" 20MM

COMPACT 20MM RED DOT SIGHT



2-MOA Red Dot

With included high and low mounting bases, and the now available quick-detach mounting bases, TRU•TEC[™] 20mm is the go-to dot optic for nearly any weapon system. Compact and lightweight, TRU•TEC 20mm is ready for anything with a motion-sensitive auto-on and a programmable auto-off for years of reliable battery life. Coated optics and a precise 2-MOA dot provide a bright, crisp image for superior accuracy.

TG8120BN

High and Low Bases Included

CNC-machined aluminum maximizes strength while minimizing weight.

TRUGLO

Power Source

TG988C (3V-CR2032) See page 34 for replacement batteries.



TG8120QN Quick-Detach Lever

PRODUCT FEATURES

- 2-MOA reticle for precision aiming
- 20mm objective lens
- Quick-touch power on—tap anywhere on the optic to turn on
- Digital push-button controls
- Multiple brightness settings
- Ultra-long battery life—thousands of hours on a single battery
- Programmable auto-off feature (2hrs - 8hrs)

• Ultra-lightweight / compact design

TRUGLO

- · Click windage and elevation adjustments
- Wide field of view
- Unlimited eye relief
- Integrated Picatinny / Weaver-style
 mounting system
- Includes both low and high mounting bases
- Multi-coated lenses for enhanced clarity
 and contrast
- Requires one CR2032 battery (included)



MODEL SPECS

MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	MOUNTING	BATTERY	
TG8120BN			Anodized	Lightweight CNC-	Digital puch button	Clickwindogo		High and low mounts included		
NEW TG8120QN	1 x 20mm	2-MOA Red Dot	Matte Black	machined aluminum	Digital push-button controls	Click windage and elevation	Rubber	High quick-detach and standard low mount included	3V-CR2032 Included	
							•	See page 36 for a	dditional specs.	
MOTION SE AUTO-ON			JLTRA-LON BATTERY L		SHOCK RESISTANT	FOG PROOF	ULTRA LIGHTW		APPROVED COMMENDED	

TRITON" 30MM



30mm **TG8230RB**

TRI-COLOR DOT SIGHT WITH CANTILEVER MOUNT

10

5-MOA DOT

TRICOLOR

Power Source

TG988C (3V-CR2032) Battery and spare battery included. See page 34 for replacement batteries.



PRODUCT FEATURES

- 5-MOA dot for rapid alignment
- Three choices of reticle color for contrast against any target / background (red, green or blue) •
- Includes one-piece 30mm tactical mount with integrated adjustable recoil lug .
- Multi-coated lenses produce more than 95% light transmittance •
- Special anti-reflective interior eliminates stray light from appearing inside the sight .

Monolithic Mount Included

MODEL SPECS

MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	MOUNTING	BATTERY	
TG8230RB	1 x 30mm	5-MOA TRI•COLOR Dot	Anodized Matte Black	Lightweight CNC- machined aluminum	Rheostat controlled	Click windage and elevation	Flip-up	Cantilever Picatinny mount included	3V-CR2032	
							► Se	ee page 36 for add	ditional specs.	-Wall
				TRI COLOR	WATER RESISTANT	SHOCK RESISTANT	FOG PROOF	LIMITED LI		

TRUGLO

TRITON BOMM SOMM DOT SIGHT

TRI

3-MOA CENTER DOT Illuminated circle equals 20" at 25 yards.



Pressure Switch Bonus ON / OFF momentary pressure switch included.





- Detachable, extended sunshade eliminates glare from the front lens
- Multi-coated lenses produce more than 95% light transmittance
- Integrated Weaver-style mounting system •
- Includes bonus remote ON / OFF momentary pressure switch

MODEL SPECS

MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	MOUNTING	BATTERY	
TG8230TB									714 000070	
TG8230TBN (Boxed)	1 x 30mm	3-MOA TRI•COLOR Center Dot	Anodized Matte Black	Lightweight CNC- machined aluminum	Rheostat Click windage controlled and elevation		Flip-up	Integrated rail mount	3V-CR2032 Included	
							s s	ee page 36 for ac	ditional specs.	
10.15					OR RESISTA	NT SHOCK			ED LIFETIME RANTY	

DUAL • COLOR M | DUAL • COLOR 30MM DOT SIGHT

3-MOA CENTER DOT Illuminated circle equals 20" at 25 yards.



Power Source

Includes a spare battery storage compartment and spare battery. TG988C (3V-CR2032) See page 34 for replacement batteries.

30mm **TG8030TB**

SHOCK

RESISTANT

FOG

PROOF

- Detachable, extended sunshade eliminates glare from the front lens
- Multi-coated lenses produce more than 95% light transmittance
- Flip-up lens caps / lanyard system

MODEL SPECS

MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	MOUNTING	BATTERY	
TG8030TB	1 x 30mm	3-MOA DUAL•COLOR Center Dot	Anodized Matte Black	Lightweight CNC- machined aluminum	Rheostat controlled	Click windage and elevation	Flip-up	Integrated rail mount	3V-CR2032 Included	

COLOR

WATER

RESISTANT

TRUC

See page 36 for additional specs.

WARRANTY

LIMITED LIFETIME

GOING THE DISTANCE

500

TACTICAL 30MM

3-9 x 42MM ILLUMINATED-RETICLE RIFLE SCOPE WITH MOUNT




3-9 x 42mm TG8539TL

LIMITED WARRANTY

MIL-DOT Reticle

ILLUMINATED DUPLEX MIL-DOT

Enables the user to determine the distance of objects of a known size and provides quick trajectory and wind drift aiming reference.



Power Source

TG988C (3V-CR2032) See page 34 for replacement batteries. Bright 42mm **Objective Lens**

Monolithic. **Scope Mount**

PRODUCT FEATURES

Scope includes reversible, offset, monolithic 30mm scope mount • CNC-machined from aircraft grade aluminum

TRUGLO

- Scope includes two pre-calibrated BDC turrets in calibers .223 (55 grain) and • .308 (168 grain) to engage targets up to 600 yards away
- Reticle can be used in black without illumination
- Generous 4" eye relief

MODEL SPECS

MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	MOUNTING	BATTERY	
TG8539TL	3-9 x 42mm	Illuminated Duplex Mil-Dot	Anodized matte black	One-piece aircraft quality aluminum tube	Rheostat controlled	Durable leaf spring – fingertip adjustments. Interchangeable BDC elevation turrets	Flip-up	Monolithic aluminum mount included	3V-CR2032 Included	
- Alles							See	page 37 for add	litional specs.	Contraction of
58 A				DUAL WATE	ER SHOCK				D LIFETIME ANTY	

TRU-BRITE" 30 SERIES

30MM ILLUMINATED-RETICLE RIFLE SCOPE

TG8516TL ILLUMINATED POWER RING DUPLEX MIL-DOT Illuminated circle equals 24" at 30 yards.



TG8514BT DUPLEX MIL-DOT



TRU•BRITE[™] 30 Series offers the perfect combination of clarity, precision, and speed. Featuring a 30mm tube and your choice of 1-4x or 1-6x magnification, TRU•BRITE 30 provides a bright image and extremely wide field of view. With true 1x magnification, shooters can utilize an extremely fast sight picture and even take the shot with both eyes open.

LIMITED LIFETIME WARRANTY

1-6 x 24mm **TG8516TL**

Included Quick Zoom Lever

Power Source

For TG8516TL only: TG988C (3V-CR2032) See page 34 for replacement batteries.



PRODUCT FEATURES

- Scope includes reversible, offset, monolithic 30mm scope mount CNC-machined from aircraft grade aluminum
- Scope includes two pre-calibrated BDC turrets in calibers .223 (55 grain) and .308 (168 grain) to engage targets up to 800 yards away
- Reticle can be used without illumination (black)
- Generous 4" eye relief

BDC Turrets

Each TRU•BRITE[™] 30 scope includes two pre-calibrated BDC turrets in calibers .223 (55 grain) and .308 (168 grain) to engage targets up to 800 yards away.



1-4 x 24mm **TG8514BT**

MODEL SPECS

N	MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS		LENS CAPS	QUICK ZOOM LEVER	MOUNTING	
т	G8516TL	1-6 x 24mm	Illuminated Duplex Mil-Dot	Anodized matte	One-piece aircraft guality aluminum	Rheostat controlled	Durable leaf spring - fingertip adjustments.	Flip-up	Yes	Monolithic aluminum	
т	G8514BT	1-4 x 24mm	Duplex Mil-Dot	black	tube	-	Interchangeable BDC elevation turrets		No	mount included	

See page 37 for additional specs.

DUAL WATER COLOR RESISTANT SHOCK RESISTANT FOG LIMITE

LIMITED LIFETIME WARRANTY

TRU-BRITE"XTREME


4 x 32MM ILLUMINATED-RETICLE COMPACT RIFLE SCOPE

MIL-DOT



Mil-Dot Reticle

Enables the user to determine the distance of objects of a known size and provides quick trajectory and wind drift aiming reference.



A fixed 4-power scope has been a long-standing favorite for combat opticsenough magnification to give you that added distance and precision, but not enough to slow you down up close. TRU•BRITE™ XTREME builds on that idea with a Mil-dot reticle, built-in sunshade, dual-color illumination, and an available mount optimized for AR-15 / M4-style carbines.



Power Source For TG8504TL / TG8504TLN only: TG988C (3V-CR2032) See page 34 for replacement batteries.

PRODUCT FEATURES

- Models TG8504TL / TLN include Dual. Color reticle illumination (red and green)
- Reticle can be used in without illumination (black)
- Generous 4" eye relief

DUAL

COLOR

Fully-coated lenses provide maximum brightness, clarity and contrast

SHOCK

RESISTANT

NITROGEN

GAS-FILLED

FOG

PROOF

Durable, scratch-resistant, non-reflective matte finish

MODEL SPECS

LIMITED LIFETIME

WARRANTY

the second s										
MODEL	POWER / OBJECTIVE	RETICLE TYPE	FINISH	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	MOUNTING	BATTERY	
TG8504TL		Illuminated			Rheostat				3V-CR2032	
TG8504TLN (Boxed)	4 x 32mm	Mil-Dot	Anodized Matte	One-piece aircraft quality aluminum	controlled	Click windage	Elastic	Scope rings included	Included	
TG8504BTN (Boxed)	4 X 3211111	Mil-Dot	Black	tube	_	and elevation	Elasuc	scope nings included	_	
TG8504BT										
							Þ :	See page 37 for addi	tional specs.	

WATER

RESISTANT

RIFLE SCOPES

CARRY YOUR SIDEARM OUT OF THE DARK AGES.

BRITE-SITE" TFX PRO

NEXT GENERATION TRITIUM + FIBER-OPTIC XTREME HANDGUN SIGHTS



NEW! MODELS FOR 2017 • Ruger® American 9mm & 45 ACP

- Walther[®] CCP
- Walther® PPS M2

First we created the original TFO[®] day / night sight, then made it virtually indestructible with our hermetically-sealed TFX[™] capsules. Next, we took TFX[™] technology even further for professionals and shooters requiring maximum performance from their handguns—providing ultimate reliability, accuracy, and brightness no matter how tough things get. With even more models available in the TFX PRO lineup, it is even easier to top all of your favorite pistols with the world's best handgun sights.



TFX™ Pro **TG13GL1PC**

PRODUCT FEATURES

- Contrasting colored front sight FOCUS•LOCK
 ring for even faster focus
- Quick and accurate U-notch Design
- Angled rear sight edge for emergency one-hand operation
- All features of our popular TFX™ Handgun sights (page 20)
- Unmatched visibility in all shooting conditions 24/7
- Assembled in USA with quality Swiss Tritium for maximum brightness

- Glows-in-the-dark
- No batteries required
- Concealed fiber cannot be seen by target
- FORTRESS FINISH™ provides a permanent protective coating for maximum protection
- Fits standard holsters
- Evaluated and recommended by National Tactical Officers' Association (NTOA) field testers
- Patented

"ANY SUFFICIENTLY ADVANCED TECHNOLOGY IS INDISTINGUISHABLE FROM MAGIC..."

—ARTHUR C. CLARKE





Quick and Accurate U-Notch rear sight design





6

SMTH & NESSOI spenisfield, na usa

MODEL SPECS

and the							A DE LA COMPANY	10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -
	MODEL	FIBER-OPTICS	TRITIUM	SEALED CAPSULE	FOCUS·LOCK	NOTCH STYLE	REAR SIGHT PROFILE	
	TFX™ PRO	Green front and rear	Yes	Yes	Orange	U-notch	Hooked	
				Please see cha	rt page 38 for comple	ete listing of all sul	b-models and compatibility	
		U-NO REAR	TCH SIGHT	HOOKED REAR SIGHT PROFILE	DUTY PROVEN	24/7 BRIGHTNESS	ASSEMBLED IN THE USA	
	FOCL		EALED ULE	Fortress Finish	CNC-MACHINED STEEL	12-YEAR LIMIT WARRANTY	ED NTOA APPROVED & RECOMMENDED	Þ

HANDGUN SIGHTS

BRITE-SITE"



TRITIUM + FIBER-OPTIC XTREME HANDGUN SIGHTS

Sealed Capsule Design Provides maximum protection and durability.



Suppressor-Height Models Available for Glock[®] Pistols.

(TG13GL4A, TG13GL5A).

Glowing bright both day and night, TFX[™] sights are always ready. TFX[™] takes our award-winning Tritium + Fiber-Optic technology even further with all the features our customers requested: compact snagfree design, longer sight radius, and amazingly durable construction built to handle just about anything. Illuminating elements are encased inside a virtually indestructible chemical and shock-resistant capsule and the CNC-machined steel is protected with a rust-resistant FORTRESS FINISH[™]. The white FOCUS•LOCK ring surrounding the front fiber makes it even more visible, encouraging the eye to rapidly focus on the front sight for improved speed and accuracy. TFX[™] sights will amaze even the most discriminating shooters.




PRODUCT FEATURES

- Fully protected TFO[®] technology encapsulated in a virtually indestructible configuration
- Impervious to oils, chemicals, cleaning solvents
 and ultra-sonic cleaning processes
- Unmatched visibility in all shooting conditions 24/7
- Assembled in USA with quality Swiss Tritium for maximum brightness
- Glows-in-the-dark no batteries or light
 exposure required

- Front sight FOCUS•LOCK for fast and accurate shooting
- · Concealed fiber cannot be seen by target
- FORTRESS FINISH™ provides a permanent protective coating for maximum protection
- Fits standard holsters
- Evaluated and recommended by National Tactical Officers'
 Association (NTOA) field testers
- Patented

MODEL SPECS



HANDGUN SIGHTS

21

BRITE SITE

TRITIUM + FIBER-OPTIC HANDGUN SIGHTS

The better you can see your sights, the better you can shoot. We brought fiber-optics to the shooting sports industry decades ago for this very reason. TFO® pairs our fiber-optic sights with our tritium night sights to create a consistently bright sight picture—day or night! Our patented combination of Tritium and Fiber-Optic technologies unites the best of both worlds — providing the same bright sight picture whether you are in glaring daylight or complete darkness.



PRODUCT FEATURES

- The first of it's kind!
- Unmatched visibility in all shooting conditions 24/7
- Assembled in USA with quality Swiss Tritium for maximum brightness
- Glows-in-the-dark
- No batteries required

- Concealed fiber cannot be seen by target
- Available with green or yellow rear sights
- FORTRESS FINISH™ provides a permanent protective coating for maximum protection
- Snag resistant design / fits standard holsters
- Patented

MODEL SPECS

MODEL	FIBER-OPTICS	TRITIUM	SEALED CAPSULE	FOCUS·LOCK	NOTCH STYLE	REAR SIGHT PROFILE	
TFO®	Green front, Green or Yellow rear	Yes	-	-	Square-notch	Smooth	
			Please see chart p	bage 38 for compl	ete listing of all su	ub-models and compatibility.	ALL AL
	DUTY PROVEN	24/7 BRIGHTN	ESS ASSEMBLED		5 CNC-MAC STEEL	CHINED 12-YEAR LIMITED WARRANTY	



HANDGUN NIGHT SIGHTS


All New For 2017

All models are brand new, now including dedicated sights for Glock® MOS™, Ruger® American, and the Smith & Wesson® Bodyguard .380.



Quick and Accurate U-Notch rear sight design.







PRODUCT FEATURES

- Front sight FOCUS•LOCK ring for even faster focus
- Quick and accurate U-notch Design
- Angled rear sight edge for emergency one-hand operation
- Assembled in USA with quality Swiss Tritium for maximum brightness
- Unmatched visibility in low-light shooting conditions or complete darkness

- Utilizes quality Swiss tritium for maximum brightness
- Glows-in-the-dark no batteries or light exposure required
- FORTRESS FINISH™ provides a permanent protective coating for maximum protection
- Snag resistant design / fits standard holsters

MODEL SPECS

State of the second second							
	MODEL	FIBER-OPTICS	TRITIUM	FOCUS·LOCK	NOTCH STYLE	REAR SIGHT PROFILE	
	Tritium PRO	-	Yes	White	Square-notch	Hooked	
			Please	see chart page 38	for complete listing of all s	sub-models and compatibility.	
			NIC SIG		TCH HOOKED R SIGHT SIGHT PRO		
		FOCUS LOCK	FORTRESS FINISH	CNC-MACHII STEEL	NED 12-YEAR LIMITE WARRANTY	ED NTOA APPROVED & RECOMMENDED	

HANDGUN SIGHTS

BRITE-SITE" TRITILM

HANDGUN NIGHT SIGHTS

When the lights go out, your sidearm doesn't need to be left in the dark. Tritium night sights transition from standard white dot sights during the daylight, to glowing green dots in the dark. Tritium does not need batteries and does not need to be charged with light – it simply glows!



Daylight: Bright White Dots



Night: Green Tritium Dots



PRODUCT FEATURES

Unmatched visibility in low-light shooting conditions or complete darkness

TRITIUM

- Glows-in-the-dark
- Assembled in USA with quality Swiss Tritium for maximum brightness
- No batteries required
- FORTRESS FINISH™ provides a permanent protective coating for maximum protection
- Snag resistant design
- Fits standard holsters

MODEL SPECS

						-
MODEL	FIBER-OPTICS	TRITIUM	FOCUS·LOCK	NOTCH STYLE	REAR SIGHT PROFILE	
Tritium	—	Yes	-	Square-notch	Smooth	
		Please	see chart page 38	for complete listing of all s	ub-models and compatibility.	
	NIGHT SIGHTS	the second se		ORTRESS CNC-MAC	CHINED 12-YEAR LIMITED WARRANTY	

HANDGUN SIGHTS

BRITE SITE FIBER-OPTIC

FIBER-OPTIC HANDGUN SIGHTS

FORTRESS FINISH™ provides a permanent

protective coating for maximum protection

Fiber-optic

TG131G1

- Snag resistant design
- Fits standard holsters

MODEL SPECS

MODEL	FIBER-OPTICS	TRITIUM	FOCUS·LOCK	NOTCH STYLE	REAR SIGHT PROFILE	
Fiber-Optic	Red front, Green rear	-	-	Square-notch	Smooth	
		Please	see chart page 38	for complete listing of all s	ub-models and compatibility.	

DUTY	ASSEMBLED IN	FORTRESS	CNC-MACHINED
PROVEN	THE USA 📰 💳	FINISH	STEEL

TG970GF

GLOCK®FRONT SIGHT TOOL

ASSEMBLED IN THE USA

PRODUCT FEATURES

PRODUCT FEATURES

in low-light conditions

and rear colors

Fiber-optics for the brightest aiming points even

TRI•DOT™ aiming system of contrasting front

Concealed fiber cannot be seen by target

- Easily removes / installs Glock® and Walther® front sights
- All-steel construction

TRUGLO® TACTICAL 2017

ADVANCE.

UPGRADE YOUR SIGHTING SYSTEM TO BE MORE EFFECTIVE WHEN BRIGHTNESS COUNTS™.

TFX PRO[®] | REMINGTON[®] SHOTGUN SIGHTS

technology for 24/7 Brightness **Quick and Accurate** Uses the brightest Swiss U-Notch rear sight design. tritium available Glows-in-the-dark No batteries required Concealed fiber cannot be seen by target

Fits Remington® Shotguns with dovetail sight mounts



MODEL SPECS

	MODEL	REAR SIGHT	FIBER-OPTICS	TRITIUM	FOCUS+LOCK	
and the second s	TG13RM1PB	U-Notch	Yes	Yes	White	
		TFX SEALED	24/7 BRIGH	TNESS	12-YEAR LIMITED WARRANTY	ASSEMBLED IN

TACTICAL SHOTGUN FRONT SIGHT

Front sight utilizes TFO®

- Unbelievable transition through all light conditions
- Uses the brightest Swiss tritium available
- Glows-in-the-dark

TFO[®]

- Oversized fiber-optic for fast sight acquisition
- No batteries required
- Concealed fiber cannot be seen by target
- UNIVERSAL Fits 12 ga. shotguns without rib



MODEL SPECS

MODEL	FIBER-OPTICS	TRITIUM	FIBER COLOR		
TG131SG	Yes	Yes	Green		
				12-YEAR LIMITED	ASSEMBLED IN

FIBER-OPTIC | UNIVERSAL SHOTGUN SIGHT

- Designed for plain barrel shotguns
- Easy installation
- Extremely low profile
- Ultra-tough construction
- Fiber diameter is .078"
- UNIVERSAL Fits 12-20 ga. shotgun barrels without rib



FIT

MODEL	GAUGE	FIBER COLOR
TG92HA		Red
	12-20	
93HA		Green

FIBER-OPTIC | AR-15 FRONT GAS BLOCK SIGHT

27

sight in daylight or complete darkness.

Light Included For a bright front

- The industry's brightest AR-15 fiber-optic gun sight
- Extra-long, super bright, protected green fiber
- Integral mount for Picatinny rails
- Click elevation adjustment
- Designed to mount on lower front gas blocks



- Includes sight adjustment tool
- Includes optional push-button light for use in complete darkness
- CNC-machined construction



MODEL	MODEL FIBER-OPTICS TRITIUM		FIBER COLOR		
TG115	Yes	Yes	Green		
		24/7 BRIGHTNESS	PUSH-BUTTON	FORTRESS FINISH	CNC-MACHINED STEEL



TFO AR-15 FRONT SIGHT POST

Easily Upgrade A2-Style Front Sights

To be more effective with increased visibility in all lighting conditions and even complete darkness.





- Replaces sight post in A2-style front sights •
- Unbelievable transition through all light conditions
- Uses the brightest Swiss tritium available .
- Glows-in-the-dark

- No batteries required
- Click elevation adjustment
- Includes sight removal / installation tool •

MODEL SPECS

MODEL	FIBER-OPTICS	TRITIUM	FIBER COLOR		
TG131AR	Yes	Yes	Green		
	24/7 BRIGHTNESS		FORTRESS FINISH	CNC-MACHINED STEEL	12-YEAR LIMITED WARRANTY

BRIGHT SIGHTING SYSTEMS EXTERIONG BEYOND YOUR OWN WEAPON.

TRU-POINT"

LASER / LIGHT COMBO

Laser / Light Modes

Constant Laser

Flashlight

Flashlight and Laser

Quick-Detach Lever Quickly attaches to any Picatinny rail.



Versatile

Designed for maximum compatibly with rifle, pistol and shotgun.





Power Source TG988F (3V-CR123A) Batteries included. See page 34 for replacement batteries. Why choose between a light or a laser when you can have both? TRU•POINT brings the power of illumination options to the rail of your favorite weapon. With the flick of a switch, choose between a laser for pinpoint accuracy, a 250 lumen medium flood LED light for target identification, or run them at the same time for the best of both world's.



PRODUCT FEATURES

- Laser located in flashlight housing for a more compact design
- Interchangeable back plates for left or right-hand use included
- Mounts to standard Picatinny or Weaver-style rails
- Quick-detach lever for fast and easy, tool-less removal
- Powerful 520nm green laser (TG7650G)
- Powerful 650nm red laser (TG7650R)
- Operating temperature: 14°F (-10°C) to 122°F (50°C)
- Remote momentary pressure ON / OFF switch also included

SHOCK

RESISTANT

MODEL SPECS

2-YEAR LIMITED

WARRANTY

GREEN

LASER

RFD

LASER

MODEL	LASER COLOR	FINISH	CONSTRUCTION	MODES ADJUSTMENTS		MOUNTING	QUICK RELEASE	BATTERY	
TG7650G	Green	Satin	Lightweight			Integrated quick-detach	Quick-detach lever	2 x 3V-CR123A Included	
TG7650R	Red	black				rail mount			

WATER

RESISTANT

WEAPON LASERS

MICRO-TAC | TACTICAL MICRO LASER

Laser / Light Modes

Constant Laser

Pulse Laser

Pulsing laser quickly draws the eye and extends battery life.

Power Supply

TG988E (1.5V-AG4) Batteries and spare batteries included. TG7650G requires 6 batteries, TG7650R requires 4 batteries. See page 34 for replacement batteries.

EE

Now, even the smallest railed handguns can be outfitted with the brightest laser sights. Requiring only one rail slot and weighing-in just under one ounce, MICRO•TAC goes where you go—adding precise laser aiming to any weapon on the range, in your home, or even in your pocket.



PRODUCT FEATURES

- Next generation, high-efficiency superconductor laser diode
- Pulse and constant laser modes
- Powerful 520nm green laser (TG7630G)
- Powerful 650nm red laser (TG7630R)
- Easy ambidextrous push-button activation for left and right-handed users

Recessed ON / OFF buttons eliminate accidental activation

LASER

LASER

Automatically shuts down after 5 minutes

RESISTANT

- Mounts to standard Picatinny or Weaver-style rails
- Operating temperature: 14°F (-10°C) to 122°F (50°C)
- Weighs less than 1 oz.

MODEL SPECS

WARRANTY

1.00										
м	MODEL LASER COLOR FINISH		CONSTRUCTION	MODES	ADJUSTMENTS	MOUNTING	BATTERY			
то	G7630G	Green	Anodized Matte Black	Lightweight	• Constant	Windage and elevation	Integrated rail mount	1.5V-AG4 Included		
то	TG7630R	Red		CNC-machined aluminum	• Pulse					
				and the second second	WATER		D GREEN	2-YEAR LIMITED		

RESISTANT

COMPLETE YOUR SYSTEM

WITH THE CRITICAL PIECES THAT HOLD EVERYTHING TOGETHER.

TAC-PODTM | ADJUSTABLE FOLDING BIPODS



PRODUCT FEATURES

- Mounts to sling swivel stud or picatinny rail
- Lightweight and compact with quick deployment
- Great for bench or prone shooting
- Spring-assisted design
- Included sling stud adapter can be used without bipod for additional sling mounting options
- Models TG8901L and TG8902L feature long legs to accommodate standard-capacity detachable magazines

- Padded rubberized feet •
- Pivoting base for precision leveling on uneven surfaces •
- Lever lock for quick tension adjustments or complete locking •
- Durable construction for the harshest environments .

MODEL SPECS

E LITE							
MODEL	FINISH	CONSTRUCTION	BASE STYLE	MOUNTING	LENGTH		
TG8901S			Fixed base		6-9" (1/2" Increments)		
TG8901L		Lightweight all-metal construction with rubber feet		Sling swivel clamp or Picatinny	9-13" (1/2" Increments)		
TG8902S	Satin Black		Pivoting base	rail mount (included)	6-9" (1/2" Increments)		
TG8902L			Pivoung base		9-13" (1/2" Increments)		
	A STREET BEST					1	

32

FIT

ALL-METAL CONSTRUCTION

TACTICAL SCOPE MOUNT

- Available in 1" or 30mm diameter
- Mounts to Picatinny rails
- CNC-machined construction
- Reversible one-piece base
- 4 bolts per ring for an extremely strong hold
- Integrated adjustable recoil lug
- Centerline is approximately
 1.5" above mounting rail



MODEL	FINISH	LENGTH	HEIGHT	RING SIZE	MOUNTING	
TG8963B	Anodized	2 7/8" Base	10	1"		
TG8964B matte black		Z // O Base		30mm	Picatinny rail mount with recoil lug	



- 45° Angled mount
- Mounts to standard Picatinny / 1913 / Weaver rails
- Angled mount provides fast transition to backup optic
- Ideal for mounting lights/ lasers without blocking optical sight
- CNC-Machined 6061-T6 Aluminum
- Slim design minimizes weight and bulk
- Mounts in any configuration: left or right side, top or bottom rail



MODEL	FINISH	LENGTH	ANGLE	MOUNTING			
TG8975B	Anodized matte black	2"	45°	Picatinny rail mount with recoil lug			

PICATINNY RISER MOUNTS

- Mounts to existing Picatinny rail
- CNC-machined aluminum
- Easy to install without modification
- Ideal for mounting scopes or Red Dot sights
- Great for any AR-15 Flattop

MODEL	FINISH	STYLE	LENGTH	HEIGHT	MOUNTING	TCOOTOD	
TG8970B	Anodized matte black	1-Piece	l l	1/2"		TG8970B	
тд8980В				3/4"			
т68990В				1"	Picatinny rail mount		
TG8972B		2-Piece	1.36"	1/2"	with recoil lug		
TG8982B				3/4"		TG8972B	
ТG8992В				1"		1009/28	

PICATINNY MOUNTING ADAPTER

- Converts 3/8" mounting bases into
 Picatinny or Weaver-style mounts
- Mounts to existing 3/8" rail
- CNC-machined aluminum
- Integrated adjustable recoil lug
- Easy to install without modification
- Accommodates all standard scope setups.

 MODEL
 FINISH
 LENGTH
 HEIGHT
 MOUNTING

 TG8953B
 Anodized matte black
 35"
 5/8"
 MOUNTING: 3/8" dovetail with recoil lugg



REPLACEMENT BATTERIES


We're proud of the battery life of our optics, but for those who value always being prepared, it never hurts to have a spare battery on hand.

MODEL	MODEL COMPATIBILITY
TG988C	For TRUGLO® Dot Optic Sights and Illuminated Scopes (2 per pack) (3V-CR2032, Lithium)
TG988E	For MICRO•TAC™ Tactical Micro-Laser (12 per pack) (1.5V-AG4, Silver Oxide)
TG988F	TRU•TEC™ 30mm Red Dots and TRU•POINT™ Laser / Light Combo (2 per pack) (3V-CR123A, Lithium)



REACTIVE / SPLATTER TARGETS

Self-Adhesive Targets stick to almost any surface. Adhesive repair dots cover holes and extend target life.



PRODUCT FEATURES

- Ideal for all weapon types
- Point-of-impact visibility is enhanced by a fluorescent green or pink halo
- Flat finish with fluorescent green or pink background is easy to see downrange
- Shoot target as is or peel-and-stick the target to your favorite backstop
- Printed on heavy stock paper with a self-adhesive backing for increased target life

MODEL SPECS

TG13A

RUGLO

6-PACK	12-PACK	50-PACK	DESCRIPTION	COLOR
TG11A6	TG11A12	TG11A50	E Dulleaue	Green
TG11P6	-	-	5-Bullseye	Pink
TG14A6	TG14A12	TG14A50	5-Diamond	Green
TG14P6	-	-	5-Diamona	Pink
TG13A6	TG13A12	TG13A50	I have also use	Green
TG13P6	-	-	Handgun	Pink
TG10A6	TG10A12	TG10A50	100 Yard	Green

Self-Adhesive Backing ACCU•GRID SIGHTING SYSTEM EASY TO **SEE**





DOT-OPTIC SPECS

	MODEL	LENGTH (inches)	LENGTH WITH SUNSHADE (inches)	WEIGHT (ounces)	POWER / OBJECTIVE LENS	OPTIC HEIGHT (inches)	CO- WITNESS HEIGHT (inches)	FIELD OF VIEW (feet at 100yds)	EYE RELIEF (inches)	PARALLAX SETTING (in yards)	CLICK VALUE (Minutes of Angle)	RANGE OF ADJUSTMENT (inches at 100yds)	RETICLE COLOR	RETICLE TYPE	BATTERY	MOUNT
1	TG8135BN	5.24	-	10	1 x 30mm	2.87	1.43		Unlimited	30	0.5	40	•	2-MOA Dot	CR2032	Cantilever rail mount included
	TG8130BN	5.78	-	12.6	1 x 30mm	2.25	1.43		Unlimited	30	0.5	40	•	2-MOA Dot	CR123A	Integrated rail mount
	TG8130RN	5.78	-	12.9	1 x 30mm	2.25	1.43	68	Unlimited	30	0.5	40	•	2-MOA Dot	CR123A	Integrated rail mount
	TG8130GN	5.78	-	12.9	1 x 30mm	2.25	1.43	68	Unlimited	30	0.5	40	•	2-MOA Dot	CR123A	Integrated rail mount
ALC: NO DECIMAL	TG8120BN	2.4	-	4.91 (High mount) 4.0 (Low mount)	1 x 20mm	2.30 (High mount) 1.38 (Iow mount)	1.63 (High Mount) .71 (Low Mount)	46	Unlimited	30	0.5	40		2-MOA Dot	CR2032	High and Iow Mounting bases included
No. I The second	TG8120QN	2.4	-	4.91 (High mount) 4.0 (Low mount)	1x 20mm	2.30 (High mount) 1.38 (low mount)	1.63 (High Mount) .71 (Low Mount)	46	Unlimited	30	0.5	40		2-MOA Dot	CR2032	High QD and low Mounting bases included
	TG8230RB	5.2	-	11.3 with mount	1 x 30mm	2.21	1.62	68	Unlimited	30	0.5	30		5-MOA Dot	CR2032	Cantilever rail mount included
	TG8230TB /TBN	3.85	5.83	9.1	1 x 30mm	1.61	1.02	68	Unlimited	30	1	30	•••	3-MOA Center Dot	CR2032	Integrated rail mount
1211	тд8030тв	3.82	5.83	8.1	1 x 30mm	1.61	1	68	Unlimited	30	1	30	• •	3-MOA Center Dot	CR2032	Integrated rail mount

SCOPE SPECS

MODEL	DIMENSIONS										FIELD OF VIEW (feet @100 yards)		EYE RELIEF (inches @.75 diopter)		PARALLAX	CLICK VALUE	RANGE OF	RETICLE		
	A	в	с	D	E	F	G	WT. (ounces)	MAG.	OBJ. DIA. (mm)	HIGH POWER	LOW POWER	HIGH POWER	LOW POWER	SETTING (yards)	(Minutes of Angle)	ADJUSTMENT (inches at 100yds)	TYPE	BATTERY	MOUNT
TG8539TL	9.92	4.05	1.42	1.38	1.67	1.93	1.18	17.6	3-9x	42	12.1	28.8	3.81	4.3	100	0.25	30	IR Mil-Dot	CR2032	1-Piece rail mount included
TG8516TL	10.39	7.02	3.24	2.11	1.77	1.18	1.18	15.1	1-6x	24	18.15	103.71	4.7	4.7	100	0.5	50	IR Mil-Dot with power ring	CR2032	1-Piece rail mount included
TG8514BT	9.88	5.7	2.81	1.5	1.67	1.18	1.18	13.4	1-4x	24	23.03	92.6	3.15	3.7	50	0.5	50	Duplex Mil-Dot	-	1-Piece rail mount included
TG8504TL /TLN	9.8	3.8	1.6	1.06	1.67	1.46	1	15.4	4x	32	20.79		5.5		100	0.25	30	IR Mil-Dot	CR2032	Weaver- style Rings included
TG8504BT /BTN	9.8	3.8	1.6	1.06	1.46	1.46	1	12.5	4x	32	20.79		5.5		100	0.25	30	Mil-Dot	-	Weaver- style Rings included



MIL-DOT

Measure your target and calculate holdover or windage in milliradians. Dots spaced at 1-MIL increments across entire crosshair.




Combines MIL-DOT measuring in the center of the reticle with a thick duplex-style crosshair for faster acquisition.



POWER RING DUPLEX MIL-DOT

Combines MIL-DOT measuring in the center of the reticle with a thick duplex-style crosshair and illuminated Power Ring that combines the precision of a scope with the speed of a Red Dot.



HANDGUN SPECS

	MODELS								
	• •	e	••						
KEY FEATURES	TFX™ PRO	т	=X ™	TFO°		FIBER-OPTIC	TRITIUM PRO	TRITIUM	
		(Standard Height)	(Suppressor Height)	•••	•••				
FIBER-OPTIC ILLUMINATION	yes	yes	yes	yes	yes	yes	no	no	
TRITIUM ILLUMINATION	yes	yes	yes	yes	yes	no	yes	yes	
SEALED TFX TM CAPSULE	yes	yes	yes	no	no	no	no	no	
REAR SIGHT PROFILE	Hooked	Smooth	Smooth	Smooth	Smooth	Smooth	Hooked	Smooth	
REAR SIGHT NOTCH	U-notch	Square Notch	Square Notch	Square Notch	Square Notch	Square Notch	U-notch	Square Notch	
FOCUS•LOCK RING	Orange	White	White	-	-	-	White	-	
HANDGUN MODELS									
BERETTA® PX4 STORM (excluding Compact)	TG13BR1PC*	TG13BR1A*	-	-	-	-	TG231B1W	-	
CZ® 75 SERIES (most models)	TG13CZ1PC	TG13CZ1A	-	-	-	-	-	-	
FNH® FNP-9, FNX-9 & FNS-9 (including Compact)	TG13FN1PC	TG13FN1A	-	-	-	-	TG231F1W	-	
FNH® FNP-40, FNX-40 & FNS-40 (including Compact)	TG13FN2PC	TG13FN2A	-	-	-	-	TG231F2W	-	
FNH® FNP-45, FNX-45	TG13FN3PC	TG13FN3A	-	-	-	-	TG231F3W	-	
GLOCK® 17 / 17L, 19, 22, 23, 24, 26, 27, 33, 34, 35, 38, AND 39	TG13GL1PC	TG13GL1A	TG13GL4A	TG131GT1	TG131GT1Y	TG131G1	TG231G1W	TG231G1	
GLOCK [®] 20, 21, 25, 29, 30, 31, 32, 37, 40, AND 41	TG13GL2PC	TG13GL2A	TG13GL5A	TG131GT2	TG131GT2Y	TG131G3	TG231G2W	TG231G2	
GLOCK [®] 42, 43	TG13GL3PC	TG13GL3A	-	TG131GT1A	TG131GT1B	TG131G3	TG231G1AW	TG231G1A	
GLOCK [®] MOS 17, 19, 34, AND 35	-	-	-	-	-	-	TG231G1MW	-	
GLOCK [®] MOS 40 AND 41	-	-	-	-	-	-	TG231G2MW	-	
H&K® VP9, VP40, P30, P30SK, P30L, 45, & 45 TACTICAL (including Compact)	TG13HP1PC	TG13HP1A	-	-	-	-	TG231H1W		
KAHR ARMS [®] K, MK, P, PM, T & TP MODELS WITH NEW DOVETAIL (produced after 2004)	TG13KA1PC	TG13KA1A	-	TG131AT1	TG131AT1Y	-	TG231A1W	-	
KIMBER® 1911 MODELS WITH FIXED REAR SIGHT	TG13KM1PC	TG13KM1A	-	TG131KT	TG131KTY	TG131K	TG231K1W	TG231K	
NOVAK [®] LOMOUNT CUT .260 FRONT / .450 REAR (1911 5" Government .45ACP)**	TG13NV1PC	TG13NV1A	-	TG131NT1	TG131NT1Y	-	TG231N1W	TG231N1	
NOVAK® LOMOUNT CUT .270 FRONT / .450 REAR (1911 5" Government 9mm / .40 S&W)**	TG13NV2PC	TG13NV2A	-	TG131NT2	TG131NT2Y	-	TG231N2W	TG231N2	
NOVAK® LOMOUNT CUT .260 FRONT /.500 REAR (1911 3" Officers & 4.25" Commander .45ACP)**	TG13NV3PC	TG13NV3A	-	TG131NT3	TG131NT3Y	-	TG231N3W	TG231N3	
NOVAK® LOMOUNT CUT .270 FRONT / .500 REAR ** (1911 3" Officers & 4.25" Commander 9mm / .405&W/)*	TG13NV4PC	TG13NV4A	-	TG131NT4	TG131NT4Y	-	TG231N4W	TG231N4	
RUGER® SR9 / SR9C, SR40 / SR40C, SR45	TG13RS1PC	TG13RS1A	-	TG131RT1*	-	-	TG231R1W	TG231R1	
RUGER® LC9 / 9S / 380	TG13RS2PC	TG13RS2A	-	TG131RT2	TG131RT2Y	-	TG231R2W	TG231R2	
RUGER® AMERICAN 9MM AND 45	TG13RS3PC	TG13RS3A	-	-	-	-	TG231R3W	-	
S&W [®] M&P (including SHIELD & 22 models, excluding .22 Compact / C.O.R.E. models), SD9 AND SD40 (excluding VE models)	TG13MP1PC	TG13MP1A	-	TG131MPT	TG131MPTY	TG131MP	TG231MP1W	TG231MP	
S&W® BODYGUARD 380	-	-	-	-	-	-	TG231MP2W	-	
SIG® #8 FRONT / #8 REAR SETS	TG13SG1PC	TG13SG1A	-	TG131ST1	TG131ST1Y	TG131S1	TG231S1W	TG231S1	
SIG® #6 FRONT / #8 REAR SETS	TG13SG2PC	TG13SG2A	-	TG131ST2	TG131ST2Y	TG131S2	TG231S2W	TG231S2	
SPRINGFIELD® XD, XDM (excluding 5.25" Comp Series) AND XDS	TG13XD1PC	TG13XD1A	-	TG131XT	TG131XTY	TG131X	TG231X1W	TG231X	
STEYR® MANNLICHER M-A1, C-A1, S-A1, L-A1	TG13SM1PC	TG13SM1A	-	-	-	-	-	-	
TAURUS® MILLENNIUM G2, 709 SLIM, 740 SLIM	TG13TA2PC	TG13TA2A	-	-	-	-	TG231T2W	-	
WALTHER® P99 AND PPQ	TG13WA1PC	TG13WA1A	-	-	-	-	TG231W1W	-	
	TG13WA2PC	TG13WA2A	-	-	-	-	TG231W2W	-	
WALTHER® PPS M2	TG13WA4PC	TG13WA4A	-	-	-	-	70070	-	
WALTHER [®] CCP	TG13WA3PC	TG13WA3A	-	-	-	-	TG231W3W	-	

* Front sight only

38

**Novak® LoMount cut replacement sights are designed for 1911-style handguns with existing fixed Novak® LoMount dovetail cut slides, however some fitting may be required. Installation by a competent gunsmith is recommended.

Due to gun manufacturers' machining tolerances, point-of-impact may differ slightly.

